

inconsistencies_report_service.txt

TBD2 pipeline output - rendered to PDF

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:59:04

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

48828 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

SUP10112 | Mean Time to Repair (MTTR) | ORC10123 | Operational Risk Assessment | 0.06 | 918 | 30.60% | 3000

SCM10109 | Capacity Planning Accuracy | ALM10107 | Anomaly Resolution Time | 0.02 | 912 | 30.40% | 3000

ACT10103 | Activation Success Rate | ACT10105 | Activation Order Processing Time | 0.02 | 911 | 30.37% | 3000

SST10105 | Cost of Service Delivery | SAN10110 | Anomaly Resolution Success Rate | -0.02 | 902 | 30.07% | 3000

GMD10121 | Customer Feedback on Mediation | SCM10117 | Capacity Expansion Time | 0.07 | 902 | 30.07% | 3000

SST10124 | Strategic Alignment | SUP10109 | Net Promoter Score (NPS) | 0.06 | 901 | 30.03% | 3000

CLC10127 | Service Portfolio Diversification | SSM10124 | Specification Innovation Rate | 0.02 | 900 | 30.00% | 3000

ORC10102 | Service Readiness Verification Rate | ALM10103 | Mean Time to Detect (MTTD) | 0.07 | 899 | 29.97% | 3000

ACT10115 | Service Activation Workflow Efficiency | PRB10104 | Mean Time to Detect (MTTD) | 0.04 | 898 | 29.93% | 3000

SUP10126 | Service Improvement Rate | SCM10106 | Capacity Utilization by Service | 0.04 | 896 | 29.87% | 3000

SCC10110 | Customer Satisfaction (CSAT) with Catalog Content | SCC10115 | Content Searchability | 0.02 | 896 | 29.87% | 3000

SST10109 | Net Promoter Score (NPS) | ALM10113 | Anomaly Recurrence Rate | 0.03 | 895 | 29.83% | 3000

SAN10110 | Anomaly Resolution Success Rate | SAN10120 | Anomaly Trend Analysis | 0.01 | 895 | 29.83% | 3000

SPL10117 | Stakeholder Satisfaction Score | ORC10103 | Operational Readiness Test Completion Rate | 0.08 | 894 | 29.80% | 3000

SUP10114 | Support System Uptime | CLC10115 | Time to Market for New Services | 0.05 | 894 | 29.80% | 3000

ACT10114 | Activation Cost per Service | ALM10116 | Anomaly Prevention Rate | 0.03 | 894 | 29.80% | 3000

PRB10115 | Problem Recurrence Rate | SCP10125 | Service Planning Integration | 0.03 | 893 | 29.77% | 3000

SCM10104 | Idle Capacity Rate | ALM10125 | Anomaly Root Cause Analysis (RCA) Effectiveness | 0.05 | 893 | 29.77% | 3000

ACT10108 | Customer Feedback on Activation | SCM10122 | Network Congestion Incidents | 0.03 | 892 | 29.73% | 3000

ORC10102 | Service Readiness Verification Rate | SAN10102 | Anomaly Detection Rate | 0.03 | 892 | 29.73% | 3000

SST10118 | Time to Market for New Services | PFR10103 | Mean Time to Repair (MTTR) | 0.03 | 891 | 29.70% | 3000

SPL10120 | Specification Reusability | SAN10102 | Anomaly Detection Rate | 0.03 | 891 | 29.70% | 3000

SUP10117 | Support Agent Productivity | CLC10121 | Customer Retention Post-Activation | 0.01 | 891 | 29.70% | 3000

SCC10122 | Content Publication Time | SCP10112 | Customer Feedback on Planned Services | 0.03 | 891 | 29.70% | 3000

SST10110 | Customer Satisfaction (CSAT) with Service | ALM10107 | Anomaly Resolution Time | 0.02 | 890 | 29.67% | 3000

SUP10102 | Incident Response Time | CLC10103 | Service Catalog Consistency | 0.02 | 890 | 29.67% | 3000

SUP10114 | Support System Uptime | ORC10109 | Service Transition Time | 0.06 | 890 | 29.67% | 3000

SUP10126 | Service Improvement Rate | GMD10102 | Mediation Processing Time | 0.01 | 890 | 29.67% | 3000

PFR10114 | Incident Response Time | PFR10119 | Customer Complaints | 0.04 | 890 | 29.67% | 3000

SCC10119 | Content Redundancy Rate | ALM10105 | Anomaly Reporting Accuracy | 0.03 | 890 | 29.67% | 3000

Groups Dependent Inconsistencies:

None found.

Groups Independent Inconsistencies:

5565 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

GMD10101 | GMD10101 | ALM10110 | ALM10110 | 0.01 | 896 | 29.87% | 3000

SST10107 | SST10107 | SPL10114 | SPL10114 | 0.04 | 891 | 29.70% | 3000

CPD10101 | CPD10101 | SCC10112 | SCC10112 | 0.02 | 889 | 29.63% | 3000

SUP10106 | SUP10106 | PRB10101 | PRB10101 | 0.04 | 889 | 29.63% | 3000

SUP10110 | SUP10110 | CLC10122 | CLC10122 | 0.03 | 889 | 29.63% | 3000

PRB10101 | PRB10101 | CLC10105 | CLC10105 | -0.00 | 884 | 29.47% | 3000

PRB10123 | PRB10123 | SCP10116 | SCP10116 | 0.02 | 884 | 29.47% | 3000

SCM10118 | SCM10118 | SAN10117 | SAN10117 | 0.04 | 883 | 29.43% | 3000

ACT10123 | ACT10123 | SSM10113 | SSM10113 | -0.00 | 881 | 29.37% | 3000

PRB10110 | PRB10110 | CLC10118 | CLC10118 | 0.01 | 881 | 29.37% | 3000

PRB10117 | PRB10117 | SSM10119 | SSM10119 | 0.01 | 881 | 29.37% | 3000

SPL10118 | SPL10118 | SUP10125 | SUP10125 | 0.01 | 878 | 29.27% | 3000

ACT10106 | ACT10106 | CLC10113 | CLC10113 | 0.01 | 877 | 29.23% | 3000

GMD10116 | GMD10116 | ALM10118 | ALM10118 | 0.01 | 877 | 29.23% | 3000

SST10122 | SST10122 | SCP10116 | SCP10116 | 0.03 | 876 | 29.20% | 3000

PRB10117 | PRB10117 | CLC10118 | CLC10118 | 0.02 | 876 | 29.20% | 3000

CLC10101 | CLC10101 | ORC10114 | ORC10114 | 0.04 | 876 | 29.20% | 3000

ORC10114 | ORC10114 | SCP10116 | SCP10116 | 0.03 | 876 | 29.20% | 3000

PFR10106 | PFR10106 | SAN10107 | SAN10107 | 0.01 | 875 | 29.17% | 3000

SCC10112 | SCC10112 | SSM10119 | SSM10119 | 0.02 | 875 | 29.17% | 3000

ACT10113 | ACT10113 | PRB10114 | PRB10114 | 0.04 | 874 | 29.13% | 3000

ACT10120 | ACT10120 | ALM10115 | ALM10115 | 0.03 | 874 | 29.13% | 3000
CLC10105 | CLC10105 | SCP10119 | SCP10119 | 0.02 | 874 | 29.13% | 3000
CPD10115 | CPD10115 | GMD10116 | GMD10116 | 0.01 | 873 | 29.10% | 3000
SST10107 | SST10107 | SUP10125 | SUP10125 | 0.05 | 872 | 29.07% | 3000
CPD10111 | CPD10111 | SAN10117 | SAN10117 | 0.00 | 872 | 29.07% | 3000
PRB10105 | PRB10105 | SCC10120 | SCC10120 | 0.01 | 872 | 29.07% | 3000
ALM10101 | ALM10101 | ALM10121 | ALM10121 | 0.01 | 872 | 29.07% | 3000
CPD10101 | CPD10101 | SUP10116 | SUP10116 | 0.02 | 871 | 29.03% | 3000
PFR10120 | PFR10120 | SSM10101 | SSM10101 | 0.00 | 871 | 29.03% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

120 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

SPL10000 | SPL10000 | PRB10000 | PRB10000 | 0.00 | 875 | 29.17% | 3000
PRB10000 | PRB10000 | PFR10000 | PFR10000 | -0.00 | 875 | 29.17% | 3000
ACT10000 | ACT10000 | ALM10000 | ALM10000 | 0.03 | 871 | 29.03% | 3000
PRB10000 | PRB10000 | ALM10000 | ALM10000 | 0.01 | 864 | 28.80% | 3000
SCP10000 | SCP10000 | ALM10000 | ALM10000 | 0.01 | 860 | 28.67% | 3000
SUP10000 | SUP10000 | ACT10000 | ACT10000 | 0.01 | 857 | 28.57% | 3000
ACT10000 | ACT10000 | PRB10000 | PRB10000 | 0.05 | 857 | 28.57% | 3000
SPL10000 | SPL10000 | SSM10000 | SSM10000 | 0.02 | 856 | 28.53% | 3000
SST10000 | SST10000 | PRB10000 | PRB10000 | 0.03 | 854 | 28.47% | 3000
ACT10000 | ACT10000 | SAN10000 | SAN10000 | 0.03 | 854 | 28.47% | 3000
GMD10000 | GMD10000 | SCP10000 | SCP10000 | 0.04 | 853 | 28.43% | 3000
CLC10000 | CLC10000 | SCP10000 | SCP10000 | 0.02 | 853 | 28.43% | 3000
ACT10000 | ACT10000 | SCP10000 | SCP10000 | 0.01 | 852 | 28.40% | 3000
CPD10000 | CPD10000 | SCP10000 | SCP10000 | 0.01 | 851 | 28.37% | 3000
SPL10000 | SPL10000 | ACT10000 | ACT10000 | -0.00 | 851 | 28.37% | 3000
GMD10000 | GMD10000 | SSM10000 | SSM10000 | 0.02 | 850 | 28.33% | 3000
SCM10000 | SCM10000 | SAN10000 | SAN10000 | 0.01 | 848 | 28.27% | 3000
ORC10000 | ORC10000 | SSM10000 | SSM10000 | -0.01 | 848 | 28.27% | 3000
PRB10000 | PRB10000 | SAN10000 | SAN10000 | 0.02 | 846 | 28.20% | 3000
SPL10000 | SPL10000 | ALM10000 | ALM10000 | 0.02 | 845 | 28.17% | 3000
SUP10000 | SUP10000 | PFR10000 | PFR10000 | 0.02 | 845 | 28.17% | 3000
PRB10000 | PRB10000 | GMD10000 | GMD10000 | 0.01 | 845 | 28.17% | 3000
SST10000 | SST10000 | ACT10000 | ACT10000 | 0.02 | 844 | 28.13% | 3000
SST10000 | SST10000 | PFR10000 | PFR10000 | -0.01 | 844 | 28.13% | 3000
PRB10000 | PRB10000 | SCM10000 | SCM10000 | 0.01 | 844 | 28.13% | 3000

PRB10000 | PRB10000 | SCP10000 | SCP10000 | 0.01 | 844 | 28.13% | 3000
SCC10000 | SCC10000 | SCP10000 | SCP10000 | -0.04 | 843 | 28.10% | 3000
SCM10000 | SCM10000 | SSM10000 | SSM10000 | -0.01 | 841 | 28.03% | 3000
CLC10000 | CLC10000 | ALM10000 | ALM10000 | -0.01 | 840 | 28.00% | 3000
SPL10000 | SPL10000 | SUP10000 | SUP10000 | 0.02 | 839 | 27.97% | 3000