

MASTER_CONSOLIDATED_REPORT.txt

TBD2 pipeline output - rendered to PDF

MASTER REPORT: Service Module Unified Report

Total sections: 8

=== low_performing_entities_report_service.txt ===

Low-Performing Metrics

S.No,Metric Id,Metric Name,Metric Value

1,	ACT10129,	Activation Order Volume,	29.458666666666666
2,	SCP10102,	Service Planning Accuracy,	29.480333333333334
3,	ACT10117,	Service Activation Failure Rate,	29.554
4,	SAN10106,	Anomaly Detection Method Effectiveness,	29.596
5,	PRB10102,	Problem Detection Rate,	29.641333333333332
6,	SST10115,	Competitive Benchmarking,	29.643666666666668
7,	SAN10108,	Anomaly Resolution Time,	29.647
8,	CLC10119,	Customer Satisfaction (CSAT) with Service Catalog,	29.653333333333332
9,	ORC10107,	Service Launch Success Rate,	29.659666666666666
10,	SCM10111,	Capacity Utilization Trends,	29.662

Low-Performing Groups

S.No,Group Id,Group Name,Group Value

1,	ACT10128,	Volume Metrics,	29.458666666666666
2,	SAN10107,	Resolution and Efficiency Metrics,	29.754916666666666
3,	GMD10125,	Automation Metrics,	29.783666666666665
4,	SPL10118,	Efficiency and Cost Metrics,	29.81409
5,	PRB10101,	Problem Detection and Reporting Metrics,	29.819516666666667
6,	CLC10118,	Customer Satisfaction and Feedback Metrics,	29.83817
7,	SAN10124,	Monitoring and Coverage Metrics,	29.846
8,	ACT10116,	Error and Issue Resolution Metrics,	29.848396666666666
9,	SCP10113,	Cost and Resource Metrics,	29.873833333333334
10,	SCM10101,	Utilization and Efficiency Metrics,	29.875200000000003

Low-Performing Sub-Modules

S.No,	Sub-Module Id,	Sub-Module Name,	Sub-Module Value
1,	SPL10000,	Service Specification Lifecycle,	29.942306666666667
2,	CLC10000,	Service Catalog Lifecycle Management,	29.950336666666667
3,	SST10000,	Service Strategy Management,	29.951753333333336
4,	SCM10000,	Service Capacity Management,	29.958933333333333
5,	ACT10000,	Service Activation Management,	29.960539999999998
6,	GMD10000,	Service Guiding & Mediation,	29.975663333333333
7,	ORC10000,	Service Catalog Operational Readiness Management,	29.978973333333332
8,	SAN10000,	Service Anomaly Management,	29.979416666666665
9,	PFR10000,	Service Performance Management,	29.988823333333332
10,	SCP10000,	Service Catalog Planning Management,	29.99518
Overall Module Average,SRVC_001,29.99			

=== M_G_SM_correlation_report_service.txt ===

Correlation Report (top pairs by |correlation|; full matrices are still used internally for CHAID risk binning - see chaid_risk_segmentation_report)

Metrics Correlation Summary

Total pairs examined: 48828
Pairs with |correlation| >= 0.5: 0
Mean |correlation|: 0.0146

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

CLC10102	Service Catalog Accuracy	SAN10102	Anomaly Detection Rate	-0.0783
ALM10102	Anomaly Detection Rate	SAN10115	Anomaly Escalation Rate	-0.0781
SPL10117	Stakeholder Satisfaction Score	ORC10103	Operational Readiness Test Completion Rate	0.0760
ORC10102	Service Readiness Verification Rate	ORC10120	Time to Operational Readiness	-0.0745
GMD10108	Data Consistency	SCM10108	Service Demand Forecast Accuracy	0.0737
SUP10117	Support Agent Productivity	PFR10118	Customer Satisfaction (CSAT) with Service	-0.0723
CPD10123	Service Improvement Rate	ACT10112	Service Performance Post-Activation	0.0718
PRB10109	Mean Time to Restore (MTTR)	SCC10106	Content Update Frequency	0.0717
ACT10114	Activation Cost per Service	ALM10122	Anomaly Documentation Quality	0.0716
GMD10121	Customer Feedback on Mediation	SCM10117	Capacity Expansion Time	0.0706
PRB10113	Service Quality Index (SQI)	SSM10109	Specification Approval Time	-0.0692
SST10104	Service Revenue Contribution	CPD10107	Service Capability Utilization Rate	-0.0687
SST10106	Service Portfolio Profitability	ALM10117	Anomaly Trend Analysis	-0.0685
PFR10113	Service Quality Index (SQI)	CLC10107	Service Catalog Compliance	-0.0676

CLC10111 | Service Catalog Utilization Rate | SCC10102 | Content Accuracy Rate | -0.0672
PRB10125 | Knowledge Base Utilization | ALM10103 | Mean Time to Detect (MTTD) | 0.0671
SUP10103 | Incident Resolution Time | SAN10120 | Anomaly Trend Analysis | 0.0671
PRB10120 | Problem Backlog | GMD10112 | Data Correlation Accuracy | -0.0665
SCM10124 | Capacity Bottlenecks | SCP10117 | Service Innovation Rate | 0.0664
ORC10102 | Service Readiness Verification Rate | ALM10103 | Mean Time to Detect (MTTD) | 0.0660
PFR10113 | Service Quality Index (SQI) | SSM10114 | Compliance Rate | -0.0655
GMD10107 | Data Accuracy Rate | SSM10106 | Version Control Effectiveness | 0.0654
SUP10117 | Support Agent Productivity | SSM10114 | Compliance Rate | -0.0654
CPD10102 | Service Deployment Time | PRB10112 | Customer Feedback on Problem Management | -0.0646
PRB10126 | Compliance Rate with Problem Management | SCP10117 | Service Innovation Rate | 0.0643
SUP10114 | Support System Uptime | ALM10103 | Mean Time to Detect (MTTD) | 0.0641
SPL10102 | Specification Development Time | ORC10107 | Service Launch Success Rate | -0.0636
SCM10109 | Capacity Planning Accuracy | ALM10119 | Anomaly Management Cost | 0.0633
CPD10114 | Customer Feedback on Service Delivery | ACT10111 | Service Availability Post-Activation | 0.0631
GMD10109 | Error Detection Rate | GMD10115 | Mediation System Scalability | -0.0625
SST10118 | Time to Market for New Services | PFR10115 | Incident Resolution Time | -0.0625
SUP10107 | Customer Satisfaction (CSAT) with Support | SCP10109 | Service Portfolio Diversification | 0.0624
ACT10111 | Service Availability Post-Activation | SCP10118 | Risk Management in Service Planning | -0.0621
SST10124 | Strategic Alignment | SCM10110 | Capacity Monitoring Coverage | -0.0620
CPD10109 | Service Fault Rate | ORC10107 | Service Launch Success Rate | -0.0620
SPL10111 | Compliance Rate | SCC10121 | Content Lifecycle Management Cost | 0.0619
CPD10110 | Service Capability Redundancy | SPL10124 | Specification Innovation Rate | 0.0619
GMD10115 | Mediation System Scalability | ALM10125 | Anomaly Root Cause Analysis (RCA) Effectiveness | 0.0619
SUP10112 | Mean Time to Repair (MTTR) | ORC10123 | Operational Risk Assessment | 0.0617
ACT10129 | Activation Order Volume | SCM10124 | Capacity Bottlenecks | -0.0614
SST10117 | Service Adoption Rate | CLC10115 | Time to Market for New Services | -0.0613
CPD10106 | Mean Time Between Failures (MTBF) | PRB10120 | Problem Backlog | 0.0610
SCM10103 | Resource Allocation Efficiency | ALM10113 | Anomaly Recurrence Rate | 0.0609
SST10119 | Service Utilization Rate | CPD10112 | Customer Satisfaction (CSAT) with Service | -0.0607
PRB10125 | Knowledge Base Utilization | CLC10103 | Service Catalog Consistency | -0.0605
SUP10126 | Service Improvement Rate | SCC10110 | Customer Satisfaction (CSAT) with Catalog Content | -0.0604
SCM10108 | Service Demand Forecast Accuracy | SCC10118 | Content Compliance Rate | -0.0602
PFR10118 | Customer Satisfaction (CSAT) with Service | SAN10122 | Anomaly Management Cost | 0.0601
PFR10114 | Incident Response Time | ALM10123 | Anomaly Feedback Loop Closure | -0.0601
SCC10118 | Content Compliance Rate | SSM10106 | Version Control Effectiveness | 0.0598
SST10108 | Customer Lifetime Value (CLV) | PRB10107 | First Contact Resolution (FCR) Rate | 0.0597
CPD10110 | Service Capability Redundancy | GMD10114 | System Uptime | -0.0597
SCM10124 | Capacity Bottlenecks | SCC10104 | Content Consistency | -0.0596

SCP10104 | Service Demand Forecast Accuracy | ALM10103 | Mean Time to Detect (MTTD) | 0.0594
CLC10119 | Customer Satisfaction (CSAT) with Service Catalog | ALM10120 | Anomaly Training Hours | 0.0594
CLC10106 | Catalog Update Frequency | SAN10110 | Anomaly Resolution Success Rate | 0.0592
SST10119 | Service Utilization Rate | SAN10109 | First Contact Resolution (FCR) Rate | -0.0592
ACT10122 | Service Activation Scalability | CLC10104 | Catalog Error Resolution Time | 0.0591
SUP10114 | Support System Uptime | ORC10109 | Service Transition Time | 0.0590
PRB10120 | Problem Backlog | SAN10113 | Customer Impact of Anomalies | 0.0590
ACT10105 | Activation Order Processing Time | SSM10112 | Specification Error Resolution Time | 0.0589
ACT10112 | Service Performance Post-Activation | GMD10124 | Mediation Volume | -0.0588
SCP10114 | Service Planning Cost | SAN10116 | Customer Feedback on Anomaly Management | -0.0587
SUP10105 | Support Ticket Volume | PFR10111 | Service Performance Monitoring Coverage | 0.0586
SST10119 | Service Utilization Rate | GMD10115 | Mediation System Scalability | -0.0586
SAN10118 | Root Cause Analysis (RCA) Effectiveness | SSM10122 | Specification Adoption Rate | 0.0585
SPL10127 | Specification Error Resolution Time | PRB10109 | Mean Time to Restore (MTTR) | 0.0584
CLC10119 | Customer Satisfaction (CSAT) with Service Catalog | SSM10110 | Change Request Rate | 0.0583
SST10124 | Strategic Alignment | SUP10109 | Net Promoter Score (NPS) | 0.0583
CPD10109 | Service Fault Rate | SSM10109 | Specification Approval Time | -0.0581
CPD10117 | Service Delivery Efficiency | SPL10119 | Specification Lifecycle Cost | -0.0581
GMD10102 | Mediation Processing Time | SAN10104 | Mean Time to Identify (MTTI) | 0.0580
CPD10116 | Service Capability Deployment Cost | SCM10104 | Idle Capacity Rate | -0.0578
CPD10106 | Mean Time Between Failures (MTBF) | ALM10108 | Anomaly Response Time | -0.0577
CLC10114 | Service Decommissioning Rate | ORC10109 | Service Transition Time | 0.0575
PFR10102 | Service Availability | GMD10111 | Mediation Data Integrity | -0.0575
SPL10104 | Specification Documentation Quality | SAN10105 | Anomaly Reporting Accuracy | -0.0575
CPD10104 | Service Availability | ORC10115 | Service Performance Post-Launch | -0.0575
SUP10127 | Support Interaction Quality Score | SCP10125 | Service Planning Integration | 0.0573
ALM10111 | Anomaly Impact Assessment | SSM10120 | Specification Lifecycle Cost | 0.0573
PRB10120 | Problem Backlog | GMD10115 | Mediation System Scalability | 0.0573
SPL10107 | Specification Change Request Rate | SCM10122 | Network Congestion Incidents | 0.0573
SUP10104 | First Contact Resolution (FCR) Rate | CLC10116 | Service Lifecycle Management Cost | 0.0572
ACT10127 | Service Activation Compliance Rate | CLC10107 | Service Catalog Compliance | 0.0572
SCC10121 | Content Lifecycle Management Cost | ALM10103 | Mean Time to Detect (MTTD) | 0.0572
ORC10126 | Readiness Criteria Adherence | SAN10103 | Mean Time to Detect (MTTD) | 0.0571
GMD10111 | Mediation Data Integrity | SAN10103 | Mean Time to Detect (MTTD) | 0.0571
CPD10114 | Customer Feedback on Service Delivery | GMD10118 | Cost per Mediation Record | 0.0570
GMD10109 | Error Detection Rate | SCP10103 | Service Planning Efficiency | -0.0569
CLC10123 | Service Catalog Accessibility | CLC10125 | Innovation and Diversification Metrics | 0.0569
CPD10112 | Customer Satisfaction (CSAT) with Service | PFR10104 | Mean Time Between Failures (MTBF) | -0.0568

CPD10114 | Customer Feedback on Service Delivery | PFR10122 | Service Performance Improvement Rate | -0.0568

PFR10116 | First Contact Resolution (FCR) Rate | GMD10105 | Error Resolution Time | 0.0568

ALM10104 | Mean Time to Identify (MTTI) | SSM10114 | Compliance Rate | -0.0567

SCM10110 | Capacity Monitoring Coverage | SAN10119 | Anomaly Prevention Rate | 0.0566

GMD10124 | Mediation Volume | SCM10120 | Capacity Investment Return | 0.0565

CLC10117 | Service Performance Metrics | SAN10115 | Anomaly Escalation Rate | -0.0565

CPD10116 | Service Capability Deployment Cost | SUP10108 | Customer Feedback on Support | 0.0565

GMD10120 | Customer Satisfaction (CSAT) with Mediation | SCM10125 | Customer Impact due to Capacity Issues | 0.0564

SPL10104 | Specification Documentation Quality | CLC10124 | Service Catalog Training Hours | -0.0562

SUP10109 | Net Promoter Score (NPS) | PRB10116 | Problem Severity Levels | -0.0562

GMD10126 | Automated Mediation Rate | ALM10108 | Anomaly Response Time | 0.0562

PFR10119 | Customer Complaints | GMD10104 | Real-Time Processing Rate | -0.0561

CPD10120 | Service Delivery Compliance Rate | PRB10125 | Knowledge Base Utilization | -0.0561

SCC10124 | Content Innovation Rate | ALM10108 | Anomaly Response Time | -0.0561

SST10102 | Revenue Growth Rate | SCC10127 | Content Utilization Rate | 0.0560

SPL10123 | Specification Training Hours | PRB10120 | Problem Backlog | -0.0560

CPD10119 | Service Configuration Accuracy | SCP10125 | Service Planning Integration | 0.0560

GMD10104 | Real-Time Processing Rate | SCM10106 | Capacity Utilization by Service | -0.0559

CPD10124 | Service Performance Metrics | SUP10111 | Service Availability | -0.0558

SUP10120 | Support Training Hours per Agent | ALM10105 | Anomaly Reporting Accuracy | -0.0558

SCC10117 | Content Error Resolution Time | ALM10125 | Anomaly Root Cause Analysis (RCA) Effectiveness | 0.0558

PFR10108 | Packet Loss Rate | SCC10103 | Content Completeness | -0.0557

GMD10109 | Error Detection Rate | SCP10108 | Service Portfolio Alignment | 0.0557

PRB10122 | Service Availability | CLC10111 | Service Catalog Utilization Rate | -0.0557

SPL10111 | Compliance Rate | SCC10110 | Customer Satisfaction (CSAT) with Catalog Content | 0.0556

PFR10107 | Network Latency | PFR10121 | Service Level Agreement (SLA) Compliance | 0.0555

PRB10113 | Service Quality Index (SQI) | ORC10117 | Operational Documentation Quality | 0.0555

SPL10103 | Specification Accuracy Rate | SCP10111 | Customer Satisfaction (CSAT) with Planned Services | 0.0555

SPL10106 | Specification Approval Time | SAN10119 | Anomaly Prevention Rate | 0.0554

PRB10122 | Service Availability | SSM10115 | Impact Analysis Accuracy | 0.0554

CLC10117 | Service Performance Metrics | SCP10103 | Service Planning Efficiency | 0.0552

SPL10107 | Specification Change Request Rate | SPL10115 | Customer Satisfaction (CSAT) with Specification | 0.0552

ORC10110 | Service Rollback Rate | SCP10115 | Resource Allocation for Planned Services | 0.0552

SUP10126 | Service Improvement Rate | PFR10118 | Customer Satisfaction (CSAT) with Service | 0.0551

ACT10118 | Activation Error Rate | SSM10106 | Version Control Effectiveness | -0.0551

ACT10117 | Service Activation Failure Rate | SSM10109 | Specification Approval Time | -0.0551

ORC10116 | Incident Rate Post-Launch | SCP10104 | Service Demand Forecast Accuracy | -0.0551
PRB10124 | Service Improvement Rate | ALM10123 | Anomaly Feedback Loop Closure | 0.0550
GMD10104 | Real-Time Processing Rate | SAN10106 | Anomaly Detection Method Effectiveness | -0.0550
PFR10121 | Service Level Agreement (SLA) Compliance | ALM10117 | Anomaly Trend Analysis | 0.0550
SPL10127 | Specification Error Resolution Time | SCM10111 | Capacity Utilization Trends | -0.0550
CPD10110 | Service Capability Redundancy | ORC10105 | Service Monitoring Readiness | 0.0550
SCC10114 | Content Engagement Rate | SCP10127 | Planned Service Performance Metrics | -0.0549
SUP10107 | Customer Satisfaction (CSAT) with Support | SSM10110 | Change Request Rate | 0.0549
GMD10114 | System Uptime | SAN10125 | Anomaly Monitoring Coverage | -0.0548
CLC10102 | Service Catalog Accuracy | ORC10109 | Service Transition Time | 0.0548
SCC10117 | Content Error Resolution Time | SCP10127 | Planned Service Performance Metrics | -0.0547
SSM10102 | Time to Develop Specifications | SSM10111 | Change Implementation Time | 0.0547
CPD10104 | Service Availability | SPL10102 | Specification Development Time | -0.0547
SUP10126 | Service Improvement Rate | CLC10102 | Service Catalog Accuracy | -0.0547
GMD10108 | Data Consistency | SCM10102 | Capacity Utilization Rate | -0.0547
SUP10117 | Support Agent Productivity | PFR10115 | Incident Resolution Time | -0.0546
CPD10114 | Customer Feedback on Service Delivery | PRB10112 | Customer Feedback on Problem Management | -0.0546
SAN10105 | Anomaly Reporting Accuracy | SAN10125 | Anomaly Monitoring Coverage | -0.0545
SCP10105 | Time to Market for Planned Services | ALM10114 | Customer Impact due to Anomalies | -0.0544
SST10119 | Service Utilization Rate | ACT10114 | Activation Cost per Service | 0.0544
SCM10124 | Capacity Bottlenecks | SCP10118 | Risk Management in Service Planning | -0.0544
SST10102 | Revenue Growth Rate | ORC10109 | Service Transition Time | -0.0544
SUP10124 | Support Channel Effectiveness | PRB10102 | Problem Detection Rate | 0.0543

Groups Correlation Summary

Total pairs examined: 5565

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0145

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

SPL10105 | Approval and Change Management Metrics | PFR10120 | Compliance and Improvement Metrics | 0.0714
SST10107 | Customer Metrics | PRB10101 | Problem Detection and Reporting Metrics | -0.0698
ACT10126 | Compliance Metrics | CLC10118 | Customer Satisfaction and Feedback Metrics | 0.0634
GMD10113 | Reliability and Scalability Metrics | CLC10113 | Lifecycle and Performance Metrics | -0.0628
SCC10116 | Error and Compliance Metrics | ALM10118 | Cost and Resource Metrics | 0.0626
GMD10119 | Customer Satisfaction and Feedback Metrics | SCM10115 | Scalability and Expansion Metrics | 0.0624
GMD10125 | Automation Metrics | SCM10118 | Cost Metrics | -0.0616
PRB10105 | Resolution and Efficiency Metrics | SAN10112 | Impact and Recurrence Metrics | 0.0609

SPL10105 | Approval and Change Management Metrics | SAN10124 | Monitoring and Coverage Metrics | 0.0602
SST10113 | Market Metrics | ACT10128 | Volume Metrics | 0.0587
PRB10105 | Resolution and Efficiency Metrics | GMD10116 | Compliance and Cost Metrics | 0.0586
SUP10101 | Incident Management Metrics | ACT10101 | Activation Efficiency Metrics | -0.0575
SCC10112 | Accessibility and Engagement Metrics | SCP10126 | Performance and Outcome Metrics | -0.0566
GMD10122 | Success and Volume Metrics | SCM10118 | Cost Metrics | 0.0560
SCM10115 | Scalability and Expansion Metrics | CLC10105 | Update and Compliance Metrics | 0.0558
SUP10116 | Support Agent and Efficiency Metrics | SCC10105 | Update and Review Metrics | 0.0558
CLC10118 | Customer Satisfaction and Feedback Metrics | SCC10105 | Update and Review Metrics | 0.0549
ACT10110 | Service Performance and Reliability Metrics | SSM10101 | Development and Documentation Metrics | -0.0544
SST10116 | Service Performance Metrics | ALM10110 | Impact and Recurrence Metrics | 0.0541
SST10122 | Innovation and Strategic Metrics | SSM10101 | Development and Documentation Metrics | -0.0536
PFR10117 | Customer Satisfaction and Feedback Metrics | SAN10121 | Cost and Documentation Metrics | 0.0532
ACT10126 | Compliance Metrics | CLC10105 | Update and Compliance Metrics | 0.0531
SUP10116 | Support Agent and Efficiency Metrics | ALM10101 | Detection and Identification Metrics | -0.0530
SST10101 | Financial Metrics | ORC10125 | Criteria and Adherence Metrics | 0.0529
CLC10105 | Update and Compliance Metrics | SCP10116 | Innovation and Risk Management Metrics | -0.0525
SCM10101 | Utilization and Efficiency Metrics | ALM10110 | Impact and Recurrence Metrics | 0.0524
CLC10118 | Customer Satisfaction and Feedback Metrics | ALM10118 | Cost and Resource Metrics | 0.0520
ALM10115 | Prevention and Trend Analysis Metrics | SAN10112 | Impact and Recurrence Metrics | 0.0515
SCM10101 | Utilization and Efficiency Metrics | CLC10122 | Accessibility and Training Metrics | 0.0513
CPD10111 | Customer Satisfaction and Quality Metrics | ACT10110 | Service Performance and Reliability Metrics | 0.0512
ORC10114 | Post-Launch Performance and Incident Metrics | ALM10121 | Documentation and Feedback Metrics | -0.0504
SST10113 | Market Metrics | GMD10122 | Success and Volume Metrics | -0.0503
SCM10101 | Utilization and Efficiency Metrics | ORC10125 | Criteria and Adherence Metrics | -0.0501
ACT10101 | Activation Efficiency Metrics | PRB10110 | Customer Satisfaction and Feedback Metrics | 0.0501
SCM10115 | Scalability and Expansion Metrics | SAN10124 | Monitoring and Coverage Metrics | 0.0501
ORC10125 | Criteria and Adherence Metrics | SAN10101 | Detection and Identification Metrics | 0.0500
SCC10120 | Lifecycle and Cost Metrics | SSM10113 | Compliance and Governance Metrics | -0.0498
CPD10115 | Cost and Efficiency Metrics | SUP10121 | Service Level and Quality Metrics | 0.0497
SST10101 | Financial Metrics | SST10107 | Customer Metrics | 0.0493
SPL10101 | Development and Documentation Metrics | PRB10123 | Improvement and Compliance Metrics | -0.0493
CLC10113 | Lifecycle and Performance Metrics | SCC10109 | Customer Satisfaction and Feedback Metrics | -0.0493
SST10107 | Customer Metrics | SUP10125 | Improvement and Innovation Metrics | 0.0490
ACT10128 | Volume Metrics | SCM10107 | Forecasting and Planning Metrics | 0.0490
PFR10106 | Network and Performance Metrics | SCC10123 | Innovation and Personalization Metrics | 0.0486

SCM10107 | Forecasting and Planning Metrics | SSM10107 | Accuracy and Approval Metrics | 0.0485
ACT10101 | Activation Efficiency Metrics | GMD10125 | Automation Metrics | 0.0484
CPD10121 | Scalability and Improvement Metrics | ORC10101 | Readiness Verification and Testing Metrics | -0.0484
CLC10101 | Accuracy and Consistency Metrics | SCP10113 | Cost and Resource Metrics | 0.0482
ACT10123 | Training and Innovation Metrics | ALM10124 | Root Cause Analysis and Monitoring Metrics | 0.0481
SST10116 | Service Performance Metrics | ORC10119 | Efficiency and Cost Metrics | -0.0476
SUP10125 | Improvement and Innovation Metrics | SCC10109 | Customer Satisfaction and Feedback Metrics | -0.0475
ORC10101 | Readiness Verification and Testing Metrics | ORC10119 | Efficiency and Cost Metrics | -0.0475
CLC10113 | Lifecycle and Performance Metrics | ALM10118 | Cost and Resource Metrics | 0.0475
CPD10118 | Compliance and Accuracy Metrics | SSM10119 | Cost and Lifecycle Metrics | 0.0469
ORC10119 | Efficiency and Cost Metrics | SCC10101 | Quality and Accuracy Metrics | 0.0465
CPD10101 | Performance and Reliability Metrics | SUP10121 | Service Level and Quality Metrics | -0.0464
SPL10105 | Approval and Change Management Metrics | SCC10116 | Error and Compliance Metrics | 0.0464
PRB10123 | Improvement and Compliance Metrics | PFR10112 | Quality and Incident Management Metrics | 0.0463
SST10116 | Service Performance Metrics | ALM10121 | Documentation and Feedback Metrics | -0.0463
ACT10120 | Scalability and Automation Metrics | ALM10118 | Cost and Resource Metrics | 0.0461
ACT10101 | Activation Efficiency Metrics | SSM10107 | Accuracy and Approval Metrics | 0.0460
SPL10126 | Error and Issue Resolution Metrics | SCC10116 | Error and Compliance Metrics | -0.0458
PRB10117 | Cost and Resource Metrics | ALM10110 | Impact and Recurrence Metrics | 0.0458
ACT10110 | Service Performance and Reliability Metrics | GMD10122 | Success and Volume Metrics | -0.0457
ORC10106 | Launch and Deployment Metrics | ALM10124 | Root Cause Analysis and Monitoring Metrics | 0.0457
SST10113 | Market Metrics | ORC10114 | Post-Launch Performance and Incident Metrics | -0.0457
SUP10121 | Service Level and Quality Metrics | SAN10124 | Monitoring and Coverage Metrics | -0.0456
ALM10101 | Detection and Identification Metrics | SAN10124 | Monitoring and Coverage Metrics | 0.0455
PRB10105 | Resolution and Efficiency Metrics | SCM10115 | Scalability and Expansion Metrics | -0.0455
PRB10123 | Improvement and Compliance Metrics | ALM10118 | Cost and Resource Metrics | -0.0454
GMD10101 | Processing and Performance Metrics | SSM10113 | Compliance and Governance Metrics | -0.0454
ORC10106 | Launch and Deployment Metrics | SCC10120 | Lifecycle and Cost Metrics | 0.0454
SST10107 | Customer Metrics | ACT10126 | Compliance Metrics | -0.0452
CPD10115 | Cost and Efficiency Metrics | SSM10123 | Innovation and Performance Metrics | -0.0452
SCM10118 | Cost Metrics | ORC10122 | Risk and Training Metrics | -0.0451
SCM10121 | Issue and Incident Metrics | ORC10119 | Efficiency and Cost Metrics | 0.0448
PRB10114 | Problem Recurrence and Severity Metrics | SCP10119 | Compliance and Documentation Metrics | 0.0447
ORC10122 | Risk and Training Metrics | SCC10109 | Customer Satisfaction and Feedback Metrics | 0.0443
SCP10119 | Compliance and Documentation Metrics | SCP10123 | Stakeholder and Engagement Metrics | -0.0443
CPD10115 | Cost and Efficiency Metrics | ALM10124 | Root Cause Analysis and Monitoring Metrics | 0.0440
ORC10125 | Criteria and Adherence Metrics | ALM10121 | Documentation and Feedback Metrics | 0.0440

SPL10101 | Development and Documentation Metrics | ORC10106 | Launch and Deployment Metrics | -0.0439
ORC10101 | Readiness Verification and Testing Metrics | ALM10121 | Documentation and Feedback Metrics |
-0.0438
SAN10121 | Cost and Documentation Metrics | SSM10101 | Development and Documentation Metrics | -0.0436
GMD10125 | Automation Metrics | SCM10101 | Utilization and Efficiency Metrics | 0.0436
SUP10106 | Customer Satisfaction and Feedback Metrics | PRB10101 | Problem Detection and Reporting Metrics |
0.0435
SPL10122 | Training and Innovation Metrics | SCC10123 | Innovation and Personalization Metrics | 0.0435
ORC10114 | Post-Launch Performance and Incident Metrics | SCC10123 | Innovation and Personalization Metrics |
0.0435
GMD10113 | Reliability and Scalability Metrics | SCP10126 | Performance and Outcome Metrics | 0.0434
PFR10101 | Availability and Reliability Metrics | SCC10105 | Update and Review Metrics | 0.0434
ACT10106 | Customer Satisfaction and Feedback Metrics | SCM10115 | Scalability and Expansion Metrics | 0.0433
SCC10116 | Error and Compliance Metrics | SSM10123 | Innovation and Performance Metrics | -0.0432
SUP10116 | Support Agent and Efficiency Metrics | SSM10113 | Compliance and Governance Metrics | -0.0431
ORC10106 | Launch and Deployment Metrics | SSM10123 | Innovation and Performance Metrics | -0.0431
CPD10101 | Performance and Reliability Metrics | ORC10111 | Customer Satisfaction and Feedback Metrics |
0.0430
GMD10125 | Automation Metrics | ALM10106 | Resolution and Efficiency Metrics | 0.0430
CLC10113 | Lifecycle and Performance Metrics | SSM10113 | Compliance and Governance Metrics | -0.0429
CPD10111 | Customer Satisfaction and Quality Metrics | CLC10101 | Accuracy and Consistency Metrics | -0.0428
SPL10110 | Compliance and Governance Metrics | SAN10101 | Detection and Identification Metrics | -0.0428
SST10113 | Market Metrics | SPL10101 | Development and Documentation Metrics | 0.0427
PRB10114 | Problem Recurrence and Severity Metrics | GMD10106 | Data Quality and Integrity Metrics | 0.0427
GMD10116 | Compliance and Cost Metrics | SSM10123 | Innovation and Performance Metrics | 0.0427
SAN10112 | Impact and Recurrence Metrics | SSM10119 | Cost and Lifecycle Metrics | -0.0426
CPD10111 | Customer Satisfaction and Quality Metrics | SAN10107 | Resolution and Efficiency Metrics | 0.0425
ACT10110 | Service Performance and Reliability Metrics | PRB10121 | Service Performance and Reliability Metrics
| 0.0424
PRB10117 | Cost and Resource Metrics | GMD10113 | Reliability and Scalability Metrics | 0.0424
PRB10123 | Improvement and Compliance Metrics | SCM10107 | Forecasting and Planning Metrics | 0.0423
SCC10112 | Accessibility and Engagement Metrics | SCC10116 | Error and Compliance Metrics | 0.0423
SPL10105 | Approval and Change Management Metrics | SAN10117 | Root Cause and Prevention Metrics | 0.0423
SPL10101 | Development and Documentation Metrics | GMD10113 | Reliability and Scalability Metrics | 0.0422
CLC10101 | Accuracy and Consistency Metrics | ORC10114 | Post-Launch Performance and Incident Metrics |
0.0422
PRB10117 | Cost and Resource Metrics | SCC10101 | Quality and Accuracy Metrics | 0.0421
SST10113 | Market Metrics | SPL10114 | Customer and Stakeholder Metrics | 0.0421
SCM10118 | Cost Metrics | SAN10117 | Root Cause and Prevention Metrics | 0.0419
PRB10121 | Service Performance and Reliability Metrics | SCM10118 | Cost Metrics | 0.0419
SST10107 | Customer Metrics | SCC10126 | Utilization and Usage Metrics | -0.0419

PRB10101 | Problem Detection and Reporting Metrics | PFR10120 | Compliance and Improvement Metrics | 0.0418
SUP10101 | Incident Management Metrics | PFR10106 | Network and Performance Metrics | 0.0418
CPD10118 | Compliance and Accuracy Metrics | GMD10122 | Success and Volume Metrics | -0.0417
GMD10113 | Reliability and Scalability Metrics | SCP10119 | Compliance and Documentation Metrics | 0.0416
CLC10122 | Accessibility and Training Metrics | SCC10101 | Quality and Accuracy Metrics | -0.0416
GMD10122 | Success and Volume Metrics | ALM10110 | Impact and Recurrence Metrics | 0.0416
CPD10115 | Cost and Efficiency Metrics | SCP10126 | Performance and Outcome Metrics | -0.0415
CLC10113 | Lifecycle and Performance Metrics | ALM10121 | Documentation and Feedback Metrics | -0.0414
PRB10117 | Cost and Resource Metrics | SCP10116 | Innovation and Risk Management Metrics | -0.0414
SPL10101 | Development and Documentation Metrics | SCP10110 | Customer Satisfaction and Feedback Metrics | 0.0414
GMD10106 | Data Quality and Integrity Metrics | SCP10107 | Portfolio and Alignment Metrics | 0.0414
SPL10122 | Training and Innovation Metrics | CLC10113 | Lifecycle and Performance Metrics | -0.0413
SPL10126 | Error and Issue Resolution Metrics | ORC10101 | Readiness Verification and Testing Metrics | -0.0412
GMD10125 | Automation Metrics | SCP10116 | Innovation and Risk Management Metrics | -0.0412
PFR10124 | Analytics and Utilization Metrics | ORC10111 | Customer Satisfaction and Feedback Metrics | -0.0411
CPD10118 | Compliance and Accuracy Metrics | ACT10116 | Error and Issue Resolution Metrics | -0.0411
SPL10118 | Efficiency and Cost Metrics | PRB10105 | Resolution and Efficiency Metrics | -0.0411
SUP10110 | Service Performance and Reliability Metrics | SAN10101 | Detection and Identification Metrics | 0.0411
SST10113 | Market Metrics | PRB10105 | Resolution and Efficiency Metrics | 0.0411
SSM10119 | Cost and Lifecycle Metrics | SSM10123 | Innovation and Performance Metrics | -0.0410
ACT10120 | Scalability and Automation Metrics | SCP10101 | Accuracy and Efficiency Metrics | 0.0409
CLC10109 | Adoption and Utilization Metrics | ORC10119 | Efficiency and Cost Metrics | 0.0409
ORC10125 | Criteria and Adherence Metrics | SSM10101 | Development and Documentation Metrics | -0.0409
PRB10110 | Customer Satisfaction and Feedback Metrics | SCP10126 | Performance and Outcome Metrics | -0.0409
SUP10125 | Improvement and Innovation Metrics | SCP10123 | Stakeholder and Engagement Metrics | 0.0409
SST10113 | Market Metrics | ALM10115 | Prevention and Trend Analysis Metrics | -0.0409
SPL10126 | Error and Issue Resolution Metrics | SCP10123 | Stakeholder and Engagement Metrics | -0.0408
SCP10107 | Portfolio and Alignment Metrics | SAN10107 | Resolution and Efficiency Metrics | 0.0407
SST10113 | Market Metrics | SSM10119 | Cost and Lifecycle Metrics | 0.0407
SST10122 | Innovation and Strategic Metrics | CPD10115 | Cost and Efficiency Metrics | -0.0406
SPL10101 | Development and Documentation Metrics | SPL10110 | Compliance and Governance Metrics | 0.0406
SUP10116 | Support Agent and Efficiency Metrics | ORC10125 | Criteria and Adherence Metrics | -0.0406
SST10116 | Service Performance Metrics | SPL10114 | Customer and Stakeholder Metrics | -0.0405
CPD10115 | Cost and Efficiency Metrics | SCM10121 | Issue and Incident Metrics | 0.0405

Sub_Modules Correlation Summary

Total pairs examined: 120

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0151

No pairs met the threshold - showing top 120 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

ACT10000	Service Activation Management	PRB10000	Service Problem Management	0.0497
ACT10000	Service Activation Management	SCC10000	Service Catalog Content Management	0.0454
CPD10000	Service Capability Delivery	PRB10000	Service Problem Management	-0.0435
GMD10000	Service Guiding & Mediation	SCP10000	Service Catalog Planning Management	0.0413
SCC10000	Service Catalog Content Management	SCP10000	Service Catalog Planning Management	-0.0382
SST10000	Service Strategy Management	SAN10000	Service Anomaly Management	0.0350
SCC10000	Service Catalog Content Management	ALM10000	Service Anomaly Lifecycle Management	0.0348
SCM10000	Service Capacity Management	SCC10000	Service Catalog Content Management	-0.0344
SST10000	Service Strategy Management	GMD10000	Service Guiding & Mediation	-0.0340
SST10000	Service Strategy Management	SPL10000	Service Specification Lifecycle	0.0331
SCM10000	Service Capacity Management	ORC10000	Service Catalog Operational Readiness Management	-0.0322
SAN10000	Service Anomaly Management	SSM10000	Service Specification Management	-0.0301
SST10000	Service Strategy Management	PRB10000	Service Problem Management	0.0297
ORC10000	Service Catalog Operational Readiness Management	SCP10000	Service Catalog Planning Management	0.0297
ACT10000	Service Activation Management	ALM10000	Service Anomaly Lifecycle Management	0.0295
CPD10000	Service Capability Delivery	CLC10000	Service Catalog Lifecycle Management	-0.0293
CPD10000	Service Capability Delivery	SAN10000	Service Anomaly Management	0.0291
ACT10000	Service Activation Management	SAN10000	Service Anomaly Management	0.0290
CPD10000	Service Capability Delivery	SCM10000	Service Capacity Management	0.0288
SCM10000	Service Capacity Management	SCP10000	Service Catalog Planning Management	-0.0285
SPL10000	Service Specification Lifecycle	CLC10000	Service Catalog Lifecycle Management	-0.0262
SST10000	Service Strategy Management	SSM10000	Service Specification Management	0.0262
SPL10000	Service Specification Lifecycle	SCP10000	Service Catalog Planning Management	-0.0258
PFR10000	Service Performance Management	SSM10000	Service Specification Management	-0.0258
SPL10000	Service Specification Lifecycle	SUP10000	Service Support Management	0.0246
SST10000	Service Strategy Management	ACT10000	Service Activation Management	0.0238
SST10000	Service Strategy Management	ALM10000	Service Anomaly Lifecycle Management	-0.0232
SST10000	Service Strategy Management	SCC10000	Service Catalog Content Management	-0.0221
PRB10000	Service Problem Management	CLC10000	Service Catalog Lifecycle Management	-0.0219
GMD10000	Service Guiding & Mediation	CLC10000	Service Catalog Lifecycle Management	-0.0219
SPL10000	Service Specification Lifecycle	SCC10000	Service Catalog Content Management	0.0206
SUP10000	Service Support Management	CLC10000	Service Catalog Lifecycle Management	-0.0205
SPL10000	Service Specification Lifecycle	ORC10000	Service Catalog Operational Readiness Management	-0.0205
GMD10000	Service Guiding & Mediation	SCC10000	Service Catalog Content Management	-0.0200
SCM10000	Service Capacity Management	CLC10000	Service Catalog Lifecycle Management	0.0199

GMD10000 | Service Guiding & Mediation | SSM10000 | Service Specification Management | 0.0198
PRB10000 | Service Problem Management | SAN10000 | Service Anomaly Management | 0.0198
GMD10000 | Service Guiding & Mediation | SCM10000 | Service Capacity Management | 0.0194
ACT10000 | Service Activation Management | PFR10000 | Service Performance Management | -0.0191
GMD10000 | Service Guiding & Mediation | ORC10000 | Service Catalog Operational Readiness Management |
-0.0191
SPL10000 | Service Specification Lifecycle | ALM10000 | Service Anomaly Lifecycle Management | 0.0189
SUP10000 | Service Support Management | GMD10000 | Service Guiding & Mediation | -0.0188
SUP10000 | Service Support Management | PFR10000 | Service Performance Management | 0.0181
SCP10000 | Service Catalog Planning Management | SSM10000 | Service Specification Management | 0.0181
CPD10000 | Service Capability Delivery | ACT10000 | Service Activation Management | 0.0178
PFR10000 | Service Performance Management | SCP10000 | Service Catalog Planning Management | -0.0171
PFR10000 | Service Performance Management | SCM10000 | Service Capacity Management | -0.0169
SUP10000 | Service Support Management | PRB10000 | Service Problem Management | 0.0167
SPL10000 | Service Specification Lifecycle | SSM10000 | Service Specification Management | 0.0160
SUP10000 | Service Support Management | ORC10000 | Service Catalog Operational Readiness Management |
-0.0158
CLC10000 | Service Catalog Lifecycle Management | SCP10000 | Service Catalog Planning Management | 0.0153
CLC10000 | Service Catalog Lifecycle Management | ALM10000 | Service Anomaly Lifecycle Management |
-0.0147
CPD10000 | Service Capability Delivery | SCP10000 | Service Catalog Planning Management | 0.0144
CPD10000 | Service Capability Delivery | GMD10000 | Service Guiding & Mediation | 0.0144
PFR10000 | Service Performance Management | ALM10000 | Service Anomaly Lifecycle Management | -0.0142
ACT10000 | Service Activation Management | SSM10000 | Service Specification Management | -0.0142
SCP10000 | Service Catalog Planning Management | ALM10000 | Service Anomaly Lifecycle Management | 0.0142
ORC10000 | Service Catalog Operational Readiness Management | SSM10000 | Service Specification
Management | -0.0142
SCC10000 | Service Catalog Content Management | SSM10000 | Service Specification Management | 0.0131
PFR10000 | Service Performance Management | CLC10000 | Service Catalog Lifecycle Management | 0.0130
CLC10000 | Service Catalog Lifecycle Management | SAN10000 | Service Anomaly Management | -0.0129
SPL10000 | Service Specification Lifecycle | SAN10000 | Service Anomaly Management | 0.0126
SST10000 | Service Strategy Management | SUP10000 | Service Support Management | -0.0126
GMD10000 | Service Guiding & Mediation | SAN10000 | Service Anomaly Management | -0.0125
ACT10000 | Service Activation Management | ORC10000 | Service Catalog Operational Readiness Management |
0.0123
SST10000 | Service Strategy Management | CPD10000 | Service Capability Delivery | -0.0122
CPD10000 | Service Capability Delivery | PFR10000 | Service Performance Management | 0.0119
SUP10000 | Service Support Management | SSM10000 | Service Specification Management | 0.0110
CLC10000 | Service Catalog Lifecycle Management | ORC10000 | Service Catalog Operational Readiness
Management | 0.0106
SCC10000 | Service Catalog Content Management | SAN10000 | Service Anomaly Management | 0.0100

SST10000 | Service Strategy Management | PFR10000 | Service Performance Management | -0.0099
SUP10000 | Service Support Management | ACT10000 | Service Activation Management | 0.0098
ACT10000 | Service Activation Management | SCP10000 | Service Catalog Planning Management | 0.0096
PRB10000 | Service Problem Management | SCM10000 | Service Capacity Management | 0.0094
ACT10000 | Service Activation Management | CLC10000 | Service Catalog Lifecycle Management | 0.0091
CPD10000 | Service Capability Delivery | SUP10000 | Service Support Management | 0.0090
ACT10000 | Service Activation Management | GMD10000 | Service Guiding & Mediation | -0.0084
SUP10000 | Service Support Management | SAN10000 | Service Anomaly Management | -0.0084
PRB10000 | Service Problem Management | SCP10000 | Service Catalog Planning Management | 0.0083
SCM10000 | Service Capacity Management | SAN10000 | Service Anomaly Management | 0.0079
PRB10000 | Service Problem Management | ALM10000 | Service Anomaly Lifecycle Management | 0.0078
SST10000 | Service Strategy Management | SCP10000 | Service Catalog Planning Management | -0.0078
PRB10000 | Service Problem Management | ORC10000 | Service Catalog Operational Readiness Management | 0.0075
ORC10000 | Service Catalog Operational Readiness Management | ALM10000 | Service Anomaly Lifecycle Management | 0.0074
PFR10000 | Service Performance Management | GMD10000 | Service Guiding & Mediation | -0.0073
CPD10000 | Service Capability Delivery | SSM10000 | Service Specification Management | -0.0070
SCM10000 | Service Capacity Management | ALM10000 | Service Anomaly Lifecycle Management | -0.0068
SPL10000 | Service Specification Lifecycle | PFR10000 | Service Performance Management | -0.0067
SST10000 | Service Strategy Management | SCM10000 | Service Capacity Management | -0.0066
ORC10000 | Service Catalog Operational Readiness Management | SCC10000 | Service Catalog Content Management | 0.0063
PRB10000 | Service Problem Management | GMD10000 | Service Guiding & Mediation | 0.0063
CPD10000 | Service Capability Delivery | SPL10000 | Service Specification Lifecycle | 0.0058
SST10000 | Service Strategy Management | ORC10000 | Service Catalog Operational Readiness Management | -0.0058
SCP10000 | Service Catalog Planning Management | SAN10000 | Service Anomaly Management | 0.0057
PRB10000 | Service Problem Management | SCC10000 | Service Catalog Content Management | -0.0055
SUP10000 | Service Support Management | SCC10000 | Service Catalog Content Management | 0.0055
CLC10000 | Service Catalog Lifecycle Management | SSM10000 | Service Specification Management | 0.0055
SCM10000 | Service Capacity Management | SSM10000 | Service Specification Management | -0.0051
ALM10000 | Service Anomaly Lifecycle Management | SSM10000 | Service Specification Management | 0.0045
CPD10000 | Service Capability Delivery | SCC10000 | Service Catalog Content Management | 0.0044
SPL10000 | Service Specification Lifecycle | PRB10000 | Service Problem Management | 0.0043
SUP10000 | Service Support Management | SCP10000 | Service Catalog Planning Management | 0.0037
SPL10000 | Service Specification Lifecycle | ACT10000 | Service Activation Management | -0.0033
CPD10000 | Service Capability Delivery | ALM10000 | Service Anomaly Lifecycle Management | -0.0031
PRB10000 | Service Problem Management | PFR10000 | Service Performance Management | -0.0028
SUP10000 | Service Support Management | ALM10000 | Service Anomaly Lifecycle Management | 0.0026
ACT10000 | Service Activation Management | SCM10000 | Service Capacity Management | -0.0026

CLC10000 | Service Catalog Lifecycle Management | SCC10000 | Service Catalog Content Management | -0.0026
PFR10000 | Service Performance Management | SAN10000 | Service Anomaly Management | -0.0020
GMD10000 | Service Guiding & Mediation | ALM10000 | Service Anomaly Lifecycle Management | 0.0020
ALM10000 | Service Anomaly Lifecycle Management | SAN10000 | Service Anomaly Management | 0.0018
SPL10000 | Service Specification Lifecycle | SCM10000 | Service Capacity Management | 0.0017
CPD10000 | Service Capability Delivery | ORC10000 | Service Catalog Operational Readiness Management | 0.0016
PRB10000 | Service Problem Management | SSM10000 | Service Specification Management | -0.0015
PFR10000 | Service Performance Management | SCC10000 | Service Catalog Content Management | -0.0013
SPL10000 | Service Specification Lifecycle | GMD10000 | Service Guiding & Mediation | 0.0010
SST10000 | Service Strategy Management | CLC10000 | Service Catalog Lifecycle Management | -0.0010
ORC10000 | Service Catalog Operational Readiness Management | SAN10000 | Service Anomaly Management | -0.0006
PFR10000 | Service Performance Management | ORC10000 | Service Catalog Operational Readiness Management | -0.0006
SUP10000 | Service Support Management | SCM10000 | Service Capacity Management | 0.0000

=== chaid_risk_segmentation_report_service.txt ===

CHAID Risk Segmentation Report
Generated on: 2026-09-20 14:59:35

CHAID Tree Summary:
[[([], {'Critical': 150.0, 'High': 163.0}, (Repetition, p=4.849588221168371e-70, score=313.0, groups=[['Irregular'], ['Repetitive']]), dof=1)), ([['Irregular'], {'Critical': 150.0, 'High': 0}, <Invalid Chaid Split> - the node only contains single category respondents), ([['Repetitive'], {'Critical': 0, 'High': 163.0}, <Invalid Chaid Split> - the node only contains single category respondents)]

High-Risk Metrics Summary (Critical + High):

Metric ID | Metric Name | Risk Level | Trend | Repetition | Avg Correlation | Inconsistency Level

SST10102 | Revenue Growth Rate | High | Decreasing | Repetitive | Low | Very High
SST10103 | Profit Margin | High | Stable | Repetitive | Low | Very High
SST10104 | Service Revenue Contribution | Critical | Stable | Irregular | Low | Very High
SST10105 | Cost of Service Delivery | High | Decreasing | Repetitive | Low | Very High
SST10106 | Service Portfolio Profitability | Critical | Increasing | Irregular | Low | Very High
SST10108 | Customer Lifetime Value (CLV) | Critical | Decreasing | Irregular | Low | Very High
SST10109 | Net Promoter Score (NPS) | High | Decreasing | Repetitive | Low | Very High
SST10110 | Customer Satisfaction (CSAT) with Service | Critical | Stable | Irregular | Low | Very High
SST10111 | Customer Retention Rate | Critical | Stable | Irregular | Low | Very High
SST10112 | Churn Rate | Critical | Decreasing | Irregular | Low | Very High
SST10114 | Market Share | High | Decreasing | Repetitive | Low | Very High
SST10115 | Competitive Benchmarking | Critical | Stable | Irregular | Low | Very High
SST10117 | Service Adoption Rate | High | Stable | Repetitive | Low | Very High

SST10118 | Time to Market for New Services | Critical | Decreasing | Irregular | Low | Very High
SST10119 | Service Utilization Rate | High | Increasing | Repetitive | Low | Very High
SST10120 | Service Diversification | High | Decreasing | Repetitive | Low | Very High
SST10121 | Service Quality Index (SQI) | High | Increasing | Repetitive | Low | Very High
SST10123 | Innovation Rate | Critical | Decreasing | Irregular | Low | Very High
SST10124 | Strategic Alignment | Critical | Stable | Irregular | Low | Very High
CPD10102 | Service Deployment Time | Critical | Increasing | Irregular | Low | Very High
CPD10103 | Service Activation Success Rate | Critical | Increasing | Irregular | Low | Very High
CPD10104 | Service Availability | Critical | Stable | Irregular | Low | Very High
CPD10105 | Mean Time to Repair (MTTR) | Critical | Decreasing | Irregular | Low | Very High
CPD10106 | Mean Time Between Failures (MTBF) | High | Increasing | Repetitive | Low | Very High
CPD10107 | Service Capability Utilization Rate | Critical | Decreasing | Irregular | Low | Very High
CPD10108 | Service Capability Downtime | Critical | Increasing | Irregular | Low | Very High
CPD10109 | Service Fault Rate | Critical | Stable | Irregular | Low | Very High
CPD10110 | Service Capability Redundancy | Critical | Stable | Irregular | Low | Very High
CPD10112 | Customer Satisfaction (CSAT) with Service | High | Increasing | Repetitive | Low | Very High
CPD10113 | Service Quality Index (SQI) | High | Stable | Repetitive | Low | Very High
CPD10114 | Customer Feedback on Service Delivery | High | Decreasing | Repetitive | Low | Very High
CPD10116 | Service Capability Deployment Cost | High | Increasing | Repetitive | Low | Very High
CPD10117 | Service Delivery Efficiency | Critical | Stable | Irregular | Low | Very High
CPD10119 | Service Configuration Accuracy | High | Stable | Repetitive | Low | Very High
CPD10120 | Service Delivery Compliance Rate | Critical | Decreasing | Irregular | Low | Very High
CPD10122 | Service Capability Scalability | Critical | Decreasing | Irregular | Low | Very High
CPD10123 | Service Improvement Rate | High | Increasing | Repetitive | Low | Very High
CPD10124 | Service Performance Metrics | High | Stable | Repetitive | Low | Very High
SPL10102 | Specification Development Time | High | Decreasing | Repetitive | Low | Very High
SPL10103 | Specification Accuracy Rate | Critical | Increasing | Irregular | Low | Very High
SPL10104 | Specification Documentation Quality | High | Increasing | Repetitive | Low | Very High
SPL10106 | Specification Approval Time | High | Stable | Repetitive | Low | Very High
SPL10107 | Specification Change Request Rate | Critical | Stable | Irregular | Low | Very High
SPL10108 | Change Implementation Time | High | Decreasing | Repetitive | Low | Very High
SPL10109 | Specification Version Control | High | Increasing | Repetitive | Low | Very High
SPL10111 | Compliance Rate | High | Stable | Repetitive | Low | Very High
SPL10112 | Specification Review Frequency | High | Decreasing | Repetitive | Low | Very High
SPL10113 | Specification Impact Analysis | Critical | Increasing | Irregular | Low | Very High
SPL10115 | Customer Satisfaction (CSAT) with Specification | High | Increasing | Repetitive | Low | Very High
SPL10116 | Stakeholder Engagement | High | Stable | Repetitive | Low | Very High
SPL10117 | Stakeholder Satisfaction Score | Critical | Increasing | Irregular | Low | Very High
SPL10119 | Specification Lifecycle Cost | High | Increasing | Repetitive | Low | Very High
SPL10120 | Specification Reusability | Critical | Decreasing | Irregular | Low | Very High

SPL10121 | Specification Adoption Rate | High | Increasing | Repetitive | Low | Very High
SPL10123 | Specification Training Hours | High | Stable | Repetitive | Low | Very High
SPL10124 | Specification Innovation Rate | Critical | Increasing | Irregular | Low | Very High
SPL10125 | Specification Performance Metrics | High | Stable | Repetitive | Low | Very High
SPL10127 | Specification Error Resolution Time | High | Increasing | Repetitive | Low | Very High
SUP10102 | Incident Response Time | High | Decreasing | Repetitive | Low | Very High
SUP10103 | Incident Resolution Time | Critical | Stable | Irregular | Low | Very High
SUP10104 | First Contact Resolution (FCR) Rate | High | Decreasing | Repetitive | Low | Very High
SUP10105 | Support Ticket Volume | High | Stable | Repetitive | Low | Very High
SUP10107 | Customer Satisfaction (CSAT) with Support | High | Stable | Repetitive | Low | Very High
SUP10108 | Customer Feedback on Support | Critical | Stable | Irregular | Low | Very High
SUP10109 | Net Promoter Score (NPS) | High | Decreasing | Repetitive | Low | Very High
SUP10111 | Service Availability | Critical | Increasing | Irregular | Low | Very High
SUP10112 | Mean Time to Repair (MTTR) | Critical | Stable | Irregular | Low | Very High
SUP10113 | Mean Time Between Failures (MTBF) | High | Increasing | Repetitive | Low | Very High
SUP10114 | Support System Uptime | Critical | Increasing | Irregular | Low | Very High
SUP10115 | Escalation Rate | Critical | Decreasing | Irregular | Low | Very High
SUP10117 | Support Agent Productivity | Critical | Decreasing | Irregular | Low | Very High
SUP10118 | Support Cost per Incident | Critical | Stable | Irregular | Low | Very High
SUP10119 | Support Knowledge Base Utilization | Critical | Increasing | Irregular | Low | Very High
SUP10120 | Support Training Hours per Agent | High | Stable | Repetitive | Low | Very High
SUP10122 | Service Level Agreement (SLA) Compliance | High | Increasing | Repetitive | Low | Very High
SUP10123 | Support Interaction Quality Score | High | Stable | Repetitive | Low | Very High
SUP10124 | Support Channel Effectiveness | Critical | Stable | Irregular | Low | Very High
SUP10126 | Service Improvement Rate | High | Decreasing | Repetitive | Low | Very High
SUP10127 | Support Interaction Quality Score | High | Decreasing | Repetitive | Low | Very High
SUP10128 | Support Channel Effectiveness | Critical | Stable | Irregular | Low | Very High
ACT10102 | Service Activation Time | Critical | Increasing | Irregular | Low | Very High
ACT10103 | Activation Success Rate | Critical | Stable | Irregular | Low | Very High
ACT10104 | First-Time Activation Rate | High | Stable | Repetitive | Low | Very High
ACT10105 | Activation Order Processing Time | Critical | Increasing | Irregular | Low | Very High
ACT10107 | Customer Satisfaction (CSAT) with Activation | High | Decreasing | Repetitive | Low | Very High
ACT10108 | Customer Feedback on Activation | Critical | Stable | Irregular | Low | Very High
ACT10109 | Customer Retention Post-Activation | High | Stable | Repetitive | Low | Very High
ACT10111 | Service Availability Post-Activation | Critical | Stable | Irregular | Low | Very High
ACT10112 | Service Performance Post-Activation | High | Increasing | Repetitive | Low | Very High
ACT10114 | Activation Cost per Service | High | Increasing | Repetitive | Low | Very High
ACT10115 | Service Activation Workflow Efficiency | Critical | Decreasing | Irregular | Low | Very High
ACT10117 | Service Activation Failure Rate | High | Increasing | Repetitive | Low | Very High
ACT10118 | Activation Error Rate | High | Increasing | Repetitive | Low | Very High

ACT10119 | Time to Resolve Activation Issues | High | Increasing | Repetitive | Low | Very High

ACT10121 | Automated Activation Rate | Critical | Stable | Irregular | Low | Very High

ACT10122 | Service Activation Scalability | High | Decreasing | Repetitive | Low | Very High

ACT10124 | Training Hours for Activation Staff | Critical | Stable | Irregular | Low | Very High

ACT10125 | Innovation in Activation Processes | Critical | Stable | Irregular | Low | Very High

ACT10127 | Service Activation Compliance Rate | Critical | Decreasing | Irregular | Low | Very High

ACT10129 | Activation Order Volume | Critical | Stable | Irregular | Low | Very High

PRB10102 | Problem Detection Rate | Critical | Stable | Irregular | Low | Very High

PRB10103 | Incident Escalation Rate | Critical | Decreasing | Irregular | Low | Very High

PRB10104 | Mean Time to Detect (MTTD) | High | Stable | Repetitive | Low | Very High

PRB10106 | Problem Resolution Time | High | Stable | Repetitive | Low | Very High

PRB10107 | First Contact Resolution (FCR) Rate | Critical | Stable | Irregular | Low | Very High

PRB10108 | Root Cause Analysis (RCA) Completion Rate | High | Stable | Repetitive | Low | Very High

PRB10109 | Mean Time to Restore (MTTR) | High | Decreasing | Repetitive | Low | Very High

PRB10111 | Customer Satisfaction (CSAT) with Problem Management | High | Decreasing | Repetitive | Low | Very High

PRB10112 | Customer Feedback on Problem Management | High | Increasing | Repetitive | Low | Very High

PRB10113 | Service Quality Index (SQI) | Critical | Stable | Irregular | Low | Very High

PRB10115 | Problem Recurrence Rate | Critical | Increasing | Irregular | Low | Very High

PRB10116 | Problem Severity Levels | High | Increasing | Repetitive | Low | Very High

PRB10118 | Problem Resolution Cost | Critical | Increasing | Irregular | Low | Very High

PRB10119 | Agent Productivity in Problem Management | High | Increasing | Repetitive | Low | Very High

PRB10120 | Problem Backlog | High | Increasing | Repetitive | Low | Very High

PRB10122 | Service Availability | High | Increasing | Repetitive | Low | Very High

PRB10124 | Service Improvement Rate | Critical | Decreasing | Irregular | Low | Very High

PRB10125 | Knowledge Base Utilization | Critical | Increasing | Irregular | Low | Very High

PRB10126 | Compliance Rate with Problem Management | High | Increasing | Repetitive | Low | Very High

PFR10102 | Service Availability | Critical | Decreasing | Irregular | Low | Very High

PFR10103 | Mean Time to Repair (MTTR) | Critical | Increasing | Irregular | Low | Very High

PFR10104 | Mean Time Between Failures (MTBF) | High | Decreasing | Repetitive | Low | Very High

PFR10105 | Service Degradation Incidents | High | Decreasing | Repetitive | Low | Very High

PFR10107 | Network Latency | High | Decreasing | Repetitive | Low | Very High

PFR10108 | Packet Loss Rate | High | Decreasing | Repetitive | Low | Very High

PFR10109 | Throughput | High | Stable | Repetitive | Low | Very High

PFR10110 | Capacity Utilization | Critical | Stable | Irregular | Low | Very High

PFR10111 | Service Performance Monitoring Coverage | Critical | Stable | Irregular | Low | Very High

PFR10113 | Service Quality Index (SQI) | High | Decreasing | Repetitive | Low | Very High

PFR10114 | Incident Response Time | High | Stable | Repetitive | Low | Very High

PFR10115 | Incident Resolution Time | High | Increasing | Repetitive | Low | Very High

PFR10116 | First Contact Resolution (FCR) Rate | Critical | Increasing | Irregular | Low | Very High

PFR10118 | Customer Satisfaction (CSAT) with Service | High | Stable | Repetitive | Low | Very High
PFR10119 | Customer Complaints | High | Decreasing | Repetitive | Low | Very High
PFR10121 | Service Level Agreement (SLA) Compliance | Critical | Stable | Irregular | Low | Very High
PFR10122 | Service Performance Improvement Rate | Critical | Increasing | Irregular | Low | Very High
PFR10123 | Performance Benchmarking | Critical | Stable | Irregular | Low | Very High
PFR10125 | Performance Analytics Utilization | High | Decreasing | Repetitive | Low | Very High
GMD10102 | Mediation Processing Time | High | Decreasing | Repetitive | Low | Very High
GMD10103 | Data Throughput | Critical | Stable | Irregular | Low | Very High
GMD10104 | Real-Time Processing Rate | Critical | Stable | Irregular | Low | Very High
GMD10105 | Error Resolution Time | High | Stable | Repetitive | Low | Very High
GMD10107 | Data Accuracy Rate | Critical | Decreasing | Irregular | Low | Very High
GMD10108 | Data Consistency | Critical | Decreasing | Irregular | Low | Very High
GMD10109 | Error Detection Rate | Critical | Stable | Irregular | Low | Very High
GMD10110 | Data Validation Rate | Critical | Stable | Irregular | Low | Very High
GMD10111 | Mediation Data Integrity | High | Stable | Repetitive | Low | Very High
GMD10112 | Data Correlation Accuracy | Critical | Increasing | Irregular | Low | Very High
GMD10114 | System Uptime | Critical | Stable | Irregular | Low | Very High
GMD10115 | Mediation System Scalability | High | Stable | Repetitive | Low | Very High
GMD10117 | Mediation Compliance Rate | Critical | Decreasing | Irregular | Low | Very High
GMD10118 | Cost per Mediation Record | Critical | Decreasing | Irregular | Low | Very High
GMD10120 | Customer Satisfaction (CSAT) with Mediation | High | Decreasing | Repetitive | Low | Very High
GMD10121 | Customer Feedback on Mediation | Critical | Decreasing | Irregular | Low | Very High
GMD10123 | Mediation Success Rate | Critical | Stable | Irregular | Low | Very High
GMD10124 | Mediation Volume | Critical | Decreasing | Irregular | Low | Very High
GMD10126 | Automated Mediation Rate | Critical | Stable | Irregular | Low | Very High
SCM10102 | Capacity Utilization Rate | Critical | Stable | Irregular | Low | Very High
SCM10103 | Resource Allocation Efficiency | High | Increasing | Repetitive | Low | Very High
SCM10104 | Idle Capacity Rate | High | Stable | Repetitive | Low | Very High
SCM10105 | Infrastructure Utilization | High | Decreasing | Repetitive | Low | Very High
SCM10106 | Capacity Utilization by Service | High | Stable | Repetitive | Low | Very High
SCM10108 | Service Demand Forecast Accuracy | High | Stable | Repetitive | Low | Very High
SCM10109 | Capacity Planning Accuracy | Critical | Decreasing | Irregular | Low | Very High
SCM10110 | Capacity Monitoring Coverage | Critical | Decreasing | Irregular | Low | Very High
SCM10111 | Capacity Utilization Trends | High | Stable | Repetitive | Low | Very High
SCM10113 | Peak Usage Time | Critical | Stable | Irregular | Low | Very High
SCM10114 | Service Performance at Peak Load | Critical | Decreasing | Irregular | Low | Very High
SCM10116 | Service Scalability | High | Decreasing | Repetitive | Low | Very High
SCM10117 | Capacity Expansion Time | Critical | Increasing | Irregular | Low | Very High
SCM10119 | Cost per Capacity Unit | High | Stable | Repetitive | Low | Very High
SCM10120 | Capacity Investment Return | High | Stable | Repetitive | Low | Very High

SCM10122 | Network Congestion Incidents | Critical | Increasing | Irregular | Low | Very High
SCM10123 | Capacity Shortfall Rate | Critical | Stable | Irregular | Low | Very High
SCM10124 | Capacity Bottlenecks | High | Stable | Repetitive | Low | Very High
SCM10125 | Customer Impact due to Capacity Issues | Critical | Decreasing | Irregular | Low | Very High
CLC10102 | Service Catalog Accuracy | Critical | Increasing | Irregular | Low | Very High
CLC10103 | Service Catalog Consistency | Critical | Stable | Irregular | Low | Very High
CLC10104 | Catalog Error Resolution Time | Critical | Stable | Irregular | Low | Very High
CLC10106 | Catalog Update Frequency | High | Increasing | Repetitive | Low | Very High
CLC10107 | Service Catalog Compliance | High | Stable | Repetitive | Low | Very High
CLC10108 | Policy Update Frequency | Critical | Increasing | Irregular | Low | Very High
CLC10110 | Service Adoption Rate | Critical | Stable | Irregular | Low | Very High
CLC10111 | Service Catalog Utilization Rate | Critical | Stable | Irregular | Low | Very High
CLC10112 | Service Onboarding Time | Critical | Increasing | Irregular | Low | Very High
CLC10114 | Service Decommissioning Rate | High | Decreasing | Repetitive | Low | Very High
CLC10115 | Time to Market for New Services | High | Stable | Repetitive | Low | Very High
CLC10116 | Service Lifecycle Management Cost | High | Decreasing | Repetitive | Low | Very High
CLC10117 | Service Performance Metrics | High | Stable | Repetitive | Low | Very High
CLC10119 | Customer Satisfaction (CSAT) with Service Catalog | Critical | Increasing | Irregular | Low | Very High
CLC10120 | Customer Feedback on Service Catalog | Critical | Increasing | Irregular | Low | Very High
CLC10121 | Customer Retention Post-Activation | High | Decreasing | Repetitive | Low | Very High
CLC10123 | Service Catalog Accessibility | Critical | Increasing | Irregular | Low | Very High
CLC10124 | Service Catalog Training Hours | Critical | Stable | Irregular | Low | Very High
CLC10125 | Innovation and Diversification Metrics | High | Decreasing | Repetitive | Low | Very High
CLC10126 | Service Catalog Innovation Rate | High | Increasing | Repetitive | Low | Very High
CLC10127 | Service Portfolio Diversification | High | Increasing | Repetitive | Low | Very High
CLC10128 | Usage Analytics and Insights Metrics | High | Increasing | Repetitive | Low | Very High
CLC10129 | Service Usage Analytics | High | Decreasing | Repetitive | Low | Very High
ORC10102 | Service Readiness Verification Rate | High | Decreasing | Repetitive | Low | Very High
ORC10103 | Operational Readiness Test Completion Rate | Critical | Increasing | Irregular | Low | Very High
ORC10104 | Readiness Issue Detection Rate | High | Increasing | Repetitive | Low | Very High
ORC10105 | Service Monitoring Readiness | Critical | Increasing | Irregular | Low | Very High
ORC10107 | Service Launch Success Rate | High | Decreasing | Repetitive | Low | Very High
ORC10108 | Service Deployment Readiness | Critical | Increasing | Irregular | Low | Very High
ORC10109 | Service Transition Time | High | Increasing | Repetitive | Low | Very High
ORC10110 | Service Rollback Rate | High | Stable | Repetitive | Low | Very High
ORC10112 | Customer Satisfaction (CSAT) with Service Readiness | High | Stable | Repetitive | Low | Very High
ORC10113 | Readiness Feedback Loop Closure | High | Stable | Repetitive | Low | Very High
ORC10115 | Service Performance Post-Launch | Critical | Decreasing | Irregular | Low | Very High
ORC10116 | Incident Rate Post-Launch | Critical | Increasing | Irregular | Low | Very High
ORC10117 | Operational Documentation Quality | Critical | Decreasing | Irregular | Low | Very High

ORC10118 | Operational Readiness Compliance | High | Increasing | Repetitive | Low | Very High
ORC10120 | Time to Operational Readiness | Critical | Decreasing | Irregular | Low | Very High
ORC10121 | Service Onboarding Efficiency | Critical | Stable | Irregular | Low | Very High
ORC10123 | Operational Risk Assessment | Critical | Stable | Irregular | Low | Very High
ORC10124 | Readiness Training Hours | High | Increasing | Repetitive | Low | Very High
ORC10126 | Readiness Criteria Adherence | High | Stable | Repetitive | Low | Very High
SCC10102 | Content Accuracy Rate | High | Decreasing | Repetitive | Low | Very High
SCC10103 | Content Completeness | Critical | Stable | Irregular | Low | Very High
SCC10104 | Content Consistency | High | Decreasing | Repetitive | Low | Very High
SCC10106 | Content Update Frequency | High | Decreasing | Repetitive | Low | Very High
SCC10107 | Content Approval Time | Critical | Decreasing | Irregular | Low | Very High
SCC10108 | Content Review Frequency | Critical | Increasing | Irregular | Low | Very High
SCC10110 | Customer Satisfaction (CSAT) with Catalog Content | High | Decreasing | Repetitive | Low | Very High
SCC10111 | Customer Feedback on Catalog Content | High | Stable | Repetitive | Low | Very High
SCC10113 | Content Accessibility | Critical | Decreasing | Irregular | Low | Very High
SCC10114 | Content Engagement Rate | High | Decreasing | Repetitive | Low | Very High
SCC10115 | Content Searchability | High | Stable | Repetitive | Low | Very High
SCC10117 | Content Error Resolution Time | Critical | Stable | Irregular | Low | Very High
SCC10118 | Content Compliance Rate | High | Decreasing | Repetitive | Low | Very High
SCC10119 | Content Redundancy Rate | High | Increasing | Repetitive | Low | Very High
SCC10121 | Content Lifecycle Management Cost | High | Decreasing | Repetitive | Low | Very High
SCC10122 | Content Publication Time | High | Stable | Repetitive | Low | Very High
SCC10124 | Content Innovation Rate | Critical | Stable | Irregular | Low | Very High
SCC10125 | Content Personalization Effectiveness | High | Stable | Repetitive | Low | Very High
SCC10127 | Content Utilization Rate | Critical | Increasing | Irregular | Low | Very High
SCP10102 | Service Planning Accuracy | High | Stable | Repetitive | Low | Very High
SCP10103 | Service Planning Efficiency | Critical | Decreasing | Irregular | Low | Very High
SCP10104 | Service Demand Forecast Accuracy | Critical | Increasing | Irregular | Low | Very High
SCP10105 | Time to Market for Planned Services | High | Stable | Repetitive | Low | Very High
SCP10106 | Service Planning Cycle Time | High | Stable | Repetitive | Low | Very High
SCP10108 | Service Portfolio Alignment | Critical | Stable | Irregular | Low | Very High
SCP10109 | Service Portfolio Diversification | Critical | Stable | Irregular | Low | Very High
SCP10111 | Customer Satisfaction (CSAT) with Planned Services | Critical | Decreasing | Irregular | Low | Very High
SCP10112 | Customer Feedback on Planned Services | High | Increasing | Repetitive | Low | Very High
SCP10114 | Service Planning Cost | Critical | Decreasing | Irregular | Low | Very High
SCP10115 | Resource Allocation for Planned Services | High | Decreasing | Repetitive | Low | Very High
SCP10117 | Service Innovation Rate | Critical | Stable | Irregular | Low | Very High
SCP10118 | Risk Management in Service Planning | High | Increasing | Repetitive | Low | Very High
SCP10120 | Service Planning Compliance | Critical | Stable | Irregular | Low | Very High

SCP10121 | Service Planning Documentation Quality | High | Increasing | Repetitive | Low | Very High
SCP10122 | Service Planning Review Frequency | Critical | Increasing | Irregular | Low | Very High
SCP10124 | Stakeholder Engagement in Planning | High | Increasing | Repetitive | Low | Very High
SCP10125 | Service Planning Integration | Critical | Decreasing | Irregular | Low | Very High
SCP10127 | Planned Service Performance Metrics | High | Stable | Repetitive | Low | Very High
ALM10102 | Anomaly Detection Rate | Critical | Stable | Irregular | Low | Very High
ALM10103 | Mean Time to Detect (MTTD) | High | Increasing | Repetitive | Low | Very High
ALM10104 | Mean Time to Identify (MTTI) | Critical | Stable | Irregular | Low | Very High
ALM10105 | Anomaly Reporting Accuracy | High | Stable | Repetitive | Low | Very High
ALM10107 | Anomaly Resolution Time | Critical | Decreasing | Irregular | Low | Very High
ALM10108 | Anomaly Response Time | Critical | Decreasing | Irregular | Low | Very High
ALM10109 | Anomaly Resolution Success Rate | High | Stable | Repetitive | Low | Very High
ALM10111 | Anomaly Impact Assessment | High | Decreasing | Repetitive | Low | Very High
ALM10112 | Anomaly Frequency | Critical | Decreasing | Irregular | Low | Very High
ALM10113 | Anomaly Recurrence Rate | High | Stable | Repetitive | Low | Very High
ALM10114 | Customer Impact due to Anomalies | High | Decreasing | Repetitive | Low | Very High
ALM10116 | Anomaly Prevention Rate | Critical | Decreasing | Irregular | Low | Very High
ALM10117 | Anomaly Trend Analysis | High | Stable | Repetitive | Low | Very High
ALM10119 | Anomaly Management Cost | High | Increasing | Repetitive | Low | Very High
ALM10120 | Anomaly Training Hours | Critical | Stable | Irregular | Low | Very High
ALM10122 | Anomaly Documentation Quality | High | Decreasing | Repetitive | Low | Very High
ALM10123 | Anomaly Feedback Loop Closure | High | Increasing | Repetitive | Low | Very High
ALM10125 | Anomaly Root Cause Analysis (RCA) Effectiveness | Critical | Stable | Irregular | Low | Very High
ALM10126 | Anomaly Monitoring Coverage | High | Stable | Repetitive | Low | Very High
SAN10102 | Anomaly Detection Rate | High | Increasing | Repetitive | Low | Very High
SAN10103 | Mean Time to Detect (MTTD) | Critical | Decreasing | Irregular | Low | Very High
SAN10104 | Mean Time to Identify (MTTI) | High | Decreasing | Repetitive | Low | Very High
SAN10105 | Anomaly Reporting Accuracy | Critical | Stable | Irregular | Low | Very High
SAN10106 | Anomaly Detection Method Effectiveness | High | Stable | Repetitive | Low | Very High
SAN10108 | Anomaly Resolution Time | Critical | Stable | Irregular | Low | Very High
SAN10109 | First Contact Resolution (FCR) Rate | Critical | Increasing | Irregular | Low | Very High
SAN10110 | Anomaly Resolution Success Rate | High | Decreasing | Repetitive | Low | Very High
SAN10111 | Anomaly Response Time | High | Stable | Repetitive | Low | Very High
SAN10113 | Customer Impact of Anomalies | High | Stable | Repetitive | Low | Very High
SAN10114 | Anomaly Recurrence Rate | Critical | Stable | Irregular | Low | Very High
SAN10115 | Anomaly Escalation Rate | Critical | Increasing | Irregular | Low | Very High
SAN10116 | Customer Feedback on Anomaly Management | High | Increasing | Repetitive | Low | Very High
SAN10118 | Root Cause Analysis (RCA) Effectiveness | High | Decreasing | Repetitive | Low | Very High
SAN10119 | Anomaly Prevention Rate | High | Decreasing | Repetitive | Low | Very High
SAN10120 | Anomaly Trend Analysis | Critical | Stable | Irregular | Low | Very High

SAN10122	Anomaly Management Cost	High	Increasing	Repetitive	Low	Very High
SAN10123	Anomaly Documentation Quality	Critical	Increasing	Irregular	Low	Very High
SAN10125	Anomaly Monitoring Coverage	High	Increasing	Repetitive	Low	Very High
SSM10102	Time to Develop Specifications	Critical	Stable	Irregular	Low	Very High
SSM10103	Specification Documentation Quality	High	Decreasing	Repetitive	Low	Very High
SSM10104	Specification Review Frequency	High	Decreasing	Repetitive	Low	Very High
SSM10105	Training Hours on Specifications	Critical	Stable	Irregular	Low	Very High
SSM10106	Version Control Effectiveness	Critical	Increasing	Irregular	Low	Very High
SSM10108	Specification Accuracy Rate	Critical	Decreasing	Irregular	Low	Very High
SSM10109	Specification Approval Time	Critical	Decreasing	Irregular	Low	Very High
SSM10110	Change Request Rate	High	Decreasing	Repetitive	Low	Very High
SSM10111	Change Implementation Time	High	Stable	Repetitive	Low	Very High
SSM10112	Specification Error Resolution Time	Critical	Increasing	Irregular	Low	Very High
SSM10114	Compliance Rate	High	Increasing	Repetitive	Low	Very High
SSM10115	Impact Analysis Accuracy	Critical	Stable	Irregular	Low	Very High
SSM10117	Customer Satisfaction (CSAT) with Specifications	High	Increasing	Repetitive	Low	Very High
SSM10118	Stakeholder Engagement	Critical	Stable	Irregular	Low	Very High
SSM10120	Specification Lifecycle Cost	High	Increasing	Repetitive	Low	Very High
SSM10121	Specification Reusability	High	Decreasing	Repetitive	Low	Very High
SSM10122	Specification Adoption Rate	High	Increasing	Repetitive	Low	Very High
SSM10124	Specification Innovation Rate	High	Increasing	Repetitive	Low	Very High
SSM10125	Performance Metrics of Specifications	Critical	Stable	Irregular	Low	Very High

=== inconsistencies_report_service.txt ===

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:59:04

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

48828 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

SUP10112	Mean Time to Repair (MTTR)	ORC10123	Operational Risk Assessment	0.06	918	30.60%	3000
SCM10109	Capacity Planning Accuracy	ALM10107	Anomaly Resolution Time	0.02	912	30.40%	3000
ACT10103	Activation Success Rate	ACT10105	Activation Order Processing Time	0.02	911	30.37%	3000
SST10105	Cost of Service Delivery	SAN10110	Anomaly Resolution Success Rate	-0.02	902	30.07%	3000
GMD10121	Customer Feedback on Mediation	SCM10117	Capacity Expansion Time	0.07	902	30.07%	3000
SST10124	Strategic Alignment	SUP10109	Net Promoter Score (NPS)	0.06	901	30.03%	3000

CLC10127 | Service Portfolio Diversification | SSM10124 | Specification Innovation Rate | 0.02 | 900 | 30.00% | 3000

ORC10102 | Service Readiness Verification Rate | ALM10103 | Mean Time to Detect (MTTD) | 0.07 | 899 | 29.97% | 3000

ACT10115 | Service Activation Workflow Efficiency | PRB10104 | Mean Time to Detect (MTTD) | 0.04 | 898 | 29.93% | 3000

SUP10126 | Service Improvement Rate | SCM10106 | Capacity Utilization by Service | 0.04 | 896 | 29.87% | 3000

SCC10110 | Customer Satisfaction (CSAT) with Catalog Content | SCC10115 | Content Searchability | 0.02 | 896 | 29.87% | 3000

SST10109 | Net Promoter Score (NPS) | ALM10113 | Anomaly Recurrence Rate | 0.03 | 895 | 29.83% | 3000

SAN10110 | Anomaly Resolution Success Rate | SAN10120 | Anomaly Trend Analysis | 0.01 | 895 | 29.83% | 3000

SPL10117 | Stakeholder Satisfaction Score | ORC10103 | Operational Readiness Test Completion Rate | 0.08 | 894 | 29.80% | 3000

SUP10114 | Support System Uptime | CLC10115 | Time to Market for New Services | 0.05 | 894 | 29.80% | 3000

ACT10114 | Activation Cost per Service | ALM10116 | Anomaly Prevention Rate | 0.03 | 894 | 29.80% | 3000

PRB10115 | Problem Recurrence Rate | SCP10125 | Service Planning Integration | 0.03 | 893 | 29.77% | 3000

SCM10104 | Idle Capacity Rate | ALM10125 | Anomaly Root Cause Analysis (RCA) Effectiveness | 0.05 | 893 | 29.77% | 3000

ACT10108 | Customer Feedback on Activation | SCM10122 | Network Congestion Incidents | 0.03 | 892 | 29.73% | 3000

ORC10102 | Service Readiness Verification Rate | SAN10102 | Anomaly Detection Rate | 0.03 | 892 | 29.73% | 3000

SST10118 | Time to Market for New Services | PFR10103 | Mean Time to Repair (MTTR) | 0.03 | 891 | 29.70% | 3000

SPL10120 | Specification Reusability | SAN10102 | Anomaly Detection Rate | 0.03 | 891 | 29.70% | 3000

SUP10117 | Support Agent Productivity | CLC10121 | Customer Retention Post-Activation | 0.01 | 891 | 29.70% | 3000

SCC10122 | Content Publication Time | SCP10112 | Customer Feedback on Planned Services | 0.03 | 891 | 29.70% | 3000

SST10110 | Customer Satisfaction (CSAT) with Service | ALM10107 | Anomaly Resolution Time | 0.02 | 890 | 29.67% | 3000

SUP10102 | Incident Response Time | CLC10103 | Service Catalog Consistency | 0.02 | 890 | 29.67% | 3000

SUP10114 | Support System Uptime | ORC10109 | Service Transition Time | 0.06 | 890 | 29.67% | 3000

SUP10126 | Service Improvement Rate | GMD10102 | Mediation Processing Time | 0.01 | 890 | 29.67% | 3000

PFR10114 | Incident Response Time | PFR10119 | Customer Complaints | 0.04 | 890 | 29.67% | 3000

SCC10119 | Content Redundancy Rate | ALM10105 | Anomaly Reporting Accuracy | 0.03 | 890 | 29.67% | 3000

Groups Dependent Inconsistencies:
None found.

Groups Independent Inconsistencies:
5565 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

GMD10101 | GMD10101 | ALM10110 | ALM10110 | 0.01 | 896 | 29.87% | 3000

SST10107 | SST10107 | SPL10114 | SPL10114 | 0.04 | 891 | 29.70% | 3000
 CPD10101 | CPD10101 | SCC10112 | SCC10112 | 0.02 | 889 | 29.63% | 3000
 SUP10106 | SUP10106 | PRB10101 | PRB10101 | 0.04 | 889 | 29.63% | 3000
 SUP10110 | SUP10110 | CLC10122 | CLC10122 | 0.03 | 889 | 29.63% | 3000
 PRB10101 | PRB10101 | CLC10105 | CLC10105 | -0.00 | 884 | 29.47% | 3000
 PRB10123 | PRB10123 | SCP10116 | SCP10116 | 0.02 | 884 | 29.47% | 3000
 SCM10118 | SCM10118 | SAN10117 | SAN10117 | 0.04 | 883 | 29.43% | 3000
 ACT10123 | ACT10123 | SSM10113 | SSM10113 | -0.00 | 881 | 29.37% | 3000
 PRB10110 | PRB10110 | CLC10118 | CLC10118 | 0.01 | 881 | 29.37% | 3000
 PRB10117 | PRB10117 | SSM10119 | SSM10119 | 0.01 | 881 | 29.37% | 3000
 SPL10118 | SPL10118 | SUP10125 | SUP10125 | 0.01 | 878 | 29.27% | 3000
 ACT10106 | ACT10106 | CLC10113 | CLC10113 | 0.01 | 877 | 29.23% | 3000
 GMD10116 | GMD10116 | ALM10118 | ALM10118 | 0.01 | 877 | 29.23% | 3000
 SST10122 | SST10122 | SCP10116 | SCP10116 | 0.03 | 876 | 29.20% | 3000
 PRB10117 | PRB10117 | CLC10118 | CLC10118 | 0.02 | 876 | 29.20% | 3000
 CLC10101 | CLC10101 | ORC10114 | ORC10114 | 0.04 | 876 | 29.20% | 3000
 ORC10114 | ORC10114 | SCP10116 | SCP10116 | 0.03 | 876 | 29.20% | 3000
 PFR10106 | PFR10106 | SAN10107 | SAN10107 | 0.01 | 875 | 29.17% | 3000
 SCC10112 | SCC10112 | SSM10119 | SSM10119 | 0.02 | 875 | 29.17% | 3000
 ACT10113 | ACT10113 | PRB10114 | PRB10114 | 0.04 | 874 | 29.13% | 3000
 ACT10120 | ACT10120 | ALM10115 | ALM10115 | 0.03 | 874 | 29.13% | 3000
 CLC10105 | CLC10105 | SCP10119 | SCP10119 | 0.02 | 874 | 29.13% | 3000
 CPD10115 | CPD10115 | GMD10116 | GMD10116 | 0.01 | 873 | 29.10% | 3000
 SST10107 | SST10107 | SUP10125 | SUP10125 | 0.05 | 872 | 29.07% | 3000
 CPD10111 | CPD10111 | SAN10117 | SAN10117 | 0.00 | 872 | 29.07% | 3000
 PRB10105 | PRB10105 | SCC10120 | SCC10120 | 0.01 | 872 | 29.07% | 3000
 ALM10101 | ALM10101 | ALM10121 | ALM10121 | 0.01 | 872 | 29.07% | 3000
 CPD10101 | CPD10101 | SUP10116 | SUP10116 | 0.02 | 871 | 29.03% | 3000
 PFR10120 | PFR10120 | SSM10101 | SSM10101 | 0.00 | 871 | 29.03% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

120 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

SPL10000 | SPL10000 | PRB10000 | PRB10000 | 0.00 | 875 | 29.17% | 3000
 PRB10000 | PRB10000 | PFR10000 | PFR10000 | -0.00 | 875 | 29.17% | 3000
 ACT10000 | ACT10000 | ALM10000 | ALM10000 | 0.03 | 871 | 29.03% | 3000
 PRB10000 | PRB10000 | ALM10000 | ALM10000 | 0.01 | 864 | 28.80% | 3000
 SCP10000 | SCP10000 | ALM10000 | ALM10000 | 0.01 | 860 | 28.67% | 3000

SUP10000	SUP10000	ACT10000	ACT10000	0.01	857	28.57%	3000
ACT10000	ACT10000	PRB10000	PRB10000	0.05	857	28.57%	3000
SPL10000	SPL10000	SSM10000	SSM10000	0.02	856	28.53%	3000
SST10000	SST10000	PRB10000	PRB10000	0.03	854	28.47%	3000
ACT10000	ACT10000	SAN10000	SAN10000	0.03	854	28.47%	3000
GMD10000	GMD10000	SCP10000	SCP10000	0.04	853	28.43%	3000
CLC10000	CLC10000	SCP10000	SCP10000	0.02	853	28.43%	3000
ACT10000	ACT10000	SCP10000	SCP10000	0.01	852	28.40%	3000
CPD10000	CPD10000	SCP10000	SCP10000	0.01	851	28.37%	3000
SPL10000	SPL10000	ACT10000	ACT10000	-0.00	851	28.37%	3000
GMD10000	GMD10000	SSM10000	SSM10000	0.02	850	28.33%	3000
SCM10000	SCM10000	SAN10000	SAN10000	0.01	848	28.27%	3000
ORC10000	ORC10000	SSM10000	SSM10000	-0.01	848	28.27%	3000
PRB10000	PRB10000	SAN10000	SAN10000	0.02	846	28.20%	3000
SPL10000	SPL10000	ALM10000	ALM10000	0.02	845	28.17%	3000
SUP10000	SUP10000	PFR10000	PFR10000	0.02	845	28.17%	3000
PRB10000	PRB10000	GMD10000	GMD10000	0.01	845	28.17%	3000
SST10000	SST10000	ACT10000	ACT10000	0.02	844	28.13%	3000
SST10000	SST10000	PFR10000	PFR10000	-0.01	844	28.13%	3000
PRB10000	PRB10000	SCM10000	SCM10000	0.01	844	28.13%	3000
PRB10000	PRB10000	SCP10000	SCP10000	0.01	844	28.13%	3000
SCC10000	SCC10000	SCP10000	SCP10000	-0.04	843	28.10%	3000
SCM10000	SCM10000	SSM10000	SSM10000	-0.01	841	28.03%	3000
CLC10000	CLC10000	ALM10000	ALM10000	-0.01	840	28.00%	3000
SPL10000	SPL10000	SUP10000	SUP10000	0.02	839	27.97%	3000

=== trends_and_repetitions_report_service.txt ===

Metrics Trends:

SST10102: Decreasing

SST10103: Stable

SST10104: Stable

SST10105: Decreasing

SST10106: Increasing

SST10108: Decreasing

SST10109: Decreasing

SST10110: Stable

SST10111: Stable

SST10112: Decreasing

SST10114: Decreasing

SST10115: Stable
SST10117: Stable
SST10118: Decreasing
SST10119: Increasing
SST10120: Decreasing
SST10121: Increasing
SST10123: Decreasing
SST10124: Stable
CPD10102: Increasing
CPD10103: Increasing
CPD10104: Stable
CPD10105: Decreasing
CPD10106: Increasing
CPD10107: Decreasing
CPD10108: Increasing
CPD10109: Stable
CPD10110: Stable
CPD10112: Increasing
CPD10113: Stable
CPD10114: Decreasing
CPD10116: Increasing
CPD10117: Stable
CPD10119: Stable
CPD10120: Decreasing
CPD10122: Decreasing
CPD10123: Increasing
CPD10124: Stable
SPL10102: Decreasing
SPL10103: Increasing
SPL10104: Increasing
SPL10106: Stable
SPL10107: Stable
SPL10108: Decreasing
SPL10109: Increasing
SPL10111: Stable
SPL10112: Decreasing
SPL10113: Increasing
SPL10115: Increasing
SPL10116: Stable
SPL10117: Increasing

SPL10119: Increasing
SPL10120: Decreasing
SPL10121: Increasing
SPL10123: Stable
SPL10124: Increasing
SPL10125: Stable
SPL10127: Increasing
SUP10102: Decreasing
SUP10103: Stable
SUP10104: Decreasing
SUP10105: Stable
SUP10107: Stable
SUP10108: Stable
SUP10109: Decreasing
SUP10111: Increasing
SUP10112: Stable
SUP10113: Increasing
SUP10114: Increasing
SUP10115: Decreasing
SUP10117: Decreasing
SUP10118: Stable
SUP10119: Increasing
SUP10120: Stable
SUP10122: Increasing
SUP10123: Stable
SUP10124: Stable
SUP10126: Decreasing
SUP10127: Decreasing
SUP10128: Stable
ACT10102: Increasing
ACT10103: Stable
ACT10104: Stable
ACT10105: Increasing
ACT10107: Decreasing
ACT10108: Stable
ACT10109: Stable
ACT10111: Stable
ACT10112: Increasing
ACT10114: Increasing
ACT10115: Decreasing

ACT10117: Increasing
ACT10118: Increasing
ACT10119: Increasing
ACT10121: Stable
ACT10122: Decreasing
ACT10124: Stable
ACT10125: Stable
ACT10127: Decreasing
ACT10129: Stable
PRB10102: Stable
PRB10103: Decreasing
PRB10104: Stable
PRB10106: Stable
PRB10107: Stable
PRB10108: Stable
PRB10109: Decreasing
PRB10111: Decreasing
PRB10112: Increasing
PRB10113: Stable
PRB10115: Increasing
PRB10116: Increasing
PRB10118: Increasing
PRB10119: Increasing
PRB10120: Increasing
PRB10122: Increasing
PRB10124: Decreasing
PRB10125: Increasing
PRB10126: Increasing
PFR10102: Decreasing
PFR10103: Increasing
PFR10104: Decreasing
PFR10105: Decreasing
PFR10107: Decreasing
PFR10108: Decreasing
PFR10109: Stable
PFR10110: Stable
PFR10111: Stable
PFR10113: Decreasing
PFR10114: Stable
PFR10115: Increasing

PFR10116: Increasing
PFR10118: Stable
PFR10119: Decreasing
PFR10121: Stable
PFR10122: Increasing
PFR10123: Stable
PFR10125: Decreasing
GMD10102: Decreasing
GMD10103: Stable
GMD10104: Stable
GMD10105: Stable
GMD10107: Decreasing
GMD10108: Decreasing
GMD10109: Stable
GMD10110: Stable
GMD10111: Stable
GMD10112: Increasing
GMD10114: Stable
GMD10115: Stable
GMD10117: Decreasing
GMD10118: Decreasing
GMD10120: Decreasing
GMD10121: Decreasing
GMD10123: Stable
GMD10124: Decreasing
GMD10126: Stable
SCM10102: Stable
SCM10103: Increasing
SCM10104: Stable
SCM10105: Decreasing
SCM10106: Stable
SCM10108: Stable
SCM10109: Decreasing
SCM10110: Decreasing
SCM10111: Stable
SCM10113: Stable
SCM10114: Decreasing
SCM10116: Decreasing
SCM10117: Increasing
SCM10119: Stable

SCM10120: Stable
SCM10122: Increasing
SCM10123: Stable
SCM10124: Stable
SCM10125: Decreasing
CLC10102: Increasing
CLC10103: Stable
CLC10104: Stable
CLC10106: Increasing
CLC10107: Stable
CLC10108: Increasing
CLC10110: Stable
CLC10111: Stable
CLC10112: Increasing
CLC10114: Decreasing
CLC10115: Stable
CLC10116: Decreasing
CLC10117: Stable
CLC10119: Increasing
CLC10120: Increasing
CLC10121: Decreasing
CLC10123: Increasing
CLC10124: Stable
CLC10125: Decreasing
CLC10126: Increasing
CLC10127: Increasing
CLC10128: Increasing
CLC10129: Decreasing
ORC10102: Decreasing
ORC10103: Increasing
ORC10104: Increasing
ORC10105: Increasing
ORC10107: Decreasing
ORC10108: Increasing
ORC10109: Increasing
ORC10110: Stable
ORC10112: Stable
ORC10113: Stable
ORC10115: Decreasing
ORC10116: Increasing

ORC10117: Decreasing
ORC10118: Increasing
ORC10120: Decreasing
ORC10121: Stable
ORC10123: Stable
ORC10124: Increasing
ORC10126: Stable
SCC10102: Decreasing
SCC10103: Stable
SCC10104: Decreasing
SCC10106: Decreasing
SCC10107: Decreasing
SCC10108: Increasing
SCC10110: Decreasing
SCC10111: Stable
SCC10113: Decreasing
SCC10114: Decreasing
SCC10115: Stable
SCC10117: Stable
SCC10118: Decreasing
SCC10119: Increasing
SCC10121: Decreasing
SCC10122: Stable
SCC10124: Stable
SCC10125: Stable
SCC10127: Increasing
SCP10102: Stable
SCP10103: Decreasing
SCP10104: Increasing
SCP10105: Stable
SCP10106: Stable
SCP10108: Stable
SCP10109: Stable
SCP10111: Decreasing
SCP10112: Increasing
SCP10114: Decreasing
SCP10115: Decreasing
SCP10117: Stable
SCP10118: Increasing
SCP10120: Stable

SCP10121: Increasing
SCP10122: Increasing
SCP10124: Increasing
SCP10125: Decreasing
SCP10127: Stable
ALM10102: Stable
ALM10103: Increasing
ALM10104: Stable
ALM10105: Stable
ALM10107: Decreasing
ALM10108: Decreasing
ALM10109: Stable
ALM10111: Decreasing
ALM10112: Decreasing
ALM10113: Stable
ALM10114: Decreasing
ALM10116: Decreasing
ALM10117: Stable
ALM10119: Increasing
ALM10120: Stable
ALM10122: Decreasing
ALM10123: Increasing
ALM10125: Stable
ALM10126: Stable
SAN10102: Increasing
SAN10103: Decreasing
SAN10104: Decreasing
SAN10105: Stable
SAN10106: Stable
SAN10108: Stable
SAN10109: Increasing
SAN10110: Decreasing
SAN10111: Stable
SAN10113: Stable
SAN10114: Stable
SAN10115: Increasing
SAN10116: Increasing
SAN10118: Decreasing
SAN10119: Decreasing
SAN10120: Stable

SAN10122: Increasing
SAN10123: Increasing
SAN10125: Increasing
SSM10102: Stable
SSM10103: Decreasing
SSM10104: Decreasing
SSM10105: Stable
SSM10106: Increasing
SSM10108: Decreasing
SSM10109: Decreasing
SSM10110: Decreasing
SSM10111: Stable
SSM10112: Increasing
SSM10114: Increasing
SSM10115: Stable
SSM10117: Increasing
SSM10118: Stable
SSM10120: Increasing
SSM10121: Decreasing
SSM10122: Increasing
SSM10124: Increasing
SSM10125: Stable

Metrics Repetitions (Fourier Analysis):

SST10102: Dominant period: 2.61 units (repetitive)
SST10103: Dominant period: 2.08 units (repetitive)
SST10104: No clear repetition (potential instability)
SST10105: Dominant period: 7.26 units (repetitive)
SST10106: No clear repetition (potential instability)
SST10108: No clear repetition (potential instability)
SST10109: Dominant period: 12.45 units (repetitive)
SST10110: No clear repetition (potential instability)
SST10111: No clear repetition (potential instability)
SST10112: No clear repetition (potential instability)
SST10114: Dominant period: 2.11 units (repetitive)
SST10115: No clear repetition (potential instability)
SST10117: Dominant period: 4.95 units (repetitive)
SST10118: No clear repetition (potential instability)
SST10119: Dominant period: 2.71 units (repetitive)
SST10120: Dominant period: 2.03 units (repetitive)

SST10121: Dominant period: 55.56 units (repetitive)
SST10123: No clear repetition (potential instability)
SST10124: No clear repetition (potential instability)
CPD10102: No clear repetition (potential instability)
CPD10103: No clear repetition (potential instability)
CPD10104: No clear repetition (potential instability)
CPD10105: No clear repetition (potential instability)
CPD10106: Dominant period: 4.03 units (repetitive)
CPD10107: No clear repetition (potential instability)
CPD10108: No clear repetition (potential instability)
CPD10109: No clear repetition (potential instability)
CPD10110: No clear repetition (potential instability)
CPD10112: Dominant period: 17.54 units (repetitive)
CPD10113: Dominant period: 3.50 units (repetitive)
CPD10114: Dominant period: 6.65 units (repetitive)
CPD10116: Dominant period: 2.94 units (repetitive)
CPD10117: No clear repetition (potential instability)
CPD10119: Dominant period: 25.00 units (repetitive)
CPD10120: No clear repetition (potential instability)
CPD10122: No clear repetition (potential instability)
CPD10123: Dominant period: 3.38 units (repetitive)
CPD10124: Dominant period: 2.07 units (repetitive)
SPL10102: Dominant period: 8.93 units (repetitive)
SPL10103: No clear repetition (potential instability)
SPL10104: Dominant period: 9.80 units (repetitive)
SPL10106: Dominant period: 10.60 units (repetitive)
SPL10107: No clear repetition (potential instability)
SPL10108: Dominant period: 16.95 units (repetitive)
SPL10109: Dominant period: 2.11 units (repetitive)
SPL10111: Dominant period: 2.87 units (repetitive)
SPL10112: Dominant period: 5.58 units (repetitive)
SPL10113: No clear repetition (potential instability)
SPL10115: Dominant period: 46.88 units (repetitive)
SPL10116: Dominant period: 5.47 units (repetitive)
SPL10117: No clear repetition (potential instability)
SPL10119: Dominant period: 3.76 units (repetitive)
SPL10120: No clear repetition (potential instability)
SPL10121: Dominant period: 6.47 units (repetitive)
SPL10123: Dominant period: 19.74 units (repetitive)
SPL10124: No clear repetition (potential instability)

SPL10125: Dominant period: 4.20 units (repetitive)
SPL10127: Dominant period: 55.56 units (repetitive)
SUP10102: Dominant period: 4.46 units (repetitive)
SUP10103: No clear repetition (potential instability)
SUP10104: Dominant period: 2.26 units (repetitive)
SUP10105: Dominant period: 9.38 units (repetitive)
SUP10107: Dominant period: 5.35 units (repetitive)
SUP10108: No clear repetition (potential instability)
SUP10109: Dominant period: 5.71 units (repetitive)
SUP10111: No clear repetition (potential instability)
SUP10112: No clear repetition (potential instability)
SUP10113: Dominant period: 2.19 units (repetitive)
SUP10114: No clear repetition (potential instability)
SUP10115: No clear repetition (potential instability)
SUP10117: No clear repetition (potential instability)
SUP10118: No clear repetition (potential instability)
SUP10119: No clear repetition (potential instability)
SUP10120: Dominant period: 2.07 units (repetitive)
SUP10122: Dominant period: 4.10 units (repetitive)
SUP10123: Dominant period: 2.56 units (repetitive)
SUP10124: No clear repetition (potential instability)
SUP10126: Dominant period: 5.39 units (repetitive)
SUP10127: Dominant period: 6.25 units (repetitive)
SUP10128: No clear repetition (potential instability)
ACT10102: No clear repetition (potential instability)
ACT10103: No clear repetition (potential instability)
ACT10104: Dominant period: 2.21 units (repetitive)
ACT10105: No clear repetition (potential instability)
ACT10107: Dominant period: 15.62 units (repetitive)
ACT10108: No clear repetition (potential instability)
ACT10109: Dominant period: 2.80 units (repetitive)
ACT10111: No clear repetition (potential instability)
ACT10112: Dominant period: 26.32 units (repetitive)
ACT10114: Dominant period: 2.22 units (repetitive)
ACT10115: No clear repetition (potential instability)
ACT10117: Dominant period: 4.62 units (repetitive)
ACT10118: Dominant period: 38.96 units (repetitive)
ACT10119: Dominant period: 6.99 units (repetitive)
ACT10121: No clear repetition (potential instability)
ACT10122: Dominant period: 3.36 units (repetitive)

ACT10124: No clear repetition (potential instability)
ACT10125: No clear repetition (potential instability)
ACT10127: No clear repetition (potential instability)
ACT10129: No clear repetition (potential instability)
PRB10102: No clear repetition (potential instability)
PRB10103: No clear repetition (potential instability)
PRB10104: Dominant period: 10.60 units (repetitive)
PRB10106: Dominant period: 2.95 units (repetitive)
PRB10107: No clear repetition (potential instability)
PRB10108: Dominant period: 2.56 units (repetitive)
PRB10109: Dominant period: 27.52 units (repetitive)
PRB10111: Dominant period: 5.80 units (repetitive)
PRB10112: Dominant period: 2.68 units (repetitive)
PRB10113: No clear repetition (potential instability)
PRB10115: No clear repetition (potential instability)
PRB10116: Dominant period: 8.26 units (repetitive)
PRB10118: No clear repetition (potential instability)
PRB10119: Dominant period: 3.03 units (repetitive)
PRB10120: Dominant period: 32.97 units (repetitive)
PRB10122: Dominant period: 12.93 units (repetitive)
PRB10124: No clear repetition (potential instability)
PRB10125: No clear repetition (potential instability)
PRB10126: Dominant period: 2.24 units (repetitive)
PFR10102: No clear repetition (potential instability)
PFR10103: No clear repetition (potential instability)
PFR10104: Dominant period: 7.56 units (repetitive)
PFR10105: Dominant period: 333.33 units (repetitive)
PFR10107: Dominant period: 2.79 units (repetitive)
PFR10108: Dominant period: 2.69 units (repetitive)
PFR10109: Dominant period: 2.38 units (repetitive)
PFR10110: No clear repetition (potential instability)
PFR10111: No clear repetition (potential instability)
PFR10113: Dominant period: 3000.00 units (repetitive)
PFR10114: Dominant period: 22.73 units (repetitive)
PFR10115: Dominant period: 7.58 units (repetitive)
PFR10116: No clear repetition (potential instability)
PFR10118: Dominant period: 8.96 units (repetitive)
PFR10119: Dominant period: 11.24 units (repetitive)
PFR10121: No clear repetition (potential instability)
PFR10122: No clear repetition (potential instability)

PFR10123: No clear repetition (potential instability)
PFR10125: Dominant period: 7.30 units (repetitive)
GMD10102: Dominant period: 8.43 units (repetitive)
GMD10103: No clear repetition (potential instability)
GMD10104: No clear repetition (potential instability)
GMD10105: Dominant period: 4.93 units (repetitive)
GMD10107: No clear repetition (potential instability)
GMD10108: No clear repetition (potential instability)
GMD10109: No clear repetition (potential instability)
GMD10110: No clear repetition (potential instability)
GMD10111: Dominant period: 4.55 units (repetitive)
GMD10112: No clear repetition (potential instability)
GMD10114: No clear repetition (potential instability)
GMD10115: Dominant period: 4.30 units (repetitive)
GMD10117: No clear repetition (potential instability)
GMD10118: No clear repetition (potential instability)
GMD10120: Dominant period: 2.19 units (repetitive)
GMD10121: No clear repetition (potential instability)
GMD10123: No clear repetition (potential instability)
GMD10124: No clear repetition (potential instability)
GMD10126: No clear repetition (potential instability)
SCM10102: No clear repetition (potential instability)
SCM10103: Dominant period: 9.71 units (repetitive)
SCM10104: Dominant period: 11.32 units (repetitive)
SCM10105: Dominant period: 8.62 units (repetitive)
SCM10106: Dominant period: 3.61 units (repetitive)
SCM10108: Dominant period: 9.49 units (repetitive)
SCM10109: No clear repetition (potential instability)
SCM10110: No clear repetition (potential instability)
SCM10111: Dominant period: 3.19 units (repetitive)
SCM10113: No clear repetition (potential instability)
SCM10114: No clear repetition (potential instability)
SCM10116: Dominant period: 4.60 units (repetitive)
SCM10117: No clear repetition (potential instability)
SCM10119: Dominant period: 2.07 units (repetitive)
SCM10120: Dominant period: 8.29 units (repetitive)
SCM10122: No clear repetition (potential instability)
SCM10123: No clear repetition (potential instability)
SCM10124: Dominant period: 2.21 units (repetitive)
SCM10125: No clear repetition (potential instability)

CLC10102: No clear repetition (potential instability)
CLC10103: No clear repetition (potential instability)
CLC10104: No clear repetition (potential instability)
CLC10106: Dominant period: 5.84 units (repetitive)
CLC10107: Dominant period: 2.16 units (repetitive)
CLC10108: No clear repetition (potential instability)
CLC10110: No clear repetition (potential instability)
CLC10111: No clear repetition (potential instability)
CLC10112: No clear repetition (potential instability)
CLC10114: Dominant period: 8.67 units (repetitive)
CLC10115: Dominant period: 166.67 units (repetitive)
CLC10116: Dominant period: 2.42 units (repetitive)
CLC10117: Dominant period: 2.26 units (repetitive)
CLC10119: No clear repetition (potential instability)
CLC10120: No clear repetition (potential instability)
CLC10121: Dominant period: 10.07 units (repetitive)
CLC10123: No clear repetition (potential instability)
CLC10124: No clear repetition (potential instability)
CLC10125: Dominant period: 2.62 units (repetitive)
CLC10126: Dominant period: 18.40 units (repetitive)
CLC10127: Dominant period: 2.61 units (repetitive)
CLC10128: Dominant period: 8.31 units (repetitive)
CLC10129: Dominant period: 3.95 units (repetitive)
ORC10102: Dominant period: 2.93 units (repetitive)
ORC10103: No clear repetition (potential instability)
ORC10104: Dominant period: 25.42 units (repetitive)
ORC10105: No clear repetition (potential instability)
ORC10107: Dominant period: 2.27 units (repetitive)
ORC10108: No clear repetition (potential instability)
ORC10109: Dominant period: 3.46 units (repetitive)
ORC10110: Dominant period: 5.09 units (repetitive)
ORC10112: Dominant period: 5.33 units (repetitive)
ORC10113: Dominant period: 3.36 units (repetitive)
ORC10115: No clear repetition (potential instability)
ORC10116: No clear repetition (potential instability)
ORC10117: No clear repetition (potential instability)
ORC10118: Dominant period: 2.50 units (repetitive)
ORC10120: No clear repetition (potential instability)
ORC10121: No clear repetition (potential instability)
ORC10123: No clear repetition (potential instability)

ORC10124: Dominant period: 3.11 units (repetitive)
ORC10126: Dominant period: 6.11 units (repetitive)
SCC10102: Dominant period: 83.33 units (repetitive)
SCC10103: No clear repetition (potential instability)
SCC10104: Dominant period: 2.78 units (repetitive)
SCC10106: Dominant period: 6.45 units (repetitive)
SCC10107: No clear repetition (potential instability)
SCC10108: No clear repetition (potential instability)
SCC10110: Dominant period: 2.12 units (repetitive)
SCC10111: Dominant period: 7.37 units (repetitive)
SCC10113: No clear repetition (potential instability)
SCC10114: Dominant period: 2.13 units (repetitive)
SCC10115: Dominant period: 2.37 units (repetitive)
SCC10117: No clear repetition (potential instability)
SCC10118: Dominant period: 2.94 units (repetitive)
SCC10119: Dominant period: 2.16 units (repetitive)
SCC10121: Dominant period: 3.59 units (repetitive)
SCC10122: Dominant period: 2.91 units (repetitive)
SCC10124: No clear repetition (potential instability)
SCC10125: Dominant period: 5.64 units (repetitive)
SCC10127: No clear repetition (potential instability)
SCP10102: Dominant period: 3.65 units (repetitive)
SCP10103: No clear repetition (potential instability)
SCP10104: No clear repetition (potential instability)
SCP10105: Dominant period: 5.38 units (repetitive)
SCP10106: Dominant period: 2.38 units (repetitive)
SCP10108: No clear repetition (potential instability)
SCP10109: No clear repetition (potential instability)
SCP10111: No clear repetition (potential instability)
SCP10112: Dominant period: 2.72 units (repetitive)
SCP10114: No clear repetition (potential instability)
SCP10115: Dominant period: 45.45 units (repetitive)
SCP10117: No clear repetition (potential instability)
SCP10118: Dominant period: 3.20 units (repetitive)
SCP10120: No clear repetition (potential instability)
SCP10121: Dominant period: 3.53 units (repetitive)
SCP10122: No clear repetition (potential instability)
SCP10124: Dominant period: 45.45 units (repetitive)
SCP10125: No clear repetition (potential instability)
SCP10127: Dominant period: 7.06 units (repetitive)

ALM10102: No clear repetition (potential instability)
ALM10103: Dominant period: 5.70 units (repetitive)
ALM10104: No clear repetition (potential instability)
ALM10105: Dominant period: 8.02 units (repetitive)
ALM10107: No clear repetition (potential instability)
ALM10108: No clear repetition (potential instability)
ALM10109: Dominant period: 2.63 units (repetitive)
ALM10111: Dominant period: 2.83 units (repetitive)
ALM10112: No clear repetition (potential instability)
ALM10113: Dominant period: 10.38 units (repetitive)
ALM10114: Dominant period: 15.71 units (repetitive)
ALM10116: No clear repetition (potential instability)
ALM10117: Dominant period: 7.32 units (repetitive)
ALM10119: Dominant period: 2.11 units (repetitive)
ALM10120: No clear repetition (potential instability)
ALM10122: Dominant period: 2.28 units (repetitive)
ALM10123: Dominant period: 2.75 units (repetitive)
ALM10125: No clear repetition (potential instability)
ALM10126: Dominant period: 5.45 units (repetitive)
SAN10102: Dominant period: 4.35 units (repetitive)
SAN10103: No clear repetition (potential instability)
SAN10104: Dominant period: 2.96 units (repetitive)
SAN10105: No clear repetition (potential instability)
SAN10106: Dominant period: 6.71 units (repetitive)
SAN10108: No clear repetition (potential instability)
SAN10109: No clear repetition (potential instability)
SAN10110: Dominant period: 56.60 units (repetitive)
SAN10111: Dominant period: 6.54 units (repetitive)
SAN10113: Dominant period: 3.37 units (repetitive)
SAN10114: No clear repetition (potential instability)
SAN10115: No clear repetition (potential instability)
SAN10116: Dominant period: 26.79 units (repetitive)
SAN10118: Dominant period: 2.35 units (repetitive)
SAN10119: Dominant period: 61.22 units (repetitive)
SAN10120: No clear repetition (potential instability)
SAN10122: Dominant period: 3.50 units (repetitive)
SAN10123: No clear repetition (potential instability)
SAN10125: Dominant period: 5.58 units (repetitive)
SSM10102: No clear repetition (potential instability)
SSM10103: Dominant period: 39.47 units (repetitive)

SSM10104: Dominant period: 10.24 units (repetitive)
SSM10105: No clear repetition (potential instability)
SSM10106: No clear repetition (potential instability)
SSM10108: No clear repetition (potential instability)
SSM10109: No clear repetition (potential instability)
SSM10110: Dominant period: 3.96 units (repetitive)
SSM10111: Dominant period: 4.23 units (repetitive)
SSM10112: No clear repetition (potential instability)
SSM10114: Dominant period: 2.94 units (repetitive)
SSM10115: No clear repetition (potential instability)
SSM10117: Dominant period: 4.04 units (repetitive)
SSM10118: No clear repetition (potential instability)
SSM10120: Dominant period: 3.20 units (repetitive)
SSM10121: Dominant period: 63.83 units (repetitive)
SSM10122: Dominant period: 3.53 units (repetitive)
SSM10124: Dominant period: 3.00 units (repetitive)
SSM10125: No clear repetition (potential instability)

Groups Trends:

SST10101: Stable
SST10107: Decreasing
SST10113: Decreasing
SST10116: Stable
SST10122: Stable
CPD10101: Stable
CPD10111: Stable
CPD10115: Increasing
CPD10118: Decreasing
CPD10121: Decreasing
SPL10101: Stable
SPL10105: Increasing
SPL10110: Stable
SPL10114: Increasing
SPL10118: Stable
SPL10122: Stable
SPL10126: Increasing
SUP10101: Decreasing
SUP10106: Stable
SUP10110: Increasing
SUP10116: Decreasing

SUP10121: Stable
SUP10125: Decreasing
ACT10101: Increasing
ACT10106: Decreasing
ACT10110: Increasing
ACT10113: Stable
ACT10116: Increasing
ACT10120: Decreasing
ACT10123: Stable
ACT10126: Decreasing
ACT10128: Stable
PRB10101: Stable
PRB10105: Stable
PRB10110: Stable
PRB10114: Increasing
PRB10117: Increasing
PRB10121: Increasing
PRB10123: Increasing
PFR10101: Decreasing
PFR10106: Decreasing
PFR10112: Increasing
PFR10117: Decreasing
PFR10120: Increasing
PFR10124: Decreasing
GMD10101: Decreasing
GMD10106: Decreasing
GMD10113: Stable
GMD10116: Decreasing
GMD10119: Decreasing
GMD10122: Decreasing
GMD10125: Stable
SCM10101: Stable
SCM10107: Decreasing
SCM10112: Decreasing
SCM10115: Stable
SCM10118: Stable
SCM10121: Increasing
CLC10101: Increasing
CLC10105: Increasing
CLC10109: Increasing

CLC10113: Decreasing
CLC10118: Increasing
CLC10122: Increasing
ORC10101: Stable
ORC10106: Increasing
ORC10111: Stable
ORC10114: Decreasing
ORC10119: Decreasing
ORC10122: Stable
ORC10125: Stable
SCC10101: Decreasing
SCC10105: Stable
SCC10109: Stable
SCC10112: Decreasing
SCC10116: Stable
SCC10120: Decreasing
SCC10123: Stable
SCC10126: Increasing
SCP10101: Stable
SCP10107: Stable
SCP10110: Stable
SCP10113: Decreasing
SCP10116: Stable
SCP10119: Increasing
SCP10123: Stable
SCP10126: Stable
ALM10101: Increasing
ALM10106: Decreasing
ALM10110: Decreasing
ALM10115: Decreasing
ALM10118: Increasing
ALM10121: Stable
ALM10124: Stable
SAN10101: Decreasing
SAN10107: Stable
SAN10112: Increasing
SAN10117: Decreasing
SAN10121: Increasing
SAN10124: Increasing
SSM10101: Decreasing

SSM10107: Decreasing

SSM10113: Increasing

SSM10116: Stable

SSM10119: Stable

SSM10123: Increasing

Groups Repetitions (Fourier Analysis):

SST10101: Dominant period: 55.56 units (repetitive)

SST10107: Dominant period: 7.48 units (repetitive)

SST10113: Dominant period: 2.42 units (repetitive)

SST10116: No clear repetition (potential instability)

SST10122: Dominant period: 2.32 units (repetitive)

CPD10101: Dominant period: 7.23 units (repetitive)

CPD10111: Dominant period: 3.12 units (repetitive)

CPD10115: Dominant period: 2.94 units (repetitive)

CPD10118: Dominant period: 19.35 units (repetitive)

CPD10121: Dominant period: 3.04 units (repetitive)

SPL10101: Dominant period: 3.44 units (repetitive)

SPL10105: No clear repetition (potential instability)

SPL10110: No clear repetition (potential instability)

SPL10114: No clear repetition (potential instability)

SPL10118: Dominant period: 9.93 units (repetitive)

SPL10122: Dominant period: 2.38 units (repetitive)

SPL10126: Dominant period: 55.56 units (repetitive)

SUP10101: Dominant period: 3.18 units (repetitive)

SUP10106: No clear repetition (potential instability)

SUP10110: Dominant period: 17.14 units (repetitive)

SUP10116: Dominant period: 2.77 units (repetitive)

SUP10121: Dominant period: 2.56 units (repetitive)

SUP10125: No clear repetition (potential instability)

ACT10101: Dominant period: 2.29 units (repetitive)

ACT10106: Dominant period: 4.90 units (repetitive)

ACT10110: Dominant period: 2.99 units (repetitive)

ACT10113: Dominant period: 2.25 units (repetitive)

ACT10116: No clear repetition (potential instability)

ACT10120: Dominant period: 69.77 units (repetitive)

ACT10123: No clear repetition (potential instability)

ACT10126: No clear repetition (potential instability)

ACT10128: No clear repetition (potential instability)

PRB10101: Dominant period: 2.78 units (repetitive)

PRB10105: No clear repetition (potential instability)
PRB10110: Dominant period: 3.91 units (repetitive)
PRB10114: Dominant period: 6.59 units (repetitive)
PRB10117: No clear repetition (potential instability)
PRB10121: Dominant period: 12.93 units (repetitive)
PRB10123: Dominant period: 6.09 units (repetitive)
PFR10101: No clear repetition (potential instability)
PFR10106: Dominant period: 5.20 units (repetitive)
PFR10112: Dominant period: 2.31 units (repetitive)
PFR10117: No clear repetition (potential instability)
PFR10120: Dominant period: 4.38 units (repetitive)
PFR10124: Dominant period: 7.30 units (repetitive)
GMD10101: Dominant period: 7.06 units (repetitive)
GMD10106: No clear repetition (potential instability)
GMD10113: Dominant period: 6.67 units (repetitive)
GMD10116: Dominant period: 3.34 units (repetitive)
GMD10119: No clear repetition (potential instability)
GMD10122: No clear repetition (potential instability)
GMD10125: No clear repetition (potential instability)
SCM10101: Dominant period: 4.59 units (repetitive)
SCM10107: Dominant period: 2.26 units (repetitive)
SCM10112: Dominant period: 12.05 units (repetitive)
SCM10115: Dominant period: 4.86 units (repetitive)
SCM10118: Dominant period: 3.60 units (repetitive)
SCM10121: Dominant period: 11.90 units (repetitive)
CLC10101: No clear repetition (potential instability)
CLC10105: Dominant period: 14.22 units (repetitive)
CLC10109: No clear repetition (potential instability)
CLC10113: Dominant period: 11.45 units (repetitive)
CLC10118: Dominant period: 8.17 units (repetitive)
CLC10122: Dominant period: 2.11 units (repetitive)
ORC10101: No clear repetition (potential instability)
ORC10106: Dominant period: 2.67 units (repetitive)
ORC10111: No clear repetition (potential instability)
ORC10114: Dominant period: 2.05 units (repetitive)
ORC10119: No clear repetition (potential instability)
ORC10122: No clear repetition (potential instability)
ORC10125: Dominant period: 6.11 units (repetitive)
SCC10101: Dominant period: 7.48 units (repetitive)
SCC10105: No clear repetition (potential instability)

SCC10109: Dominant period: 7.08 units (repetitive)
SCC10112: Dominant period: 3.21 units (repetitive)
SCC10116: No clear repetition (potential instability)
SCC10120: No clear repetition (potential instability)
SCC10123: Dominant period: 3.69 units (repetitive)
SCC10126: No clear repetition (potential instability)
SCP10101: Dominant period: 10.56 units (repetitive)
SCP10107: No clear repetition (potential instability)
SCP10110: Dominant period: 3.89 units (repetitive)
SCP10113: No clear repetition (potential instability)
SCP10116: No clear repetition (potential instability)
SCP10119: Dominant period: 2.62 units (repetitive)
SCP10123: Dominant period: 3.40 units (repetitive)
SCP10126: Dominant period: 7.06 units (repetitive)
ALM10101: No clear repetition (potential instability)
ALM10106: No clear repetition (potential instability)
ALM10110: Dominant period: 10.56 units (repetitive)
ALM10115: Dominant period: 2.63 units (repetitive)
ALM10118: No clear repetition (potential instability)
ALM10121: Dominant period: 12.45 units (repetitive)
ALM10124: No clear repetition (potential instability)
SAN10101: No clear repetition (potential instability)
SAN10107: No clear repetition (potential instability)
SAN10112: No clear repetition (potential instability)
SAN10117: Dominant period: 10.45 units (repetitive)
SAN10121: Dominant period: 3.52 units (repetitive)
SAN10124: Dominant period: 5.58 units (repetitive)
SSM10101: Dominant period: 111.11 units (repetitive)
SSM10107: Dominant period: 5.15 units (repetitive)
SSM10113: No clear repetition (potential instability)
SSM10116: Dominant period: 22.39 units (repetitive)
SSM10119: Dominant period: 6.05 units (repetitive)
SSM10123: Dominant period: 13.45 units (repetitive)

Sub_Modules Trends:

SST10000: Decreasing
CPD10000: Decreasing
SPL10000: Increasing
SUP10000: Decreasing
ACT10000: Stable

PRB10000: Increasing
PFR10000: Decreasing
GMD10000: Decreasing
SCM10000: Decreasing
CLC10000: Increasing
ORC10000: Stable
SCC10000: Decreasing
SCP10000: Stable
ALM10000: Decreasing
SAN10000: Increasing
SSM10000: Increasing

Sub_Modules Repetitions (Fourier Analysis):

SST10000: Dominant period: 4.13 units (repetitive)
CPD10000: Dominant period: 3.41 units (repetitive)
SPL10000: Dominant period: 6.59 units (repetitive)
SUP10000: No clear repetition (potential instability)
ACT10000: Dominant period: 2.01 units (repetitive)
PRB10000: Dominant period: 3.19 units (repetitive)
PFR10000: Dominant period: 18.75 units (repetitive)
GMD10000: No clear repetition (potential instability)
SCM10000: No clear repetition (potential instability)
CLC10000: Dominant period: 3.28 units (repetitive)
ORC10000: Dominant period: 6.11 units (repetitive)
SCC10000: Dominant period: 3.03 units (repetitive)
SCP10000: Dominant period: 24.79 units (repetitive)
ALM10000: Dominant period: 3.56 units (repetitive)
SAN10000: Dominant period: 6.07 units (repetitive)
SSM10000: Dominant period: 24.39 units (repetitive)

=== metrics_summary_service.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ACT10102	29.77	9.06	56.96	2.57	0 35	2026-01-07	
ACT10103	30.2	9.07	57.41	2.99	0 35	2026-01-07	
ACT10104	30.0	9.18	57.55	2.45	0 35	2026-01-07	
ACT10105	29.99	9.04	57.12	2.87	0 35	2026-01-07	
ACT10107	30.13	9.26	57.92	2.34	0 35	2026-01-07	
ACT10108	29.96	8.96	56.82	3.09	0 35	2026-01-07	
ACT10109	30.11	9.22	57.78	2.43	0 35	2026-01-07	
ACT10111	29.94	8.99	56.92	2.96	0 35	2026-01-07	
ACT10112	30.0	9.28	57.83	2.17	0 35	2026-01-07	
ACT10114	30.13	9.19	57.69	2.57	0 35	2026-01-07	
ACT10115	30.22	9.04	57.35	3.09	0 35	2026-01-07	
ACT10117	29.55	9.23	57.23	1.87	0 35	2026-01-07	
ACT10118	29.94	9.21	57.56	2.32	0 35	2026-01-07	
ACT10119	30.05	9.29	57.91	2.2	0 35	2026-01-07	
ACT10121	30.09	9.11	57.41	2.77	0 35	2026-01-07	
ACT10122	29.96	9.32	57.91	2.01	0 35	2026-01-07	

ACT10124	29.9	9.21	57.52	2.28	0	35	2026-01-07
ACT10125	30.09	9.23	57.78	2.39	0	35	2026-01-07
ACT10127	30.12	9.3	58.03	2.21	0	35	2026-01-07
ACT10129	29.46	8.94	56.27	2.65	0	35	2026-01-07
ALM10102	29.92	9.1	57.23	2.62	0	35	2026-01-07
ALM10103	30.22	8.94	57.03	3.4	0	35	2026-01-07
ALM10104	30.33	9.0	57.32	3.34	0	35	2026-01-07
ALM10105	29.94	8.93	56.71	3.16	0	35	2026-01-07
ALM10107	29.97	8.93	56.75	3.19	0	35	2026-01-07
ALM10108	29.68	9.18	57.23	2.13	0	35	2026-01-07
ALM10109	30.03	9.15	57.47	2.58	0	35	2026-01-07
ALM10111	30.09	9.38	58.25	1.94	0	35	2026-01-07
ALM10112	30.28	9.25	58.04	2.52	0	35	2026-01-07
ALM10113	30.15	9.17	57.65	2.65	0	35	2026-01-07
ALM10114	29.72	8.97	56.63	2.82	0	35	2026-01-07
ALM10116	30.04	9.11	57.38	2.7	0	35	2026-01-07
ALM10117	30.15	9.32	58.1	2.2	0	35	2026-01-07
ALM10119	30.07	8.89	56.75	3.4	0	35	2026-01-07
ALM10120	29.86	9.28	57.71	2.01	0	35	2026-01-07
ALM10122	30.03	9.07	57.24	2.82	0	35	2026-01-07
ALM10123	30.05	9.2	57.64	2.47	0	35	2026-01-07
ALM10125	29.89	9.25	57.64	2.14	0	35	2026-01-07
ALM10126	30.28	8.85	56.83	3.74	0	35	2026-01-07
CLC10102	30.28	9.11	57.63	2.94	0	35	2026-01-07
CLC10103	29.87	9.05	57.03	2.71	0	35	2026-01-07
CLC10104	29.85	9.3	57.75	1.95	0	35	2026-01-07
CLC10106	29.86	9.18	57.4	2.31	0	35	2026-01-07
CLC10107	30.08	9.25	57.81	2.34	0	35	2026-01-07
CLC10108	29.99	8.94	56.8	3.19	0	35	2026-01-07
CLC10110	29.91	9.14	57.34	2.47	0	35	2026-01-07
CLC10111	29.93	9.11	57.25	2.6	0	35	2026-01-07
CLC10112	30.01	9.0	57.01	3.01	0	35	2026-01-07
CLC10114	29.9	9.09	57.19	2.62	0	35	2026-01-07
CLC10115	30.02	9.09	57.29	2.76	0	35	2026-01-07
CLC10116	29.92	9.19	57.5	2.34	0	35	2026-01-07
CLC10117	29.9	8.97	56.82	2.98	0	35	2026-01-07
CLC10119	29.65	9.06	56.83	2.47	0	35	2026-01-07
CLC10120	29.72	9.16	57.2	2.24	0	35	2026-01-07
CLC10121	30.14	9.12	57.49	2.8	0	35	2026-01-07
CLC10123	30.31	9.15	57.76	2.87	0	35	2026-01-07
CLC10124	29.84	9.12	57.2	2.48	0	35	2026-01-07
CLC10125	29.88	8.98	56.83	2.93	0	35	2026-01-07
CLC10126	30.1	9.29	57.95	2.24	0	35	2026-01-07
CLC10127	29.74	9.23	57.43	2.05	0	35	2026-01-07
CLC10128	30.15	9.29	58.03	2.27	0	35	2026-01-07
CLC10129	29.99	9.06	57.19	2.8	0	35	2026-01-07
CPD10102	29.93	9.24	57.66	2.2	0	35	2026-01-07
CPD10103	29.85	9.17	57.35	2.34	0	35	2026-01-07
CPD10104	30.08	9.05	57.24	2.92	0	35	2026-01-07
CPD10105	29.92	9.03	57.0	2.84	0	35	2026-01-07
CPD10106	30.18	9.06	57.37	3.0	0	35	2026-01-07
CPD10107	30.43	8.99	57.4	3.47	0	35	2026-01-07
CPD10108	29.88	9.25	57.64	2.12	0	35	2026-01-07
CPD10109	30.04	9.09	57.31	2.77	0	35	2026-01-07
CPD10110	30.2	8.99	57.17	3.23	0	35	2026-01-07
CPD10112	29.81	9.24	57.53	2.1	0	35	2026-01-07
CPD10113	30.16	9.27	57.96	2.35	0	35	2026-01-07
CPD10114	29.92	9.15	57.36	2.48	0	35	2026-01-07
CPD10116	29.98	9.31	57.92	2.04	0	35	2026-01-07
CPD10117	30.24	9.19	57.82	2.66	0	35	2026-01-07
CPD10119	30.26	9.14	57.69	2.84	0	35	2026-01-07
CPD10120	30.23	9.05	57.37	3.09	0	35	2026-01-07
CPD10122	30.06	9.12	57.42	2.7	0	35	2026-01-07
CPD10123	30.33	9.03	57.41	3.26	0	35	2026-01-07
CPD10124	29.96	9.31	57.9	2.03	0	35	2026-01-07
GMD10102	29.94	9.05	57.08	2.8	0	35	2026-01-07
GMD10103	30.06	9.26	57.83	2.28	0	35	2026-01-07
GMD10104	29.82	9.13	57.22	2.42	0	35	2026-01-07
GMD10105	30.1	9.11	57.43	2.77	0	35	2026-01-07
GMD10107	29.81	9.46	58.2	1.42	0	35	2026-01-07
GMD10108	30.13	8.98	57.08	3.18	0	35	2026-01-07
GMD10109	30.43	9.11	57.75	3.11	0	35	2026-01-07
GMD10110	29.96	9.05	57.11	2.81	0	35	2026-01-07
GMD10111	30.06	9.19	57.64	2.49	0	35	2026-01-07
GMD10112	30.09	9.03	57.18	3.0	0	35	2026-01-07

GMD10114	29.82	9.43	58.11	1.54	0	35	2026-01-07
GMD10115	30.05	9.45	58.39	1.71	0	35	2026-01-07
GMD10117	30.24	8.97	57.16	3.32	0	35	2026-01-07
GMD10118	29.92	9.22	57.58	2.26	0	35	2026-01-07
GMD10120	30.11	8.99	57.09	3.13	0	35	2026-01-07
GMD10121	29.85	9.18	57.37	2.32	0	35	2026-01-07
GMD10123	30.09	9.25	57.84	2.35	0	35	2026-01-07
GMD10124	29.89	9.13	57.29	2.48	0	35	2026-01-07
GMD10126	29.78	9.23	57.46	2.11	0	35	2026-01-07
ORC10102	30.04	9.22	57.69	2.38	0	35	2026-01-07
ORC10103	29.66	8.97	56.59	2.74	0	35	2026-01-07
ORC10104	29.9	9.26	57.67	2.12	0	35	2026-01-07
ORC10105	30.01	9.2	57.6	2.41	0	35	2026-01-07
ORC10107	29.66	9.31	57.58	1.74	0	35	2026-01-07
ORC10108	29.87	9.19	57.43	2.31	0	35	2026-01-07
ORC10109	29.94	9.21	57.57	2.31	0	35	2026-01-07
ORC10110	30.12	9.13	57.52	2.71	0	35	2026-01-07
ORC10112	29.98	9.19	57.56	2.39	0	35	2026-01-07
ORC10113	29.81	9.18	57.37	2.26	0	35	2026-01-07
ORC10115	29.87	9.2	57.48	2.25	0	35	2026-01-07
ORC10116	30.22	9.18	57.77	2.68	0	35	2026-01-07
ORC10117	30.2	9.3	58.11	2.29	0	35	2026-01-07
ORC10118	29.86	8.96	56.73	2.99	0	35	2026-01-07
ORC10120	29.84	9.19	57.41	2.28	0	35	2026-01-07
ORC10121	29.99	9.23	57.68	2.29	0	35	2026-01-07
ORC10123	30.08	9.22	57.75	2.42	0	35	2026-01-07
ORC10124	29.8	9.05	56.95	2.64	0	35	2026-01-07
ORC10126	30.27	9.36	58.34	2.19	0	35	2026-01-07
PFR10102	30.02	9.3	57.92	2.12	0	35	2026-01-07
PFR10103	30.13	9.27	57.93	2.32	0	35	2026-01-07
PFR10104	30.21	9.15	57.65	2.77	0	35	2026-01-07
PFR10105	30.11	9.07	57.32	2.89	0	35	2026-01-07
PFR10107	29.78	9.18	57.32	2.23	0	35	2026-01-07
PFR10108	30.2	9.36	58.27	2.13	0	35	2026-01-07
PFR10109	29.95	9.23	57.63	2.27	0	35	2026-01-07
PFR10110	29.89	9.12	57.26	2.51	0	35	2026-01-07
PFR10111	29.98	9.34	57.99	1.96	0	35	2026-01-07
PFR10113	30.01	9.11	57.34	2.69	0	35	2026-01-07
PFR10114	30.02	8.96	56.9	3.15	0	35	2026-01-07
PFR10115	29.87	9.2	57.47	2.26	0	35	2026-01-07
PFR10116	29.79	8.88	56.43	3.15	0	35	2026-01-07
PFR10118	29.92	8.96	56.81	3.03	0	35	2026-01-07
PFR10119	29.97	9.33	57.97	1.97	0	35	2026-01-07
PFR10121	30.12	9.16	57.61	2.63	0	35	2026-01-07
PFR10122	29.95	9.26	57.73	2.18	0	35	2026-01-07
PFR10123	30.19	9.23	57.89	2.48	0	35	2026-01-07
PFR10125	29.9	8.93	56.71	3.1	0	35	2026-01-07
PRB10102	29.64	9.23	57.33	1.95	0	35	2026-01-07
PRB10103	30.1	9.17	57.61	2.59	0	35	2026-01-07
PRB10104	29.71	9.19	57.29	2.14	0	35	2026-01-07
PRB10106	30.07	9.37	58.16	1.97	0	35	2026-01-07
PRB10107	30.03	9.08	57.26	2.8	0	35	2026-01-07
PRB10108	30.04	9.16	57.51	2.57	0	35	2026-01-07
PRB10109	29.98	9.12	57.35	2.61	0	35	2026-01-07
PRB10111	30.05	9.21	57.68	2.43	0	35	2026-01-07
PRB10112	30.07	9.35	58.12	2.01	0	35	2026-01-07
PRB10113	29.86	9.08	57.1	2.61	0	35	2026-01-07
PRB10115	30.41	8.92	57.18	3.63	0	35	2026-01-07
PRB10116	29.95	9.12	57.32	2.59	0	35	2026-01-07
PRB10118	30.03	9.23	57.72	2.35	0	35	2026-01-07
PRB10119	29.85	9.31	57.79	1.91	0	35	2026-01-07
PRB10120	30.19	9.32	58.17	2.22	0	35	2026-01-07
PRB10122	29.91	9.17	57.4	2.41	0	35	2026-01-07
PRB10124	29.74	9.27	57.55	1.93	0	35	2026-01-07
PRB10125	30.11	9.28	57.94	2.27	0	35	2026-01-07
PRB10126	30.37	9.21	58.0	2.75	0	35	2026-01-07
SAN10102	30.02	9.25	57.77	2.28	0	35	2026-01-07
SAN10103	30.04	9.11	57.38	2.71	0	35	2026-01-07
SAN10104	30.18	9.06	57.37	2.99	0	35	2026-01-07
SAN10105	29.86	9.16	57.34	2.37	0	35	2026-01-07
SAN10106	29.6	9.11	56.91	2.28	0	35	2026-01-07
SAN10108	29.65	9.08	56.88	2.42	0	35	2026-01-07
SAN10109	29.89	9.18	57.44	2.35	0	35	2026-01-07
SAN10110	29.67	9.19	57.25	2.1	0	35	2026-01-07
SAN10111	29.81	9.17	57.33	2.28	0	35	2026-01-07

SAN10113	29.87	9.08	57.11	2.62	0	35	2026-01-07
SAN10114	29.95	9.02	57.02	2.88	0	35	2026-01-07
SAN10115	29.93	8.91	56.66	3.21	0	35	2026-01-07
SAN10116	29.83	9.12	57.2	2.47	0	35	2026-01-07
SAN10118	30.01	9.13	57.4	2.61	0	35	2026-01-07
SAN10119	30.15	9.03	57.23	3.07	0	35	2026-01-07
SAN10120	30.16	9.0	57.15	3.17	0	35	2026-01-07
SAN10122	30.37	9.28	58.21	2.53	0	35	2026-01-07
SAN10123	30.3	9.23	57.98	2.63	0	35	2026-01-07
SAN10125	29.85	9.09	57.11	2.58	0	35	2026-01-07
SCC10102	30.21	9.09	57.49	2.93	0	35	2026-01-07
SCC10103	29.89	9.31	57.82	1.96	0	35	2026-01-07
SCC10104	30.03	9.14	57.44	2.62	0	35	2026-01-07
SCC10106	29.93	9.24	57.64	2.21	0	35	2026-01-07
SCC10107	29.97	9.3	57.87	2.06	0	35	2026-01-07
SCC10108	29.8	9.4	58.01	1.58	0	35	2026-01-07
SCC10110	30.04	8.88	56.68	3.39	0	35	2026-01-07
SCC10111	29.95	9.14	57.37	2.52	0	35	2026-01-07
SCC10113	29.76	9.18	57.29	2.22	0	35	2026-01-07
SCC10114	30.35	9.2	57.95	2.74	0	35	2026-01-07
SCC10115	29.86	9.4	58.06	1.67	0	35	2026-01-07
SCC10117	29.69	9.09	56.95	2.43	0	35	2026-01-07
SCC10118	30.21	9.1	57.51	2.91	0	35	2026-01-07
SCC10119	29.8	9.28	57.64	1.96	0	35	2026-01-07
SCC10121	30.25	9.22	57.92	2.58	0	35	2026-01-07
SCC10122	29.78	9.34	57.79	1.77	0	35	2026-01-07
SCC10124	30.08	9.27	57.89	2.26	0	35	2026-01-07
SCC10125	30.24	9.08	57.47	3.0	0	35	2026-01-07
SCC10127	30.01	9.39	58.18	1.84	0	35	2026-01-07
SCM10102	29.78	9.34	57.82	1.75	0	35	2026-01-07
SCM10103	29.99	8.9	56.69	3.29	0	35	2026-01-07
SCM10104	29.82	9.25	57.59	2.06	0	35	2026-01-07
SCM10105	29.9	8.96	56.77	3.03	0	35	2026-01-07
SCM10106	29.88	9.14	57.29	2.46	0	35	2026-01-07
SCM10108	30.23	9.03	57.31	3.15	0	35	2026-01-07
SCM10109	29.74	8.99	56.7	2.77	0	35	2026-01-07
SCM10110	30.14	9.15	57.59	2.69	0	35	2026-01-07
SCM10111	29.66	9.24	57.4	1.93	0	35	2026-01-07
SCM10113	30.24	9.36	58.31	2.16	0	35	2026-01-07
SCM10114	29.83	9.17	57.33	2.32	0	35	2026-01-07
SCM10116	30.1	9.08	57.32	2.87	0	35	2026-01-07
SCM10117	29.88	9.18	57.41	2.34	0	35	2026-01-07
SCM10119	29.8	9.17	57.32	2.29	0	35	2026-01-07
SCM10120	30.06	9.11	57.38	2.75	0	35	2026-01-07
SCM10122	29.75	9.03	56.83	2.68	0	35	2026-01-07
SCM10123	30.02	9.02	57.09	2.94	0	35	2026-01-07
SCM10124	30.13	9.52	58.69	1.57	0	35	2026-01-07
SCM10125	30.04	8.99	57.01	3.07	0	35	2026-01-07
SCP10102	29.48	9.05	56.62	2.34	0	35	2026-01-07
SCP10103	29.95	9.07	57.17	2.74	0	35	2026-01-07
SCP10104	30.14	9.16	57.64	2.65	0	35	2026-01-07
SCP10105	29.95	8.93	56.72	3.17	0	35	2026-01-07
SCP10106	29.93	9.15	57.39	2.47	0	35	2026-01-07
SCP10108	30.1	9.03	57.19	3.0	0	35	2026-01-07
SCP10109	29.91	9.0	56.9	2.91	0	35	2026-01-07
SCP10111	30.13	9.11	57.48	2.79	0	35	2026-01-07
SCP10112	29.94	9.06	57.11	2.76	0	35	2026-01-07
SCP10114	29.72	9.37	57.83	1.62	0	35	2026-01-07
SCP10115	30.02	8.89	56.69	3.35	0	35	2026-01-07
SCP10117	30.09	9.34	58.12	2.06	0	35	2026-01-07
SCP10118	29.81	9.22	57.46	2.16	0	35	2026-01-07
SCP10120	30.17	9.25	57.92	2.43	0	35	2026-01-07
SCP10121	29.96	9.1	57.25	2.67	0	35	2026-01-07
SCP10122	30.18	9.1	57.49	2.88	0	35	2026-01-07
SCP10124	29.94	9.19	57.52	2.36	0	35	2026-01-07
SCP10125	30.23	9.21	57.86	2.59	0	35	2026-01-07
SCP10127	30.02	9.16	57.51	2.53	0	35	2026-01-07
SPL10102	30.02	9.04	57.12	2.91	0	35	2026-01-07
SPL10103	29.92	9.23	57.62	2.23	0	35	2026-01-07
SPL10104	29.96	9.06	57.15	2.78	0	35	2026-01-07
SPL10106	29.96	9.18	57.51	2.41	0	35	2026-01-07
SPL10107	29.98	9.13	57.36	2.59	0	35	2026-01-07
SPL10108	29.75	9.16	57.24	2.27	0	35	2026-01-07
SPL10109	29.86	9.46	58.24	1.48	0	35	2026-01-07
SPL10111	29.93	8.98	56.88	2.98	0	35	2026-01-07

SPL10112	29.85	9.01	56.88	2.81	0	35	2026-01-07
SPL10113	30.03	9.01	57.06	2.99	0	35	2026-01-07
SPL10115	29.94	9.16	57.41	2.48	0	35	2026-01-07
SPL10116	30.07	8.97	57.0	3.15	0	35	2026-01-07
SPL10117	30.26	9.17	57.78	2.75	0	35	2026-01-07
SPL10119	29.71	9.25	57.47	1.95	0	35	2026-01-07
SPL10120	29.72	9.06	56.89	2.54	0	35	2026-01-07
SPL10121	30.01	8.99	56.99	3.04	0	35	2026-01-07
SPL10123	29.98	9.12	57.35	2.61	0	35	2026-01-07
SPL10124	30.02	8.93	56.81	3.24	0	35	2026-01-07
SPL10125	30.07	8.92	56.83	3.31	0	35	2026-01-07
SPL10127	29.88	9.27	57.69	2.06	0	35	2026-01-07
SSM10102	30.1	9.15	57.55	2.64	0	35	2026-01-07
SSM10103	29.9	9.17	57.41	2.4	0	35	2026-01-07
SSM10104	29.98	9.21	57.59	2.36	0	35	2026-01-07
SSM10105	30.15	9.16	57.62	2.68	0	35	2026-01-07
SSM10106	30.11	9.41	58.35	1.87	0	35	2026-01-07
SSM10108	29.74	9.19	57.31	2.17	0	35	2026-01-07
SSM10109	29.97	9.22	57.63	2.3	0	35	2026-01-07
SSM10110	29.94	9.03	57.02	2.86	0	35	2026-01-07
SSM10111	29.98	9.01	57.02	2.95	0	35	2026-01-07
SSM10112	30.02	9.26	57.8	2.23	0	35	2026-01-07
SSM10114	30.02	9.28	57.86	2.18	0	35	2026-01-07
SSM10115	30.0	9.19	57.58	2.42	0	35	2026-01-07
SSM10117	29.95	8.95	56.8	3.11	0	35	2026-01-07
SSM10118	29.92	8.96	56.82	3.03	0	35	2026-01-07
SSM10120	29.96	9.07	57.18	2.74	0	35	2026-01-07
SSM10121	30.35	8.92	57.1	3.6	0	35	2026-01-07
SSM10122	30.08	9.3	57.98	2.17	0	35	2026-01-07
SSM10124	29.99	9.13	57.4	2.59	0	35	2026-01-07
SSM10125	30.01	9.09	57.28	2.74	0	35	2026-01-07
SST10102	29.89	9.19	57.46	2.31	0	35	2026-01-07
SST10103	29.89	9.31	57.83	1.95	0	35	2026-01-07
SST10104	30.07	9.04	57.19	2.96	0	35	2026-01-07
SST10105	30.16	9.12	57.54	2.79	0	35	2026-01-07
SST10106	29.8	9.15	57.24	2.36	0	35	2026-01-07
SST10108	29.86	9.04	56.97	2.75	0	35	2026-01-07
SST10109	29.97	9.16	57.45	2.49	0	35	2026-01-07
SST10110	30.25	9.27	58.06	2.44	0	35	2026-01-07
SST10111	30.04	9.12	57.39	2.69	0	35	2026-01-07
SST10112	30.16	9.09	57.43	2.89	0	35	2026-01-07
SST10114	30.26	9.28	58.09	2.44	0	35	2026-01-07
SST10115	29.64	9.11	56.98	2.31	0	35	2026-01-07
SST10117	29.91	8.98	56.84	2.98	0	35	2026-01-07
SST10118	29.81	9.26	57.58	2.03	0	35	2026-01-07
SST10119	29.76	9.26	57.55	1.97	0	35	2026-01-07
SST10120	29.93	9.07	57.14	2.72	0	35	2026-01-07
SST10121	30.02	9.11	57.36	2.68	0	35	2026-01-07
SST10123	29.79	9.25	57.55	2.03	0	35	2026-01-07
SST10124	30.02	9.15	57.47	2.56	0	35	2026-01-07
SUP10102	30.08	8.97	56.99	3.18	0	35	2026-01-07
SUP10103	29.9	9.1	57.21	2.6	0	35	2026-01-07
SUP10104	30.03	9.16	57.51	2.55	0	35	2026-01-07
SUP10105	30.24	8.99	57.22	3.26	0	35	2026-01-07
SUP10107	30.21	9.05	57.36	3.06	0	35	2026-01-07
SUP10108	30.0	8.85	56.55	3.44	0	35	2026-01-07
SUP10109	29.85	8.99	56.83	2.87	0	35	2026-01-07
SUP10111	29.96	9.1	57.25	2.66	0	35	2026-01-07
SUP10112	29.76	9.02	56.81	2.7	0	35	2026-01-07
SUP10113	29.97	9.19	57.54	2.41	0	35	2026-01-07
SUP10114	29.93	9.25	57.69	2.17	0	35	2026-01-07
SUP10115	30.18	9.3	58.1	2.27	0	35	2026-01-07
SUP10117	30.24	9.25	57.98	2.5	0	35	2026-01-07
SUP10118	29.84	9.17	57.36	2.32	0	35	2026-01-07
SUP10119	29.78	9.29	57.64	1.91	0	35	2026-01-07
SUP10120	30.25	9.2	57.85	2.64	0	35	2026-01-07
SUP10122	29.78	9.51	58.3	1.26	0	35	2026-01-07
SUP10123	30.07	9.43	58.35	1.79	0	35	2026-01-07
SUP10124	30.28	9.4	58.47	2.09	0	35	2026-01-07
SUP10126	29.99	9.38	58.13	1.85	0	35	2026-01-07
SUP10127	30.01	9.32	57.97	2.04	0	35	2026-01-07
SUP10128	29.92	9.06	57.09	2.74	0	35	2026-01-07

=== rpn_summary_service.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ACT10102	29.77	9.06	56.96	2.57	0 35		2026-01-07
ACT10103	30.2	9.07	57.41	2.99	0 35		2026-01-07
ACT10104	30.0	9.18	57.55	2.45	0 35		2026-01-07
ACT10105	29.99	9.04	57.12	2.87	0 35		2026-01-07
ACT10107	30.13	9.26	57.92	2.34	0 35		2026-01-07
ACT10108	29.96	8.96	56.82	3.09	0 35		2026-01-07
ACT10109	30.11	9.22	57.78	2.43	0 35		2026-01-07
ACT10111	29.94	8.99	56.92	2.96	0 35		2026-01-07
ACT10112	30.0	9.28	57.83	2.17	0 35		2026-01-07
ACT10114	30.13	9.19	57.69	2.57	0 35		2026-01-07
ACT10115	30.22	9.04	57.35	3.09	0 35		2026-01-07
ACT10117	29.55	9.23	57.23	1.87	0 35		2026-01-07
ACT10118	29.94	9.21	57.56	2.32	0 35		2026-01-07
ACT10119	30.05	9.29	57.91	2.2	0 35		2026-01-07
ACT10121	30.09	9.11	57.41	2.77	0 35		2026-01-07
ACT10122	29.96	9.32	57.91	2.01	0 35		2026-01-07
ACT10124	29.9	9.21	57.52	2.28	0 35		2026-01-07
ACT10125	30.09	9.23	57.78	2.39	0 35		2026-01-07
ACT10127	30.12	9.3	58.03	2.21	0 35		2026-01-07
ACT10129	29.46	8.94	56.27	2.65	0 35		2026-01-07
ALM10102	29.92	9.1	57.23	2.62	0 35		2026-01-07
ALM10103	30.22	8.94	57.03	3.4	0 35		2026-01-07
ALM10104	30.33	9.0	57.32	3.34	0 35		2026-01-07
ALM10105	29.94	8.93	56.71	3.16	0 35		2026-01-07
ALM10107	29.97	8.93	56.75	3.19	0 35		2026-01-07
ALM10108	29.68	9.18	57.23	2.13	0 35		2026-01-07
ALM10109	30.03	9.15	57.47	2.58	0 35		2026-01-07
ALM10111	30.09	9.38	58.25	1.94	0 35		2026-01-07
ALM10112	30.28	9.25	58.04	2.52	0 35		2026-01-07
ALM10113	30.15	9.17	57.65	2.65	0 35		2026-01-07
ALM10114	29.72	8.97	56.63	2.82	0 35		2026-01-07
ALM10116	30.04	9.11	57.38	2.7	0 35		2026-01-07
ALM10117	30.15	9.32	58.1	2.2	0 35		2026-01-07
ALM10119	30.07	8.89	56.75	3.4	0 35		2026-01-07
ALM10120	29.86	9.28	57.71	2.01	0 35		2026-01-07
ALM10122	30.03	9.07	57.24	2.82	0 35		2026-01-07
ALM10123	30.05	9.2	57.64	2.47	0 35		2026-01-07
ALM10125	29.89	9.25	57.64	2.14	0 35		2026-01-07
ALM10126	30.28	8.85	56.83	3.74	0 35		2026-01-07
CLC10102	30.28	9.11	57.63	2.94	0 35		2026-01-07
CLC10103	29.87	9.05	57.03	2.71	0 35		2026-01-07
CLC10104	29.85	9.3	57.75	1.95	0 35		2026-01-07
CLC10106	29.86	9.18	57.4	2.31	0 35		2026-01-07
CLC10107	30.08	9.25	57.81	2.34	0 35		2026-01-07
CLC10108	29.99	8.94	56.8	3.19	0 35		2026-01-07
CLC10110	29.91	9.14	57.34	2.47	0 35		2026-01-07
CLC10111	29.93	9.11	57.25	2.6	0 35		2026-01-07
CLC10112	30.01	9.0	57.01	3.01	0 35		2026-01-07
CLC10114	29.9	9.09	57.19	2.62	0 35		2026-01-07
CLC10115	30.02	9.09	57.29	2.76	0 35		2026-01-07
CLC10116	29.92	9.19	57.5	2.34	0 35		2026-01-07
CLC10117	29.9	8.97	56.82	2.98	0 35		2026-01-07
CLC10119	29.65	9.06	56.83	2.47	0 35		2026-01-07
CLC10120	29.72	9.16	57.2	2.24	0 35		2026-01-07
CLC10121	30.14	9.12	57.49	2.8	0 35		2026-01-07
CLC10123	30.31	9.15	57.76	2.87	0 35		2026-01-07
CLC10124	29.84	9.12	57.2	2.48	0 35		2026-01-07
CLC10125	29.88	8.98	56.83	2.93	0 35		2026-01-07
CLC10126	30.1	9.29	57.95	2.24	0 35		2026-01-07
CLC10127	29.74	9.23	57.43	2.05	0 35		2026-01-07
CLC10128	30.15	9.29	58.03	2.27	0 35		2026-01-07
CLC10129	29.99	9.06	57.19	2.8	0 35		2026-01-07
CPD10102	29.93	9.24	57.66	2.2	0 35		2026-01-07
CPD10103	29.85	9.17	57.35	2.34	0 35		2026-01-07
CPD10104	30.08	9.05	57.24	2.92	0 35		2026-01-07
CPD10105	29.92	9.03	57.0	2.84	0 35		2026-01-07
CPD10106	30.18	9.06	57.37	3.0	0 35		2026-01-07
CPD10107	30.43	8.99	57.4	3.47	0 35		2026-01-07
CPD10108	29.88	9.25	57.64	2.12	0 35		2026-01-07
CPD10109	30.04	9.09	57.31	2.77	0 35		2026-01-07
CPD10110	30.2	8.99	57.17	3.23	0 35		2026-01-07
CPD10112	29.81	9.24	57.53	2.1	0 35		2026-01-07

CPD10113	30.16	9.27	57.96	2.35	0	35	2026-01-07
CPD10114	29.92	9.15	57.36	2.48	0	35	2026-01-07
CPD10116	29.98	9.31	57.92	2.04	0	35	2026-01-07
CPD10117	30.24	9.19	57.82	2.66	0	35	2026-01-07
CPD10119	30.26	9.14	57.69	2.84	0	35	2026-01-07
CPD10120	30.23	9.05	57.37	3.09	0	35	2026-01-07
CPD10122	30.06	9.12	57.42	2.7	0	35	2026-01-07
CPD10123	30.33	9.03	57.41	3.26	0	35	2026-01-07
CPD10124	29.96	9.31	57.9	2.03	0	35	2026-01-07
GMD10102	29.94	9.05	57.08	2.8	0	35	2026-01-07
GMD10103	30.06	9.26	57.83	2.28	0	35	2026-01-07
GMD10104	29.82	9.13	57.22	2.42	0	35	2026-01-07
GMD10105	30.1	9.11	57.43	2.77	0	35	2026-01-07
GMD10107	29.81	9.46	58.2	1.42	0	35	2026-01-07
GMD10108	30.13	8.98	57.08	3.18	0	35	2026-01-07
GMD10109	30.43	9.11	57.75	3.11	0	35	2026-01-07
GMD10110	29.96	9.05	57.11	2.81	0	35	2026-01-07
GMD10111	30.06	9.19	57.64	2.49	0	35	2026-01-07
GMD10112	30.09	9.03	57.18	3.0	0	35	2026-01-07
GMD10114	29.82	9.43	58.11	1.54	0	35	2026-01-07
GMD10115	30.05	9.45	58.39	1.71	0	35	2026-01-07
GMD10117	30.24	8.97	57.16	3.32	0	35	2026-01-07
GMD10118	29.92	9.22	57.58	2.26	0	35	2026-01-07
GMD10120	30.11	8.99	57.09	3.13	0	35	2026-01-07
GMD10121	29.85	9.18	57.37	2.32	0	35	2026-01-07
GMD10123	30.09	9.25	57.84	2.35	0	35	2026-01-07
GMD10124	29.89	9.13	57.29	2.48	0	35	2026-01-07
GMD10126	29.78	9.23	57.46	2.11	0	35	2026-01-07
ORC10102	30.04	9.22	57.69	2.38	0	35	2026-01-07
ORC10103	29.66	8.97	56.59	2.74	0	35	2026-01-07
ORC10104	29.9	9.26	57.67	2.12	0	35	2026-01-07
ORC10105	30.01	9.2	57.6	2.41	0	35	2026-01-07
ORC10107	29.66	9.31	57.58	1.74	0	35	2026-01-07
ORC10108	29.87	9.19	57.43	2.31	0	35	2026-01-07
ORC10109	29.94	9.21	57.57	2.31	0	35	2026-01-07
ORC10110	30.12	9.13	57.52	2.71	0	35	2026-01-07
ORC10112	29.98	9.19	57.56	2.39	0	35	2026-01-07
ORC10113	29.81	9.18	57.37	2.26	0	35	2026-01-07
ORC10115	29.87	9.2	57.48	2.25	0	35	2026-01-07
ORC10116	30.22	9.18	57.77	2.68	0	35	2026-01-07
ORC10117	30.2	9.3	58.11	2.29	0	35	2026-01-07
ORC10118	29.86	8.96	56.73	2.99	0	35	2026-01-07
ORC10120	29.84	9.19	57.41	2.28	0	35	2026-01-07
ORC10121	29.99	9.23	57.68	2.29	0	35	2026-01-07
ORC10123	30.08	9.22	57.75	2.42	0	35	2026-01-07
ORC10124	29.8	9.05	56.95	2.64	0	35	2026-01-07
ORC10126	30.27	9.36	58.34	2.19	0	35	2026-01-07
PFR10102	30.02	9.3	57.92	2.12	0	35	2026-01-07
PFR10103	30.13	9.27	57.93	2.32	0	35	2026-01-07
PFR10104	30.21	9.15	57.65	2.77	0	35	2026-01-07
PFR10105	30.11	9.07	57.32	2.89	0	35	2026-01-07
PFR10107	29.78	9.18	57.32	2.23	0	35	2026-01-07
PFR10108	30.2	9.36	58.27	2.13	0	35	2026-01-07
PFR10109	29.95	9.23	57.63	2.27	0	35	2026-01-07
PFR10110	29.89	9.12	57.26	2.51	0	35	2026-01-07
PFR10111	29.98	9.34	57.99	1.96	0	35	2026-01-07
PFR10113	30.01	9.11	57.34	2.69	0	35	2026-01-07
PFR10114	30.02	8.96	56.9	3.15	0	35	2026-01-07
PFR10115	29.87	9.2	57.47	2.26	0	35	2026-01-07
PFR10116	29.79	8.88	56.43	3.15	0	35	2026-01-07
PFR10118	29.92	8.96	56.81	3.03	0	35	2026-01-07
PFR10119	29.97	9.33	57.97	1.97	0	35	2026-01-07
PFR10121	30.12	9.16	57.61	2.63	0	35	2026-01-07
PFR10122	29.95	9.26	57.73	2.18	0	35	2026-01-07
PFR10123	30.19	9.23	57.89	2.48	0	35	2026-01-07
PFR10125	29.9	8.93	56.71	3.1	0	35	2026-01-07
PRB10102	29.64	9.23	57.33	1.95	0	35	2026-01-07
PRB10103	30.1	9.17	57.61	2.59	0	35	2026-01-07
PRB10104	29.71	9.19	57.29	2.14	0	35	2026-01-07
PRB10106	30.07	9.37	58.16	1.97	0	35	2026-01-07
PRB10107	30.03	9.08	57.26	2.8	0	35	2026-01-07
PRB10108	30.04	9.16	57.51	2.57	0	35	2026-01-07
PRB10109	29.98	9.12	57.35	2.61	0	35	2026-01-07
PRB10111	30.05	9.21	57.68	2.43	0	35	2026-01-07
PRB10112	30.07	9.35	58.12	2.01	0	35	2026-01-07

PRB10113	29.86	9.08	57.1	2.61	0	35	2026-01-07
PRB10115	30.41	8.92	57.18	3.63	0	35	2026-01-07
PRB10116	29.95	9.12	57.32	2.59	0	35	2026-01-07
PRB10118	30.03	9.23	57.72	2.35	0	35	2026-01-07
PRB10119	29.85	9.31	57.79	1.91	0	35	2026-01-07
PRB10120	30.19	9.32	58.17	2.22	0	35	2026-01-07
PRB10122	29.91	9.17	57.4	2.41	0	35	2026-01-07
PRB10124	29.74	9.27	57.55	1.93	0	35	2026-01-07
PRB10125	30.11	9.28	57.94	2.27	0	35	2026-01-07
PRB10126	30.37	9.21	58.0	2.75	0	35	2026-01-07
SAN10102	30.02	9.25	57.77	2.28	0	35	2026-01-07
SAN10103	30.04	9.11	57.38	2.71	0	35	2026-01-07
SAN10104	30.18	9.06	57.37	2.99	0	35	2026-01-07
SAN10105	29.86	9.16	57.34	2.37	0	35	2026-01-07
SAN10106	29.6	9.11	56.91	2.28	0	35	2026-01-07
SAN10108	29.65	9.08	56.88	2.42	0	35	2026-01-07
SAN10109	29.89	9.18	57.44	2.35	0	35	2026-01-07
SAN10110	29.67	9.19	57.25	2.1	0	35	2026-01-07
SAN10111	29.81	9.17	57.33	2.28	0	35	2026-01-07
SAN10113	29.87	9.08	57.11	2.62	0	35	2026-01-07
SAN10114	29.95	9.02	57.02	2.88	0	35	2026-01-07
SAN10115	29.93	8.91	56.66	3.21	0	35	2026-01-07
SAN10116	29.83	9.12	57.2	2.47	0	35	2026-01-07
SAN10118	30.01	9.13	57.4	2.61	0	35	2026-01-07
SAN10119	30.15	9.03	57.23	3.07	0	35	2026-01-07
SAN10120	30.16	9.0	57.15	3.17	0	35	2026-01-07
SAN10122	30.37	9.28	58.21	2.53	0	35	2026-01-07
SAN10123	30.3	9.23	57.98	2.63	0	35	2026-01-07
SAN10125	29.85	9.09	57.11	2.58	0	35	2026-01-07
SCC10102	30.21	9.09	57.49	2.93	0	35	2026-01-07
SCC10103	29.89	9.31	57.82	1.96	0	35	2026-01-07
SCC10104	30.03	9.14	57.44	2.62	0	35	2026-01-07
SCC10106	29.93	9.24	57.64	2.21	0	35	2026-01-07
SCC10107	29.97	9.3	57.87	2.06	0	35	2026-01-07
SCC10108	29.8	9.4	58.01	1.58	0	35	2026-01-07
SCC10110	30.04	8.88	56.68	3.39	0	35	2026-01-07
SCC10111	29.95	9.14	57.37	2.52	0	35	2026-01-07
SCC10113	29.76	9.18	57.29	2.22	0	35	2026-01-07
SCC10114	30.35	9.2	57.95	2.74	0	35	2026-01-07
SCC10115	29.86	9.4	58.06	1.67	0	35	2026-01-07
SCC10117	29.69	9.09	56.95	2.43	0	35	2026-01-07
SCC10118	30.21	9.1	57.51	2.91	0	35	2026-01-07
SCC10119	29.8	9.28	57.64	1.96	0	35	2026-01-07
SCC10121	30.25	9.22	57.92	2.58	0	35	2026-01-07
SCC10122	29.78	9.34	57.79	1.77	0	35	2026-01-07
SCC10124	30.08	9.27	57.89	2.26	0	35	2026-01-07
SCC10125	30.24	9.08	57.47	3.0	0	35	2026-01-07
SCC10127	30.01	9.39	58.18	1.84	0	35	2026-01-07
SCM10102	29.78	9.34	57.82	1.75	0	35	2026-01-07
SCM10103	29.99	8.9	56.69	3.29	0	35	2026-01-07
SCM10104	29.82	9.25	57.59	2.06	0	35	2026-01-07
SCM10105	29.9	8.96	56.77	3.03	0	35	2026-01-07
SCM10106	29.88	9.14	57.29	2.46	0	35	2026-01-07
SCM10108	30.23	9.03	57.31	3.15	0	35	2026-01-07
SCM10109	29.74	8.99	56.7	2.77	0	35	2026-01-07
SCM10110	30.14	9.15	57.59	2.69	0	35	2026-01-07
SCM10111	29.66	9.24	57.4	1.93	0	35	2026-01-07
SCM10113	30.24	9.36	58.31	2.16	0	35	2026-01-07
SCM10114	29.83	9.17	57.33	2.32	0	35	2026-01-07
SCM10116	30.1	9.08	57.32	2.87	0	35	2026-01-07
SCM10117	29.88	9.18	57.41	2.34	0	35	2026-01-07
SCM10119	29.8	9.17	57.32	2.29	0	35	2026-01-07
SCM10120	30.06	9.11	57.38	2.75	0	35	2026-01-07
SCM10122	29.75	9.03	56.83	2.68	0	35	2026-01-07
SCM10123	30.02	9.02	57.09	2.94	0	35	2026-01-07
SCM10124	30.13	9.52	58.69	1.57	0	35	2026-01-07
SCM10125	30.04	8.99	57.01	3.07	0	35	2026-01-07
SCP10102	29.48	9.05	56.62	2.34	0	35	2026-01-07
SCP10103	29.95	9.07	57.17	2.74	0	35	2026-01-07
SCP10104	30.14	9.16	57.64	2.65	0	35	2026-01-07
SCP10105	29.95	8.93	56.72	3.17	0	35	2026-01-07
SCP10106	29.93	9.15	57.39	2.47	0	35	2026-01-07
SCP10108	30.1	9.03	57.19	3.0	0	35	2026-01-07
SCP10109	29.91	9.0	56.9	2.91	0	35	2026-01-07
SCP10111	30.13	9.11	57.48	2.79	0	35	2026-01-07

SCP10112	29.94	9.06	57.11	2.76	0	35	2026-01-07
SCP10114	29.72	9.37	57.83	1.62	0	35	2026-01-07
SCP10115	30.02	8.89	56.69	3.35	0	35	2026-01-07
SCP10117	30.09	9.34	58.12	2.06	0	35	2026-01-07
SCP10118	29.81	9.22	57.46	2.16	0	35	2026-01-07
SCP10120	30.17	9.25	57.92	2.43	0	35	2026-01-07
SCP10121	29.96	9.1	57.25	2.67	0	35	2026-01-07
SCP10122	30.18	9.1	57.49	2.88	0	35	2026-01-07
SCP10124	29.94	9.19	57.52	2.36	0	35	2026-01-07
SCP10125	30.23	9.21	57.86	2.59	0	35	2026-01-07
SCP10127	30.02	9.16	57.51	2.53	0	35	2026-01-07
SPL10102	30.02	9.04	57.12	2.91	0	35	2026-01-07
SPL10103	29.92	9.23	57.62	2.23	0	35	2026-01-07
SPL10104	29.96	9.06	57.15	2.78	0	35	2026-01-07
SPL10106	29.96	9.18	57.51	2.41	0	35	2026-01-07
SPL10107	29.98	9.13	57.36	2.59	0	35	2026-01-07
SPL10108	29.75	9.16	57.24	2.27	0	35	2026-01-07
SPL10109	29.86	9.46	58.24	1.48	0	35	2026-01-07
SPL10111	29.93	8.98	56.88	2.98	0	35	2026-01-07
SPL10112	29.85	9.01	56.88	2.81	0	35	2026-01-07
SPL10113	30.03	9.01	57.06	2.99	0	35	2026-01-07
SPL10115	29.94	9.16	57.41	2.48	0	35	2026-01-07
SPL10116	30.07	8.97	57.0	3.15	0	35	2026-01-07
SPL10117	30.26	9.17	57.78	2.75	0	35	2026-01-07
SPL10119	29.71	9.25	57.47	1.95	0	35	2026-01-07
SPL10120	29.72	9.06	56.89	2.54	0	35	2026-01-07
SPL10121	30.01	8.99	56.99	3.04	0	35	2026-01-07
SPL10123	29.98	9.12	57.35	2.61	0	35	2026-01-07
SPL10124	30.02	8.93	56.81	3.24	0	35	2026-01-07
SPL10125	30.07	8.92	56.83	3.31	0	35	2026-01-07
SPL10127	29.88	9.27	57.69	2.06	0	35	2026-01-07
SSM10102	30.1	9.15	57.55	2.64	0	35	2026-01-07
SSM10103	29.9	9.17	57.41	2.4	0	35	2026-01-07
SSM10104	29.98	9.21	57.59	2.36	0	35	2026-01-07
SSM10105	30.15	9.16	57.62	2.68	0	35	2026-01-07
SSM10106	30.11	9.41	58.35	1.87	0	35	2026-01-07
SSM10108	29.74	9.19	57.31	2.17	0	35	2026-01-07
SSM10109	29.97	9.22	57.63	2.3	0	35	2026-01-07
SSM10110	29.94	9.03	57.02	2.86	0	35	2026-01-07
SSM10111	29.98	9.01	57.02	2.95	0	35	2026-01-07
SSM10112	30.02	9.26	57.8	2.23	0	35	2026-01-07
SSM10114	30.02	9.28	57.86	2.18	0	35	2026-01-07
SSM10115	30.0	9.19	57.58	2.42	0	35	2026-01-07
SSM10117	29.95	8.95	56.8	3.11	0	35	2026-01-07
SSM10118	29.92	8.96	56.82	3.03	0	35	2026-01-07
SSM10120	29.96	9.07	57.18	2.74	0	35	2026-01-07
SSM10121	30.35	8.92	57.1	3.6	0	35	2026-01-07
SSM10122	30.08	9.3	57.98	2.17	0	35	2026-01-07
SSM10124	29.99	9.13	57.4	2.59	0	35	2026-01-07
SSM10125	30.01	9.09	57.28	2.74	0	35	2026-01-07
SST10102	29.89	9.19	57.46	2.31	0	35	2026-01-07
SST10103	29.89	9.31	57.83	1.95	0	35	2026-01-07
SST10104	30.07	9.04	57.19	2.96	0	35	2026-01-07
SST10105	30.16	9.12	57.54	2.79	0	35	2026-01-07
SST10106	29.8	9.15	57.24	2.36	0	35	2026-01-07
SST10108	29.86	9.04	56.97	2.75	0	35	2026-01-07
SST10109	29.97	9.16	57.45	2.49	0	35	2026-01-07
SST10110	30.25	9.27	58.06	2.44	0	35	2026-01-07
SST10111	30.04	9.12	57.39	2.69	0	35	2026-01-07
SST10112	30.16	9.09	57.43	2.89	0	35	2026-01-07
SST10114	30.26	9.28	58.09	2.44	0	35	2026-01-07
SST10115	29.64	9.11	56.98	2.31	0	35	2026-01-07
SST10117	29.91	8.98	56.84	2.98	0	35	2026-01-07
SST10118	29.81	9.26	57.58	2.03	0	35	2026-01-07
SST10119	29.76	9.26	57.55	1.97	0	35	2026-01-07
SST10120	29.93	9.07	57.14	2.72	0	35	2026-01-07
SST10121	30.02	9.11	57.36	2.68	0	35	2026-01-07
SST10123	29.79	9.25	57.55	2.03	0	35	2026-01-07
SST10124	30.02	9.15	57.47	2.56	0	35	2026-01-07
SUP10102	30.08	8.97	56.99	3.18	0	35	2026-01-07
SUP10103	29.9	9.1	57.21	2.6	0	35	2026-01-07
SUP10104	30.03	9.16	57.51	2.55	0	35	2026-01-07
SUP10105	30.24	8.99	57.22	3.26	0	35	2026-01-07
SUP10107	30.21	9.05	57.36	3.06	0	35	2026-01-07
SUP10108	30.0	8.85	56.55	3.44	0	35	2026-01-07

SUP10109	29.85	8.99	56.83	2.87	0	35	2026-01-07
SUP10111	29.96	9.1	57.25	2.66	0	35	2026-01-07
SUP10112	29.76	9.02	56.81	2.7	0	35	2026-01-07
SUP10113	29.97	9.19	57.54	2.41	0	35	2026-01-07
SUP10114	29.93	9.25	57.69	2.17	0	35	2026-01-07
SUP10115	30.18	9.3	58.1	2.27	0	35	2026-01-07
SUP10117	30.24	9.25	57.98	2.5	0	35	2026-01-07
SUP10118	29.84	9.17	57.36	2.32	0	35	2026-01-07
SUP10119	29.78	9.29	57.64	1.91	0	35	2026-01-07
SUP10120	30.25	9.2	57.85	2.64	0	35	2026-01-07
SUP10122	29.78	9.51	58.3	1.26	0	35	2026-01-07
SUP10123	30.07	9.43	58.35	1.79	0	35	2026-01-07
SUP10124	30.28	9.4	58.47	2.09	0	35	2026-01-07
SUP10126	29.99	9.38	58.13	1.85	0	35	2026-01-07
SUP10127	30.01	9.32	57.97	2.04	0	35	2026-01-07
SUP10128	29.92	9.06	57.09	2.74	0	35	2026-01-07

=== Service_Module_model_summary.txt ===

NOTE ON THE SECTION BELOW: 'Overall Risk', the 'Risk Scenarios' ranking, and 'Follow-up Actions' are computed from randomly simulated stress-test scenarios (seeded for reproducibility), not from statistical evidence measured in this client's actual data. Treat them as illustrative stress-test projections, not as data-driven findings. (Model Evaluation Metrics further below ARE fit on the real data and are not affected by this note.)

Overall Risk: 0.38030394934865536

Risk Scenarios in Higher-First Priority:

Scenario_10: 0.9582314936921804

Scenario_9: 0.8038222834527426

Scenario_8: 0.6386992184153006

Scenario_7: 0.4897011323447945

Scenario_6: 0.3610822487815188

Scenario_5: 0.2517311237794721

Scenario_4: 0.15915817873087432

Scenario_3: 0.0901217409995456

Scenario_2: 0.03943721790523324

Scenario_1: 0.011054855384891085

Average MSE across models is 9.763479802480928e-06, indicating strong confidence in the risk assessment.

Follow-up Actions:

- High risk in Scenario_10 (Avg Risk=0.958) driven by metrics: ACT10126, ACT10127, SCM10111. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_9 (Avg Risk=0.804) driven by metrics: GMD10104, SAN10115, SCP10112. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_8 (Avg Risk=0.639) driven by metrics: SCC10113, SCM10107, SAN10110. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.

Metrics involved in High-Risk Scenarios:

Scenario_10 (Avg Risk=0.958):

- ACT10126: Compliance Metrics
- ACT10127: Service Activation Compliance Rate
- SCM10111: Capacity Utilization Trends

Scenario_9 (Avg Risk=0.804):

- GMD10104: Real-Time Processing Rate
- SAN10115: Anomaly Escalation Rate
- SCP10112: Customer Feedback on Planned Services

Scenario_8 (Avg Risk=0.639):

- SCC10113: Content Accessibility
- SCM10107: Forecasting and Planning Metrics
- SAN10110: Anomaly Resolution Success Rate

Baseline Predictor (Mean of SRVC_001):

MSE: 0.31679410773333333

R-squared: 0.0

RMSE: 0.5628446568399964

MAPE: 1.4865769739699757%

PyTorch Model Evaluation:

MSE: 0.0003848489084782621

R-squared: 0.9987851765576328

RMSE: 0.01961756632404392

MAPE: 0.04934783518069504%

Model Evaluation Metrics:

MSE: 0.0003848489084782621

RMSE: 0.01961756632404392

R²: 0.9987851765576328

MAPE: 0.04934783518069504%

Risk Confidence Score: High

Recommendation - Continuously monitor performance metrics and adjust strategies as needed.

Recommendation - Reassess risk management plans periodically to ensure effectiveness.

-----End of Service Module Risk Analysis Summary-----