

inconsistencies_report_shared.txt

TBD2 pipeline output - rendered to PDF

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:50:43

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

41328 pair(s) found; showing top 30 by percentage:

Metric 1 ID	Metric 1 Name	Metric 2 ID	Metric 2 Name	Correlation	Count	Percentage	Over Points
-------------	---------------	-------------	---------------	-------------	-------	------------	-------------

BPT10111	Data Breach Incidents	DLY10114	Number of Active Analytics Users	0.03	902	30.07%	3000
----------	-----------------------	----------	----------------------------------	------	-----	--------	------

PVM10133	Stakeholder Feedback Implementation Rate	BPT10115	Data Integration Success Rate	0.04	901	30.03%	3000
----------	--	----------	-------------------------------	------	-----	--------	------

PVM10111	Awareness Campaign Effectiveness	CNT10115	Content Integration Success Rate	0.02	899	29.97%	3000
----------	----------------------------------	----------	----------------------------------	------	-----	--------	------

MDM10104	Data Consistency	IDP10113	Authentication Success Rate	0.02	898	29.93%	3000
----------	------------------	----------	-----------------------------	------	-----	--------	------

CNT10128	Policy Update Frequency	BPT10115	Data Integration Success Rate	0.03	897	29.90%	3000
----------	-------------------------	----------	-------------------------------	------	-----	--------	------

MDM10107	Data Entry Error Rate	MDM10120	Policy Update Frequency	0.05	895	29.83%	3000
----------	-----------------------	----------	-------------------------	------	-----	--------	------

BPT10111	Data Breach Incidents	DLY10102	Data Accuracy Rate	0.05	895	29.83%	3000
----------	-----------------------	----------	--------------------	------	-----	--------	------

MDM10123	Feedback Implementation Rate	FLO10108	Root Cause Identification Rate	0.04	894	29.80%	3000
----------	------------------------------	----------	--------------------------------	------	-----	--------	------

PVM10133	Stakeholder Feedback Implementation Rate	ANO10111	Resolution Time	0.05	892	29.73%	3000
----------	--	----------	-----------------	------	-----	--------	------

MDM10107	Data Entry Error Rate	DLY10108	Predictive Model Accuracy	0.04	892	29.73%	3000
----------	-----------------------	----------	---------------------------	------	-----	--------	------

CMM10106	Uptime Percentage	FLO10110	Resolution Rate	0.04	888	29.60%	3000
----------	-------------------	----------	-----------------	------	-----	--------	------

FLO10103	Average Detection Time	DLY10134	User Feedback on Reports	0.04	888	29.60%	3000
----------	------------------------	----------	--------------------------	------	-----	--------	------

ANO10115	Preventive Actions Implemented	IDP10123	Net Promoter Score (NPS)	0.05	887	29.57%	3000
----------	--------------------------------	----------	--------------------------	------	-----	--------	------

CNT10106	Content Update Frequency	PJM10116	Quality Assurance Activities	0.03	887	29.57%	3000
----------	--------------------------	----------	------------------------------	------	-----	--------	------

DLY10112	Analytics Adoption Rate	DLY10127	Data Governance Compliance Rate	0.03	887	29.57%	3000
----------	-------------------------	----------	---------------------------------	------	-----	--------	------

PVD10118	Adoption of Emerging Best Practices	FLO10112	Reoccurrence Rate	0.02	886	29.53%	3000
----------	-------------------------------------	----------	-------------------	------	-----	--------	------

ANO10122	Process Improvement Rate	DLY10120	Analytics Throughput	0.04	886	29.53%	3000
----------	--------------------------	----------	----------------------	------	-----	--------	------

CMM10112	Access Control Compliance	CMM10119	Feedback Implementation Rate	0.03	886	29.53%	3000
----------	---------------------------	----------	------------------------------	------	-----	--------	------

CNT10120	Policy Update Frequency	CNT10127	Innovation in Content Management	0.06	886	29.53%	3000
----------	-------------------------	----------	----------------------------------	------	-----	--------	------

SYA10105	■Total time systems are non-operational	DLY10110	Analytics Project Success Rate	0.03	885	29.50%	3000
----------	---	----------	--------------------------------	------	-----	--------	------

PTY10112	Data Encryption Rate	CNT10118	Compliance Rate	0.03	884	29.47%	3000
----------	----------------------	----------	-----------------	------	-----	--------	------

BPT10111	Data Breach Incidents	TCH10108	Percentage of Projects Aligned with Business Goals	0.00	884	29.47%	3000
----------	-----------------------	----------	--	------	-----	--------	------

PVD10110 | Policy Review Frequency | CMM10106 | Uptime Percentage | 0.04 | 883 | 29.43% | 3000

PVD10115 | Stakeholder Satisfaction with Policy Development | DLY10104 | Data Consistency Score | 0.03 | 883 | 29.43% | 3000

PTY10119 | Audit Findings Resolution Time | CMM10112 | Access Control Compliance | 0.04 | 883 | 29.43% | 3000

PTY10122 | Stakeholder Satisfaction Score | CNT10115 | Content Integration Success Rate | 0.04 | 883 | 29.43% | 3000

ANO10104 | False Positive Rate | FLO10104 | False Positive Rate | 0.04 | 883 | 29.43% | 3000

ANO10119 | Feedback Implementation Rate | CNT10119 | Audit Findings Resolution Time | 0.03 | 883 | 29.43% | 3000

ANO10120 | Net Promoter Score (NPS) | DLY10113 | Self-Service Analytics Utilization | 0.05 | 883 | 29.43% | 3000

CMM10123 | Innovation in Communication | TCH10102 | Technology Innovation Rate | 0.03 | 883 | 29.43% | 3000

Groups Dependent Inconsistencies:

None found.

Groups Independent Inconsistencies:

4560 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

PVD10112 | PVD10112 | PJM10109 | PJM10109 | 0.04 | 898 | 29.93% | 3000

PVM10105 | PVM10105 | SYA10128 | SYA10128 | 0.01 | 898 | 29.93% | 3000

PVM10101 | PVM10101 | TCH10105 | TCH10105 | 0.02 | 893 | 29.77% | 3000

PJM10113 | PJM10113 | FLO10109 | FLO10109 | -0.01 | 891 | 29.70% | 3000

PJM10109 | PJM10109 | TCH10121 | TCH10121 | 0.01 | 887 | 29.57% | 3000

PVM10131 | PVM10131 | CNT10125 | CNT10125 | 0.02 | 886 | 29.53% | 3000

BPT10113 | BPT10113 | TCH10121 | TCH10121 | 0.01 | 885 | 29.50% | 3000

SYA10111 | SYA10111 | DLY10106 | DLY10106 | 0.04 | 884 | 29.47% | 3000

PVD10109 | PVD10109 | TCH10117 | TCH10117 | 0.03 | 882 | 29.40% | 3000

PJM10109 | PJM10109 | DLY10111 | DLY10111 | -0.00 | 882 | 29.40% | 3000

TCH10121 | TCH10121 | DLY10101 | DLY10101 | 0.02 | 881 | 29.37% | 3000

PVM10131 | PVM10131 | CNT10113 | CNT10113 | 0.00 | 880 | 29.33% | 3000

PVM10112 | PVM10112 | CNT10117 | CNT10117 | 0.06 | 878 | 29.27% | 3000

PVD10109 | PVD10109 | CMM10105 | CMM10105 | 0.01 | 877 | 29.23% | 3000

PTY10117 | PTY10117 | CMM10113 | CMM10113 | 0.01 | 877 | 29.23% | 3000

CMM10109 | CMM10109 | IDP10112 | IDP10112 | 0.03 | 877 | 29.23% | 3000

PTY10101 | PTY10101 | CMM10109 | CMM10109 | 0.04 | 875 | 29.17% | 3000

CNT10109 | CNT10109 | FLO10121 | FLO10121 | 0.01 | 875 | 29.17% | 3000

PJM10113 | PJM10113 | FLO10121 | FLO10121 | -0.00 | 874 | 29.13% | 3000

PVD10112 | PVD10112 | SYA10120 | SYA10120 | 0.01 | 873 | 29.10% | 3000

PVM10105 | PVM10105 | DLY10116 | DLY10116 | 0.01 | 873 | 29.10% | 3000

ANO10117 | ANO10117 | CNT10101 | CNT10101 | 0.02 | 873 | 29.10% | 3000

FLO10109 | FLO10109 | DLY10126 | DLY10126 | 0.04 | 873 | 29.10% | 3000

TCH10117 | TCH10117 | DLY10116 | DLY10116 | 0.02 | 873 | 29.10% | 3000

PTY10101 | PTY10101 | FLO10109 | FLO10109 | 0.01 | 872 | 29.07% | 3000
CNT10105 | CNT10105 | BPT10125 | BPT10125 | 0.00 | 872 | 29.07% | 3000
PTY10117 | PTY10117 | CNT10101 | CNT10101 | -0.01 | 871 | 29.03% | 3000
PVM10115 | PVM10115 | TCH10117 | TCH10117 | 0.03 | 870 | 29.00% | 3000
PVM10127 | PVM10127 | CNT10121 | CNT10121 | 0.03 | 870 | 29.00% | 3000
PTY10109 | PTY10109 | ANO10121 | ANO10121 | -0.02 | 870 | 29.00% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

91 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

PVM10000 | PVM10000 | BPT10000 | BPT10000 | 0.04 | 873 | 29.10% | 3000
ANO10000 | ANO10000 | FLO10000 | FLO10000 | 0.02 | 873 | 29.10% | 3000
PVD10000 | PVD10000 | SYA10000 | SYA10000 | 0.03 | 869 | 28.97% | 3000
MDM10000 | MDM10000 | FLO10000 | FLO10000 | 0.02 | 869 | 28.97% | 3000
FLO10000 | FLO10000 | BPT10000 | BPT10000 | -0.01 | 868 | 28.93% | 3000
BPT10000 | BPT10000 | DLY10000 | DLY10000 | 0.03 | 868 | 28.93% | 3000
CNT10000 | CNT10000 | FLO10000 | FLO10000 | -0.00 | 863 | 28.77% | 3000
IDP10000 | IDP10000 | BPT10000 | BPT10000 | 0.04 | 858 | 28.60% | 3000
ANO10000 | ANO10000 | BPT10000 | BPT10000 | 0.00 | 857 | 28.57% | 3000
PJM10000 | PJM10000 | IDP10000 | IDP10000 | 0.04 | 857 | 28.57% | 3000
PVM10000 | PVM10000 | MDM10000 | MDM10000 | -0.00 | 855 | 28.50% | 3000
IDP10000 | IDP10000 | FLO10000 | FLO10000 | -0.03 | 853 | 28.43% | 3000
PVD10000 | PVD10000 | PTY10000 | PTY10000 | -0.02 | 852 | 28.40% | 3000
FLO10000 | FLO10000 | TCH10000 | TCH10000 | 0.02 | 852 | 28.40% | 3000
PVM10000 | PVM10000 | TCH10000 | TCH10000 | 0.00 | 850 | 28.33% | 3000
TCH10000 | TCH10000 | DLY10000 | DLY10000 | -0.02 | 850 | 28.33% | 3000
BPT10000 | BPT10000 | SYA10000 | SYA10000 | -0.00 | 849 | 28.30% | 3000
CNT10000 | CNT10000 | MDM10000 | MDM10000 | 0.03 | 848 | 28.27% | 3000
PTY10000 | PTY10000 | BPT10000 | BPT10000 | 0.02 | 847 | 28.23% | 3000
CMM10000 | CMM10000 | PJM10000 | PJM10000 | 0.00 | 844 | 28.13% | 3000
PVD10000 | PVD10000 | MDM10000 | MDM10000 | 0.02 | 843 | 28.10% | 3000
PTY10000 | PTY10000 | CMM10000 | CMM10000 | 0.01 | 842 | 28.07% | 3000
MDM10000 | MDM10000 | PJM10000 | PJM10000 | 0.01 | 842 | 28.07% | 3000
PJM10000 | PJM10000 | FLO10000 | FLO10000 | 0.03 | 842 | 28.07% | 3000
PVD10000 | PVD10000 | CMM10000 | CMM10000 | -0.01 | 837 | 27.90% | 3000
PVD10000 | PVD10000 | PJM10000 | PJM10000 | -0.01 | 836 | 27.87% | 3000
CMM10000 | CMM10000 | CNT10000 | CNT10000 | -0.01 | 835 | 27.83% | 3000
PTY10000 | PTY10000 | ANO10000 | ANO10000 | -0.01 | 832 | 27.73% | 3000

IDP10000 | IDP10000 | DLY10000 | DLY10000 | -0.01 | 832 | 27.73% | 3000
PVD10000 | PVD10000 | TCH10000 | TCH10000 | -0.02 | 831 | 27.70% | 3000