

trends_and_repetitions_report_bspt.txt

TBD2 pipeline output - rendered to PDF

Metrics Trends:

BSP10102: Increasing

BSP10103: Increasing

BSP10105: Stable

BSP10106: Decreasing

BSP10108: Stable

BSP10109: Increasing

BSP10111: Decreasing

BSP10112: Decreasing

BSP10113: Decreasing

BSP10115: Increasing

BSP10116: Increasing

BSP10118: Decreasing

BSP10119: Decreasing

BSP10120: Decreasing

BSP10122: Decreasing

BSP10123: Increasing

BTB10102: Stable

BTB10103: Increasing

BTB10105: Decreasing

BTB10106: Stable

BTB10108: Decreasing

BTB10109: Increasing

BTB10111: Decreasing

BTB10112: Decreasing

BTB10114: Increasing

BTB10115: Decreasing

BTB10117: Increasing

BTB10118: Increasing

BTB10120: Decreasing

BTB10121: Decreasing

BRR10102: Increasing

BRR10103: Decreasing

BRR10104: Increasing

BRR10106: Decreasing

BRR10107: Increasing

BRR10108: Increasing
BRR10110: Decreasing
BRR10111: Decreasing
BRR10112: Decreasing
BRR10114: Decreasing
BRR10115: Stable
BRR10116: Increasing
BRR10118: Decreasing
BRR10119: Decreasing
BRR10120: Stable
BRR10122: Decreasing
BRR10123: Increasing
BRR10124: Increasing
ODR10102: Increasing
ODR10103: Decreasing
ODR10104: Decreasing
ODR10105: Decreasing
ODR10107: Increasing
ODR10108: Increasing
ODR10109: Increasing
ODR10110: Decreasing
ODR10112: Decreasing
ODR10113: Decreasing
ODR10114: Decreasing
ODR10115: Increasing
ODR10117: Stable
ODR10118: Decreasing
ODR10119: Increasing
ODR10121: Increasing
ODR10122: Increasing
ODR10123: Increasing
ODR10125: Stable
ODR10126: Decreasing
ODR10127: Decreasing
BPA10102: Increasing
BPA10103: Increasing
BPA10104: Decreasing
BPA10106: Stable
BPA10107: Increasing
BPA10109: Increasing

BPA10110: Increasing
BPA10111: Decreasing
BPA10113: Decreasing
BPA10114: Stable
BPA10116: Increasing
BPA10117: Decreasing
BPA10119: Stable
BPA10120: Increasing
BPS10102: Increasing
BPS10103: Decreasing
BPS10104: Increasing
BPS10106: Decreasing
BPS10107: Decreasing
BPS10108: Decreasing
BPS10110: Stable
BPS10111: Increasing
BPS10112: Increasing
BPS10114: Increasing
BPS10115: Increasing
BPS10117: Stable
BPS10118: Increasing
BPS10119: Increasing
BPS10121: Increasing
BPS10122: Decreasing
BPS10124: Increasing
BPS10125: Increasing
BPS10126: Increasing
POM10102: Increasing
POM10103: Decreasing
POM10104: Increasing
POM10106: Increasing
POM10107: Decreasing
POM10108: Increasing
POM10110: Decreasing
POM10111: Stable
POM10112: Decreasing
POM10114: Decreasing
POM10115: Stable
POM10116: Decreasing
POM10118: Increasing

POM10119: Increasing
POM10120: Increasing
POM10122: Decreasing
POM10123: Stable
POM10124: Increasing
POM10126: Stable
POM10127: Increasing
BPI10102: Stable
BPI10103: Stable
BPI10104: Decreasing
BPI10106: Increasing
BPI10107: Stable
BPI10108: Increasing
BPI10110: Increasing
BPI10111: Decreasing
BPI10112: Decreasing
BPI10114: Increasing
BPI10115: Decreasing
BPI10117: Increasing
BPI10118: Increasing
BPI10119: Increasing
BPI10121: Stable
BPI10122: Decreasing
BPI10124: Decreasing
BPI10125: Decreasing
BPI10126: Increasing
PPB10102: Stable
PPB10103: Increasing
PPB10105: Increasing
PPB10106: Increasing
PPB10108: Decreasing
PPB10109: Increasing
PPB10110: Decreasing
PPB10112: Increasing
PPB10113: Decreasing
PPB10115: Stable
PPB10116: Increasing
PPB10118: Increasing
PPB10119: Stable
PPB10121: Stable

PPB10122: Decreasing
PPB10123: Stable
BPP10102: Increasing
BPP10103: Decreasing
BPP10104: Stable
BPP10106: Increasing
BPP10107: Stable
BPP10108: Decreasing
BPP10110: Increasing
BPP10111: Stable
BPP10112: Increasing
BPP10114: Decreasing
BPP10115: Increasing
BPP10117: Increasing
BPP10118: Increasing
BPP10119: Increasing
BPP10121: Increasing
BPP10122: Stable
BPP10124: Increasing
BPP10125: Stable
BPP10126: Increasing
PSE10102: Stable
PSE10103: Decreasing
PSE10104: Stable
PSE10106: Stable
PSE10107: Stable
PSE10108: Stable
PSE10110: Decreasing
PSE10111: Increasing
PSE10112: Increasing
PSE10114: Stable
PSE10115: Decreasing
PSE10116: Stable
PSE10118: Decreasing
PSE10119: Decreasing
PSE10120: Increasing
PSE10122: Decreasing
PSE10123: Stable
PSE10125: Increasing
PSE10126: Decreasing

PSE10127: Decreasing
PBI10102: Increasing
PBI10103: Increasing
PBI10104: Decreasing
PBI10106: Decreasing
PBI10107: Stable
PBI10108: Decreasing
PBI10110: Decreasing
PBI10111: Increasing
PBI10112: Increasing
PBI10114: Increasing
PBI10115: Increasing
PBI10117: Decreasing
PBI10118: Increasing
PBI10119: Decreasing
PBI10121: Decreasing
PBI10122: Stable
PBI10124: Increasing
PBI10125: Stable
PBI10127: Increasing
PBI10128: Decreasing
PBI10129: Increasing
PPR10102: Increasing
PPR10103: Stable
PPR10104: Increasing
PPR10106: Decreasing
PPR10107: Increasing
PPR10108: Increasing
PPR10110: Decreasing
PPR10111: Stable
PPR10112: Increasing
PPR10114: Increasing
PPR10115: Increasing
PPR10116: Stable
PPR10118: Increasing
PPR10119: Increasing
PPR10121: Decreasing
PPR10122: Decreasing
PPR10123: Increasing
PPR10125: Increasing

PPR10126: Decreasing
PPR10128: Stable
PPR10129: Decreasing
PPR10131: Decreasing
PPR10132: Decreasing
PPR10133: Decreasing
RSS10102: Stable
RSS10103: Increasing
RSS10104: Decreasing
RSS10106: Stable
RSS10107: Decreasing
RSS10108: Decreasing
RSS10110: Increasing
RSS10111: Increasing
RSS10112: Stable
RSS10114: Increasing
RSS10115: Increasing
RSS10116: Decreasing
RSS10118: Stable
RSS10119: Decreasing
RSS10120: Decreasing
RSS10122: Stable
RSS10123: Stable
RSS10124: Stable
RSS10126: Stable
RSS10127: Stable
RSS10129: Stable
RSS10130: Stable
RSS10131: Stable
INH10102: Decreasing
INH10103: Decreasing
INH10104: Stable
INH10106: Stable
INH10107: Decreasing
INH10108: Stable
INH10110: Increasing
INH10111: Stable
INH10112: Decreasing
INH10114: Stable
INH10115: Decreasing

INH10116: Decreasing
INH10118: Stable
INH10119: Decreasing
INH10120: Increasing
INH10122: Increasing
INH10123: Stable
INH10125: Increasing
INH10126: Stable
INH10127: Increasing
INH10129: Increasing
INH10130: Stable
INM10102: Decreasing
INM10103: Stable
INM10104: Increasing
INM10106: Decreasing
INM10107: Decreasing
INM10108: Increasing
INM10110: Increasing
INM10111: Increasing
INM10112: Decreasing
INM10114: Increasing
INM10115: Decreasing
INM10116: Stable
INM10118: Stable
INM10119: Increasing
INM10120: Increasing
INM10122: Decreasing
INM10123: Stable
INM10124: Decreasing
INM10126: Decreasing
INM10127: Increasing
INM10128: Decreasing
INM10130: Decreasing
INM10131: Stable
INM10132: Increasing
INM10134: Increasing
INM10135: Increasing
PPV10102: Stable
PPV10103: Decreasing
PPV10104: Decreasing

PPV10106: Increasing
PPV10107: Increasing
PPV10108: Stable
PPV10110: Increasing
PPV10111: Increasing
PPV10112: Stable
PPV10114: Stable
PPV10115: Increasing
PPV10116: Increasing
PPV10118: Increasing
PPV10119: Decreasing
PPV10120: Stable
PPV10122: Stable
PPV10123: Stable
PPV10124: Decreasing
PPV10126: Decreasing
PPV10127: Decreasing
PPV10128: Decreasing
PPV10130: Stable
PPV10131: Decreasing
PPV10132: Increasing

Metrics Repetitions (Fourier Analysis):

BSP10102: Dominant period: 4.84 units (repetitive)
BSP10103: Dominant period: 3.58 units (repetitive)
BSP10105: Dominant period: 9.17 units (repetitive)
BSP10106: Dominant period: 22.22 units (repetitive)
BSP10108: Dominant period: 2.68 units (repetitive)
BSP10109: No clear repetition (potential instability)
BSP10111: Dominant period: 3.19 units (repetitive)
BSP10112: Dominant period: 2.35 units (repetitive)
BSP10113: Dominant period: 3.50 units (repetitive)
BSP10115: Dominant period: 2.98 units (repetitive)
BSP10116: Dominant period: 4.21 units (repetitive)
BSP10118: Dominant period: 3.10 units (repetitive)
BSP10119: Dominant period: 83.33 units (repetitive)
BSP10120: Dominant period: 30.00 units (repetitive)
BSP10122: Dominant period: 12.30 units (repetitive)
BSP10123: Dominant period: 5.98 units (repetitive)
BTD10102: Dominant period: 46.88 units (repetitive)

BTD10103: Dominant period: 2.38 units (repetitive)
BTD10105: Dominant period: 3.44 units (repetitive)
BTD10106: Dominant period: 3.71 units (repetitive)
BTD10108: Dominant period: 6.68 units (repetitive)
BTD10109: No clear repetition (potential instability)
BTD10111: No clear repetition (potential instability)
BTD10112: Dominant period: 6.64 units (repetitive)
BTD10114: No clear repetition (potential instability)
BTD10115: Dominant period: 5.15 units (repetitive)
BTD10117: Dominant period: 2.68 units (repetitive)
BTD10118: No clear repetition (potential instability)
BTD10120: No clear repetition (potential instability)
BTD10121: Dominant period: 37.50 units (repetitive)
BRR10102: Dominant period: 3.10 units (repetitive)
BRR10103: Dominant period: 11.81 units (repetitive)
BRR10104: Dominant period: 40.54 units (repetitive)
BRR10106: Dominant period: 11.90 units (repetitive)
BRR10107: No clear repetition (potential instability)
BRR10108: Dominant period: 38.96 units (repetitive)
BRR10110: Dominant period: 11.72 units (repetitive)
BRR10111: Dominant period: 15.71 units (repetitive)
BRR10112: Dominant period: 41.10 units (repetitive)
BRR10114: No clear repetition (potential instability)
BRR10115: No clear repetition (potential instability)
BRR10116: No clear repetition (potential instability)
BRR10118: No clear repetition (potential instability)
BRR10119: Dominant period: 2.29 units (repetitive)
BRR10120: Dominant period: 2.55 units (repetitive)
BRR10122: Dominant period: 2.42 units (repetitive)
BRR10123: No clear repetition (potential instability)
BRR10124: Dominant period: 12.55 units (repetitive)
ODR10102: Dominant period: 7.18 units (repetitive)
ODR10103: No clear repetition (potential instability)
ODR10104: No clear repetition (potential instability)
ODR10105: No clear repetition (potential instability)
ODR10107: Dominant period: 3.22 units (repetitive)
ODR10108: Dominant period: 8.93 units (repetitive)
ODR10109: Dominant period: 8.45 units (repetitive)
ODR10110: No clear repetition (potential instability)
ODR10112: Dominant period: 7.21 units (repetitive)

ODR10113: No clear repetition (potential instability)
ODR10114: Dominant period: 2.15 units (repetitive)
ODR10115: Dominant period: 4.55 units (repetitive)
ODR10117: No clear repetition (potential instability)
ODR10118: Dominant period: 11.72 units (repetitive)
ODR10119: No clear repetition (potential instability)
ODR10121: Dominant period: 5.15 units (repetitive)
ODR10122: Dominant period: 3.21 units (repetitive)
ODR10123: Dominant period: 4.60 units (repetitive)
ODR10125: Dominant period: 21.58 units (repetitive)
ODR10126: Dominant period: 2.48 units (repetitive)
ODR10127: Dominant period: 4.58 units (repetitive)
BPA10102: No clear repetition (potential instability)
BPA10103: Dominant period: 6.45 units (repetitive)
BPA10104: Dominant period: 2.14 units (repetitive)
BPA10106: Dominant period: 3.29 units (repetitive)
BPA10107: Dominant period: 15.79 units (repetitive)
BPA10109: No clear repetition (potential instability)
BPA10110: Dominant period: 3.42 units (repetitive)
BPA10111: No clear repetition (potential instability)
BPA10113: Dominant period: 7.52 units (repetitive)
BPA10114: Dominant period: 4.16 units (repetitive)
BPA10116: Dominant period: 2.33 units (repetitive)
BPA10117: Dominant period: 81.08 units (repetitive)
BPA10119: Dominant period: 15.71 units (repetitive)
BPA10120: Dominant period: 15.79 units (repetitive)
BPS10102: Dominant period: 136.36 units (repetitive)
BPS10103: Dominant period: 3.44 units (repetitive)
BPS10104: No clear repetition (potential instability)
BPS10106: Dominant period: 19.48 units (repetitive)
BPS10107: Dominant period: 78.95 units (repetitive)
BPS10108: Dominant period: 6.00 units (repetitive)
BPS10110: No clear repetition (potential instability)
BPS10111: No clear repetition (potential instability)
BPS10112: No clear repetition (potential instability)
BPS10114: Dominant period: 83.33 units (repetitive)
BPS10115: Dominant period: 5.05 units (repetitive)
BPS10117: No clear repetition (potential instability)
BPS10118: Dominant period: 5.96 units (repetitive)
BPS10119: Dominant period: 9.46 units (repetitive)

BPS10121: No clear repetition (potential instability)
BPS10122: Dominant period: 2.80 units (repetitive)
BPS10124: Dominant period: 6.90 units (repetitive)
BPS10125: Dominant period: 9.43 units (repetitive)
BPS10126: Dominant period: 3000.00 units (repetitive)
POM10102: Dominant period: 3.58 units (repetitive)
POM10103: Dominant period: 85.71 units (repetitive)
POM10104: Dominant period: 3.42 units (repetitive)
POM10106: Dominant period: 4.28 units (repetitive)
POM10107: Dominant period: 4.34 units (repetitive)
POM10108: Dominant period: 1500.00 units (repetitive)
POM10110: Dominant period: 13.82 units (repetitive)
POM10111: No clear repetition (potential instability)
POM10112: Dominant period: 17.14 units (repetitive)
POM10114: Dominant period: 85.71 units (repetitive)
POM10115: Dominant period: 2.55 units (repetitive)
POM10116: Dominant period: 5.05 units (repetitive)
POM10118: Dominant period: 5.48 units (repetitive)
POM10119: No clear repetition (potential instability)
POM10120: Dominant period: 3.58 units (repetitive)
POM10122: Dominant period: 3.43 units (repetitive)
POM10123: Dominant period: 85.71 units (repetitive)
POM10124: Dominant period: 3.89 units (repetitive)
POM10126: Dominant period: 48.39 units (repetitive)
POM10127: Dominant period: 16.48 units (repetitive)
BPI10102: Dominant period: 13.64 units (repetitive)
BPI10103: Dominant period: 29.13 units (repetitive)
BPI10104: Dominant period: 8.43 units (repetitive)
BPI10106: Dominant period: 2.47 units (repetitive)
BPI10107: Dominant period: 2.47 units (repetitive)
BPI10108: No clear repetition (potential instability)
BPI10110: No clear repetition (potential instability)
BPI10111: No clear repetition (potential instability)
BPI10112: Dominant period: 11.76 units (repetitive)
BPI10114: No clear repetition (potential instability)
BPI10115: No clear repetition (potential instability)
BPI10117: Dominant period: 2.95 units (repetitive)
BPI10118: Dominant period: 8.43 units (repetitive)
BPI10119: Dominant period: 2.35 units (repetitive)
BPI10121: Dominant period: 28.30 units (repetitive)

BPI10122: Dominant period: 3000.00 units (repetitive)
BPI10124: No clear repetition (potential instability)
BPI10125: Dominant period: 30.30 units (repetitive)
BPI10126: No clear repetition (potential instability)
PPB10102: No clear repetition (potential instability)
PPB10103: No clear repetition (potential instability)
PPB10105: Dominant period: 8.43 units (repetitive)
PPB10106: Dominant period: 3000.00 units (repetitive)
PPB10108: Dominant period: 4.39 units (repetitive)
PPB10109: Dominant period: 2.75 units (repetitive)
PPB10110: Dominant period: 20.27 units (repetitive)
PPB10112: No clear repetition (potential instability)
PPB10113: Dominant period: 3.54 units (repetitive)
PPB10115: Dominant period: 3.15 units (repetitive)
PPB10116: No clear repetition (potential instability)
PPB10118: Dominant period: 6.45 units (repetitive)
PPB10119: Dominant period: 2.29 units (repetitive)
PPB10121: Dominant period: 4.60 units (repetitive)
PPB10122: Dominant period: 2.43 units (repetitive)
PPB10123: Dominant period: 4.58 units (repetitive)
BPP10102: Dominant period: 2.40 units (repetitive)
BPP10103: Dominant period: 76.92 units (repetitive)
BPP10104: Dominant period: 40.54 units (repetitive)
BPP10106: Dominant period: 2.07 units (repetitive)
BPP10107: No clear repetition (potential instability)
BPP10108: Dominant period: 3000.00 units (repetitive)
BPP10110: Dominant period: 2.89 units (repetitive)
BPP10111: Dominant period: 81.08 units (repetitive)
BPP10112: Dominant period: 11.76 units (repetitive)
BPP10114: Dominant period: 4.67 units (repetitive)
BPP10115: Dominant period: 1000.00 units (repetitive)
BPP10117: No clear repetition (potential instability)
BPP10118: Dominant period: 48.39 units (repetitive)
BPP10119: Dominant period: 10.03 units (repetitive)
BPP10121: No clear repetition (potential instability)
BPP10122: Dominant period: 16.48 units (repetitive)
BPP10124: No clear repetition (potential instability)
BPP10125: Dominant period: 2.26 units (repetitive)
BPP10126: Dominant period: 6.61 units (repetitive)
PSE10102: No clear repetition (potential instability)

PSE10103: Dominant period: 46.15 units (repetitive)
PSE10104: Dominant period: 5.17 units (repetitive)
PSE10106: Dominant period: 2.09 units (repetitive)
PSE10107: Dominant period: 3.71 units (repetitive)
PSE10108: Dominant period: 5.58 units (repetitive)
PSE10110: Dominant period: 11.76 units (repetitive)
PSE10111: Dominant period: 15.96 units (repetitive)
PSE10112: Dominant period: 9.38 units (repetitive)
PSE10114: Dominant period: 2.94 units (repetitive)
PSE10115: Dominant period: 14.29 units (repetitive)
PSE10116: Dominant period: 3.89 units (repetitive)
PSE10118: Dominant period: 428.57 units (repetitive)
PSE10119: Dominant period: 5.06 units (repetitive)
PSE10120: Dominant period: 2.64 units (repetitive)
PSE10122: No clear repetition (potential instability)
PSE10123: Dominant period: 19.23 units (repetitive)
PSE10125: Dominant period: 15.79 units (repetitive)
PSE10126: Dominant period: 1500.00 units (repetitive)
PSE10127: Dominant period: 5.08 units (repetitive)
PBI10102: No clear repetition (potential instability)
PBI10103: Dominant period: 85.71 units (repetitive)
PBI10104: Dominant period: 2.29 units (repetitive)
PBI10106: Dominant period: 3.29 units (repetitive)
PBI10107: Dominant period: 7.67 units (repetitive)
PBI10108: Dominant period: 2.43 units (repetitive)
PBI10110: No clear repetition (potential instability)
PBI10111: Dominant period: 2.47 units (repetitive)
PBI10112: No clear repetition (potential instability)
PBI10114: Dominant period: 4.20 units (repetitive)
PBI10115: Dominant period: 4.99 units (repetitive)
PBI10117: Dominant period: 4.64 units (repetitive)
PBI10118: Dominant period: 2.08 units (repetitive)
PBI10119: No clear repetition (potential instability)
PBI10121: No clear repetition (potential instability)
PBI10122: No clear repetition (potential instability)
PBI10124: Dominant period: 2.43 units (repetitive)
PBI10125: Dominant period: 3.16 units (repetitive)
PBI10127: Dominant period: 3.80 units (repetitive)
PBI10128: Dominant period: 4.57 units (repetitive)
PBI10129: Dominant period: 2.01 units (repetitive)

PPR10102: Dominant period: 3000.00 units (repetitive)
PPR10103: Dominant period: 2.72 units (repetitive)
PPR10104: Dominant period: 3.50 units (repetitive)
PPR10106: Dominant period: 3.07 units (repetitive)
PPR10107: Dominant period: 2.84 units (repetitive)
PPR10108: Dominant period: 13.82 units (repetitive)
PPR10110: Dominant period: 5.80 units (repetitive)
PPR10111: Dominant period: 3.44 units (repetitive)
PPR10112: Dominant period: 13.57 units (repetitive)
PPR10114: Dominant period: 2.50 units (repetitive)
PPR10115: Dominant period: 6.00 units (repetitive)
PPR10116: Dominant period: 2.94 units (repetitive)
PPR10118: Dominant period: 3.47 units (repetitive)
PPR10119: No clear repetition (potential instability)
PPR10121: Dominant period: 46.15 units (repetitive)
PPR10122: No clear repetition (potential instability)
PPR10123: Dominant period: 8.96 units (repetitive)
PPR10125: Dominant period: 10.00 units (repetitive)
PPR10126: Dominant period: 4.57 units (repetitive)
PPR10128: No clear repetition (potential instability)
PPR10129: Dominant period: 4.38 units (repetitive)
PPR10131: Dominant period: 4.17 units (repetitive)
PPR10132: Dominant period: 14.71 units (repetitive)
PPR10133: Dominant period: 11.72 units (repetitive)
RSS10102: Dominant period: 2.26 units (repetitive)
RSS10103: No clear repetition (potential instability)
RSS10104: Dominant period: 19.35 units (repetitive)
RSS10106: No clear repetition (potential instability)
RSS10107: No clear repetition (potential instability)
RSS10108: Dominant period: 5.40 units (repetitive)
RSS10110: No clear repetition (potential instability)
RSS10111: Dominant period: 6.22 units (repetitive)
RSS10112: No clear repetition (potential instability)
RSS10114: No clear repetition (potential instability)
RSS10115: Dominant period: 2.95 units (repetitive)
RSS10116: Dominant period: 750.00 units (repetitive)
RSS10118: Dominant period: 4.17 units (repetitive)
RSS10119: Dominant period: 5.15 units (repetitive)
RSS10120: Dominant period: 6.90 units (repetitive)
RSS10122: No clear repetition (potential instability)

RSS10123: Dominant period: 6.45 units (repetitive)
RSS10124: Dominant period: 4.85 units (repetitive)
RSS10126: Dominant period: 8.45 units (repetitive)
RSS10127: Dominant period: 2.12 units (repetitive)
RSS10129: Dominant period: 8.24 units (repetitive)
RSS10130: No clear repetition (potential instability)
RSS10131: Dominant period: 2.24 units (repetitive)
INH10102: Dominant period: 11.86 units (repetitive)
INH10103: Dominant period: 3.44 units (repetitive)
INH10104: No clear repetition (potential instability)
INH10106: Dominant period: 2.29 units (repetitive)
INH10107: Dominant period: 3.58 units (repetitive)
INH10108: Dominant period: 11.72 units (repetitive)
INH10110: Dominant period: 85.71 units (repetitive)
INH10111: Dominant period: 4.84 units (repetitive)
INH10112: Dominant period: 25.86 units (repetitive)
INH10114: No clear repetition (potential instability)
INH10115: Dominant period: 4.97 units (repetitive)
INH10116: Dominant period: 5.08 units (repetitive)
INH10118: Dominant period: 7.50 units (repetitive)
INH10119: Dominant period: 8.31 units (repetitive)
INH10120: Dominant period: 5.57 units (repetitive)
INH10122: Dominant period: 4.84 units (repetitive)
INH10123: No clear repetition (potential instability)
INH10125: Dominant period: 3.96 units (repetitive)
INH10126: Dominant period: 8.62 units (repetitive)
INH10127: No clear repetition (potential instability)
INH10129: No clear repetition (potential instability)
INH10130: Dominant period: 3.53 units (repetitive)
INM10102: Dominant period: 3.29 units (repetitive)
INM10103: Dominant period: 20.83 units (repetitive)
INM10104: Dominant period: 2.42 units (repetitive)
INM10106: Dominant period: 5.50 units (repetitive)
INM10107: Dominant period: 4.84 units (repetitive)
INM10108: Dominant period: 2.67 units (repetitive)
INM10110: Dominant period: 25.64 units (repetitive)
INM10111: Dominant period: 19.35 units (repetitive)
INM10112: No clear repetition (potential instability)
INM10114: No clear repetition (potential instability)
INM10115: Dominant period: 10.31 units (repetitive)

INM10116: Dominant period: 83.33 units (repetitive)
INM10118: Dominant period: 20.41 units (repetitive)
INM10119: Dominant period: 15.54 units (repetitive)
INM10120: No clear repetition (potential instability)
INM10122: Dominant period: 85.71 units (repetitive)
INM10123: Dominant period: 16.76 units (repetitive)
INM10124: Dominant period: 3000.00 units (repetitive)
INM10126: Dominant period: 5.99 units (repetitive)
INM10127: Dominant period: 25.64 units (repetitive)
INM10128: Dominant period: 21.74 units (repetitive)
INM10130: Dominant period: 8.88 units (repetitive)
INM10131: Dominant period: 3.05 units (repetitive)
INM10132: Dominant period: 2.80 units (repetitive)
INM10134: Dominant period: 2.69 units (repetitive)
INM10135: Dominant period: 3.32 units (repetitive)
PPV10102: Dominant period: 13.64 units (repetitive)
PPV10103: Dominant period: 5.15 units (repetitive)
PPV10104: Dominant period: 8.24 units (repetitive)
PPV10106: No clear repetition (potential instability)
PPV10107: Dominant period: 3.52 units (repetitive)
PPV10108: Dominant period: 2.29 units (repetitive)
PPV10110: Dominant period: 2.41 units (repetitive)
PPV10111: Dominant period: 4.40 units (repetitive)
PPV10112: Dominant period: 7.50 units (repetitive)
PPV10114: Dominant period: 2.94 units (repetitive)
PPV10115: Dominant period: 4.04 units (repetitive)
PPV10116: Dominant period: 5.66 units (repetitive)
PPV10118: No clear repetition (potential instability)
PPV10119: Dominant period: 2.35 units (repetitive)
PPV10120: Dominant period: 2.45 units (repetitive)
PPV10122: Dominant period: 29.70 units (repetitive)
PPV10123: Dominant period: 2.46 units (repetitive)
PPV10124: Dominant period: 2.77 units (repetitive)
PPV10126: Dominant period: 2.01 units (repetitive)
PPV10127: Dominant period: 3.30 units (repetitive)
PPV10128: Dominant period: 6.48 units (repetitive)
PPV10130: No clear repetition (potential instability)
PPV10131: Dominant period: 19.61 units (repetitive)
PPV10132: Dominant period: 5.21 units (repetitive)

Groups Trends:

BSP10101: Increasing

BSP10104: Stable

BSP10107: Stable

BSP10110: Decreasing

BSP10114: Increasing

BSP10117: Decreasing

BSP10121: Stable

BTB10101: Increasing

BTB10104: Decreasing

BTB10107: Decreasing

BTB10110: Decreasing

BTB10113: Stable

BTB10116: Increasing

BTB10119: Decreasing

BRR10101: Increasing

BRR10105: Increasing

BRR10109: Decreasing

BRR10113: Increasing

BRR10117: Decreasing

BRR10121: Increasing

ODR10101: Stable

ODR10106: Increasing

ODR10111: Decreasing

ODR10116: Stable

ODR10120: Increasing

ODR10124: Decreasing

BPA10101: Increasing

BPA10105: Stable

BPA10108: Stable

BPA10112: Stable

BPA10115: Increasing

BPA10118: Increasing

BPS10101: Stable

BPS10105: Decreasing

BPS10109: Increasing

BPS10113: Increasing

BPS10116: Increasing

BPS10120: Decreasing

BPS10123: Increasing

POM10101: Increasing
POM10105: Increasing
POM10109: Decreasing
POM10113: Decreasing
POM10117: Increasing
POM10121: Decreasing
POM10125: Stable
BPI10101: Decreasing
BPI10105: Increasing
BPI10109: Stable
BPI10113: Decreasing
BPI10116: Increasing
BPI10120: Decreasing
BPI10123: Decreasing
PPB10101: Increasing
PPB10104: Increasing
PPB10107: Decreasing
PPB10111: Increasing
PPB10114: Increasing
PPB10117: Stable
PPB10120: Decreasing
BPP10101: Decreasing
BPP10105: Decreasing
BPP10109: Increasing
BPP10113: Increasing
BPP10116: Increasing
BPP10120: Increasing
BPP10123: Increasing
PSE10101: Decreasing
PSE10105: Stable
PSE10109: Increasing
PSE10113: Stable
PSE10117: Decreasing
PSE10121: Decreasing
PSE10124: Decreasing
PBI10101: Increasing
PBI10105: Decreasing
PBI10109: Increasing
PBI10113: Increasing
PBI10116: Decreasing

PBI10120: Stable
PBI10123: Increasing
PBI10126: Increasing
PPR10101: Increasing
PPR10105: Increasing
PPR10109: Stable
PPR10113: Increasing
PPR10117: Increasing
PPR10120: Decreasing
PPR10124: Stable
PPR10127: Decreasing
PPR10130: Decreasing
RSS10101: Stable
RSS10105: Decreasing
RSS10109: Increasing
RSS10113: Stable
RSS10117: Decreasing
RSS10121: Stable
RSS10125: Stable
RSS10128: Stable
INH10101: Decreasing
INH10105: Decreasing
INH10109: Stable
INH10113: Decreasing
INH10117: Stable
INH10121: Increasing
INH10124: Increasing
INH10128: Increasing
INM10101: Stable
INM10105: Decreasing
INM10109: Stable
INM10113: Decreasing
INM10117: Increasing
INM10121: Decreasing
INM10125: Decreasing
INM10129: Decreasing
INM10133: Increasing
PPV10101: Decreasing
PPV10105: Increasing
PPV10109: Increasing

PPV10113: Increasing

PPV10117: Stable

PPV10121: Decreasing

PPV10125: Decreasing

PPV10129: Stable

Groups Repetitions (Fourier Analysis):

BSP10101: Dominant period: 5.79 units (repetitive)

BSP10104: Dominant period: 18.63 units (repetitive)

BSP10107: Dominant period: 3.26 units (repetitive)

BSP10110: Dominant period: 85.71 units (repetitive)

BSP10114: Dominant period: 2.26 units (repetitive)

BSP10117: Dominant period: 3.90 units (repetitive)

BSP10121: No clear repetition (potential instability)

BTD10101: Dominant period: 30.00 units (repetitive)

BTD10104: Dominant period: 4.87 units (repetitive)

BTD10107: Dominant period: 3.29 units (repetitive)

BTD10110: Dominant period: 10.00 units (repetitive)

BTD10113: No clear repetition (potential instability)

BTD10116: Dominant period: 11.72 units (repetitive)

BTD10119: Dominant period: 5.66 units (repetitive)

BRR10101: Dominant period: 15.46 units (repetitive)

BRR10105: No clear repetition (potential instability)

BRR10109: Dominant period: 3.17 units (repetitive)

BRR10113: Dominant period: 7.14 units (repetitive)

BRR10117: No clear repetition (potential instability)

BRR10121: Dominant period: 2.94 units (repetitive)

ODR10101: Dominant period: 2.04 units (repetitive)

ODR10106: Dominant period: 5.15 units (repetitive)

ODR10111: Dominant period: 4.57 units (repetitive)

ODR10116: Dominant period: 4.60 units (repetitive)

ODR10120: No clear repetition (potential instability)

ODR10124: Dominant period: 2.28 units (repetitive)

BPA10101: Dominant period: 46.88 units (repetitive)

BPA10105: Dominant period: 20.13 units (repetitive)

BPA10108: Dominant period: 15.00 units (repetitive)

BPA10112: Dominant period: 2.18 units (repetitive)

BPA10115: Dominant period: 13.89 units (repetitive)

BPA10118: Dominant period: 30.93 units (repetitive)

BPS10101: No clear repetition (potential instability)

BPS10105: No clear repetition (potential instability)
BPS10109: No clear repetition (potential instability)
BPS10113: Dominant period: 83.33 units (repetitive)
BPS10116: Dominant period: 2.74 units (repetitive)
BPS10120: Dominant period: 25.21 units (repetitive)
BPS10123: Dominant period: 3000.00 units (repetitive)
POM10101: Dominant period: 8.22 units (repetitive)
POM10105: No clear repetition (potential instability)
POM10109: Dominant period: 8.45 units (repetitive)
POM10113: Dominant period: 5.46 units (repetitive)
POM10117: Dominant period: 5.27 units (repetitive)
POM10121: No clear repetition (potential instability)
POM10125: Dominant period: 6.22 units (repetitive)
BPI10101: Dominant period: 29.13 units (repetitive)
BPI10105: Dominant period: 2.64 units (repetitive)
BPI10109: No clear repetition (potential instability)
BPI10113: Dominant period: 25.64 units (repetitive)
BPI10116: Dominant period: 19.35 units (repetitive)
BPI10120: No clear repetition (potential instability)
BPI10123: Dominant period: 83.33 units (repetitive)
PPB10101: Dominant period: 4.18 units (repetitive)
PPB10104: Dominant period: 1000.00 units (repetitive)
PPB10107: No clear repetition (potential instability)
PPB10111: Dominant period: 2.04 units (repetitive)
PPB10114: Dominant period: 4.07 units (repetitive)
PPB10117: Dominant period: 6.45 units (repetitive)
PPB10120: Dominant period: 2.90 units (repetitive)
BPP10101: No clear repetition (potential instability)
BPP10105: No clear repetition (potential instability)
BPP10109: No clear repetition (potential instability)
BPP10113: Dominant period: 4.67 units (repetitive)
BPP10116: Dominant period: 48.39 units (repetitive)
BPP10120: Dominant period: 15.79 units (repetitive)
BPP10123: Dominant period: 8.43 units (repetitive)
PSE10101: Dominant period: 4.94 units (repetitive)
PSE10105: Dominant period: 5.41 units (repetitive)
PSE10109: No clear repetition (potential instability)
PSE10113: Dominant period: 5.77 units (repetitive)
PSE10117: Dominant period: 9.58 units (repetitive)
PSE10121: Dominant period: 17.54 units (repetitive)

PSE10124: Dominant period: 76.92 units (repetitive)

PBI10101: Dominant period: 5.17 units (repetitive)

PBI10105: Dominant period: 6.22 units (repetitive)

PBI10109: Dominant period: 12.61 units (repetitive)

PBI10113: Dominant period: 3.42 units (repetitive)

PBI10116: Dominant period: 7.50 units (repetitive)

PBI10120: No clear repetition (potential instability)

PBI10123: No clear repetition (potential instability)

PBI10126: Dominant period: 14.78 units (repetitive)

PPR10101: No clear repetition (potential instability)

PPR10105: Dominant period: 22.90 units (repetitive)

PPR10109: Dominant period: 6.22 units (repetitive)

PPR10113: Dominant period: 13.64 units (repetitive)

PPR10117: No clear repetition (potential instability)

PPR10120: Dominant period: 5.99 units (repetitive)

PPR10124: Dominant period: 6.85 units (repetitive)

PPR10127: Dominant period: 21.58 units (repetitive)

PPR10130: Dominant period: 4.58 units (repetitive)

RSS10101: No clear repetition (potential instability)

RSS10105: No clear repetition (potential instability)

RSS10109: Dominant period: 2.35 units (repetitive)

RSS10113: No clear repetition (potential instability)

RSS10117: Dominant period: 3.10 units (repetitive)

RSS10121: No clear repetition (potential instability)

RSS10125: Dominant period: 2.35 units (repetitive)

RSS10128: Dominant period: 2.33 units (repetitive)

INH10101: Dominant period: 11.72 units (repetitive)

INH10105: Dominant period: 14.78 units (repetitive)

INH10109: Dominant period: 11.76 units (repetitive)

INH10113: Dominant period: 2.01 units (repetitive)

INH10117: Dominant period: 4.84 units (repetitive)

INH10121: Dominant period: 83.33 units (repetitive)

INH10124: No clear repetition (potential instability)

INH10128: Dominant period: 2.50 units (repetitive)

INM10101: Dominant period: 2.56 units (repetitive)

INM10105: Dominant period: 4.84 units (repetitive)

INM10109: Dominant period: 25.64 units (repetitive)

INM10113: Dominant period: 10.31 units (repetitive)

INM10117: Dominant period: 13.70 units (repetitive)

INM10121: Dominant period: 78.95 units (repetitive)

INM10125: Dominant period: 5.99 units (repetitive)
INM10129: Dominant period: 3.05 units (repetitive)
INM10133: Dominant period: 6.64 units (repetitive)
PPV10101: No clear repetition (potential instability)
PPV10105: Dominant period: 10.91 units (repetitive)
PPV10109: Dominant period: 2.84 units (repetitive)
PPV10113: No clear repetition (potential instability)
PPV10117: Dominant period: 78.95 units (repetitive)
PPV10121: Dominant period: 17.65 units (repetitive)
PPV10125: No clear repetition (potential instability)
PPV10129: Dominant period: 3.31 units (repetitive)

Sub_Modules Trends:

BSP10000: Stable
BTD10000: Decreasing
BRR10000: Increasing
ODR10000: Stable
BPA10000: Increasing
BPS10000: Increasing
POM10000: Stable
BPI10000: Stable
PPB10000: Increasing
BPP10000: Increasing
PSE10000: Decreasing
PBI10000: Increasing
PPR10000: Increasing
RSS10000: Decreasing
INH10000: Stable
INM10000: Decreasing
PPV10000: Stable

Sub_Modules Repetitions (Fourier Analysis):

BSP10000: Dominant period: 13.57 units (repetitive)
BTD10000: Dominant period: 10.00 units (repetitive)
BRR10000: No clear repetition (potential instability)
ODR10000: Dominant period: 5.15 units (repetitive)
BPA10000: Dominant period: 3.44 units (repetitive)
BPS10000: Dominant period: 10.31 units (repetitive)
POM10000: Dominant period: 7.59 units (repetitive)
BPI10000: Dominant period: 5.41 units (repetitive)
PPB10000: No clear repetition (potential instability)

BPP10000: Dominant period: 48.39 units (repetitive)

PSE10000: Dominant period: 11.76 units (repetitive)

PBI10000: Dominant period: 6.26 units (repetitive)

PPR10000: Dominant period: 81.08 units (repetitive)

RSS10000: Dominant period: 2.40 units (repetitive)

INH10000: Dominant period: 14.02 units (repetitive)

INM10000: Dominant period: 2.29 units (repetitive)

PPV10000: Dominant period: 7.50 units (repetitive)