

rpn_summary_customer.txt

TBD2 pipeline output - rendered to PDF

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
BEV10101	59.06	23.22	128.72	-10.59	0	35	2026-01-07
BEV10102	59.29	23.84	130.8	-12.22	0	35	2026-01-07
BEV10103	59.39	23.2	128.99	-10.2	0	35	2026-01-07
BEV10104	59.2	22.97	128.11	-9.72	0	35	2026-01-07
BEV10105	59.39	23.75	130.64	-11.87	0	35	2026-01-07
BEV10106	59.22	23.44	129.53	-11.1	0	35	2026-01-07
BEV10107	59.33	23.48	129.77	-11.1	0	35	2026-01-07
BEV10108	59.84	23.29	129.7	-10.02	0	35	2026-01-07
BEV10109	59.34	23.48	129.8	-11.11	0	35	2026-01-07
BEV10110	59.49	23.61	130.33	-11.34	0	35	2026-01-07
BEV10111	59.81	23.47	130.23	-10.62	0	35	2026-01-07
BEV10112	59.52	23.87	131.12	-12.08	0	35	2026-01-07
BEV10113	60.35	22.7	128.43	-7.74	0	35	2026-01-07
BEV10114	59.99	23.42	130.26	-10.28	0	35	2026-01-07
BEV10115	59.88	23.45	130.24	-10.48	0	35	2026-01-07
BEV10116	58.99	23.78	130.33	-12.35	0	35	2026-01-07
BEV10117	59.41	23.79	130.78	-11.96	0	35	2026-01-07
BEV10118	60.05	23.88	131.67	-11.58	0	35	2026-01-07
BEV10119	58.94	23.8	130.33	-12.45	0	35	2026-01-07
BIH10101	58.97	23.73	130.17	-12.23	0	35	2026-01-07
BIH10102	59.28	23.45	129.64	-11.08	0	35	2026-01-07
BIH10103	59.11	23.47	129.52	-11.3	0	35	2026-01-07
BIH10104	59.15	23.98	131.09	-12.79	0	35	2026-01-07
BIH10105	60.17	23.59	130.94	-10.6	0	35	2026-01-07
BIH10106	59.53	23.99	131.51	-12.45	0	35	2026-01-07
BIH10107	59.42	23.68	130.45	-11.61	0	35	2026-01-07
BIH10108	59.55	24.13	131.95	-12.85	0	35	2026-01-07
BIH10109	60.09	23.71	131.22	-11.05	0	35	2026-01-07
BIH10110	60.24	23.65	131.2	-10.72	0	35	2026-01-07
BIH10111	59.12	23.29	129.0	-10.76	0	35	2026-01-07
BIH10112	59.41	23.99	131.38	-12.55	0	35	2026-01-07
BIH10113	59.19	23.73	130.37	-12.0	0	35	2026-01-07
BIH10114	59.66	23.87	131.26	-11.93	0	35	2026-01-07
BIH10115	59.42	23.62	130.27	-11.42	0	35	2026-01-07
BIH10116	59.32	24.08	131.56	-12.92	0	35	2026-01-07
BIH10117	59.31	24.19	131.89	-13.27	0	35	2026-01-07
BIH10118	60.08	24.39	133.25	-13.1	0	35	2026-01-07
BIH10119	58.78	23.43	129.06	-11.51	0	35	2026-01-07
BIM10101	58.84	23.58	129.57	-11.9	0	35	2026-01-07
BIM10102	60.01	23.42	130.27	-10.24	0	35	2026-01-07
BIM10103	59.43	24.15	131.88	-13.01	0	35	2026-01-07
BIM10104	59.75	23.38	129.89	-10.38	0	35	2026-01-07
BIM10105	59.1	23.98	131.02	-12.83	0	35	2026-01-07
BIM10106	59.39	24.23	132.08	-13.29	0	35	2026-01-07
BIM10107	60.09	23.32	130.04	-9.87	0	35	2026-01-07
BIM10108	59.37	23.97	131.27	-12.53	0	35	2026-01-07
BIM10109	59.54	23.25	129.31	-10.22	0	35	2026-01-07
BIM10110	58.69	22.7	126.78	-9.39	0	35	2026-01-07
BIM10111	59.27	23.61	130.1	-11.57	0	35	2026-01-07
BIM10112	59.09	23.53	129.67	-11.48	0	35	2026-01-07
BIM10113	59.82	23.7	130.91	-11.28	0	35	2026-01-07
BIM10114	59.66	23.83	131.14	-11.83	0	35	2026-01-07
BIM10115	59.47	23.48	129.91	-10.98	0	35	2026-01-07
BIM10116	59.77	23.45	130.13	-10.59	0	35	2026-01-07
BIM10117	59.33	23.46	129.7	-11.04	0	35	2026-01-07
BIM10118	59.32	24.44	132.63	-13.99	0	35	2026-01-07
BIM10119	59.06	24.02	131.13	-13.02	0	35	2026-01-07
BPR10101	58.91	23.45	129.27	-11.45	0	35	2026-01-07
BPR10102	59.44	23.11	128.78	-9.9	0	35	2026-01-07
BPR10103	59.37	23.99	131.33	-12.59	0	35	2026-01-07
BPR10104	59.93	23.57	130.63	-10.77	0	35	2026-01-07
BPR10105	59.36	23.49	129.84	-11.11	0	35	2026-01-07
BPR10106	59.71	23.66	130.7	-11.27	0	35	2026-01-07
BPR10107	59.7	23.02	128.77	-9.37	0	35	2026-01-07
BPR10108	59.87	24.18	132.4	-12.66	0	35	2026-01-07
BPR10109	59.2	23.48	129.63	-11.23	0	35	2026-01-07
BPR10110	59.58	23.62	130.45	-11.29	0	35	2026-01-07

BPR10111	59.34	23.62	130.21	-11.53	0	35	2026-01-07
BPR10112	59.16	23.28	129.0	-10.68	0	35	2026-01-07
BPR10113	59.38	23.57	130.1	-11.34	0	35	2026-01-07
BPR10114	59.6	23.21	129.23	-10.03	0	35	2026-01-07
BPR10115	59.82	23.97	131.74	-12.1	0	35	2026-01-07
BPR10116	59.14	24.25	131.88	-13.6	0	35	2026-01-07
BPR10117	59.31	23.7	130.41	-11.79	0	35	2026-01-07
BPR10118	59.97	23.34	129.99	-10.05	0	35	2026-01-07
BPR10119	59.57	24.0	131.56	-12.42	0	35	2026-01-07
CBC10101	59.78	24.13	132.18	-12.62	0	35	2026-01-07
CBC10102	59.45	23.29	129.31	-10.41	0	35	2026-01-07
CBC10103	59.84	23.44	130.14	-10.47	0	35	2026-01-07
CBC10104	59.34	23.16	128.82	-10.14	0	35	2026-01-07
CBC10105	59.17	23.64	130.09	-11.75	0	35	2026-01-07
CBC10106	59.42	23.28	129.26	-10.43	0	35	2026-01-07
CBC10107	59.89	23.94	131.7	-11.92	0	35	2026-01-07
CBC10108	59.27	23.66	130.25	-11.71	0	35	2026-01-07
CBC10109	59.31	23.99	131.28	-12.66	0	35	2026-01-07
CBC10110	60.45	23.52	131.02	-10.11	0	35	2026-01-07
CBC10111	60.0	23.62	130.87	-10.88	0	35	2026-01-07
CBC10112	59.16	23.66	130.14	-11.83	0	35	2026-01-07
CBC10113	60.15	23.63	131.06	-10.75	0	35	2026-01-07
CBC10114	59.59	24.06	131.76	-12.58	0	35	2026-01-07
CBC10115	59.38	23.37	129.48	-10.72	0	35	2026-01-07
CBC10116	59.01	23.63	129.88	-11.87	0	35	2026-01-07
CBC10117	59.14	23.27	128.94	-10.66	0	35	2026-01-07
CBC10118	59.16	23.56	129.83	-11.5	0	35	2026-01-07
CBC10119	59.54	23.75	130.78	-11.7	0	35	2026-01-07
CCM10101	59.97	23.21	129.58	-9.65	0	35	2026-01-07
CCM10102	59.39	23.87	131.02	-12.23	0	35	2026-01-07
CCM10103	59.67	23.58	130.4	-11.07	0	35	2026-01-07
CCM10104	59.28	23.77	130.58	-12.03	0	35	2026-01-07
CCM10105	59.24	23.82	130.69	-12.21	0	35	2026-01-07
CCM10106	59.06	23.09	128.32	-10.19	0	35	2026-01-07
CCM10107	58.71	24.23	131.4	-13.97	0	35	2026-01-07
CCM10108	59.8	23.93	131.6	-11.99	0	35	2026-01-07
CCM10109	59.1	23.8	130.51	-12.31	0	35	2026-01-07
CCM10110	59.84	23.26	129.61	-9.93	0	35	2026-01-07
CCM10111	60.16	23.7	131.26	-10.94	0	35	2026-01-07
CCM10112	59.4	23.6	130.2	-11.41	0	35	2026-01-07
CCM10113	59.33	23.67	130.33	-11.67	0	35	2026-01-07
CCM10114	59.53	23.93	131.31	-12.25	0	35	2026-01-07
CCM10115	60.29	23.64	131.21	-10.63	0	35	2026-01-07
CCM10116	60.42	23.22	130.07	-9.24	0	35	2026-01-07
CCM10117	59.73	24.02	131.79	-12.32	0	35	2026-01-07
CCM10118	59.33	23.67	130.34	-11.68	0	35	2026-01-07
CCM10119	60.19	23.62	131.06	-10.68	0	35	2026-01-07
CEM10101	59.91	23.24	129.63	-9.8	0	35	2026-01-07
CEM10102	59.39	23.83	130.87	-12.09	0	35	2026-01-07
CEM10103	58.81	23.56	129.5	-11.87	0	35	2026-01-07
CEM10104	59.39	23.26	129.18	-10.4	0	35	2026-01-07
CEM10105	59.46	23.81	130.87	-11.96	0	35	2026-01-07
CEM10106	59.96	23.54	130.59	-10.67	0	35	2026-01-07
CEM10107	58.52	22.84	127.04	-10.01	0	35	2026-01-07
CEM10108	59.32	23.43	129.6	-10.96	0	35	2026-01-07
CEM10109	59.19	23.65	130.15	-11.77	0	35	2026-01-07
CEM10110	59.43	23.25	129.17	-10.31	0	35	2026-01-07
CEM10111	59.8	23.39	129.96	-10.36	0	35	2026-01-07
CEM10112	59.44	23.98	131.38	-12.5	0	35	2026-01-07
CEM10113	59.01	23.25	128.76	-10.74	0	35	2026-01-07
CEM10114	59.03	23.63	129.91	-11.84	0	35	2026-01-07
CFS10101	59.34	23.47	129.75	-11.07	0	35	2026-01-07
CFS10102	59.36	23.5	129.85	-11.14	0	35	2026-01-07
CFS10103	59.91	23.34	129.94	-10.12	0	35	2026-01-07
CFS10104	59.4	23.98	131.34	-12.54	0	35	2026-01-07
CFS10105	59.88	23.72	131.03	-11.28	0	35	2026-01-07
CFS10106	59.28	23.67	130.29	-11.73	0	35	2026-01-07
CFS10107	59.61	23.07	128.82	-9.6	0	35	2026-01-07
CFS10108	58.76	23.54	129.39	-11.86	0	35	2026-01-07
CFS10109	59.81	23.15	129.26	-9.64	0	35	2026-01-07
CFS10110	59.03	23.21	128.66	-10.59	0	35	2026-01-07
CFS10111	59.06	24.11	131.39	-13.27	0	35	2026-01-07
CFS10112	59.62	23.62	130.47	-11.22	0	35	2026-01-07
CFS10113	59.64	24.3	132.52	-13.25	0	35	2026-01-07
CFS10114	59.65	23.67	130.65	-11.35	0	35	2026-01-07

CFS10115	59.6	22.81	128.04	-8.84	0	35	2026-01-07
CFS10116	59.45	23.58	130.18	-11.28	0	35	2026-01-07
CFS10117	59.32	23.77	130.64	-12.0	0	35	2026-01-07
CFS10118	59.81	22.84	128.33	-8.72	0	35	2026-01-07
CFS10119	59.63	23.56	130.31	-11.05	0	35	2026-01-07
CHG10101	59.75	23.87	131.36	-11.86	0	35	2026-01-07
CHG10102	59.3	23.33	129.28	-10.68	0	35	2026-01-07
CHG10103	59.99	23.81	131.43	-11.45	0	35	2026-01-07
CHG10104	59.69	23.47	130.11	-10.74	0	35	2026-01-07
CHG10105	59.22	23.9	130.91	-12.47	0	35	2026-01-07
CHG10106	58.53	23.65	129.48	-12.41	0	35	2026-01-07
CHG10107	59.27	23.9	130.98	-12.43	0	35	2026-01-07
CHG10108	59.95	24.37	133.05	-13.15	0	35	2026-01-07
CHG10109	59.09	23.93	130.87	-12.7	0	35	2026-01-07
CHG10110	59.5	23.23	129.19	-10.19	0	35	2026-01-07
CHG10111	59.04	23.54	129.67	-11.6	0	35	2026-01-07
CHG10112	59.17	23.31	129.1	-10.76	0	35	2026-01-07
CHG10113	58.97	23.57	129.68	-11.74	0	35	2026-01-07
CHG10114	59.17	23.84	130.69	-12.34	0	35	2026-01-07
CHG10115	59.11	23.46	129.48	-11.26	0	35	2026-01-07
CHG10116	60.09	23.72	131.24	-11.06	0	35	2026-01-07
CHG10117	59.12	23.91	130.86	-12.61	0	35	2026-01-07
CHG10118	59.48	23.51	130.01	-11.05	0	35	2026-01-07
CHG10119	59.58	23.79	130.95	-11.79	0	35	2026-01-07
CII10101	60.39	23.93	132.19	-11.41	0	35	2026-01-07
CII10102	59.76	23.22	129.43	-9.9	0	35	2026-01-07
CII10103	58.84	23.66	129.82	-12.13	0	35	2026-01-07
CII10104	59.62	24.05	131.77	-12.53	0	35	2026-01-07
CII10105	59.43	24.11	131.77	-12.92	0	35	2026-01-07
CII10106	59.26	23.55	129.93	-11.4	0	35	2026-01-07
CII10107	59.69	23.37	129.8	-10.41	0	35	2026-01-07
CII10108	59.41	23.27	129.22	-10.4	0	35	2026-01-07
CII10109	59.84	23.72	131.0	-11.32	0	35	2026-01-07
CII10110	58.94	23.39	129.11	-11.23	0	35	2026-01-07
CII10111	59.72	23.86	131.3	-11.86	0	35	2026-01-07
CII10112	60.18	23.52	130.73	-10.38	0	35	2026-01-07
CII10113	59.71	23.21	129.35	-9.93	0	35	2026-01-07
CII10114	60.02	23.89	131.69	-11.66	0	35	2026-01-07
CII10115	59.63	23.91	131.35	-12.09	0	35	2026-01-07
CII10116	59.29	23.5	129.78	-11.21	0	35	2026-01-07
CII10117	59.2	23.68	130.25	-11.85	0	35	2026-01-07
CII10118	60.0	23.39	130.17	-10.17	0	35	2026-01-07
CII10119	59.36	23.8	130.77	-12.04	0	35	2026-01-07
CIM10101	59.65	23.73	130.84	-11.54	0	35	2026-01-07
CIM10102	59.19	23.4	129.4	-11.02	0	35	2026-01-07
CIM10103	59.42	23.07	128.62	-9.78	0	35	2026-01-07
CIM10104	59.87	23.82	131.32	-11.59	0	35	2026-01-07
CIM10105	59.24	23.82	130.71	-12.23	0	35	2026-01-07
CIM10106	59.75	24.05	131.91	-12.42	0	35	2026-01-07
CIM10107	59.0	23.34	129.03	-11.02	0	35	2026-01-07
CIM10108	59.85	24.36	132.92	-13.22	0	35	2026-01-07
CIM10109	59.9	23.92	131.65	-11.85	0	35	2026-01-07
CIM10110	59.88	23.71	131.01	-11.26	0	35	2026-01-07
CIM10111	59.78	24.21	132.4	-12.84	0	35	2026-01-07
CIM10112	59.48	23.67	130.49	-11.53	0	35	2026-01-07
CIM10113	60.69	23.44	131.03	-9.64	0	35	2026-01-07
CIM10114	59.38	23.12	128.74	-9.98	0	35	2026-01-07
CIM10115	59.79	23.59	130.57	-10.99	0	35	2026-01-07
CIM10116	59.43	24.26	132.21	-13.35	0	35	2026-01-07
CIM10117	60.04	23.33	130.04	-9.95	0	35	2026-01-07
CIM10118	59.53	24.01	131.55	-12.49	0	35	2026-01-07
CIM10119	58.73	23.72	129.9	-12.43	0	35	2026-01-07
CPM10101	58.88	23.43	129.16	-11.4	0	35	2026-01-07
CPM10102	59.12	24.02	131.2	-12.95	0	35	2026-01-07
CPM10103	59.96	23.76	131.23	-11.31	0	35	2026-01-07
CPM10104	59.82	24.1	132.11	-12.46	0	35	2026-01-07
CPM10105	59.1	23.8	130.51	-12.31	0	35	2026-01-07
CPM10106	59.46	23.88	131.08	-12.17	0	35	2026-01-07
CPM10107	59.81	23.86	131.4	-11.78	0	35	2026-01-07
CPM10108	59.62	22.93	128.42	-9.18	0	35	2026-01-07
CPM10109	59.41	23.32	129.37	-10.56	0	35	2026-01-07
CPM10110	59.88	23.24	129.61	-9.85	0	35	2026-01-07
CPM10111	59.27	23.75	130.51	-11.97	0	35	2026-01-07
CPM10112	59.54	23.85	131.09	-12.02	0	35	2026-01-07
CPM10113	59.79	23.71	130.92	-11.34	0	35	2026-01-07

CPM10114	59.63	23.51	130.15	-10.89	0	35	2026-01-07
CPM10115	59.38	23.49	129.85	-11.09	0	35	2026-01-07
CPM10116	59.43	23.9	131.13	-12.26	0	35	2026-01-07
CPM10117	58.63	23.92	130.38	-13.11	0	35	2026-01-07
CPM10118	59.49	23.17	129.0	-10.02	0	35	2026-01-07
CPM10119	59.58	23.55	130.23	-11.06	0	35	2026-01-07
CRM10101	59.76	24.21	132.39	-12.87	0	35	2026-01-07
CRM10102	59.11	23.77	130.42	-12.2	0	35	2026-01-07
CRM10103	59.33	23.59	130.11	-11.44	0	35	2026-01-07
CRM10104	59.49	23.81	130.93	-11.94	0	35	2026-01-07
CRM10105	59.51	23.54	130.13	-11.1	0	35	2026-01-07
CRM10106	59.2	23.92	130.97	-12.57	0	35	2026-01-07
CRM10107	59.39	23.35	129.45	-10.68	0	35	2026-01-07
CRM10108	59.11	23.3	129.02	-10.8	0	35	2026-01-07
CRM10109	58.85	23.6	129.65	-11.95	0	35	2026-01-07
CRM10110	59.59	23.35	129.65	-10.48	0	35	2026-01-07
CRM10111	60.05	23.6	130.84	-10.74	0	35	2026-01-07
CRM10112	58.73	24.27	131.53	-14.06	0	35	2026-01-07
CRM10113	59.45	23.28	129.31	-10.4	0	35	2026-01-07
CRM10114	59.63	23.77	130.93	-11.67	0	35	2026-01-07
CRM10115	59.07	23.62	129.91	-11.78	0	35	2026-01-07
CRM10116	59.5	23.49	129.97	-10.96	0	35	2026-01-07
CRM10117	59.49	22.71	127.62	-8.64	0	35	2026-01-07
CRM10118	59.56	23.86	131.16	-12.03	0	35	2026-01-07
CRM10119	60.01	24.44	133.32	-13.3	0	35	2026-01-07
CSP10101	60.3	23.57	131.02	-10.41	0	35	2026-01-07
CSP10102	59.69	23.69	130.76	-11.37	0	35	2026-01-07
CSP10103	59.98	23.14	129.4	-9.44	0	35	2026-01-07
CSP10104	59.5	24.18	132.02	-13.03	0	35	2026-01-07
CSP10105	58.37	23.78	129.73	-12.98	0	35	2026-01-07
CSP10106	58.92	23.68	129.97	-12.13	0	35	2026-01-07
CSP10107	60.01	23.7	131.1	-11.08	0	35	2026-01-07
CSP10108	60.04	23.97	131.95	-11.88	0	35	2026-01-07
CSP10109	59.73	24.18	132.28	-12.82	0	35	2026-01-07
CSP10110	59.17	23.38	129.3	-10.95	0	35	2026-01-07
CSP10111	60.2	23.57	130.92	-10.52	0	35	2026-01-07
CSP10112	58.88	23.7	129.98	-12.22	0	35	2026-01-07
CSP10113	59.71	23.62	130.58	-11.16	0	35	2026-01-07
CSP10114	58.54	23.22	128.21	-11.12	0	35	2026-01-07
CSP10115	60.24	23.31	130.15	-9.68	0	35	2026-01-07
CSP10116	58.98	23.83	130.46	-12.5	0	35	2026-01-07
CSP10117	59.14	23.65	130.08	-11.81	0	35	2026-01-07
CSP10118	60.24	23.75	131.5	-11.02	0	35	2026-01-07
CSP10119	59.78	24.05	131.92	-12.37	0	35	2026-01-07
CSR10101	59.55	23.72	130.69	-11.6	0	35	2026-01-07
CSR10102	59.08	23.54	129.7	-11.53	0	35	2026-01-07
CSR10103	59.4	23.84	130.9	-12.11	0	35	2026-01-07
CSR10104	59.54	23.26	129.31	-10.22	0	35	2026-01-07
CSR10105	59.9	23.51	130.44	-10.64	0	35	2026-01-07
CSR10106	58.98	23.84	130.51	-12.54	0	35	2026-01-07
CSR10107	59.35	23.94	131.18	-12.47	0	35	2026-01-07
CSR10108	59.42	23.89	131.08	-12.24	0	35	2026-01-07
CSR10109	60.11	23.22	129.77	-9.55	0	35	2026-01-07
CSR10110	58.91	23.48	129.35	-11.52	0	35	2026-01-07
CSR10111	59.8	23.69	130.87	-11.27	0	35	2026-01-07
CSR10112	59.53	23.48	129.97	-10.91	0	35	2026-01-07
CSR10113	59.44	23.45	129.79	-10.9	0	35	2026-01-07
CSR10114	59.07	23.21	128.7	-10.57	0	35	2026-01-07
CSR10115	59.72	23.69	130.8	-11.35	0	35	2026-01-07
ITM10101	59.01	23.65	129.96	-11.94	0	35	2026-01-07
ITM10102	60.03	24.03	132.11	-12.05	0	35	2026-01-07
ITM10103	59.46	23.68	130.5	-11.58	0	35	2026-01-07
ITM10104	59.39	23.8	130.8	-12.02	0	35	2026-01-07
ITM10105	58.65	23.86	130.23	-12.94	0	35	2026-01-07
ITM10106	59.31	23.62	130.19	-11.56	0	35	2026-01-07
ITM10107	59.87	23.36	129.95	-10.22	0	35	2026-01-07
ITM10108	59.36	24.13	131.75	-13.02	0	35	2026-01-07
ITM10109	59.38	23.88	131.03	-12.26	0	35	2026-01-07
ITM10110	59.29	24.01	131.31	-12.73	0	35	2026-01-07
ITM10111	59.01	23.89	130.67	-12.64	0	35	2026-01-07
ITM10112	59.37	23.64	130.29	-11.56	0	35	2026-01-07
ITM10113	59.04	23.16	128.53	-10.45	0	35	2026-01-07
ITM10114	58.47	23.84	129.99	-13.05	0	35	2026-01-07
ITM10115	58.52	23.91	130.25	-13.21	0	35	2026-01-07
ITM10116	59.4	24.14	131.83	-13.03	0	35	2026-01-07

ITM10117	59.83	24.11	132.16	-12.5	0	35	2026-01-07
ITM10118	58.74	23.62	129.59	-12.11	0	35	2026-01-07
ITM10119	60.27	23.85	131.83	-11.3	0	35	2026-01-07
ORH10101	59.05	23.61	129.9	-11.79	0	35	2026-01-07
ORH10102	59.9	23.63	130.78	-10.99	0	35	2026-01-07
ORH10103	58.17	23.58	128.91	-12.57	0	35	2026-01-07
ORH10104	59.15	23.4	129.36	-11.07	0	35	2026-01-07
ORH10105	59.77	23.61	130.6	-11.07	0	35	2026-01-07
ORH10106	59.75	23.41	129.98	-10.47	0	35	2026-01-07
ORH10107	60.58	23.56	131.27	-10.11	0	35	2026-01-07
ORH10108	60.14	23.34	130.17	-9.88	0	35	2026-01-07
ORH10109	59.57	23.2	129.17	-10.03	0	35	2026-01-07
ORH10110	58.98	24.03	131.08	-13.12	0	35	2026-01-07
ORH10111	59.76	23.37	129.86	-10.35	0	35	2026-01-07
ORH10112	59.68	23.19	129.26	-9.9	0	35	2026-01-07
ORH10113	59.68	23.77	130.97	-11.62	0	35	2026-01-07
ORH10114	59.56	23.02	128.64	-9.51	0	35	2026-01-07
ORH10115	59.7	23.58	130.45	-11.05	0	35	2026-01-07
QSL10101	59.73	23.39	129.9	-10.44	0	35	2026-01-07
QSL10102	59.15	23.86	130.72	-12.42	0	35	2026-01-07
QSL10103	59.37	23.95	131.21	-12.47	0	35	2026-01-07
QSL10104	59.0	23.58	129.74	-11.74	0	35	2026-01-07
QSL10105	59.47	23.21	129.11	-10.16	0	35	2026-01-07
QSL10106	59.2	23.69	130.28	-11.88	0	35	2026-01-07
QSL10107	59.48	23.67	130.49	-11.52	0	35	2026-01-07
QSL10108	60.04	23.53	130.62	-10.54	0	35	2026-01-07
QSL10109	59.18	23.46	129.55	-11.2	0	35	2026-01-07
QSL10110	59.74	24.04	131.85	-12.37	0	35	2026-01-07
QSL10111	59.31	23.75	130.57	-11.96	0	35	2026-01-07
QSL10112	60.42	23.91	132.15	-11.32	0	35	2026-01-07
QSL10113	60.79	23.37	130.89	-9.31	0	35	2026-01-07
QSL10114	59.23	23.71	130.35	-11.88	0	35	2026-01-07
QSL10115	59.53	23.42	129.78	-10.72	0	35	2026-01-07
QSL10116	59.43	23.1	128.72	-9.86	0	35	2026-01-07
QSL10117	59.34	23.1	128.64	-9.95	0	35	2026-01-07
QSL10118	59.25	23.58	130.0	-11.5	0	35	2026-01-07
QSL10119	58.5	23.4	128.69	-11.69	0	35	2026-01-07
RTN10101	58.95	24.11	131.29	-13.38	0	35	2026-01-07
RTN10102	59.52	23.25	129.26	-10.22	0	35	2026-01-07
RTN10103	58.99	23.65	129.96	-11.97	0	35	2026-01-07
RTN10104	59.61	23.7	130.71	-11.49	0	35	2026-01-07
RTN10105	59.25	23.31	129.17	-10.67	0	35	2026-01-07
RTN10106	59.55	23.74	130.77	-11.67	0	35	2026-01-07
RTN10107	59.85	23.48	130.3	-10.59	0	35	2026-01-07
RTN10108	59.71	22.98	128.64	-9.23	0	35	2026-01-07
RTN10109	59.31	24.25	132.07	-13.44	0	35	2026-01-07
RTN10110	59.61	23.6	130.4	-11.18	0	35	2026-01-07
RTN10111	59.97	23.38	130.11	-10.17	0	35	2026-01-07
RTN10112	59.08	23.45	129.42	-11.26	0	35	2026-01-07
RTN10113	60.1	24.31	133.03	-12.83	0	35	2026-01-07
RTN10114	59.23	24.36	132.32	-13.87	0	35	2026-01-07
RTN10115	59.49	23.71	130.62	-11.64	0	35	2026-01-07
RTN10116	59.6	24.4	132.8	-13.59	0	35	2026-01-07
RTN10117	59.27	23.27	129.08	-10.55	0	35	2026-01-07
RTN10118	59.47	23.34	129.5	-10.55	0	35	2026-01-07
RTN10119	59.41	23.42	129.68	-10.86	0	35	2026-01-07