

rpn_summary_enterprise.txt

TBD2 pipeline output - rendered to PDF

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
EAS10102	42.61	16.03	90.71	-5.49	0	35	2026-01-07
EAS10103	43.14	16.5	92.64	-6.37	0	35	2026-01-07
EAS10104	42.46	16.31	91.39	-6.47	0	35	2026-01-07
EAS10106	42.72	16.7	92.81	-7.37	0	35	2026-01-07
EAS10107	42.5	16.68	92.55	-7.55	0	35	2026-01-07
EAS10108	41.89	16.97	92.8	-9.02	0	35	2026-01-07
EAS10110	42.09	16.08	90.33	-6.16	0	35	2026-01-07
EAS10111	42.47	16.44	91.8	-6.86	0	35	2026-01-07
EAS10112	42.45	16.77	92.76	-7.85	0	35	2026-01-07
EAS10114	42.47	16.51	92.01	-7.07	0	35	2026-01-07
EAS10115	42.27	16.36	91.35	-6.81	0	35	2026-01-07
EAS10116	42.27	16.98	93.22	-8.68	0	35	2026-01-07
EAS10118	42.42	16.84	92.93	-8.09	0	35	2026-01-07
EAS10119	42.43	16.55	92.09	-7.23	0	35	2026-01-07
EAS10120	42.45	16.69	92.52	-7.63	0	35	2026-01-07
EAS10122	42.21	16.65	92.15	-7.72	0	35	2026-01-07
EAS10123	42.53	16.2	91.12	-6.07	0	35	2026-01-07
EAS10124	42.43	16.72	92.59	-7.73	0	35	2026-01-07
EAS10126	42.06	16.44	91.39	-7.28	0	35	2026-01-07
EAS10127	42.33	16.43	91.62	-6.95	0	35	2026-01-07
EAS10128	42.59	16.39	91.77	-6.59	0	35	2026-01-07
EAU10102	42.65	16.0	90.65	-5.36	0	35	2026-01-07
EAU10103	42.29	16.53	91.87	-7.28	0	35	2026-01-07
EAU10104	42.7	16.55	92.34	-6.94	0	35	2026-01-07
EAU10106	44.91	18.24	99.63	-9.82	0	35	2026-01-07
EAU10107	44.65	17.69	97.73	-8.44	0	35	2026-01-07
EAU10108	44.56	18.37	99.66	-10.54	0	35	2026-01-07
EAU10110	45.48	17.66	98.47	-7.51	0	35	2026-01-07
EAU10111	45.04	18.21	99.67	-9.58	0	35	2026-01-07
EAU10112	45.12	17.81	98.55	-8.32	0	35	2026-01-07
EAU10114	44.77	17.97	98.68	-9.14	0	35	2026-01-07
EAU10115	45.2	18.36	100.27	-9.88	0	35	2026-01-07
EAU10116	45.0	18.07	99.21	-9.21	0	35	2026-01-07
EAU10118	45.55	18.45	100.89	-9.79	0	35	2026-01-07
EAU10119	45.16	18.19	99.72	-9.39	0	35	2026-01-07
EAU10120	44.72	18.04	98.83	-9.4	0	35	2026-01-07
EAU10122	45.07	17.71	98.19	-8.06	0	35	2026-01-07
EAU10123	45.2	17.94	99.03	-8.63	0	35	2026-01-07
EAU10124	44.56	18.17	99.06	-9.95	0	35	2026-01-07
EBA10102	42.2	16.52	91.75	-7.34	0	35	2026-01-07
EBA10103	42.91	16.53	92.5	-6.68	0	35	2026-01-07
EBA10104	42.45	16.65	92.4	-7.49	0	35	2026-01-07
EBA10106	42.27	16.46	91.65	-7.11	0	35	2026-01-07
EBA10107	42.73	16.72	92.87	-7.42	0	35	2026-01-07
EBA10108	42.67	16.47	92.08	-6.75	0	35	2026-01-07
EBA10110	42.84	16.45	92.2	-6.52	0	35	2026-01-07
EBA10111	42.62	16.5	92.13	-6.88	0	35	2026-01-07
EBA10112	42.72	16.29	91.6	-6.16	0	35	2026-01-07
EBA10114	42.68	16.57	92.39	-7.02	0	35	2026-01-07
EBA10115	41.91	16.69	91.97	-8.14	0	35	2026-01-07
EBA10116	41.91	16.9	92.61	-8.8	0	35	2026-01-07
EBA10118	41.95	16.5	91.44	-7.53	0	35	2026-01-07
EBA10119	42.49	16.73	92.69	-7.7	0	35	2026-01-07
EBA10120	42.6	16.73	92.78	-7.58	0	35	2026-01-07
EBA10122	42.3	16.86	92.87	-8.28	0	35	2026-01-07
EBA10123	42.29	16.72	92.46	-7.88	0	35	2026-01-07
EBA10124	42.59	16.58	92.32	-7.14	0	35	2026-01-07
EBA10126	42.46	16.75	92.72	-7.8	0	35	2026-01-07
EBA10127	42.38	16.51	91.91	-7.15	0	35	2026-01-07
EBA10128	42.44	16.65	92.4	-7.52	0	35	2026-01-07
ECF10102	45.12	18.09	99.38	-9.14	0	35	2026-01-07
ECF10103	45.43	18.33	100.43	-9.56	0	35	2026-01-07
ECF10104	44.76	17.55	97.41	-7.9	0	35	2026-01-07
ECF10106	44.38	18.1	98.69	-9.93	0	35	2026-01-07
ECF10107	44.93	18.18	99.47	-9.61	0	35	2026-01-07
ECF10108	45.08	18.02	99.13	-8.97	0	35	2026-01-07
ECF10110	45.14	18.03	99.22	-8.94	0	35	2026-01-07

ECF10111	45.0	17.76	98.29	-8.3	0	35	2026-01-07
ECF10112	44.82	18.32	99.79	-10.14	0	35	2026-01-07
ECF10114	45.27	18.06	99.43	-8.9	0	35	2026-01-07
ECF10115	44.71	18.18	99.26	-9.84	0	35	2026-01-07
ECF10116	45.26	18.27	100.08	-9.56	0	35	2026-01-07
ECF10118	45.08	18.22	99.74	-9.58	0	35	2026-01-07
ECF10119	45.21	18.22	99.86	-9.45	0	35	2026-01-07
ECF10120	45.59	17.89	99.25	-8.06	0	35	2026-01-07
ECF10122	45.28	17.62	98.13	-7.57	0	35	2026-01-07
ECF10123	44.79	18.06	98.97	-9.39	0	35	2026-01-07
ECF10124	45.0	17.6	97.79	-7.79	0	35	2026-01-07
ECF10126	45.08	17.94	98.9	-8.74	0	35	2026-01-07
ECF10127	44.74	18.24	99.46	-9.98	0	35	2026-01-07
ECF10128	45.48	18.19	100.06	-9.1	0	35	2026-01-07
EFI10102	43.01	16.71	93.14	-7.12	0	35	2026-01-07
EFI10103	42.24	16.5	91.75	-7.27	0	35	2026-01-07
EFI10104	42.91	16.21	91.54	-5.72	0	35	2026-01-07
EFI10106	42.78	16.58	92.51	-6.95	0	35	2026-01-07
EFI10107	42.11	16.42	91.36	-7.14	0	35	2026-01-07
EFI10108	42.44	16.58	92.18	-7.3	0	35	2026-01-07
EFI10110	42.28	16.61	92.1	-7.55	0	35	2026-01-07
EFI10111	42.64	16.35	91.69	-6.41	0	35	2026-01-07
EFI10112	42.15	16.82	92.6	-8.31	0	35	2026-01-07
EFI10114	42.62	16.58	92.35	-7.11	0	35	2026-01-07
EFI10115	42.38	16.33	91.36	-6.6	0	35	2026-01-07
EFI10116	42.72	16.36	91.8	-6.37	0	35	2026-01-07
EFI10118	42.5	16.63	92.4	-7.39	0	35	2026-01-07
EFI10119	42.45	16.61	92.28	-7.38	0	35	2026-01-07
EFI10120	43.22	16.19	91.79	-5.35	0	35	2026-01-07
EFI10122	42.06	16.83	92.54	-8.42	0	35	2026-01-07
EFI10123	42.94	16.33	91.93	-6.06	0	35	2026-01-07
EFI10124	41.94	16.6	91.74	-7.87	0	35	2026-01-07
EFI10126	42.58	16.69	92.65	-7.5	0	35	2026-01-07
EFI10127	42.27	16.4	91.48	-6.94	0	35	2026-01-07
EFI10128	42.59	16.58	92.33	-7.15	0	35	2026-01-07
EFI10130	41.93	16.42	91.2	-7.34	0	35	2026-01-07
EFI10131	42.24	16.81	92.67	-8.19	0	35	2026-01-07
EFI10132	42.95	16.57	92.67	-6.76	0	35	2026-01-07
EGV10102	42.3	16.53	91.89	-7.3	0	35	2026-01-07
EGV10103	42.92	16.14	91.34	-5.51	0	35	2026-01-07
EGV10104	43.11	16.65	93.07	-6.85	0	35	2026-01-07
EGV10106	42.81	16.13	91.18	-5.57	0	35	2026-01-07
EGV10107	42.64	16.79	93.0	-7.72	0	35	2026-01-07
EGV10108	42.12	15.99	90.09	-5.86	0	35	2026-01-07
EGV10110	42.29	16.26	91.07	-6.5	0	35	2026-01-07
EGV10111	41.92	16.47	91.34	-7.5	0	35	2026-01-07
EGV10112	42.34	16.64	92.27	-7.58	0	35	2026-01-07
EGV10114	42.85	16.76	93.13	-7.43	0	35	2026-01-07
EGV10115	42.54	16.42	91.81	-6.73	0	35	2026-01-07
EGV10116	41.96	16.51	91.49	-7.58	0	35	2026-01-07
EGV10118	42.33	16.29	91.2	-6.55	0	35	2026-01-07
EGV10119	42.17	16.71	92.3	-7.97	0	35	2026-01-07
EGV10120	42.04	16.51	91.59	-7.5	0	35	2026-01-07
EGV10122	42.18	16.16	90.65	-6.29	0	35	2026-01-07
EGV10123	42.48	16.71	92.6	-7.64	0	35	2026-01-07
EGV10124	42.33	16.4	91.52	-6.85	0	35	2026-01-07
EHU10102	42.69	16.7	92.8	-7.41	0	35	2026-01-07
EHU10103	42.17	16.5	91.67	-7.32	0	35	2026-01-07
EHU10104	41.98	16.71	92.12	-8.17	0	35	2026-01-07
EHU10106	42.72	16.38	91.87	-6.43	0	35	2026-01-07
EHU10107	42.4	16.24	91.12	-6.31	0	35	2026-01-07
EHU10108	42.64	16.86	93.23	-7.95	0	35	2026-01-07
EHU10110	42.56	16.51	92.1	-6.98	0	35	2026-01-07
EHU10111	42.25	16.43	91.54	-7.03	0	35	2026-01-07
EHU10112	42.29	16.98	93.25	-8.66	0	35	2026-01-07
EHU10114	42.71	16.79	93.08	-7.67	0	35	2026-01-07
EHU10115	42.6	16.75	92.86	-7.66	0	35	2026-01-07
EHU10116	42.43	16.52	91.99	-7.13	0	35	2026-01-07
EHU10118	43.09	16.71	93.21	-7.04	0	35	2026-01-07
EHU10119	42.46	16.63	92.35	-7.44	0	35	2026-01-07
EHU10120	42.5	16.13	90.88	-5.89	0	35	2026-01-07
EHU10122	42.61	16.38	91.75	-6.54	0	35	2026-01-07
EHU10123	42.55	16.35	91.61	-6.51	0	35	2026-01-07
EHU10124	42.5	16.98	93.44	-8.44	0	35	2026-01-07
EHU10126	42.75	16.01	90.79	-5.29	0	35	2026-01-07

EHU10127	42.34	16.8	92.74	-8.05	0	35	2026-01-07
EHU10128	42.77	16.14	91.18	-5.65	0	35	2026-01-07
EHU10130	42.51	16.63	92.39	-7.36	0	35	2026-01-07
EHU10131	42.02	16.41	91.24	-7.2	0	35	2026-01-07
EHU10132	42.45	16.52	92.01	-7.1	0	35	2026-01-07
EIF10102	44.92	17.78	98.26	-8.42	0	35	2026-01-07
EIF10103	45.34	17.82	98.79	-8.11	0	35	2026-01-07
EIF10104	44.47	17.97	98.38	-9.45	0	35	2026-01-07
EIF10105	45.26	17.92	99.02	-8.5	0	35	2026-01-07
EIF10106	45.17	17.96	99.07	-8.72	0	35	2026-01-07
EIF10107	45.17	18.08	99.39	-9.06	0	35	2026-01-07
EIF10108	45.08	18.28	99.94	-9.77	0	35	2026-01-07
EIF10109	45.04	18.15	99.49	-9.42	0	35	2026-01-07
EIF10110	45.03	17.99	99.01	-8.95	0	35	2026-01-07
EIF10111	44.49	17.65	97.43	-8.44	0	35	2026-01-07
EIF10112	45.16	18.43	100.45	-10.13	0	35	2026-01-07
EIF10113	45.17	18.22	99.83	-9.5	0	35	2026-01-07
EIF10114	44.83	18.14	99.26	-9.6	0	35	2026-01-07
EIF10115	45.14	18.25	99.89	-9.6	0	35	2026-01-07
EIF10116	45.3	18.32	100.27	-9.67	0	35	2026-01-07
EIF10117	45.21	18.15	99.67	-9.25	0	35	2026-01-07
EIF10118	44.49	18.1	98.79	-9.82	0	35	2026-01-07
EIF10119	44.39	17.97	98.29	-9.51	0	35	2026-01-07
EIF10120	45.07	18.07	99.29	-9.15	0	35	2026-01-07
EKW10102	42.29	16.64	92.21	-7.62	0	35	2026-01-07
EKW10103	42.45	16.48	91.89	-6.99	0	35	2026-01-07
EKW10104	42.38	16.86	92.97	-8.22	0	35	2026-01-07
EKW10106	42.05	16.15	90.49	-6.39	0	35	2026-01-07
EKW10107	42.73	16.55	92.37	-6.91	0	35	2026-01-07
EKW10108	42.53	16.26	91.31	-6.25	0	35	2026-01-07
EKW10110	42.69	16.79	93.07	-7.68	0	35	2026-01-07
EKW10111	42.79	16.71	92.93	-7.34	0	35	2026-01-07
EKW10112	42.48	16.37	91.59	-6.63	0	35	2026-01-07
EKW10114	42.12	16.52	91.67	-7.43	0	35	2026-01-07
EKW10115	42.07	16.37	91.18	-7.04	0	35	2026-01-07
EKW10116	42.58	16.82	93.04	-7.88	0	35	2026-01-07
EKW10118	42.64	16.29	91.5	-6.21	0	35	2026-01-07
EKW10119	42.86	16.31	91.79	-6.06	0	35	2026-01-07
EKW10120	42.95	16.27	91.76	-5.87	0	35	2026-01-07
EKW10122	43.05	16.73	93.24	-7.15	0	35	2026-01-07
EKW10123	42.5	16.53	92.1	-7.1	0	35	2026-01-07
EKW10124	42.17	16.61	92.0	-7.65	0	35	2026-01-07
EKW10126	42.72	16.45	92.07	-6.64	0	35	2026-01-07
EKW10127	42.52	16.75	92.77	-7.74	0	35	2026-01-07
EKW10128	42.53	16.3	91.42	-6.36	0	35	2026-01-07
ELR10102	42.14	16.26	90.93	-6.65	0	35	2026-01-07
ELR10103	42.17	16.3	91.07	-6.74	0	35	2026-01-07
ELR10104	42.92	16.26	91.7	-5.87	0	35	2026-01-07
ELR10106	41.88	16.55	91.53	-7.77	0	35	2026-01-07
ELR10107	42.96	16.45	92.3	-6.39	0	35	2026-01-07
ELR10108	42.63	16.48	92.07	-6.81	0	35	2026-01-07
ELR10110	42.71	16.51	92.24	-6.81	0	35	2026-01-07
ELR10111	43.11	16.29	91.98	-5.76	0	35	2026-01-07
ELR10112	42.53	16.2	91.13	-6.06	0	35	2026-01-07
ELR10114	42.35	16.39	91.52	-6.82	0	35	2026-01-07
ELR10115	42.72	16.98	93.68	-8.23	0	35	2026-01-07
ELR10116	42.48	15.92	90.25	-5.28	0	35	2026-01-07
ELR10118	42.9	17.21	94.53	-8.74	0	35	2026-01-07
ELR10119	42.5	16.85	93.05	-8.05	0	35	2026-01-07
ELR10120	41.99	16.57	91.69	-7.72	0	35	2026-01-07
ELR10122	42.95	16.12	91.29	-5.4	0	35	2026-01-07
ELR10123	42.98	16.5	92.47	-6.51	0	35	2026-01-07
ELR10124	42.51	16.39	91.67	-6.65	0	35	2026-01-07
ELR10126	42.49	16.19	91.05	-6.07	0	35	2026-01-07
ELR10127	42.31	16.51	91.85	-7.23	0	35	2026-01-07
ELR10128	42.47	16.19	91.03	-6.09	0	35	2026-01-07
EPR10102	42.05	16.72	92.22	-8.12	0	35	2026-01-07
EPR10103	42.57	16.54	92.18	-7.04	0	35	2026-01-07
EPR10104	42.16	16.7	92.27	-7.94	0	35	2026-01-07
EPR10106	43.08	16.93	93.86	-7.7	0	35	2026-01-07
EPR10107	42.71	16.18	91.26	-5.84	0	35	2026-01-07
EPR10108	42.3	15.96	90.18	-5.58	0	35	2026-01-07
EPR10110	42.39	16.49	91.85	-7.07	0	35	2026-01-07
EPR10111	42.73	16.53	92.33	-6.87	0	35	2026-01-07
EPR10112	41.79	16.37	90.91	-7.33	0	35	2026-01-07

EPR10114	42.02	16.28	90.85	-6.8	0	35	2026-01-07
EPR10115	42.73	16.64	92.65	-7.2	0	35	2026-01-07
EPR10116	42.24	16.87	92.84	-8.37	0	35	2026-01-07
EPR10118	42.87	16.82	93.33	-7.59	0	35	2026-01-07
EPR10119	42.69	16.31	91.6	-6.23	0	35	2026-01-07
EPR10120	42.47	16.61	92.3	-7.36	0	35	2026-01-07
EPR10122	42.32	16.29	91.19	-6.55	0	35	2026-01-07
EPR10123	42.11	16.62	91.97	-7.74	0	35	2026-01-07
EPR10124	42.6	16.45	91.94	-6.74	0	35	2026-01-07
EPR10126	42.37	16.46	91.75	-7.01	0	35	2026-01-07
EPR10127	42.49	16.55	92.14	-7.15	0	35	2026-01-07
EPR10128	43.15	16.6	92.96	-6.66	0	35	2026-01-07
EPR10130	42.7	16.52	92.25	-6.86	0	35	2026-01-07
EPR10131	42.19	16.52	91.75	-7.36	0	35	2026-01-07
EPR10132	42.85	16.62	92.72	-7.02	0	35	2026-01-07
EPV10102	45.23	17.98	99.16	-8.7	0	35	2026-01-07
EPV10103	45.0	17.76	98.27	-8.28	0	35	2026-01-07
EPV10104	44.71	18.19	99.29	-9.87	0	35	2026-01-07
EPV10106	45.41	18.04	99.53	-8.7	0	35	2026-01-07
EPV10107	44.96	17.98	98.89	-8.97	0	35	2026-01-07
EPV10108	44.88	17.98	98.82	-9.06	0	35	2026-01-07
EPV10110	45.65	18.47	101.07	-9.76	0	35	2026-01-07
EPV10111	45.48	18.05	99.63	-8.66	0	35	2026-01-07
EPV10112	45.28	18.03	99.37	-8.8	0	35	2026-01-07
EPV10114	45.18	18.19	99.73	-9.38	0	35	2026-01-07
EPV10115	45.25	18.09	99.51	-9.01	0	35	2026-01-07
EPV10116	44.62	17.87	98.24	-9.01	0	35	2026-01-07
EPV10118	44.47	17.72	97.63	-8.69	0	35	2026-01-07
EPV10119	45.48	17.96	99.36	-8.4	0	35	2026-01-07
EPV10120	44.85	17.97	98.77	-9.06	0	35	2026-01-07
EPV10122	45.04	18.28	99.89	-9.81	0	35	2026-01-07
EPV10123	44.95	18.51	100.48	-10.57	0	35	2026-01-07
EPV10124	45.62	17.63	98.5	-7.27	0	35	2026-01-07
ERK10102	42.55	16.45	91.89	-6.8	0	35	2026-01-07
ERK10103	42.93	16.63	92.81	-6.95	0	35	2026-01-07
ERK10104	42.41	16.48	91.84	-7.02	0	35	2026-01-07
ERK10106	42.59	17.09	93.87	-8.69	0	35	2026-01-07
ERK10107	42.91	16.69	92.98	-7.16	0	35	2026-01-07
ERK10108	42.41	16.54	92.04	-7.22	0	35	2026-01-07
ERK10110	41.79	16.48	91.22	-7.63	0	35	2026-01-07
ERK10111	42.84	16.81	93.27	-7.58	0	35	2026-01-07
ERK10112	42.69	16.63	92.57	-7.19	0	35	2026-01-07
ERK10114	41.93	16.6	91.73	-7.88	0	35	2026-01-07
ERK10115	42.46	16.74	92.69	-7.76	0	35	2026-01-07
ERK10116	42.6	16.72	92.75	-7.55	0	35	2026-01-07
ERK10118	42.58	16.36	91.66	-6.5	0	35	2026-01-07
ERK10119	42.49	16.24	91.2	-6.22	0	35	2026-01-07
ERK10120	42.33	16.5	91.84	-7.18	0	35	2026-01-07
ERK10122	42.12	16.51	91.65	-7.41	0	35	2026-01-07
ERK10123	42.8	16.66	92.78	-7.17	0	35	2026-01-07
ERK10124	42.02	16.34	91.03	-6.99	0	35	2026-01-07
ERK10126	42.34	16.69	92.41	-7.72	0	35	2026-01-07
ERK10127	42.33	16.76	92.59	-7.94	0	35	2026-01-07
ERS10102	42.34	16.48	91.77	-7.09	0	35	2026-01-07
ERS10103	42.38	16.07	90.58	-5.82	0	35	2026-01-07
ERS10104	42.67	16.43	91.97	-6.63	0	35	2026-01-07
ERS10106	42.0	16.19	90.58	-6.58	0	35	2026-01-07
ERS10107	42.64	16.59	92.41	-7.13	0	35	2026-01-07
ERS10108	42.58	16.41	91.81	-6.66	0	35	2026-01-07
ERS10110	42.35	16.6	92.14	-7.45	0	35	2026-01-07
ERS10111	42.8	16.51	92.33	-6.73	0	35	2026-01-07
ERS10112	42.16	16.54	91.77	-7.45	0	35	2026-01-07
ERS10114	42.03	16.44	91.34	-7.28	0	35	2026-01-07
ERS10115	43.05	16.4	92.24	-6.14	0	35	2026-01-07
ERS10116	42.77	16.8	93.17	-7.64	0	35	2026-01-07
ERS10118	42.33	16.49	91.81	-7.15	0	35	2026-01-07
ERS10119	42.7	16.68	92.72	-7.33	0	35	2026-01-07
ERS10120	42.98	16.71	93.12	-7.16	0	35	2026-01-07
ERS10122	42.31	16.76	92.6	-7.98	0	35	2026-01-07
ERS10123	42.1	16.65	92.05	-7.85	0	35	2026-01-07
ERS10124	42.47	16.4	91.67	-6.73	0	35	2026-01-07
ERS10126	42.68	16.19	91.26	-5.89	0	35	2026-01-07
ERS10127	42.21	16.52	91.76	-7.34	0	35	2026-01-07
ERS10128	42.7	17.0	93.7	-8.3	0	35	2026-01-07
ESC10102	42.46	16.73	92.65	-7.73	0	35	2026-01-07

ESC10103	42.13	16.96	93.02	-8.75	0	35	2026-01-07
ESC10104	42.44	16.67	92.46	-7.58	0	35	2026-01-07
ESC10106	42.8	16.01	90.82	-5.22	0	35	2026-01-07
ESC10107	43.2	16.67	93.22	-6.82	0	35	2026-01-07
ESC10108	42.32	16.21	90.94	-6.31	0	35	2026-01-07
ESC10110	42.33	16.39	91.51	-6.86	0	35	2026-01-07
ESC10111	42.41	16.93	93.19	-8.38	0	35	2026-01-07
ESC10112	42.72	16.42	91.98	-6.55	0	35	2026-01-07
ESC10114	42.39	16.38	91.52	-6.74	0	35	2026-01-07
ESC10115	41.94	16.9	92.63	-8.75	0	35	2026-01-07
ESC10116	42.52	16.29	91.4	-6.36	0	35	2026-01-07
ESC10118	42.23	16.31	91.17	-6.71	0	35	2026-01-07
ESC10119	42.62	16.49	92.1	-6.87	0	35	2026-01-07
ESC10120	42.57	16.38	91.72	-6.58	0	35	2026-01-07
ESC10122	42.16	16.33	91.13	-6.82	0	35	2026-01-07
ESC10123	42.33	16.67	92.34	-7.67	0	35	2026-01-07
ESC10124	42.52	17.01	93.56	-8.52	0	35	2026-01-07
ESC10126	42.86	16.72	93.01	-7.3	0	35	2026-01-07
ESC10127	42.64	16.73	92.84	-7.56	0	35	2026-01-07
ESC10128	42.26	16.32	91.21	-6.69	0	35	2026-01-07
ESE10102	42.29	16.26	91.06	-6.47	0	35	2026-01-07
ESE10103	42.35	16.78	92.7	-7.99	0	35	2026-01-07
ESE10104	42.74	16.51	92.26	-6.77	0	35	2026-01-07
ESE10106	42.07	16.46	91.44	-7.29	0	35	2026-01-07
ESE10107	42.06	16.45	91.41	-7.3	0	35	2026-01-07
ESE10108	42.36	16.43	91.64	-6.93	0	35	2026-01-07
ESE10110	42.23	16.17	90.75	-6.28	0	35	2026-01-07
ESE10111	42.75	17.17	94.26	-8.77	0	35	2026-01-07
ESE10112	43.08	16.67	93.1	-6.94	0	35	2026-01-07
ESE10114	42.3	16.78	92.65	-8.05	0	35	2026-01-07
ESE10115	42.3	16.68	92.35	-7.74	0	35	2026-01-07
ESE10116	42.24	16.35	91.3	-6.82	0	35	2026-01-07
ESE10118	42.55	16.61	92.39	-7.28	0	35	2026-01-07
ESE10119	42.27	16.73	92.46	-7.92	0	35	2026-01-07
ESE10120	42.53	16.52	92.09	-7.03	0	35	2026-01-07
ESE10122	42.75	16.65	92.7	-7.19	0	35	2026-01-07
ESE10123	42.76	16.36	91.83	-6.3	0	35	2026-01-07
ESE10124	43.01	16.51	92.55	-6.53	0	35	2026-01-07
ESE10126	42.29	16.57	91.98	-7.41	0	35	2026-01-07
ESE10127	42.55	16.91	93.28	-8.19	0	35	2026-01-07
ESE10128	42.88	16.45	92.24	-6.47	0	35	2026-01-07
EST10102	42.78	16.45	92.14	-6.57	0	35	2026-01-07
EST10103	42.25	17.08	93.5	-8.99	0	35	2026-01-07
EST10104	42.24	16.18	90.79	-6.31	0	35	2026-01-07
EST10106	42.1	16.56	91.79	-7.59	0	35	2026-01-07
EST10107	42.31	16.68	92.34	-7.72	0	35	2026-01-07
EST10108	42.39	16.3	91.29	-6.52	0	35	2026-01-07
EST10110	42.93	16.09	91.2	-5.34	0	35	2026-01-07
EST10111	42.47	16.64	92.4	-7.46	0	35	2026-01-07
EST10112	41.69	16.09	89.95	-6.57	0	35	2026-01-07
EST10114	42.27	16.89	92.94	-8.39	0	35	2026-01-07
EST10115	42.49	16.42	91.75	-6.77	0	35	2026-01-07
EST10116	42.42	16.89	93.08	-8.25	0	35	2026-01-07
EST10118	42.21	16.3	91.11	-6.69	0	35	2026-01-07
EST10119	42.51	16.28	91.37	-6.34	0	35	2026-01-07
EST10120	42.9	16.21	91.54	-5.74	0	35	2026-01-07
EST10122	42.72	16.51	92.26	-6.82	0	35	2026-01-07
EST10123	41.92	16.56	91.58	-7.75	0	35	2026-01-07
EST10124	42.9	16.44	92.22	-6.43	0	35	2026-01-07
ETR10102	42.2	16.79	92.58	-8.17	0	35	2026-01-07
ETR10103	43.12	16.6	92.93	-6.68	0	35	2026-01-07
ETR10104	42.83	16.77	93.13	-7.47	0	35	2026-01-07
ETR10106	42.8	16.47	92.21	-6.62	0	35	2026-01-07
ETR10107	42.67	16.48	92.12	-6.79	0	35	2026-01-07
ETR10108	41.99	16.63	91.88	-7.91	0	35	2026-01-07
ETR10110	42.61	16.24	91.34	-6.12	0	35	2026-01-07
ETR10111	42.41	16.99	93.37	-8.55	0	35	2026-01-07
ETR10112	42.56	16.26	91.35	-6.23	0	35	2026-01-07
ETR10114	42.17	16.63	92.07	-7.74	0	35	2026-01-07
ETR10115	42.48	16.83	92.96	-8.0	0	35	2026-01-07
ETR10116	42.93	16.24	91.64	-5.79	0	35	2026-01-07
ETR10118	42.38	16.37	91.49	-6.72	0	35	2026-01-07
ETR10119	42.61	16.4	91.8	-6.58	0	35	2026-01-07
ETR10120	42.56	16.27	91.35	-6.24	0	35	2026-01-07
ETR10122	42.7	16.45	92.05	-6.66	0	35	2026-01-07

ETR10123	42.67	16.51	92.21	-6.88	0	35	2026-01-07
ETR10124	42.3	16.59	92.06	-7.45	0	35	2026-01-07
ETR10126	41.88	16.68	91.91	-8.16	0	35	2026-01-07
ETR10127	42.61	16.67	92.62	-7.39	0	35	2026-01-07
ETR10128	43.02	16.69	93.1	-7.06	0	35	2026-01-07