

M_G_SM_correlation_report_ictm.txt

TBD2 pipeline output - rendered to PDF

Correlation Report (top pairs by |correlation|; full matrices are still used internally for CHAID risk binning - see chaid_risk_segmentation_report)

Metrics Correlation Summary

Total pairs examined: 1081

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0146

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

LCP10107 | Resource Utilization Rate | LCP10115 | Configuration Audit Non-Conformance Rate | -0.0607

RTS10108 | DAR Outcome Effectiveness (Post-decision review) | CIP10108 | Audit Compliance Score (% passed checks) | 0.0567

DDD10103 | Requirements with Bidirectional Traceability | CIP10102 | Process Performance Baselines | -0.0529

CIP10102 | Process Performance Baselines | CIP10103 | Prediction Interval Accuracy for Performance Models | -0.0512

DDD10114 | Defect Removal Efficiency (DRE) | LCP10115 | Configuration Audit Non-Conformance Rate | 0.0486

CIP10102 | Process Performance Baselines | CIP10110 | Information Security | 0.0480

LCP10110 | Risk Exposure Score (Prob x Impact) | IOP10105 | Model Error Rate | 0.0467

DDD10114 | Defect Removal Efficiency (DRE) | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | 0.0462

CIP10107 | Aging of Open Quality Issues | IOP10106 | Simulation Reliability-Variance | 0.0456

CIP10113 | Staff Completing Security Awareness Training(%) | IOP10109 | Systemic Defect Prevention Rate | -0.0451

RTS10102 | RCA Pareto | CIP10103 | Prediction Interval Accuracy for Performance Models | 0.0439

DDD10114 | Defect Removal Efficiency (DRE) | CIP10106 | Non-Compliance (NC) Density per Audit | -0.0431

RTS10103 | Corrective Action Closure Time | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | 0.0429

RTS10106 | Decision Response Time (Request to Resolution) | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | -0.0421

RTS10106 | Decision Response Time (Request to Resolution) | IOP10108 | Innovation Effectiveness and Productivity | 0.0420

LCP10111 | Mitigation Plans Active vs. Completed | IOP10105 | Model Error Rate | 0.0414

DDD10116 | Post-Release Defect Leakage | LCP10102 | Effort Variance (% Actual vs. Estimated) | -0.0411

IOP10102 | Control Limit Adherence | IOP10105 | Model Error Rate | -0.0405

DDD10106 | Design Review Defect Density | CIP10112 | Average Time to Remediate Vulnerabilities | 0.0403

DDD10111 | Interface Defect Density | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0395

LCP10114 | Frequency of Unauthorized Baseline Changes | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | 0.0395

DDD10111 | Interface Defect Density | RTS10107 | High-Impact Decisions using formal DAR(%) | -0.0394

LCP10116 | Build Reproducibility Success Rate | CIP10106 | Non-Compliance (NC) Density per Audit | 0.0393

LCP10103 | Schedule Variance (% Actual vs. Planned) | IOP10108 | Innovation Effectiveness and Productivity | -0.0393

LCP10106 | Critical Path Tasks Delayed (%) | IOP10102 | Control Limit Adherence | 0.0391

DDD10116 | Post-Release Defect Leakage | CIP10112 | Average Time to Remediate Vulnerabilities | -0.0390

CIP10108 | Audit Compliance Score (% passed checks) | CIP10110 | Information Security | 0.0390

DDD10116 | Post-Release Defect Leakage | CIP10104 | ROI of Process Improvement | -0.0390

DDD10112 | Time to Integrate (Avg. cycle time) | LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | -0.0389

DDD10114 | Defect Removal Efficiency (DRE) | CIP10113 | Staff Completing Security Awareness Training(%) | -0.0389

DDD10103 | Requirements with Bidirectional Traceability | LCP10115 | Configuration Audit Non-Conformance Rate | -0.0386

LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | IOP10105 | Model Error Rate | -0.0382

DDD10114 | Defect Removal Efficiency (DRE) | LCP10102 | Effort Variance (% Actual vs. Estimated) | 0.0378

LCP10108 | Milestone Slippage Rate | RTS10107 | High-Impact Decisions using formal DAR(%) | -0.0377

DDD10108 | Reusable Components Developed | CIP10102 | Process Performance Baselines | -0.0372

RTS10107 | High-Impact Decisions using formal DAR(%) | CIP10103 | Prediction Interval Accuracy for Performance Models | 0.0366

CIP10110 | Information Security | CIP10112 | Average Time to Remediate Vulnerabilities | -0.0366

DDD10106 | Design Review Defect Density | LCP10115 | Configuration Audit Non-Conformance Rate | 0.0364

RTS10102 | RCA Pareto | IOP10106 | Simulation Reliability-Variance | 0.0362

DDD10112 | Time to Integrate (Avg. cycle time) | LCP10110 | Risk Exposure Score (Prob x Impact) | -0.0361

LCP10116 | Build Reproducibility Success Rate | IOP10109 | Systemic Defect Prevention Rate | 0.0358

LCP10108 | Milestone Slippage Rate | LCP10111 | Mitigation Plans Active vs. Completed | -0.0356

DDD10111 | Interface Defect Density | LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | 0.0355

DDD10110 | Number of Integration Build Failures | LCP10106 | Critical Path Tasks Delayed (%) | -0.0355

RTS10107 | High-Impact Decisions using formal DAR(%) | CIP10110 | Information Security | 0.0355

LCP10108 | Milestone Slippage Rate | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0353

DDD10103 | Requirements with Bidirectional Traceability | DDD10106 | Design Review Defect Density | 0.0352

DDD10104 | Requirements Review Efficiency (Defects_per_Hr) | DDD10110 | Number of Integration Build Failures | 0.0352

DDD10112 | Time to Integrate (Avg. cycle time) | IOP10109 | Systemic Defect Prevention Rate | -0.0350

RTS10102 | RCA Pareto | CIP10104 | ROI of Process Improvement | -0.0347

CIP10111 | Number of Security Incidents (by Severity) | IOP10109 | Systemic Defect Prevention Rate | -0.0347

LCP10115 | Configuration Audit Non-Conformance Rate | IOP10108 | Innovation Effectiveness and Productivity | 0.0347

DDD10103 | Requirements with Bidirectional Traceability | CIP10107 | Aging of Open Quality Issues | -0.0345

LCP10111 | Mitigation Plans Active vs. Completed | CIP10113 | Staff Completing Security Awareness Training(%) | -0.0344

DDD10107 | Complexity Index (like Cyclomatic Complexity) | LCP10106 | Critical Path Tasks Delayed (%) | 0.0342

DDD10103 | Requirements with Bidirectional Traceability | RTS10106 | Decision Response Time (Request to Resolution) | 0.0340

DDD10106 | Design Review Defect Density | LCP10102 | Effort Variance (% Actual vs. Estimated) | -0.0338
 DDD10106 | Design Review Defect Density | RTS10102 | RCA Pareto | -0.0338
 LCP10110 | Risk Exposure Score (Prob x Impact) | RTS10106 | Decision Response Time (Request to Resolution) | -0.0337
 CIP10103 | Prediction Interval Accuracy for Performance Models | CIP10112 | Average Time to Remediate Vulnerabilities | -0.0337
 DDD10115 | Test Case Execution Pass/Fail Rate | RTS10107 | High-Impact Decisions using formal DAR(%) | 0.0336
 RTS10107 | High-Impact Decisions using formal DAR(%) | IOP10109 | Systemic Defect Prevention Rate | 0.0336
 DDD10102 | Requirements Volatility(Changes_per_Baseline) | DDD10103 | Requirements with Bidirectional Traceability | -0.0336
 LCP10110 | Risk Exposure Score (Prob x Impact) | LCP10111 | Mitigation Plans Active vs. Completed | -0.0336
 DDD10115 | Test Case Execution Pass/Fail Rate | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0335
 DDD10115 | Test Case Execution Pass/Fail Rate | LCP10103 | Schedule Variance (% Actual vs. Planned) | 0.0334
 DDD10107 | Complexity Index (like Cyclomatic Complexity) | LCP10107 | Resource Utilization Rate | -0.0333
 DDD10102 | Requirements Volatility(Changes_per_Baseline) | DDD10111 | Interface Defect Density | -0.0333
 CIP10106 | Non-Compliance (NC) Density per Audit | CIP10108 | Audit Compliance Score (% passed checks) | -0.0332
 RTS10104 | Recurrence Rate of Same Root Cause | CIP10112 | Average Time to Remediate Vulnerabilities | -0.0329
 LCP10116 | Build Reproducibility Success Rate | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0327
 DDD10102 | Requirements Volatility(Changes_per_Baseline) | DDD10104 | Requirements Review Efficiency (Defects_per_Hr) | 0.0324
 CIP10112 | Average Time to Remediate Vulnerabilities | IOP10108 | Innovation Effectiveness and Productivity | 0.0324
 LCP10115 | Configuration Audit Non-Conformance Rate | CIP10108 | Audit Compliance Score (% passed checks) | 0.0323
 CIP10103 | Prediction Interval Accuracy for Performance Models | IOP10106 | Simulation Reliability-Variance | 0.0323
 DDD10110 | Number of Integration Build Failures | CIP10111 | Number of Security Incidents (by Severity) | -0.0322
 LCP10102 | Effort Variance (% Actual vs. Estimated) | IOP10103 | Process Capability(Cp,Cpk) | -0.0322
 CIP10108 | Audit Compliance Score (% passed checks) | CIP10112 | Average Time to Remediate Vulnerabilities | 0.0321
 DDD10110 | Number of Integration Build Failures | IOP10106 | Simulation Reliability-Variance | 0.0318
 LCP10103 | Schedule Variance (% Actual vs. Planned) | CIP10113 | Staff Completing Security Awareness Training(%) | -0.0317
 CIP10104 | ROI of Process Improvement | CIP10107 | Aging of Open Quality Issues | -0.0317
 DDD10102 | Requirements Volatility(Changes_per_Baseline) | CIP10107 | Aging of Open Quality Issues | -0.0316
 DDD10111 | Interface Defect Density | LCP10103 | Schedule Variance (% Actual vs. Planned) | -0.0316
 CIP10102 | Process Performance Baselines | CIP10111 | Number of Security Incidents (by Severity) | 0.0315

DDD10114 | Defect Removal Efficiency (DRE) | LCP10114 | Frequency of Unauthorized Baseline Changes | -0.0314

RTS10103 | Corrective Action Closure Time | RTS10107 | High-Impact Decisions using formal DAR(%) | -0.0313

LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | CIP10102 | Process Performance Baselines | 0.0313

RTS10104 | Recurrence Rate of Same Root Cause | IOP10103 | Process Capability(Cp,Cpk) | -0.0311

LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | IOP10102 | Control Limit Adherence | -0.0311

RTS10104 | Recurrence Rate of Same Root Cause | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0311

LCP10110 | Risk Exposure Score (Prob x Impact) | CIP10112 | Average Time to Remediate Vulnerabilities | -0.0310

DDD10106 | Design Review Defect Density | LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | -0.0310

DDD10114 | Defect Removal Efficiency (DRE) | LCP10112 | Unmanaged Risk Occurrence Rate | 0.0310

DDD10110 | Number of Integration Build Failures | DDD10116 | Post-Release Defect Leakage | 0.0309

LCP10114 | Frequency of Unauthorized Baseline Changes | CIP10107 | Aging of Open Quality Issues | 0.0309

DDD10115 | Test Case Execution Pass/Fail Rate | LCP10110 | Risk Exposure Score (Prob x Impact) | -0.0308

IOP10102 | Control Limit Adherence | IOP10109 | Systemic Defect Prevention Rate | 0.0308

LCP10108 | Milestone Slippage Rate | CIP10111 | Number of Security Incidents (by Severity) | -0.0306

RTS10108 | DAR Outcome Effectiveness (Post-decision review) | CIP10111 | Number of Security Incidents (by Severity) | 0.0305

DDD10115 | Test Case Execution Pass/Fail Rate | CIP10112 | Average Time to Remediate Vulnerabilities | -0.0305

DDD10102 | Requirements Volatility(Changes_per_Baseline) | RTS10102 | RCA Pareto | 0.0303

DDD10115 | Test Case Execution Pass/Fail Rate | LCP10115 | Configuration Audit Non-Conformance Rate | -0.0301

LCP10107 | Resource Utilization Rate | RTS10107 | High-Impact Decisions using formal DAR(%) | -0.0301

LCP10114 | Frequency of Unauthorized Baseline Changes | RTS10102 | RCA Pareto | -0.0300

LCP10103 | Schedule Variance (% Actual vs. Planned) | LCP10108 | Milestone Slippage Rate | -0.0300

DDD10103 | Requirements with Bidirectional Traceability | DDD10114 | Defect Removal Efficiency (DRE) | -0.0300

LCP10111 | Mitigation Plans Active vs. Completed | CIP10103 | Prediction Interval Accuracy for Performance Models | -0.0300

DDD10114 | Defect Removal Efficiency (DRE) | RTS10103 | Corrective Action Closure Time | 0.0298

CIP10113 | Staff Completing Security Awareness Training(%) | IOP10108 | Innovation Effectiveness and Productivity | 0.0298

RTS10102 | RCA Pareto | IOP10108 | Innovation Effectiveness and Productivity | 0.0297

CIP10110 | Information Security | IOP10109 | Systemic Defect Prevention Rate | 0.0296

CIP10103 | Prediction Interval Accuracy for Performance Models | CIP10113 | Staff Completing Security Awareness Training(%) | -0.0296

DDD10111 | Interface Defect Density | DDD10114 | Defect Removal Efficiency (DRE) | -0.0295

DDD10106 | Design Review Defect Density | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0295

LCP10111 | Mitigation Plans Active vs. Completed | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | -0.0295

LCP10110 | Risk Exposure Score (Prob x Impact) | CIP10103 | Prediction Interval Accuracy for Performance Models | -0.0294

DDD10108 | Reusable Components Developed | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | -0.0293

CIP10102 | Process Performance Baselines | CIP10104 | ROI of Process Improvement | 0.0293

DDD10102 | Requirements Volatility(Changes_per_Baseline) | DDD10112 | Time to Integrate (Avg. cycle time) | -0.0293

DDD10106 | Design Review Defect Density | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | -0.0292

LCP10112 | Unmanaged Risk Occurrence Rate | IOP10105 | Model Error Rate | -0.0290

IOP10105 | Model Error Rate | IOP10108 | Innovation Effectiveness and Productivity | 0.0290

LCP10106 | Critical Path Tasks Delayed (%) | LCP10115 | Configuration Audit Non-Conformance Rate | 0.0290

RTS10103 | Corrective Action Closure Time | CIP10103 | Prediction Interval Accuracy for Performance Models | 0.0290

DDD10102 | Requirements Volatility(Changes_per_Baseline) | DDD10108 | Reusable Components Developed | 0.0289

RTS10106 | Decision Response Time (Request to Resolution) | IOP10106 | Simulation Reliability-Variance | -0.0289

LCP10110 | Risk Exposure Score (Prob x Impact) | LCP10116 | Build Reproducibility Success Rate | -0.0287

LCP10116 | Build Reproducibility Success Rate | CIP10114 | Vulnerability Scan Pass Rate(% Assets) | -0.0285

DDD10115 | Test Case Execution Pass/Fail Rate | LCP10106 | Critical Path Tasks Delayed (%) | -0.0284

CIP10110 | Information Security | CIP10113 | Staff Completing Security Awareness Training(%) | 0.0284

DDD10107 | Complexity Index (like Cyclomatic Complexity) | LCP10104 | Size Estimation Accuracy (Lines of Code per FP) | 0.0283

LCP10112 | Unmanaged Risk Occurrence Rate | IOP10109 | Systemic Defect Prevention Rate | -0.0283

DDD10114 | Defect Removal Efficiency (DRE) | IOP10102 | Control Limit Adherence | 0.0283

CIP10103 | Prediction Interval Accuracy for Performance Models | IOP10102 | Control Limit Adherence | 0.0281

LCP10110 | Risk Exposure Score (Prob x Impact) | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | 0.0280

LCP10114 | Frequency of Unauthorized Baseline Changes | LCP10116 | Build Reproducibility Success Rate | 0.0280

DDD10103 | Requirements with Bidirectional Traceability | RTS10108 | DAR Outcome Effectiveness (Post-decision review) | -0.0280

LCP10102 | Effort Variance (% Actual vs. Estimated) | CIP10103 | Prediction Interval Accuracy for Performance Models | 0.0279

CIP10106 | Non-Compliance (NC) Density per Audit | IOP10103 | Process Capability(Cp,Cpk) | -0.0279

LCP10114 | Frequency of Unauthorized Baseline Changes | CIP10111 | Number of Security Incidents (by Severity) | 0.0279

LCP10106 | Critical Path Tasks Delayed (%) | LCP10108 | Milestone Slippage Rate | 0.0279

RTS10102 | RCA Pareto | RTS10103 | Corrective Action Closure Time | 0.0278

DDD10110 | Number of Integration Build Failures | DDD10115 | Test Case Execution Pass/Fail Rate | -0.0278

LCP10112 | Unmanaged Risk Occurrence Rate | CIP10111 | Number of Security Incidents (by Severity) | -0.0277

RTS10107 | High-Impact Decisions using formal DAR(%) | IOP10102 | Control Limit Adherence | -0.0277

CIP10103 | Prediction Interval Accuracy for Performance Models | CIP10106 | Non-Compliance (NC) Density per Audit | 0.0277

DDD10114 | Defect Removal Efficiency (DRE) | LCP10111 | Mitigation Plans Active vs. Completed | -0.0277
LCP10115 | Configuration Audit Non-Conformance Rate | CIP10107 | Aging of Open Quality Issues | 0.0276
DDD10111 | Interface Defect Density | IOP10106 | Simulation Reliability-Variance | 0.0276
DDD10112 | Time to Integrate (Avg. cycle time) | RTS10102 | RCA Pareto | 0.0275

Groups Correlation Summary

Total pairs examined: 120

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0144

No pairs met the threshold - showing top 120 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

LCP10113 | Configuration Management | CIP10105 | Process Quality Assurance | 0.0442
DDD10113 | Verification and Validation | IOP10101 | Stabilisation and Capability | 0.0433
DDD10109 | Product Integration | LCP10105 | Monitor and Control | -0.0380
CIP10105 | Process Quality Assurance | CIP10109 | Safety and Information Security | 0.0371
RTS10105 | DAR■(Decision Analysis and Resolution) | IOP10107 | Minimalism and Sufficiency | 0.0359
LCP10109 | Risk & Opportunity Management | CIP10109 | Safety and Information Security | -0.0349
DDD10101 | Requirement Development and Management | DDD10113 | Verification and Validation | -0.0343
DDD10105 | Technical Solution | RTS10101 | CAR■(Causal Analysis and Resolution) | -0.0309
DDD10113 | Verification and Validation | RTS10105 | DAR■(Decision Analysis and Resolution) | 0.0306
CIP10101 | Managing Performance and Measurement | IOP10104 | Prediction of Performance | 0.0299
IOP10101 | Stabilisation and Capability | IOP10104 | Prediction of Performance | -0.0282
CIP10101 | Managing Performance and Measurement | CIP10109 | Safety and Information Security | 0.0276
RTS10101 | CAR■(Causal Analysis and Resolution) | IOP10104 | Prediction of Performance | 0.0269
LCP10113 | Configuration Management | IOP10104 | Prediction of Performance | 0.0268
CIP10101 | Managing Performance and Measurement | IOP10101 | Stabilisation and Capability | 0.0267
DDD10113 | Verification and Validation | LCP10109 | Risk & Opportunity Management | -0.0267
DDD10105 | Technical Solution | LCP10105 | Monitor and Control | -0.0262
LCP10105 | Monitor and Control | LCP10113 | Configuration Management | -0.0256
LCP10101 | Planning and Estimating | RTS10101 | CAR■(Causal Analysis and Resolution) | 0.0254
RTS10105 | DAR■(Decision Analysis and Resolution) | CIP10101 | Managing Performance and Measurement | 0.0248
DDD10113 | Verification and Validation | RTS10101 | CAR■(Causal Analysis and Resolution) | 0.0239
DDD10109 | Product Integration | IOP10104 | Prediction of Performance | 0.0231
DDD10105 | Technical Solution | CIP10109 | Safety and Information Security | -0.0227
LCP10105 | Monitor and Control | IOP10101 | Stabilisation and Capability | 0.0224
LCP10109 | Risk & Opportunity Management | IOP10107 | Minimalism and Sufficiency | -0.0221
LCP10113 | Configuration Management | CIP10109 | Safety and Information Security | 0.0215
LCP10113 | Configuration Management | IOP10101 | Stabilisation and Capability | 0.0214
LCP10113 | Configuration Management | RTS10101 | CAR■(Causal Analysis and Resolution) | -0.0211

LCP10113 | Configuration Management | CIP10101 | Managing Performance and Measurement | 0.0209
LCP10101 | Planning and Estimating | CIP10109 | Safety and Information Security | -0.0208
RTS10105 | DAR■(Decision Analysis and Resolution) | CIP10105 | Process Quality Assurance | 0.0207
CIP10101 | Managing Performance and Measurement | CIP10105 | Process Quality Assurance | -0.0207
DDD10113 | Verification and Validation | CIP10101 | Managing Performance and Measurement | -0.0206
DDD10105 | Technical Solution | IOP10104 | Prediction of Performance | 0.0202
RTS10105 | DAR■(Decision Analysis and Resolution) | CIP10109 | Safety and Information Security | 0.0201
DDD10105 | Technical Solution | LCP10109 | Risk & Opportunity Management | -0.0200
LCP10105 | Monitor and Control | RTS10105 | DAR■(Decision Analysis and Resolution) | -0.0195
RTS10105 | DAR■(Decision Analysis and Resolution) | IOP10104 | Prediction of Performance | -0.0194
RTS10101 | CAR■(Causal Analysis and Resolution) | IOP10107 | Minimalism and Sufficiency | 0.0192
DDD10101 | Requirement Development and Management | CIP10105 | Process Quality Assurance | -0.0187
DDD10101 | Requirement Development and Management | IOP10101 | Stabilisation and Capability | -0.0185
DDD10113 | Verification and Validation | LCP10105 | Monitor and Control | -0.0183
LCP10101 | Planning and Estimating | IOP10101 | Stabilisation and Capability | -0.0177
LCP10113 | Configuration Management | IOP10107 | Minimalism and Sufficiency | 0.0172
RTS10101 | CAR■(Causal Analysis and Resolution) | CIP10101 | Managing Performance and Measurement | 0.0172
DDD10105 | Technical Solution | CIP10101 | Managing Performance and Measurement | -0.0170
DDD10105 | Technical Solution | LCP10113 | Configuration Management | 0.0170
LCP10109 | Risk & Opportunity Management | IOP10104 | Prediction of Performance | 0.0168
RTS10101 | CAR■(Causal Analysis and Resolution) | CIP10109 | Safety and Information Security | 0.0161
LCP10105 | Monitor and Control | CIP10109 | Safety and Information Security | -0.0158
DDD10113 | Verification and Validation | CIP10105 | Process Quality Assurance | -0.0157
DDD10101 | Requirement Development and Management | LCP10101 | Planning and Estimating | 0.0156
DDD10109 | Product Integration | IOP10107 | Minimalism and Sufficiency | -0.0154
DDD10101 | Requirement Development and Management | IOP10104 | Prediction of Performance | -0.0154
DDD10113 | Verification and Validation | LCP10101 | Planning and Estimating | 0.0151
LCP10105 | Monitor and Control | IOP10104 | Prediction of Performance | -0.0150
DDD10109 | Product Integration | CIP10101 | Managing Performance and Measurement | -0.0148
LCP10109 | Risk & Opportunity Management | CIP10101 | Managing Performance and Measurement | -0.0146
RTS10105 | DAR■(Decision Analysis and Resolution) | IOP10101 | Stabilisation and Capability | -0.0143
LCP10113 | Configuration Management | RTS10105 | DAR■(Decision Analysis and Resolution) | 0.0139
LCP10101 | Planning and Estimating | IOP10104 | Prediction of Performance | 0.0131
LCP10109 | Risk & Opportunity Management | LCP10113 | Configuration Management | -0.0125
RTS10101 | CAR■(Causal Analysis and Resolution) | RTS10105 | DAR■(Decision Analysis and Resolution) | 0.0122
DDD10109 | Product Integration | LCP10113 | Configuration Management | 0.0118
DDD10109 | Product Integration | LCP10101 | Planning and Estimating | -0.0116
IOP10101 | Stabilisation and Capability | IOP10107 | Minimalism and Sufficiency | 0.0115

DDD10101 | Requirement Development and Management | CIP10109 | Safety and Information Security | 0.0114
DDD10113 | Verification and Validation | CIP10109 | Safety and Information Security | -0.0113
LCP10101 | Planning and Estimating | RTS10105 | DAR■(Decision Analysis and Resolution) | 0.0108
LCP10105 | Monitor and Control | LCP10109 | Risk & Opportunity Management | -0.0103
DDD10113 | Verification and Validation | IOP10107 | Minimalism and Sufficiency | -0.0097
LCP10109 | Risk & Opportunity Management | RTS10101 | CAR■(Causal Analysis and Resolution) | -0.0093
LCP10109 | Risk & Opportunity Management | RTS10105 | DAR■(Decision Analysis and Resolution) | 0.0092
LCP10105 | Monitor and Control | CIP10101 | Managing Performance and Measurement | 0.0088
DDD10109 | Product Integration | RTS10105 | DAR■(Decision Analysis and Resolution) | -0.0084
DDD10113 | Verification and Validation | LCP10113 | Configuration Management | -0.0083
DDD10105 | Technical Solution | DDD10109 | Product Integration | 0.0080
DDD10109 | Product Integration | CIP10105 | Process Quality Assurance | 0.0079
LCP10105 | Monitor and Control | IOP10107 | Minimalism and Sufficiency | 0.0076
LCP10109 | Risk & Opportunity Management | CIP10105 | Process Quality Assurance | 0.0068
DDD10113 | Verification and Validation | IOP10104 | Prediction of Performance | -0.0068
DDD10109 | Product Integration | LCP10109 | Risk & Opportunity Management | -0.0067
DDD10105 | Technical Solution | LCP10101 | Planning and Estimating | -0.0067
CIP10105 | Process Quality Assurance | IOP10101 | Stabilisation and Capability | -0.0066
DDD10105 | Technical Solution | CIP10105 | Process Quality Assurance | 0.0066
DDD10109 | Product Integration | RTS10101 | CAR■(Causal Analysis and Resolution) | 0.0066
DDD10109 | Product Integration | CIP10109 | Safety and Information Security | -0.0062
LCP10109 | Risk & Opportunity Management | IOP10101 | Stabilisation and Capability | -0.0060
CIP10109 | Safety and Information Security | IOP10101 | Stabilisation and Capability | 0.0060
IOP10104 | Prediction of Performance | IOP10107 | Minimalism and Sufficiency | -0.0060
DDD10101 | Requirement Development and Management | DDD10105 | Technical Solution | 0.0059
RTS10101 | CAR■(Causal Analysis and Resolution) | CIP10105 | Process Quality Assurance | 0.0059
CIP10101 | Managing Performance and Measurement | IOP10107 | Minimalism and Sufficiency | 0.0058
DDD10109 | Product Integration | DDD10113 | Verification and Validation | 0.0055
DDD10105 | Technical Solution | IOP10107 | Minimalism and Sufficiency | -0.0052
LCP10105 | Monitor and Control | CIP10105 | Process Quality Assurance | -0.0052
DDD10101 | Requirement Development and Management | LCP10109 | Risk & Opportunity Management | -0.0050
LCP10101 | Planning and Estimating | IOP10107 | Minimalism and Sufficiency | 0.0050
DDD10101 | Requirement Development and Management | LCP10113 | Configuration Management | -0.0048
DDD10105 | Technical Solution | DDD10113 | Verification and Validation | 0.0047
LCP10101 | Planning and Estimating | CIP10105 | Process Quality Assurance | 0.0039
LCP10101 | Planning and Estimating | CIP10101 | Managing Performance and Measurement | 0.0039
DDD10101 | Requirement Development and Management | DDD10109 | Product Integration | -0.0036
DDD10105 | Technical Solution | RTS10105 | DAR■(Decision Analysis and Resolution) | -0.0033
DDD10101 | Requirement Development and Management | CIP10101 | Managing Performance and Measurement | -0.0030

LCP10101 | Planning and Estimating | LCP10113 | Configuration Management | -0.0030
 LCP10101 | Planning and Estimating | LCP10109 | Risk & Opportunity Management | 0.0029
 DDD10105 | Technical Solution | IOP10101 | Stabilisation and Capability | 0.0027
 DDD10101 | Requirement Development and Management | RTS10101 | CAR■(Causal Analysis and Resolution) | -0.0026
 CIP10105 | Process Quality Assurance | IOP10104 | Prediction of Performance | 0.0026
 DDD10109 | Product Integration | IOP10101 | Stabilisation and Capability | 0.0026
 DDD10101 | Requirement Development and Management | RTS10105 | DAR■(Decision Analysis and Resolution) | 0.0025
 RTS10101 | CAR■(Causal Analysis and Resolution) | IOP10101 | Stabilisation and Capability | -0.0025
 DDD10101 | Requirement Development and Management | IOP10107 | Minimalism and Sufficiency | 0.0024
 CIP10105 | Process Quality Assurance | IOP10107 | Minimalism and Sufficiency | -0.0017
 DDD10101 | Requirement Development and Management | LCP10105 | Monitor and Control | 0.0009
 LCP10105 | Monitor and Control | RTS10101 | CAR■(Causal Analysis and Resolution) | 0.0008
 LCP10101 | Planning and Estimating | LCP10105 | Monitor and Control | -0.0007
 CIP10109 | Safety and Information Security | IOP10104 | Prediction of Performance | -0.0004
 CIP10109 | Safety and Information Security | IOP10107 | Minimalism and Sufficiency | -0.0000

Sub_Modules Correlation Summary

Total pairs examined: 10

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0187

No pairs met the threshold - showing top 10 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

RTS10000 | Retrospection Analytics | CIP10000 | CI, PI, Control Phase | 0.0416
 DDD10000 | Develop, Deploy and Deliver | CIP10000 | CI, PI, Control Phase | -0.0299
 DDD10000 | Develop, Deploy and Deliver | LCP10000 | Project Lifecycle | -0.0283
 CIP10000 | CI, PI, Control Phase | IOP10000 | Innovation and Optimisation | 0.0219
 LCP10000 | Project Lifecycle | IOP10000 | Innovation and Optimisation | 0.0206
 RTS10000 | Retrospection Analytics | IOP10000 | Innovation and Optimisation | 0.0186
 LCP10000 | Project Lifecycle | CIP10000 | CI, PI, Control Phase | 0.0096
 DDD10000 | Develop, Deploy and Deliver | IOP10000 | Innovation and Optimisation | 0.0067
 DDD10000 | Develop, Deploy and Deliver | RTS10000 | Retrospection Analytics | 0.0066
 LCP10000 | Project Lifecycle | RTS10000 | Retrospection Analytics | 0.0036