

trends_and_repetitions_report_mkts.txt

TBD2 pipeline output - rendered to PDF

Metrics Trends:

MSP10101: Decreasing
MSP10102: Decreasing
MSP10103: Stable
MSP10104: Increasing
MSP10105: Decreasing
MSP10106: Decreasing
MSP10107: Decreasing
MSP10108: Decreasing
MSP10109: Decreasing
MSP10110: Decreasing
SSP10101: Stable
SSP10102: Stable
SSP10103: Stable
SSP10104: Stable
SSP10105: Stable
SSP10106: Increasing
SSP10107: Decreasing
SSP10108: Increasing
SSP10109: Increasing
SSP10110: Decreasing
CHM10101: Stable
CHM10102: Decreasing
CHM10103: Stable
CHM10104: Decreasing
CHM10105: Decreasing
CHM10106: Decreasing
CHM10107: Decreasing
CHM10108: Decreasing
CHM10109: Stable
CHM10110: Stable
SFO10101: Stable
SFO10102: Increasing
SFO10103: Decreasing
SFO10104: Decreasing
SFO10105: Decreasing

SFO10106: Stable
SFO10107: Stable
SFO10108: Decreasing
SFO10109: Stable
SFO10110: Increasing
BRM10101: Stable
BRM10102: Decreasing
BRM10103: Increasing
BRM10104: Increasing
BRM10105: Stable
BRM10106: Decreasing
BRM10107: Increasing
BRM10108: Increasing
BRM10109: Stable
BRM10110: Decreasing
BRM10111: Increasing
BRM10112: Stable
BRM10113: Increasing
BRM10114: Stable
BRM10115: Decreasing
BRM10116: Decreasing
BRM10117: Stable
BRM10118: Increasing
BRM10119: Increasing
MKR10101: Increasing
MKR10102: Stable
MKR10103: Decreasing
MKR10104: Stable
MKR10105: Decreasing
MKR10106: Stable
MKR10107: Stable
MKR10108: Increasing
MKR10109: Increasing
MKR10110: Stable
MKR10111: Decreasing
MKR10112: Stable
MKR10113: Stable
MKR10114: Increasing
MKR10115: Decreasing
MKR10116: Increasing

MKR10117: Stable
MKR10118: Stable
MKR10119: Decreasing
SDV10101: Stable
SDV10102: Decreasing
SDV10103: Stable
SDV10104: Decreasing
SDV10105: Increasing
SDV10106: Stable
SDV10107: Decreasing
SDV10108: Increasing
SDV10109: Stable
SDV10110: Stable
SDV10111: Decreasing
SDV10112: Decreasing
SDV10113: Stable
SDV10114: Decreasing
SDV10115: Decreasing
SDV10116: Decreasing
SDV10117: Stable
SDV10118: Stable
SDV10119: Decreasing
MSR10101: Stable
MSR10102: Stable
MSR10103: Increasing
MSR10104: Stable
MSR10105: Stable
MSR10106: Increasing
MSR10107: Increasing
MSR10108: Increasing
MSR10109: Decreasing
MSR10110: Increasing
MSR10111: Increasing
MSR10112: Decreasing
MSR10113: Decreasing
MSR10114: Stable
MSR10115: Stable
MSR10116: Stable
MSR10117: Decreasing
MSR10118: Stable

MSR10119: Stable
LYP10101: Stable
LYP10102: Decreasing
LYP10103: Increasing
LYP10104: Increasing
LYP10105: Increasing
LYP10106: Stable
LYP10107: Decreasing
LYP10108: Increasing
LYP10109: Stable
LYP10110: Decreasing
LYP10111: Decreasing
LYP10112: Stable
LYP10113: Stable
LYP10114: Decreasing
LYP10115: Stable
LYP10116: Decreasing
LYP10117: Stable
LYP10118: Increasing
LYP10119: Stable
CPG10101: Increasing
CPG10102: Decreasing
CPG10103: Decreasing
CPG10104: Decreasing
CPG10105: Decreasing
CPG10106: Decreasing
CPG10107: Decreasing
CPG10108: Decreasing
CPG10109: Increasing
CPG10110: Stable
CPG10111: Decreasing
CPG10112: Decreasing
CPG10113: Increasing
CPG10114: Decreasing
CPG10115: Decreasing
CPG10116: Stable
CPG10117: Stable
CPG10118: Stable
CPG10119: Decreasing
MKC10101: Increasing

MKC10102: Decreasing
MKC10103: Stable
MKC10104: Decreasing
MKC10105: Stable
MKC10106: Increasing
MKC10107: Increasing
MKC10108: Decreasing
MKC10109: Decreasing
MKC10110: Stable
MKC10111: Increasing
MKC10112: Increasing
MKC10113: Stable
MKC10114: Decreasing
MKC10115: Increasing
MKC10116: Decreasing
MKC10117: Stable
MKC10118: Stable
MKC10119: Stable
ADS10101: Stable
ADS10102: Increasing
ADS10103: Increasing
ADS10104: Decreasing
ADS10105: Decreasing
ADS10106: Increasing
ADS10107: Increasing
ADS10108: Stable
ADS10109: Decreasing
ADS10110: Increasing
ADS10111: Increasing
ADS10112: Increasing
ADS10113: Decreasing
ADS10114: Decreasing
ADS10115: Stable
ADS10116: Stable
ADS10117: Increasing
ADS10118: Increasing
ADS10119: Increasing

Metrics Repetitions (Fourier Analysis):

MSP10101: No clear repetition (potential instability)

MSP10102: Dominant period: 3.43 units (repetitive)
MSP10103: Dominant period: 2.06 units (repetitive)
MSP10104: Dominant period: 13.22 units (repetitive)
MSP10105: Dominant period: 2.36 units (repetitive)
MSP10106: Dominant period: 49.18 units (repetitive)
MSP10107: Dominant period: 11.11 units (repetitive)
MSP10108: No clear repetition (potential instability)
MSP10109: Dominant period: 2.01 units (repetitive)
MSP10110: Dominant period: 2.25 units (repetitive)
SSP10101: Dominant period: 3.34 units (repetitive)
SSP10102: No clear repetition (potential instability)
SSP10103: No clear repetition (potential instability)
SSP10104: Dominant period: 6.70 units (repetitive)
SSP10105: No clear repetition (potential instability)
SSP10106: Dominant period: 8.26 units (repetitive)
SSP10107: No clear repetition (potential instability)
SSP10108: Dominant period: 4.46 units (repetitive)
SSP10109: Dominant period: 9.74 units (repetitive)
SSP10110: Dominant period: 3.90 units (repetitive)
CHM10101: Dominant period: 7.98 units (repetitive)
CHM10102: Dominant period: 5.24 units (repetitive)
CHM10103: Dominant period: 5.19 units (repetitive)
CHM10104: Dominant period: 5.20 units (repetitive)
CHM10105: Dominant period: 3.08 units (repetitive)
CHM10106: Dominant period: 4.22 units (repetitive)
CHM10107: No clear repetition (potential instability)
CHM10108: No clear repetition (potential instability)
CHM10109: Dominant period: 3.42 units (repetitive)
CHM10110: No clear repetition (potential instability)
SFO10101: Dominant period: 2.66 units (repetitive)
SFO10102: No clear repetition (potential instability)
SFO10103: Dominant period: 2.61 units (repetitive)
SFO10104: No clear repetition (potential instability)
SFO10105: No clear repetition (potential instability)
SFO10106: No clear repetition (potential instability)
SFO10107: Dominant period: 3.74 units (repetitive)
SFO10108: Dominant period: 20.98 units (repetitive)
SFO10109: Dominant period: 2.20 units (repetitive)
SFO10110: Dominant period: 4.42 units (repetitive)
BRM10101: No clear repetition (potential instability)

BRM10102: No clear repetition (potential instability)
BRM10103: No clear repetition (potential instability)
BRM10104: Dominant period: 103.45 units (repetitive)
BRM10105: Dominant period: 5.96 units (repetitive)
BRM10106: Dominant period: 19.87 units (repetitive)
BRM10107: Dominant period: 9.90 units (repetitive)
BRM10108: Dominant period: 3.12 units (repetitive)
BRM10109: Dominant period: 4.66 units (repetitive)
BRM10110: Dominant period: 17.34 units (repetitive)
BRM10111: Dominant period: 15.23 units (repetitive)
BRM10112: Dominant period: 15.71 units (repetitive)
BRM10113: Dominant period: 8.11 units (repetitive)
BRM10114: Dominant period: 6.98 units (repetitive)
BRM10115: Dominant period: 2.06 units (repetitive)
BRM10116: No clear repetition (potential instability)
BRM10117: No clear repetition (potential instability)
BRM10118: Dominant period: 6.06 units (repetitive)
BRM10119: No clear repetition (potential instability)
MKR10101: Dominant period: 10.31 units (repetitive)
MKR10102: No clear repetition (potential instability)
MKR10103: Dominant period: 3.12 units (repetitive)
MKR10104: Dominant period: 11.54 units (repetitive)
MKR10105: Dominant period: 6.68 units (repetitive)
MKR10106: No clear repetition (potential instability)
MKR10107: No clear repetition (potential instability)
MKR10108: No clear repetition (potential instability)
MKR10109: Dominant period: 3.01 units (repetitive)
MKR10110: Dominant period: 2.25 units (repetitive)
MKR10111: Dominant period: 2.97 units (repetitive)
MKR10112: Dominant period: 4.14 units (repetitive)
MKR10113: No clear repetition (potential instability)
MKR10114: No clear repetition (potential instability)
MKR10115: Dominant period: 2.91 units (repetitive)
MKR10116: No clear repetition (potential instability)
MKR10117: No clear repetition (potential instability)
MKR10118: No clear repetition (potential instability)
MKR10119: No clear repetition (potential instability)
SDV10101: No clear repetition (potential instability)
SDV10102: No clear repetition (potential instability)
SDV10103: Dominant period: 20.69 units (repetitive)

SDV10104: No clear repetition (potential instability)
SDV10105: No clear repetition (potential instability)
SDV10106: No clear repetition (potential instability)
SDV10107: Dominant period: 11.28 units (repetitive)
SDV10108: No clear repetition (potential instability)
SDV10109: No clear repetition (potential instability)
SDV10110: Dominant period: 8.29 units (repetitive)
SDV10111: No clear repetition (potential instability)
SDV10112: Dominant period: 65.22 units (repetitive)
SDV10113: No clear repetition (potential instability)
SDV10114: Dominant period: 10.87 units (repetitive)
SDV10115: No clear repetition (potential instability)
SDV10116: No clear repetition (potential instability)
SDV10117: Dominant period: 9.15 units (repetitive)
SDV10118: No clear repetition (potential instability)
SDV10119: Dominant period: 10.00 units (repetitive)
MSR10101: No clear repetition (potential instability)
MSR10102: Dominant period: 9.09 units (repetitive)
MSR10103: No clear repetition (potential instability)
MSR10104: Dominant period: 2.71 units (repetitive)
MSR10105: No clear repetition (potential instability)
MSR10106: Dominant period: 2.03 units (repetitive)
MSR10107: Dominant period: 3.29 units (repetitive)
MSR10108: Dominant period: 2.38 units (repetitive)
MSR10109: Dominant period: 12.61 units (repetitive)
MSR10110: No clear repetition (potential instability)
MSR10111: No clear repetition (potential instability)
MSR10112: Dominant period: 8.52 units (repetitive)
MSR10113: Dominant period: 12.45 units (repetitive)
MSR10114: Dominant period: 4.03 units (repetitive)
MSR10115: Dominant period: 17.05 units (repetitive)
MSR10116: Dominant period: 2.84 units (repetitive)
MSR10117: Dominant period: 2.38 units (repetitive)
MSR10118: Dominant period: 5.47 units (repetitive)
MSR10119: Dominant period: 2.08 units (repetitive)
LYP10101: Dominant period: 4.34 units (repetitive)
LYP10102: Dominant period: 4.78 units (repetitive)
LYP10103: Dominant period: 7.89 units (repetitive)
LYP10104: Dominant period: 2.58 units (repetitive)
LYP10105: No clear repetition (potential instability)

LYP10106: Dominant period: 4.70 units (repetitive)
LYP10107: Dominant period: 6.62 units (repetitive)
LYP10108: Dominant period: 2.01 units (repetitive)
LYP10109: No clear repetition (potential instability)
LYP10110: No clear repetition (potential instability)
LYP10111: No clear repetition (potential instability)
LYP10112: Dominant period: 2.60 units (repetitive)
LYP10113: Dominant period: 7.50 units (repetitive)
LYP10114: Dominant period: 2.67 units (repetitive)
LYP10115: Dominant period: 28.57 units (repetitive)
LYP10116: No clear repetition (potential instability)
LYP10117: No clear repetition (potential instability)
LYP10118: No clear repetition (potential instability)
LYP10119: No clear repetition (potential instability)
CPG10101: Dominant period: 10.45 units (repetitive)
CPG10102: No clear repetition (potential instability)
CPG10103: Dominant period: 12.10 units (repetitive)
CPG10104: No clear repetition (potential instability)
CPG10105: No clear repetition (potential instability)
CPG10106: No clear repetition (potential instability)
CPG10107: Dominant period: 62.50 units (repetitive)
CPG10108: Dominant period: 4.10 units (repetitive)
CPG10109: Dominant period: 4.96 units (repetitive)
CPG10110: No clear repetition (potential instability)
CPG10111: Dominant period: 3.45 units (repetitive)
CPG10112: Dominant period: 8.88 units (repetitive)
CPG10113: No clear repetition (potential instability)
CPG10114: Dominant period: 4.04 units (repetitive)
CPG10115: No clear repetition (potential instability)
CPG10116: Dominant period: 2.31 units (repetitive)
CPG10117: Dominant period: 2.09 units (repetitive)
CPG10118: No clear repetition (potential instability)
CPG10119: Dominant period: 2.42 units (repetitive)
MKC10101: No clear repetition (potential instability)
MKC10102: No clear repetition (potential instability)
MKC10103: Dominant period: 17.14 units (repetitive)
MKC10104: No clear repetition (potential instability)
MKC10105: No clear repetition (potential instability)
MKC10106: Dominant period: 15.54 units (repetitive)
MKC10107: Dominant period: 4.27 units (repetitive)

MKC10108: No clear repetition (potential instability)
MKC10109: No clear repetition (potential instability)
MKC10110: No clear repetition (potential instability)
MKC10111: Dominant period: 166.67 units (repetitive)
MKC10112: No clear repetition (potential instability)
MKC10113: No clear repetition (potential instability)
MKC10114: No clear repetition (potential instability)
MKC10115: Dominant period: 750.00 units (repetitive)
MKC10116: Dominant period: 19.48 units (repetitive)
MKC10117: No clear repetition (potential instability)
MKC10118: Dominant period: 14.42 units (repetitive)
MKC10119: Dominant period: 250.00 units (repetitive)
ADS10101: Dominant period: 10.45 units (repetitive)
ADS10102: No clear repetition (potential instability)
ADS10103: Dominant period: 8.36 units (repetitive)
ADS10104: No clear repetition (potential instability)
ADS10105: No clear repetition (potential instability)
ADS10106: No clear repetition (potential instability)
ADS10107: Dominant period: 6.93 units (repetitive)
ADS10108: Dominant period: 8.55 units (repetitive)
ADS10109: Dominant period: 6.30 units (repetitive)
ADS10110: Dominant period: 2.40 units (repetitive)
ADS10111: Dominant period: 12.00 units (repetitive)
ADS10112: Dominant period: 13.82 units (repetitive)
ADS10113: Dominant period: 6.28 units (repetitive)
ADS10114: No clear repetition (potential instability)
ADS10115: No clear repetition (potential instability)
ADS10116: Dominant period: 8.88 units (repetitive)
ADS10117: Dominant period: 49.18 units (repetitive)
ADS10118: Dominant period: 2.41 units (repetitive)
ADS10119: Dominant period: 2.50 units (repetitive)

Groups Trends:

MSP10001: Decreasing
SSP10001: Stable
CHM10001: Decreasing
SFO10001: Decreasing
BRM10001: Stable
MKR10001: Stable
SDV10001: Decreasing

MSR10001: Stable

LYP10001: Decreasing

CPG10001: Decreasing

MKC10001: Decreasing

ADS10001: Increasing

Groups Repetitions (Fourier Analysis):

MSP10001: Dominant period: 750.00 units (repetitive)

SSP10001: Dominant period: 6.10 units (repetitive)

CHM10001: Dominant period: 2.35 units (repetitive)

SFO10001: Dominant period: 2.30 units (repetitive)

BRM10001: Dominant period: 6.45 units (repetitive)

MKR10001: No clear repetition (potential instability)

SDV10001: Dominant period: 3.01 units (repetitive)

MSR10001: Dominant period: 26.32 units (repetitive)

LYP10001: Dominant period: 16.95 units (repetitive)

CPG10001: No clear repetition (potential instability)

MKC10001: Dominant period: 3.67 units (repetitive)

ADS10001: Dominant period: 3.18 units (repetitive)

Sub_Modules Trends:

MSP10000: Decreasing

SSP10000: Stable

CHM10000: Decreasing

SFO10000: Decreasing

BRM10000: Stable

MKR10000: Stable

SDV10000: Decreasing

MSR10000: Stable

LYP10000: Decreasing

CPG10000: Decreasing

MKC10000: Decreasing

ADS10000: Increasing

Sub_Modules Repetitions (Fourier Analysis):

MSP10000: Dominant period: 750.00 units (repetitive)

SSP10000: Dominant period: 6.10 units (repetitive)

CHM10000: Dominant period: 2.35 units (repetitive)

SFO10000: Dominant period: 2.30 units (repetitive)

BRM10000: Dominant period: 6.45 units (repetitive)

MKR10000: No clear repetition (potential instability)

SDV10000: Dominant period: 3.01 units (repetitive)

MSR10000: Dominant period: 26.32 units (repetitive)

LYP10000: Dominant period: 16.95 units (repetitive)

CPG10000: No clear repetition (potential instability)

MKC10000: Dominant period: 3.67 units (repetitive)

ADS10000: Dominant period: 3.18 units (repetitive)