

RPN Summary Report (2026-01-07) - Page 1/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ADS10101	45.12	14.85	89.68	0.57	0	35	2026-01-07
ADS10102	44.54	14.88	89.18	-0.09	0	35	2026-01-07
ADS10103	44.68	15.19	90.23	-0.88	0	35	2026-01-07
ADS10104	45.03	14.61	88.87	1.19	0	35	2026-01-07
ADS10105	45.22	15.08	90.44	-0.01	0	35	2026-01-07
ADS10106	45.1	14.99	90.07	0.13	0	35	2026-01-07
ADS10107	44.81	15.29	90.67	-1.04	0	35	2026-01-07
ADS10108	44.6	15.0	89.6	-0.4	0	35	2026-01-07
ADS10109	45.35	14.92	90.09	0.6	0	35	2026-01-07
ADS10110	44.99	15.01	90.01	-0.03	0	35	2026-01-07
ADS10111	45.28	15.0	90.29	0.27	0	35	2026-01-07
ADS10112	45.12	14.79	89.5	0.74	0	35	2026-01-07
ADS10113	45.01	15.36	91.08	-1.06	0	35	2026-01-07
ADS10114	45.01	15.23	90.7	-0.68	0	35	2026-01-07
ADS10115	45.2	15.13	90.59	-0.19	0	35	2026-01-07
ADS10116	45.02	15.02	90.07	-0.02	0	35	2026-01-07
ADS10117	44.81	15.16	90.28	-0.66	0	35	2026-01-07
ADS10118	44.93	15.2	90.53	-0.68	0	35	2026-01-07
ADS10119	44.95	15.22	90.61	-0.7	0	35	2026-01-07
BRM10101	44.82	15.15	90.29	-0.64	0	35	2026-01-07
BRM10102	44.81	15.0	89.8	-0.19	0	35	2026-01-07
BRM10103	45.47	15.0	90.46	0.47	0	35	2026-01-07
BRM10104	44.87	15.05	90.02	-0.27	0	35	2026-01-07
BRM10105	44.5	14.8	88.91	0.09	0	35	2026-01-07
BRM10106	44.21	14.95	89.06	-0.64	0	35	2026-01-07
BRM10107	45.32	14.95	90.16	0.48	0	35	2026-01-07
BRM10108	44.85	15.35	90.9	-1.19	0	35	2026-01-07
BRM10109	44.54	14.89	89.21	-0.14	0	35	2026-01-07
BRM10110	45.02	14.9	89.71	0.33	0	35	2026-01-07
BRM10111	44.25	15.12	89.59	-1.1	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 2/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
BRM10112	45.13	15.0	90.14	0.13	0	35	2026-01-07
BRM10113	45.16	15.26	90.95	-0.62	0	35	2026-01-07
BRM10114	44.78	15.32	90.74	-1.19	0	35	2026-01-07
BRM10115	45.34	15.13	90.74	-0.05	0	35	2026-01-07
BRM10116	44.18	15.06	89.35	-0.99	0	35	2026-01-07
BRM10117	45.27	14.78	89.6	0.93	0	35	2026-01-07
BRM10118	44.67	15.32	90.63	-1.28	0	35	2026-01-07
BRM10119	45.06	14.79	89.43	0.7	0	35	2026-01-07
CHM10101	44.76	15.3	90.65	-1.13	0	35	2026-01-07
CHM10102	44.92	14.8	89.31	0.52	0	35	2026-01-07
CHM10103	44.25	14.97	89.16	-0.66	0	35	2026-01-07
CHM10104	44.58	15.43	90.88	-1.71	0	35	2026-01-07
CHM10105	45.23	15.45	91.59	-1.13	0	35	2026-01-07
CHM10106	44.87	14.95	89.74	0.01	0	35	2026-01-07
CHM10107	45.08	15.16	90.54	-0.39	0	35	2026-01-07
CHM10108	44.85	15.06	90.03	-0.32	0	35	2026-01-07
CHM10109	45.32	15.01	90.35	0.29	0	35	2026-01-07
CHM10110	44.6	15.23	90.29	-1.09	0	35	2026-01-07
CPG10101	45.3	15.18	90.85	-0.25	0	35	2026-01-07
CPG10102	44.95	14.65	88.9	1.0	0	35	2026-01-07
CPG10103	45.18	14.94	89.99	0.37	0	35	2026-01-07
CPG10104	44.85	15.13	90.24	-0.54	0	35	2026-01-07
CPG10105	45.09	15.14	90.5	-0.33	0	35	2026-01-07
CPG10106	45.1	14.93	89.89	0.31	0	35	2026-01-07
CPG10107	45.05	14.9	89.74	0.35	0	35	2026-01-07
CPG10108	44.83	14.83	89.31	0.34	0	35	2026-01-07
CPG10109	44.84	14.99	89.81	-0.13	0	35	2026-01-07
CPG10110	45.14	15.0	90.15	0.13	0	35	2026-01-07
CPG10111	44.56	14.7	88.66	0.46	0	35	2026-01-07
CPG10112	44.93	15.05	90.07	-0.21	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 3/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
CPG10113	44.8	14.95	89.63	-0.04	0	35	2026-01-07
CPG10114	44.92	15.42	91.18	-1.33	0	35	2026-01-07
CPG10115	45.25	14.6	89.06	1.45	0	35	2026-01-07
CPG10116	45.24	15.3	91.15	-0.68	0	35	2026-01-07
CPG10117	45.35	14.72	89.52	1.17	0	35	2026-01-07
CPG10118	45.05	14.86	89.62	0.47	0	35	2026-01-07
CPG10119	44.98	15.0	89.98	-0.01	0	35	2026-01-07
LYP10101	45.06	15.11	90.4	-0.28	0	35	2026-01-07
LYP10102	44.72	14.98	89.66	-0.22	0	35	2026-01-07
LYP10103	45.19	15.27	90.99	-0.61	0	35	2026-01-07
LYP10104	44.99	15.5	91.49	-1.51	0	35	2026-01-07
LYP10105	45.04	15.36	91.12	-1.03	0	35	2026-01-07
LYP10106	45.08	14.92	89.84	0.32	0	35	2026-01-07
LYP10107	44.69	15.34	90.73	-1.34	0	35	2026-01-07
LYP10108	45.14	14.99	90.1	0.18	0	35	2026-01-07
LYP10109	45.22	14.93	90.02	0.42	0	35	2026-01-07
LYP10110	45.18	15.1	90.47	-0.11	0	35	2026-01-07
LYP10111	45.23	15.52	91.79	-1.33	0	35	2026-01-07
LYP10112	45.19	15.0	90.2	0.18	0	35	2026-01-07
LYP10113	44.74	14.98	89.68	-0.19	0	35	2026-01-07
LYP10114	44.31	15.51	90.83	-2.21	0	35	2026-01-07
LYP10115	45.48	14.87	90.1	0.86	0	35	2026-01-07
LYP10116	44.85	14.88	89.5	0.2	0	35	2026-01-07
LYP10117	45.02	14.78	89.37	0.66	0	35	2026-01-07
LYP10118	45.14	15.2	90.74	-0.47	0	35	2026-01-07
LYP10119	44.92	14.89	89.59	0.26	0	35	2026-01-07
MKC10101	45.05	14.89	89.71	0.39	0	35	2026-01-07
MKC10102	45.27	15.25	91.03	-0.48	0	35	2026-01-07
MKC10103	44.89	14.91	89.63	0.15	0	35	2026-01-07
MKC10104	45.08	15.09	90.35	-0.18	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 4/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
MKC10105	45.12	15.07	90.32	-0.09	0	35	2026-01-07
MKC10106	45.43	15.13	90.83	0.03	0	35	2026-01-07
MKC10107	45.12	14.98	90.06	0.18	0	35	2026-01-07
MKC10108	44.74	15.12	90.09	-0.61	0	35	2026-01-07
MKC10109	45.59	15.23	91.29	-0.11	0	35	2026-01-07
MKC10110	44.99	14.85	89.55	0.43	0	35	2026-01-07
MKC10111	45.09	15.19	90.67	-0.49	0	35	2026-01-07
MKC10112	45.02	14.8	89.43	0.61	0	35	2026-01-07
MKC10113	45.08	15.44	91.4	-1.24	0	35	2026-01-07
MKC10114	44.99	14.91	89.73	0.25	0	35	2026-01-07
MKC10115	44.95	14.9	89.65	0.25	0	35	2026-01-07
MKC10116	45.19	14.86	89.76	0.62	0	35	2026-01-07
MKC10117	44.89	14.93	89.67	0.11	0	35	2026-01-07
MKC10118	44.38	14.6	88.18	0.57	0	35	2026-01-07
MKC10119	45.04	15.13	90.43	-0.35	0	35	2026-01-07
MKR10101	44.95	14.72	89.11	0.8	0	35	2026-01-07
MKR10102	44.93	15.09	90.2	-0.34	0	35	2026-01-07
MKR10103	45.2	14.83	89.7	0.71	0	35	2026-01-07
MKR10104	45.2	15.01	90.23	0.16	0	35	2026-01-07
MKR10105	44.97	15.24	90.68	-0.74	0	35	2026-01-07
MKR10106	45.41	14.95	90.26	0.55	0	35	2026-01-07
MKR10107	44.73	14.99	89.71	-0.25	0	35	2026-01-07
MKR10108	45.01	15.3	90.93	-0.9	0	35	2026-01-07
MKR10109	44.94	14.78	89.29	0.59	0	35	2026-01-07
MKR10110	45.09	15.23	90.79	-0.61	0	35	2026-01-07
MKR10111	44.98	14.87	89.58	0.38	0	35	2026-01-07
MKR10112	45.1	15.15	90.54	-0.34	0	35	2026-01-07
MKR10113	45.16	15.09	90.43	-0.12	0	35	2026-01-07
MKR10114	44.55	14.82	89.0	0.1	0	35	2026-01-07
MKR10115	45.31	15.13	90.69	-0.07	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 5/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
MKR10116	44.56	14.9	89.26	-0.15	0	35	2026-01-07
MKR10117	44.66	15.08	89.9	-0.58	0	35	2026-01-07
MKR10118	44.96	14.89	89.63	0.29	0	35	2026-01-07
MKR10119	44.78	14.93	89.58	-0.02	0	35	2026-01-07
MSP10101	44.89	14.96	89.77	0.01	0	35	2026-01-07
MSP10102	44.66	15.58	91.41	-2.09	0	35	2026-01-07
MSP10103	44.66	15.04	89.77	-0.46	0	35	2026-01-07
MSP10104	45.29	14.82	89.75	0.83	0	35	2026-01-07
MSP10105	44.95	15.36	91.02	-1.11	0	35	2026-01-07
MSP10106	45.24	15.02	90.3	0.18	0	35	2026-01-07
MSP10107	45.35	14.95	90.21	0.49	0	35	2026-01-07
MSP10108	45.0	15.64	91.9	-1.91	0	35	2026-01-07
MSP10109	45.11	15.09	90.38	-0.16	0	35	2026-01-07
MSP10110	45.38	14.6	89.16	1.59	0	35	2026-01-07
MSR10101	45.09	15.34	91.1	-0.92	0	35	2026-01-07
MSR10102	44.58	15.49	91.06	-1.9	0	35	2026-01-07
MSR10103	44.9	15.06	90.09	-0.29	0	35	2026-01-07
MSR10104	44.96	15.02	90.03	-0.11	0	35	2026-01-07
MSR10105	45.18	15.21	90.81	-0.46	0	35	2026-01-07
MSR10106	44.94	15.39	91.12	-1.24	0	35	2026-01-07
MSR10107	44.9	15.09	90.16	-0.37	0	35	2026-01-07
MSR10108	44.86	15.32	90.82	-1.1	0	35	2026-01-07
MSR10109	45.09	14.53	88.67	1.5	0	35	2026-01-07
MSR10110	45.09	15.6	91.89	-1.71	0	35	2026-01-07
MSR10111	45.02	15.04	90.15	-0.1	0	35	2026-01-07
MSR10112	45.16	14.85	89.71	0.61	0	35	2026-01-07
MSR10113	45.21	14.76	89.49	0.93	0	35	2026-01-07
MSR10114	44.72	15.08	89.97	-0.52	0	35	2026-01-07
MSR10115	45.0	14.82	89.47	0.52	0	35	2026-01-07
MSR10116	44.65	15.42	90.92	-1.62	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 6/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
MSR10117	44.98	15.26	90.76	-0.8	0	35	2026-01-07
MSR10118	45.21	15.27	91.01	-0.58	0	35	2026-01-07
MSR10119	44.96	15.23	90.66	-0.74	0	35	2026-01-07
SDV10101	44.87	15.17	90.38	-0.63	0	35	2026-01-07
SDV10102	45.04	15.02	90.1	-0.02	0	35	2026-01-07
SDV10103	44.81	15.17	90.31	-0.69	0	35	2026-01-07
SDV10104	45.09	15.32	91.05	-0.86	0	35	2026-01-07
SDV10105	44.86	14.81	89.3	0.41	0	35	2026-01-07
SDV10106	45.51	15.04	90.61	0.4	0	35	2026-01-07
SDV10107	44.63	15.1	89.93	-0.67	0	35	2026-01-07
SDV10108	45.13	15.3	91.02	-0.77	0	35	2026-01-07
SDV10109	45.11	15.2	90.73	-0.5	0	35	2026-01-07
SDV10110	44.81	14.94	89.64	-0.02	0	35	2026-01-07
SDV10111	45.12	15.34	91.15	-0.9	0	35	2026-01-07
SDV10112	45.09	15.11	90.42	-0.24	0	35	2026-01-07
SDV10113	44.78	15.23	90.47	-0.92	0	35	2026-01-07
SDV10114	45.12	15.1	90.43	-0.2	0	35	2026-01-07
SDV10115	45.18	14.85	89.74	0.63	0	35	2026-01-07
SDV10116	44.76	15.21	90.39	-0.87	0	35	2026-01-07
SDV10117	45.21	15.22	90.86	-0.43	0	35	2026-01-07
SDV10118	45.1	14.97	90.01	0.19	0	35	2026-01-07
SDV10119	45.17	15.05	90.31	0.03	0	35	2026-01-07
SFO10101	44.8	14.86	89.39	0.22	0	35	2026-01-07
SFO10102	44.8	14.99	89.77	-0.17	0	35	2026-01-07
SFO10103	44.92	14.9	89.61	0.22	0	35	2026-01-07
SFO10104	44.99	14.89	89.66	0.32	0	35	2026-01-07
SFO10105	44.79	15.09	90.07	-0.48	0	35	2026-01-07
SFO10106	44.82	15.01	89.86	-0.21	0	35	2026-01-07
SFO10107	44.44	14.83	88.94	-0.06	0	35	2026-01-07
SFO10108	45.12	15.96	92.98	-2.75	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 7/7

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
SFO10109	45.22	15.25	90.97	-0.54	0	35	2026-01-07
SFO10110	44.89	15.14	90.32	-0.54	0	35	2026-01-07
SSP10101	44.62	15.24	90.35	-1.11	0	35	2026-01-07
SSP10102	45.19	14.93	89.97	0.42	0	35	2026-01-07
SSP10103	44.9	14.97	89.82	-0.03	0	35	2026-01-07
SSP10104	44.81	14.83	89.3	0.31	0	35	2026-01-07
SSP10105	45.08	15.14	90.5	-0.34	0	35	2026-01-07
SSP10106	45.16	14.75	89.4	0.91	0	35	2026-01-07
SSP10107	45.48	15.34	91.5	-0.55	0	35	2026-01-07
SSP10108	44.67	15.0	89.66	-0.33	0	35	2026-01-07
SSP10109	45.82	15.18	91.35	0.29	0	35	2026-01-07
SSP10110	44.96	14.99	89.92	-0.0	0	35	2026-01-07