

MASTER_CONSOLIDATED_REPORT.txt

TBD2 pipeline output - rendered to PDF

MASTER REPORT: Product Module Unified Report

Total sections: 8

=== low_performing_entities_report_product.txt ===

Low-Performing Metrics

S.No,Metric Id,Metric Name,Metric Value

1,POD10139,Engagement Rate,55.05166666666667
2,OCD10130,Monitoring Frequency,55.20666666666666
3,PUR10120,Inventory Holding Costs,55.269
4,TST10135,Audit Findings,55.31833333333335
5,PUR10109,Supplier Defect Rate,55.516
6,ANM10133,Monitoring Coverage,55.527
7,ANM10104,False Negative Rate,55.53833333333334
8,INV10123,Ordering Costs,55.54066666666667
9,POD10145,R&D Investment,55.54533333333333
10,INV10124,Stockout Costs,55.55

Low-Performing Groups

S.No,Group Id,Group Name,Group Value

1,INV10121,6. Inventory Costs,55.87570666666666
2,ANL10131,7. Continuous Monitoring,55.9675
3,POD10138,9. Stakeholder Engagement,55.98680666666666
4,OCD10129,8. Product Capability Monitoring,56.02759333333336
5,ANL10146,10. Continuous Improvement,56.0745
6,TQA10120,5. Test Environment Management,56.11210333333333
7,PUR10101,1. Purchase Order Management,56.12775
8,PCC10105,2. Content Completeness,56.13048666666668
9,POD10121,5. Product Offering Retirement,56.14083333333333
10,TQA10110,3. Test Automation,56.14216666666667

Low-Performing Sub-Modules

S.No	Sub-Module Id	Sub-Module Name	Sub-Module Value
1	PUR10000	Product Offering Purchasing	56.395606666666666
2	ANL10000	Product Anomaly Lifecycle Management	56.404516666666666
3	COR10000	Product Catalogue Operational Readiness Management	56.413716666666665
4	INV10000	Product Inventory Management	56.42631
5	CTL10000	Product Catalogue Lifecycle Management	56.445213333333335
6	ANM10000	Product Anomaly Management	56.455186666666666
7	TST10000	Product Test Management	56.469333333333333
8	POD10000	Product Specification and Offering Development and Retirement	56.482256666666667
9	CAP10000	Product Capacity Management	56.494053333333326
10	OCD10000	Product Offering Capability Delivery	56.515983333333334
Overall Module Average, PROD_001			56.52

=== M_G_SM_correlation_report_product.txt ===

Correlation Report (top pairs by |correlation|; full matrices are still used internally for CHAID risk binning - see chaid_risk_segmentation_report)

Metrics Correlation Summary

Total pairs examined: 200661

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0146

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID	Metric 1 Name	Metric 2 ID	Metric 2 Name	Correlation
-------------	---------------	-------------	---------------	-------------

TQA10113	Automation Success Rate	PUR10113	Cost Variance	-0.0817
WPO10127	Configuration Time	WPO10128	Configuration Errors	-0.0812
PPP10105	Net Promoter Score (NPS) by Product	ANL10124	Feedback Incorporation Rate	0.0792
CAP10144	Compliance Correction Time	ANM10134	Monitoring Alerts	0.0780
INV10135	Forecast Error Rate	PUR10119	Overstock Rate	-0.0763
WPO10122	Sequence Accuracy	ANM10123	Stakeholder Engagement	-0.0754
TQA10138	Test Reports Generated	ANL10117	Resolution Time	0.0752
ANL10123	Stakeholder Engagement	PBM10108	Report Accuracy	-0.0746
ANL10132	Monitoring Frequency	ANL10140	Knowledge Transfer Sessions	-0.0742
OCD10114	Delivery Time	INV10134	Forecast Accuracy	-0.0740
POD10124	Retirement Impact Analysis	PCC10132	Incorporation Rate	0.0733
OCD10139	Retirement Time	PBM10142	Risk Identification Rate	0.0733
CTP10126	Change Request Volume	POD10104	Specification Approval Rate	-0.0732
CTP10134	Communication Timeliness	PSU10147	Improvement Initiatives	-0.0731

CTP10111 | Audit Findings | POD10109 | Offering Approval Rate | -0.0731
ANL10120 | Resolution Methods | INV10130 | Utilization Rate | -0.0726
COR10125 | Training Time | CAP10113 | Expansion Time | -0.0723
PCC10119 | Timely Updates Rate | PBM10133 | Monitoring Coverage | 0.0722
PBM10107 | Reporting Rate | ANM10112 | Analysis Completion Time | -0.0716
OCD10139 | Retirement Time | CAP10147 | Stakeholder Satisfaction | -0.0713
WPO10107 | Configuration Time | WPO10110 | Execution Time | 0.0712
PCC10118 | Update Time | PUR10110 | Supplier Performance Score | 0.0700
SPC10123 | Impact Accuracy | PCC10140 | Innovation Rate | -0.0699
PCC10127 | Audit Findings | ANM10145 | Risk Resolution Rate | -0.0698
ANL10118 | Resolution Success Rate | CAP10150 | Communication Timeliness | -0.0695
SPC10136 | Feedback Responsiveness | PCC10103 | Content Errors | 0.0694
POD10131 | Strategy Development Time | PBM10105 | Detection Time | 0.0694
TST10127 | Risk Mitigation Success | ANM10108 | Report Accuracy | 0.0694
POD10112 | Commercialization Time | ANL10127 | Impact Analysis Time | 0.0693
POD10104 | Specification Approval Rate | PCC10140 | Innovation Rate | 0.0685
WPO10112 | Error Rate | CTP10128 | Change Implementation Time | 0.0683
PCC10112 | Stakeholder Satisfaction | PUR10112 | Purchase Cost per Unit | 0.0681
PUR10130 | Accuracy of purchasing reports. | ANM10140 | Knowledge Transfer Sessions | 0.0680
PCF10102 | Number of Configuration Changes | PBM10129 | Impact Mitigation Success | 0.0679
CTP10139 | Feedback Incorporation | ANM10145 | Risk Resolution Rate | 0.0679
INV10138 | Process Improvement Initiatives | CAP10150 | Communication Timeliness | -0.0679
CTL10127 | Retirement Impact Analysis | ANM10133 | Monitoring Coverage | -0.0678
OCD10122 | Business Plans Developed | CAP10118 | Resource Allocation Time | 0.0677
CTL10110 | Market Research | POD10125 | Customer Feedback | 0.0671
PSU10145 | Return on Investment (ROI) | CAP10133 | Risk Mitigation Success | -0.0671
CTP10123 | Impact Accuracy | PSU10110 | Customer Satisfaction | 0.0670
PCF10124 | Configuration Change Requests | PUR10125 | Customer Satisfaction | 0.0669
POD10104 | Specification Approval Rate | PCC10134 | Effectiveness Score | -0.0667
ANL10128 | Impact Severity | INV10140 | Employee Suggestions | -0.0665
TQA10132 | Resource Utilization | PBM10140 | Knowledge Transfer Sessions | 0.0664
PCF10111 | Audit Findings | POD10145 | R&D Investment | 0.0664
SPC10119 | Stakeholder Access | COR10113 | Test Pass Rate | -0.0662
ANL10103 | False Positive Rate | PSU10149 | Innovation Rate | 0.0661
WPO10115 | Instances Created | OCD10124 | Plan Success Rate | 0.0660
CTP10140 | Stakeholder Satisfaction | INV10111 | Days Sales of Inventory (DSI) | -0.0660
ANL10142 | Risk Identification Rate | PCC10126 | Compliance Rate | -0.0660
PUR10149 | Green Purchasing Initiatives | PBM10113 | Root Cause Identification Rate | 0.0658
TQA10142 | CI Build Success Rate | ANL10113 | Root Cause Identification Rate | -0.0657
PSU10139 | Average Response Time | TST10108 | Resource Productivity | -0.0655

WPO10110 | Execution Time | PUR10144 | Process Bottlenecks | -0.0654
POD10103 | Development Time | PBM10119 | Reoccurrence Rate | -0.0654
CTL10135 | Feedback Incorporation | PBM10117 | Resolution Time | 0.0653
COR10133 | Document Review Time | COR10137 | Monitoring Frequency | -0.0653
CTP10126 | Change Request Volume | PSU10114 | Root Cause Analysis Time | 0.0652
SPC10116 | Update Accuracy | PUR10132 | Risk Identification Rate | 0.0652
PCF10103 | Change Approval Rate | PCC10141 | Employee Suggestions | -0.0652
TQA10126 | Regression Test Execution Time | SPC10139 | Feedback Incorporation | -0.0651
CTP10131 | Document Review Time | PCF10110 | Compliance Rate | -0.0650
OCD10127 | Deployment Success Rate | POD10133 | Market Alignment | -0.0649
COR10124 | Knowledge Transfer Sessions | PBM10118 | Resolution Success Rate | -0.0648
WPO10119 | Policy Update Time | PSU10118 | Change Success Rate | 0.0647
OCD10124 | Plan Success Rate | ANL10118 | Resolution Success Rate | 0.0647
ANL10135 | Monitoring Accuracy | ANL10143 | Risk Mitigation Time | -0.0646
PSU10114 | Root Cause Analysis Time | PBM10135 | Monitoring Accuracy | -0.0646
ANL10138 | Knowledge Base Usage | COR10139 | Monitoring Alerts | -0.0646
CTP10140 | Stakeholder Satisfaction | TST10120 | Defect Fix Efficiency | 0.0644
ANL10123 | Stakeholder Engagement | CAP10118 | Resource Allocation Time | -0.0644
WPO10112 | Error Rate | TST10130 | Communication Timeliness | -0.0643
ANL10112 | Analysis Time | ANM10108 | Report Accuracy | 0.0643
OCD10134 | Initiatives Launched | POD10112 | Commercialization Time | -0.0643
TQA10121 | Environment Stability | POD10125 | Customer Feedback | -0.0642
TST10136 | Compliance Correction Time | COR10132 | Documentation Completeness | 0.0641
POD10108 | Development Time | COR10129 | Stakeholder Satisfaction | -0.0641
POD10119 | Performance Improvement Initiatives | PUR10139 | Supplier Satisfaction | 0.0640
ANL10144 | Risk Severity | PSU10104 | First Call Resolution Rate | 0.0640
TQA10104 | Test Case Design Time | CTP10120 | Distribution Errors | 0.0639
TQA10102 | Number of Test Cases | ANM10139 | Document Update Frequency | -0.0639
CTL10123 | Distribution Errors | CAP10145 | Reporting Accuracy | -0.0638
PCC10122 | Accessibility Rate | PBM10118 | Resolution Success Rate | 0.0637
CTP10127 | Change Approval Rate | CTP10140 | Stakeholder Satisfaction | -0.0636
TQA10113 | Automation Success Rate | PSU10147 | Improvement Initiatives | 0.0636
TQA10113 | Automation Success Rate | ANL10143 | Risk Mitigation Time | -0.0636
SPC10120 | Distribution Errors | ANM10142 | Risk Identification Rate | 0.0636
TQA10125 | Regression Test Pass Rate | INV10120 | Supplier Defect Rate | -0.0635
TQA10132 | Resource Utilization | PUR10148 | Ethical Sourcing Compliance | 0.0634
PCF10128 | Documentation Errors | ANL10130 | Customer Impact | 0.0633
PCF10104 | Change Implementation Time | PBM10103 | Detection Accuracy | -0.0633
WPO10115 | Instances Created | PSU10117 | Change Volume | -0.0632
PSU10132 | Customer Satisfaction Score (CSAT) | PCC10103 | Content Errors | -0.0631

TQA10122 | Environment Setup Time | CTL10126 | Retirement Time | 0.0631
TST10140 | Customer Feedback Volume | PBM10138 | Knowledge Base Usage | 0.0630
SPC10128 | Change Implementation Time | PUR10107 | Supplier Lead Time | 0.0630
PCF10118 | Version Control Accuracy | ANM10143 | Risk Mitigation Time | -0.0629
CAP10108 | Forecast Error Rate | CAP10125 | Performance Deviation | 0.0629
TST10123 | Improvement Impact | ANM10108 | Report Accuracy | 0.0628
POD10123 | Retirement Time | PUR10114 | Discount Utilization | -0.0628
POD10108 | Development Time | ANL10107 | Reporting Rate | -0.0627
PSU10122 | Knowledge Base Articles | PCC10116 | Correction Time for Inconsistencies | -0.0626
PCC10123 | User Access Issues | ANM10132 | Monitoring Frequency | -0.0626
PCF10104 | Change Implementation Time | ANM10103 | False Positive Rate | 0.0625
WPO10102 | Number of Work Items Decomposed | PCC10123 | User Access Issues | 0.0625
PCF10103 | Change Approval Rate | CAP10110 | Scenario Analysis | 0.0624
WPO10112 | Error Rate | INV10128 | Category Stock Levels | 0.0624
PSU10108 | Request Fulfillment Time | INV10139 | Improvement Impact | 0.0623
PSU10149 | Innovation Rate | PCC10139 | Improvement Impact | -0.0622
PPP10110 | Conversion Rate by Product/Service | ANM10108 | Report Accuracy | -0.0622
OCD10107 | Shortfall Resolution Time | ANL10123 | Stakeholder Engagement | -0.0621
TST10102 | Test Plan Completeness | PUR10128 | Audit Findings | 0.0620
CTP10119 | Stakeholder Access | CTP10130 | Document Quality Score | -0.0620
TQA10117 | Defect Resolution Time | POD10131 | Strategy Development Time | 0.0620
OCD10130 | Monitoring Frequency | PCC10111 | Content Update Frequency | -0.0619
CTL10136 | Stakeholder Satisfaction | INV10116 | Backorder Rate | -0.0619
POD10136 | Market Trends Identified | INV10123 | Ordering Costs | 0.0619
ANL10117 | Resolution Time | PSU10145 | Return on Investment (ROI) | -0.0618
POD10118 | Monitoring Frequency | CAP10109 | Planning Lead Time | 0.0618
WPO10126 | Configuration Changes | TQA10135 | UAT Execution Time | -0.0618
PCC10110 | Relevance Score | ANM10139 | Document Update Frequency | 0.0618
CTP10131 | Document Review Time | PSU10130 | Agent Satisfaction | -0.0617
PSU10138 | SLA Breach Rate | CAP10144 | Compliance Correction Time | -0.0617
CTL10114 | Catalogue Approval Rate | TST10120 | Defect Fix Efficiency | 0.0617
WPO10135 | Configuration Changes | CTL10135 | Feedback Incorporation | 0.0617
CTL10117 | Update Frequency | PCC10106 | Completeness Rate | 0.0616
CTL10119 | Update Accuracy | COR10139 | Monitoring Alerts | 0.0616
TQA10116 | Defect Density | ANM10105 | Detection Time | 0.0616
TQA10138 | Test Reports Generated | COR10145 | Risk Resolution Rate | 0.0616
SPC10106 | Review Cycle Time | COR10109 | Deployment Success Rate | 0.0615
TQA10139 | Report Accuracy | COR10125 | Training Time | -0.0615
TQA10104 | Test Case Design Time | INV10140 | Employee Suggestions | 0.0615
WPO10118 | Policy Changes | PBM10124 | Feedback Incorporation Rate | 0.0615

ANL10114 | Analysis Accuracy | ANM10147 | Improvement Initiatives | -0.0614
POD10113 | Market Launch Success Rate | PSU10145 | Return on Investment (ROI) | -0.0614
CTL10131 | Version Control Issues | INV10119 | Supplier Reliability | 0.0614
PSU10107 | Service Request Volume | PBM10127 | Impact Analysis Time | -0.0614
PSU10103 | Incident Resolution Time | PUR10144 | Process Bottlenecks | 0.0614
PCF10134 | Performance Deviation | CAP10108 | Forecast Error Rate | 0.0613
POD10136 | Market Trends Identified | ANM10124 | Feedback Incorporation Rate | 0.0613
ANL10138 | Knowledge Base Usage | ANM10133 | Monitoring Coverage | 0.0613
POD10114 | Marketing Campaign Effectiveness | COR10109 | Deployment Success Rate | -0.0613
PCF10108 | Accuracy of Initial Configuration | CTL10102 | Number of New Specifications | -0.0612
PSU10133 | Net Promoter Score (NPS) | PBM10134 | Monitoring Alerts | -0.0612
PSU10107 | Service Request Volume | PUR10108 | Supplier Reliability | -0.0612
INV10136 | Forecast Bias | PUR10105 | Order Approval Rate | 0.0612
POD10127 | Lifecycle Duration | CAP10123 | Key Performance Indicators (KPIs) | 0.0612
TST10128 | Risk Impact Analysis | PBM10117 | Resolution Time | -0.0611
WPO10120 | Policy Compliance | ANM10124 | Feedback Incorporation Rate | -0.0611

Groups Correlation Summary

Total pairs examined: 16471

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0147

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

TQA10105 | 2. Test Execution | CTL10141 | 10. Innovation and Development | 0.0761
CTL10120 | 5. Product Catalogue Performance Monitoring | ANL10131 | 7. Continuous Monitoring | -0.0754
ANL10101 | 1. Anomaly Detection | TST10113 | 4. Test Budget Management | 0.0742
ANL10116 | 4. Anomaly Resolution | PSU10146 | 10. Continuous Improvement | 0.0686
INV10105 | 2. Stock Levels | PBM10121 | 5. Problem Communication | 0.0684
PPP10101 | 1. Market and Customer Fit | OCD10121 | 6. Product Portfolio Business Plans | 0.0684
INV10137 | 10. Continuous Improvement | PUR10116 | 4. Inventory Management | -0.0683
CTP10117 | 5. Specification Distribution | PBM10116 | 4. Problem Resolution | 0.0671
POD10111 | 3. Product Commercialization | ANL10101 | 1. Anomaly Detection | 0.0666
SPC10125 | 7. Change Management | INV10121 | 6. Inventory Costs | -0.0655
ANL10106 | 2. Anomaly Reporting | TST10137 | 10. Customer Satisfaction | 0.0653
WPO10113 | 4. Work Item Orchestration Instance Lifecycle Management | CTP10137 | 10. Stakeholder Engagement | 0.0644
INV10105 | 2. Stock Levels | TST10121 | 6. Test Process Improvement | -0.0639
SPC10121 | 6. Specification Impact Analysis | CAP10121 | 5. Performance Monitoring | 0.0636
TQA10120 | 5. Test Environment Management | PBM10106 | 2. Problem Reporting | 0.0636
SPC10101 | 1. Product Specification Creation | PCF10117 | 5. Configuration Version Control | 0.0634

INV10129 | 8. Inventory Utilization | ANM10131 | 7. Continuous Monitoring | -0.0631
CTL10133 | 8. Stakeholder Engagement | COR10146 | 10. Continuous Improvement | -0.0623
TQA10101 | 1. Test Case Design | POD10116 | 4. Product Performance Monitoring | 0.0621
PSU10131 | 7. Customer Satisfaction and Feedback | COR10141 | 9. Risk Management | 0.0618
SPC10101 | 1. Product Specification Creation | PSU10121 | 5. Knowledge Management | 0.0613
PCF10113 | 4. Configuration Update Frequency | PCF10137 | 10. Configuration Management Efficiency | -0.0608
PSU10136 | 8. Service Level Agreement (SLA) Compliance | ANM10146 | 10. Continuous Improvement | 0.0598
PSU10146 | 10. Continuous Improvement | CAP10101 | 1. Capacity Utilization | -0.0598
INV10137 | 10. Continuous Improvement | COR10126 | 6. Stakeholder Engagement | 0.0596
INV10133 | 9. Demand Forecasting Accuracy | CAP10136 | 8. Capacity Optimization | 0.0595
TQA10141 | 10. Continuous Integration (CI) | CTP10137 | 10. Stakeholder Engagement | -0.0594
CTP10105 | 2. Specification Review and Approval | PBM10146 | 10. Continuous Improvement | 0.0593
CTL10106 | 2. Product Catalogue Updates | POD10126 | 6. Product Lifecycle Management | 0.0591
POD10106 | 2. Product Offering Development | PCC10117 | 5. Content Timeliness | 0.0588
POD10116 | 4. Product Performance Monitoring | COR10146 | 10. Continuous Improvement | -0.0588
PCF10129 | 8. Configuration Impact Analysis | COR10131 | 7. Documentation Quality | -0.0586
POD10111 | 3. Product Commercialization | PUR10101 | 1. Purchase Order Management | -0.0583
PSU10111 | 3. Problem Management | CAP10126 | 6. Scalability | -0.0581
PSU10146 | 10. Continuous Improvement | PUR10101 | 1. Purchase Order Management | 0.0572
ANL10101 | 1. Anomaly Detection | ANM10111 | 3. Anomaly Analysis | 0.0572
CTL10129 | 7. Product Catalogue Version Control | PSU10131 | 7. Customer Satisfaction and Feedback | 0.0572
PBM10141 | 9. Risk Management | ANM10111 | 3. Anomaly Analysis | 0.0571
SPC10129 | 8. Documentation Quality | PSU10106 | 2. Service Request Management | -0.0563
PCF10101 | 1. Configuration Changes | PCF10133 | 9. Configuration Performance Monitoring | 0.0562
PUR10106 | 2. Supplier Performance | PUR10146 | 10. Sustainability and Ethical Sourcing | 0.0561
SPC10109 | 3. Specification Compliance | POD10116 | 4. Product Performance Monitoring | -0.0560
PUR10131 | 7. Risk Management | PBM10101 | 1. Problem Identification | -0.0558
PSU10136 | 8. Service Level Agreement (SLA) Compliance | INV10113 | 4. Order Management | 0.0558
TST10129 | 8. Stakeholder Communication | PUR10111 | 3. Cost Management | 0.0558
CTL10141 | 10. Innovation and Development | TST10109 | 3. Test Schedule Adherence | 0.0556
CTL10137 | 9. Documentation Quality | INV10113 | 4. Order Management | -0.0556
OCD10109 | 3. Product Business Case Approval | PBM10111 | 3. Problem Analysis | -0.0554
ANL10121 | 5. Anomaly Communication | PCC10113 | 4. Content Consistency | 0.0554
PUR10121 | 5. Order Fulfillment | ANM10146 | 10. Continuous Improvement | 0.0553
ANL10111 | 3. Anomaly Analysis | PSU10101 | 1. Incident Management | 0.0553
PCF10133 | 9. Configuration Performance Monitoring | PUR10101 | 1. Purchase Order Management | 0.0551
CTL10133 | 8. Stakeholder Engagement | ANM10136 | 8. Documentation and Knowledge Management | -0.0550
TQA10124 | 6. Regression Testing | CTL10133 | 8. Stakeholder Engagement | 0.0549
CTP10109 | 3. Specification Compliance | CTL10111 | 3. Product Catalogue Distribution | 0.0547
CTL10137 | 9. Documentation Quality | ANM10131 | 7. Continuous Monitoring | 0.0544

COR10126 | 6. Stakeholder Engagement | ANM10141 | 9. Risk Management | 0.0544
CTL10116 | 4. Product Catalogue Compliance | PCC10105 | 2. Content Completeness | 0.0543
TQA10115 | 4. Defect Management | COR10111 | 3. Testing and Validation | 0.0541
SPC10129 | 8. Documentation Quality | CAP10116 | 4. Resource Allocation | -0.0538
CTL10111 | 3. Product Catalogue Distribution | COR10146 | 10. Continuous Improvement | -0.0536
SPC10137 | 10. Stakeholder Engagement | ANL10146 | 10. Continuous Improvement | -0.0535
PSU10126 | 6. Support Team Performance | CAP10141 | 9. Compliance and Reporting | 0.0532
WPO10109 | 3. Work Item Execution | PBM10136 | 8. Documentation and Knowledge Management | 0.0532
TQA10115 | 4. Defect Management | PBM10111 | 3. Problem Analysis | 0.0531
PSU10101 | 1. Incident Management | PCC10121 | 6. Content Accessibility | -0.0531
OCD10101 | 1. Product Capability Requirements Definition | POD10121 | 5. Product Offering Retirement | 0.0530
SPC10133 | 9. Communication Effectiveness | COR10136 | 8. Performance Monitoring | -0.0530
TQA10115 | 4. Defect Management | ANL10116 | 4. Anomaly Resolution | -0.0529
ANL10101 | 1. Anomaly Detection | ANM10101 | 1. Anomaly Detection | -0.0529
PSU10126 | 6. Support Team Performance | ANM10106 | 2. Anomaly Reporting | -0.0528
TST10129 | 8. Stakeholder Communication | ANM10121 | 5. Anomaly Communication | -0.0528
PSU10116 | 4. Change Management | PSU10141 | 9. Product Support Cost Management | 0.0526
OCD10125 | 7. Product Capability Deployment | PCC10133 | 9. Content Effectiveness | -0.0525
CTP10125 | 7. Change Management | PSU10141 | 9. Product Support Cost Management | 0.0524
PSU10136 | 8. Service Level Agreement (SLA) Compliance | PUR10131 | 7. Risk Management | -0.0521
PSU10146 | 10. Continuous Improvement | COR10136 | 8. Performance Monitoring | -0.0520
OCD10113 | 4. Product Delivery | CAP10121 | 5. Performance Monitoring | 0.0520
PCF10129 | 8. Configuration Impact Analysis | PUR10126 | 6. Compliance and Reporting | 0.0519
SPC10121 | 6. Specification Impact Analysis | INV10105 | 2. Stock Levels | -0.0519
WPO10117 | 5. Work Item Policy Control Configuration | PSU10116 | 4. Change Management | 0.0518
OCD10109 | 3. Product Business Case Approval | POD10101 | 1. Product Specification Development | 0.0518
SPC10133 | 9. Communication Effectiveness | TST10133 | 9. Compliance and Audit | -0.0518
PCF10121 | 6. Stakeholder Satisfaction | PCC10137 | 10. Content Improvement | -0.0518
CTL10101 | 1. Product Catalogue Creation | COR10116 | 4. Change Management | 0.0518
CTL10141 | 10. Innovation and Development | CAP10116 | 4. Resource Allocation | 0.0517
OCD10125 | 7. Product Capability Deployment | PUR10126 | 6. Compliance and Reporting | -0.0516
WPO10109 | 3. Work Item Execution | PUR10141 | 9. Purchase Order Cycle Time | -0.0515
TQA10133 | 8. User Acceptance Testing (UAT) | PCF10121 | 6. Stakeholder Satisfaction | 0.0515
TQA10128 | 7. Performance Testing | CTP10121 | 6. Specification Impact Analysis | -0.0514
WPO10121 | 6. Work Item Sequence Control | POD10116 | 4. Product Performance Monitoring | 0.0512
COR10111 | 3. Testing and Validation | ANM10121 | 5. Anomaly Communication | 0.0511
CTL10101 | 1. Product Catalogue Creation | CAP10116 | 4. Resource Allocation | 0.0508
TQA10101 | 1. Test Case Design | CTP10137 | 10. Stakeholder Engagement | -0.0508
CTP10129 | 8. Documentation Quality | PSU10101 | 1. Incident Management | 0.0507
TQA10105 | 2. Test Execution | SPC10105 | 2. Specification Review and Approval | 0.0507

PCC10121 | 6. Content Accessibility | PUR10111 | 3. Cost Management | -0.0506
INV10109 | 3. Inventory Turnover | ANM10131 | 7. Continuous Monitoring | -0.0506
WPO10101 | 1. Work Item Decomposition | PSU10136 | 8. Service Level Agreement (SLA) Compliance | -0.0506
OCD10137 | 10. Product Capability Retirement | ANL10111 | 3. Anomaly Analysis | -0.0505
TST10137 | 10. Customer Satisfaction | ANM10116 | 4. Anomaly Resolution | 0.0505
CTP10133 | 9. Communication Effectiveness | PBM10111 | 3. Problem Analysis | 0.0505
PPP10106 | 2. Product Performance | ANL10101 | 1. Anomaly Detection | -0.0504
SPC10137 | 10. Stakeholder Engagement | ANL10111 | 3. Anomaly Analysis | -0.0504
WPO10129 | 8. Work Item Sequence Execution | PUR10126 | 6. Compliance and Reporting | 0.0503
PCC10105 | 2. Content Completeness | CAP10106 | 2. Capacity Planning | 0.0502
SPC10101 | 1. Product Specification Creation | COR10111 | 3. Testing and Validation | -0.0502
WPO10125 | 7. Work Item Sequence Control Configuration | PBM10116 | 4. Problem Resolution | 0.0502
POD10116 | 4. Product Performance Monitoring | PUR10136 | 8. Supplier Relationship Management | 0.0501
COR10126 | 6. Stakeholder Engagement | PCC10105 | 2. Content Completeness | 0.0500
WPO10117 | 5. Work Item Policy Control Configuration | TST10137 | 10. Customer Satisfaction | -0.0500
CTL10124 | 6. Product Catalogue Retirement | PSU10146 | 10. Continuous Improvement | -0.0500
OCD10117 | 5. Product Portfolio Strategy | PBM10146 | 10. Continuous Improvement | -0.0499
TQA10133 | 8. User Acceptance Testing (UAT) | TST10113 | 4. Test Budget Management | 0.0499
TST10125 | 7. Risk Management | PUR10116 | 4. Inventory Management | -0.0498
CTP10129 | 8. Documentation Quality | PBM10106 | 2. Problem Reporting | -0.0498
WPO10117 | 5. Work Item Policy Control Configuration | PBM10146 | 10. Continuous Improvement | 0.0497
PSU10131 | 7. Customer Satisfaction and Feedback | INV10109 | 3. Inventory Turnover | 0.0497
TST10125 | 7. Risk Management | ANM10131 | 7. Continuous Monitoring | 0.0495
OCD10113 | 4. Product Delivery | INV10101 | 1. Inventory Accuracy | 0.0495
PBM10131 | 7. Continuous Monitoring | ANM10141 | 9. Risk Management | 0.0495
TQA10141 | 10. Continuous Integration (CI) | POD10130 | 7. Product Portfolio Strategy | -0.0494
POD10106 | 2. Product Offering Development | PBM10126 | 6. Problem Impact Assessment | -0.0494
WPO10125 | 7. Work Item Sequence Control Configuration | TQA10133 | 8. User Acceptance Testing (UAT) |
-0.0494
INV10133 | 9. Demand Forecasting Accuracy | COR10116 | 4. Change Management | 0.0493
WPO10125 | 7. Work Item Sequence Control Configuration | OCD10113 | 4. Product Delivery | 0.0493
TQA10128 | 7. Performance Testing | PUR10136 | 8. Supplier Relationship Management | 0.0492
WPO10121 | 6. Work Item Sequence Control | CTP10129 | 8. Documentation Quality | 0.0492
TQA10133 | 8. User Acceptance Testing (UAT) | CAP10136 | 8. Capacity Optimization | -0.0491
TQA10101 | 1. Test Case Design | INV10121 | 6. Inventory Costs | 0.0491
TQA10110 | 3. Test Automation | PSU10101 | 1. Incident Management | -0.0491
ANL10126 | 6. Anomaly Impact Assessment | TST10101 | 1. Test Planning | -0.0490
CTP10109 | 3. Specification Compliance | COR10116 | 4. Change Management | 0.0490
COR10121 | 5. Training and Knowledge Transfer | CAP10141 | 9. Compliance and Reporting | 0.0490
CTL10124 | 6. Product Catalogue Retirement | PCC10133 | 9. Content Effectiveness | 0.0488

OCD10101 | 1. Product Capability Requirements Definition | PCF10121 | 6. Stakeholder Satisfaction | 0.0488
POD10106 | 2. Product Offering Development | ANL10106 | 2. Anomaly Reporting | -0.0487
PCF10125 | 7. Configuration Documentation | PUR10136 | 8. Supplier Relationship Management | 0.0486
TQA10124 | 6. Regression Testing | SPC10101 | 1. Product Specification Creation | 0.0486
INV10113 | 4. Order Management | COR10106 | 2. Catalogue Configuration and Deployment | 0.0485
PCC10113 | 4. Content Consistency | ANM10101 | 1. Anomaly Detection | -0.0485
CTP10117 | 5. Specification Distribution | ANM10101 | 1. Anomaly Detection | 0.0485
TQA10120 | 5. Test Environment Management | ANM10141 | 9. Risk Management | 0.0483
CAP10131 | 7. Risk Management | PBM10131 | 7. Continuous Monitoring | -0.0483
PCF10133 | 9. Configuration Performance Monitoring | POD10121 | 5. Product Offering Retirement | 0.0483
POD10126 | 6. Product Lifecycle Management | PCC10133 | 9. Content Effectiveness | -0.0483
POD10111 | 3. Product Commercialization | PUR10126 | 6. Compliance and Reporting | 0.0483
POD10101 | 1. Product Specification Development | POD10134 | 8. Market Analysis | -0.0482
CTL10101 | 1. Product Catalogue Creation | INV10101 | 1. Inventory Accuracy | 0.0482
OCD10137 | 10. Product Capability Retirement | TST10133 | 9. Compliance and Audit | 0.0482

Sub_Modules Correlation Summary

Total pairs examined: 171

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0167

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

TST10000 | Product Test Management | PCC10000 | Product Catalogue Content Management | -0.0614
PSU10000 | Product Support | PCC10000 | Product Catalogue Content Management | -0.0532
ANL10000 | Product Anomaly Lifecycle Management | TST10000 | Product Test Management | 0.0502
PPP10000 | Product Offering Portfolio Planning | ANL10000 | Product Anomaly Lifecycle Management | -0.0450
PCC10000 | Product Catalogue Content Management | PUR10000 | Product Offering Purchasing | 0.0433
OCD10000 | Product Offering Capability Delivery | CTL10000 | Product Catalogue Lifecycle Management | -0.0425
OCD10000 | Product Offering Capability Delivery | SPC10000 | Product Specification Management | -0.0424
COR10000 | Product Catalogue Operational Readiness Management | PBM10000 | Product Problem Management | -0.0398
SPC10000 | Product Specification Management | ANL10000 | Product Anomaly Lifecycle Management | -0.0396
TQA10000 | Product Test Quality Assurance | PBM10000 | Product Problem Management | 0.0392
ANL10000 | Product Anomaly Lifecycle Management | PSU10000 | Product Support | 0.0368
CTP10000 | Product Catalogue Planning Management | ANM10000 | Product Anomaly Management | -0.0354
PPP10000 | Product Offering Portfolio Planning | COR10000 | Product Catalogue Operational Readiness Management | 0.0336
WPO10000 | Work Product Orchestration | COR10000 | Product Catalogue Operational Readiness Management | 0.0335
INV10000 | Product Inventory Management | ANM10000 | Product Anomaly Management | -0.0334
OCD10000 | Product Offering Capability Delivery | ANM10000 | Product Anomaly Management | -0.0332

CAP10000 | Product Capacity Management | ANM10000 | Product Anomaly Management | 0.0331
PSU10000 | Product Support | COR10000 | Product Catalogue Operational Readiness Management | 0.0329
COR10000 | Product Catalogue Operational Readiness Management | CAP10000 | Product Capacity Management | 0.0319
CTL10000 | Product Catalogue Lifecycle Management | COR10000 | Product Catalogue Operational Readiness Management | -0.0310
ANL10000 | Product Anomaly Lifecycle Management | CAP10000 | Product Capacity Management | -0.0304
TQA10000 | Product Test Quality Assurance | PCC10000 | Product Catalogue Content Management | 0.0303
POD10000 | Product Specification and Offering Development and Retirement | TST10000 | Product Test Management | -0.0295
CTP10000 | Product Catalogue Planning Management | PUR10000 | Product Offering Purchasing | 0.0289
PPP10000 | Product Offering Portfolio Planning | INV10000 | Product Inventory Management | 0.0288
COR10000 | Product Catalogue Operational Readiness Management | PCC10000 | Product Catalogue Content Management | 0.0287
POD10000 | Product Specification and Offering Development and Retirement | ANL10000 | Product Anomaly Lifecycle Management | 0.0284
TQA10000 | Product Test Quality Assurance | ANM10000 | Product Anomaly Management | -0.0282
PSU10000 | Product Support | CAP10000 | Product Capacity Management | -0.0279
SPC10000 | Product Specification Management | CAP10000 | Product Capacity Management | -0.0271
SPC10000 | Product Specification Management | COR10000 | Product Catalogue Operational Readiness Management | -0.0270
TST10000 | Product Test Management | ANM10000 | Product Anomaly Management | 0.0270
CTP10000 | Product Catalogue Planning Management | PCC10000 | Product Catalogue Content Management | -0.0270
TQA10000 | Product Test Quality Assurance | INV10000 | Product Inventory Management | 0.0270
SPC10000 | Product Specification Management | INV10000 | Product Inventory Management | -0.0267
SPC10000 | Product Specification Management | PUR10000 | Product Offering Purchasing | 0.0264
WPO10000 | Work Product Orchestration | PSU10000 | Product Support | -0.0259
OCD10000 | Product Offering Capability Delivery | PUR10000 | Product Offering Purchasing | -0.0259
PPP10000 | Product Offering Portfolio Planning | OCD10000 | Product Offering Capability Delivery | 0.0250
PSU10000 | Product Support | TST10000 | Product Test Management | 0.0249
CAP10000 | Product Capacity Management | PBM10000 | Product Problem Management | -0.0246
CTP10000 | Product Catalogue Planning Management | CTL10000 | Product Catalogue Lifecycle Management | 0.0242
PPP10000 | Product Offering Portfolio Planning | PUR10000 | Product Offering Purchasing | 0.0241
SPC10000 | Product Specification Management | CTP10000 | Product Catalogue Planning Management | -0.0235
PUR10000 | Product Offering Purchasing | ANM10000 | Product Anomaly Management | 0.0234
CTL10000 | Product Catalogue Lifecycle Management | CAP10000 | Product Capacity Management | 0.0230
INV10000 | Product Inventory Management | PUR10000 | Product Offering Purchasing | -0.0228
POD10000 | Product Specification and Offering Development and Retirement | COR10000 | Product Catalogue Operational Readiness Management | -0.0228

POD10000 | Product Specification and Offering Development and Retirement | PBM10000 | Product Problem Management | -0.0223

PPP10000 | Product Offering Portfolio Planning | CTP10000 | Product Catalogue Planning Management | -0.0223

OCD10000 | Product Offering Capability Delivery | PBM10000 | Product Problem Management | -0.0218

TQA10000 | Product Test Quality Assurance | PSU10000 | Product Support | 0.0217

POD10000 | Product Specification and Offering Development and Retirement | PUR10000 | Product Offering Purchasing | -0.0215

WPO10000 | Work Product Orchestration | PBM10000 | Product Problem Management | -0.0215

CTL10000 | Product Catalogue Lifecycle Management | ANL10000 | Product Anomaly Lifecycle Management | 0.0214

ANL10000 | Product Anomaly Lifecycle Management | PCC10000 | Product Catalogue Content Management | 0.0213

OCD10000 | Product Offering Capability Delivery | POD10000 | Product Specification and Offering Development and Retirement | 0.0212

WPO10000 | Work Product Orchestration | CAP10000 | Product Capacity Management | -0.0210

WPO10000 | Work Product Orchestration | TST10000 | Product Test Management | -0.0210

PCF10000 | Product Configuration Management | ANM10000 | Product Anomaly Management | 0.0209

CTL10000 | Product Catalogue Lifecycle Management | PSU10000 | Product Support | 0.0202

POD10000 | Product Specification and Offering Development and Retirement | PCC10000 | Product Catalogue Content Management | 0.0202

OCD10000 | Product Offering Capability Delivery | CTP10000 | Product Catalogue Planning Management | 0.0201

CTL10000 | Product Catalogue Lifecycle Management | POD10000 | Product Specification and Offering Development and Retirement | 0.0201

TQA10000 | Product Test Quality Assurance | CAP10000 | Product Capacity Management | -0.0194

WPO10000 | Work Product Orchestration | POD10000 | Product Specification and Offering Development and Retirement | -0.0194

PBM10000 | Product Problem Management | ANM10000 | Product Anomaly Management | -0.0193

TQA10000 | Product Test Quality Assurance | CTP10000 | Product Catalogue Planning Management | -0.0193

INV10000 | Product Inventory Management | TST10000 | Product Test Management | -0.0190

OCD10000 | Product Offering Capability Delivery | TST10000 | Product Test Management | 0.0188

PCF10000 | Product Configuration Management | CTL10000 | Product Catalogue Lifecycle Management | 0.0184

PPP10000 | Product Offering Portfolio Planning | PSU10000 | Product Support | 0.0182

TST10000 | Product Test Management | PBM10000 | Product Problem Management | 0.0178

POD10000 | Product Specification and Offering Development and Retirement | PSU10000 | Product Support | -0.0177

TQA10000 | Product Test Quality Assurance | PCF10000 | Product Configuration Management | 0.0175

PCF10000 | Product Configuration Management | PBM10000 | Product Problem Management | -0.0172

ANL10000 | Product Anomaly Lifecycle Management | INV10000 | Product Inventory Management | 0.0170

WPO10000 | Work Product Orchestration | CTL10000 | Product Catalogue Lifecycle Management | -0.0168

SPC10000 | Product Specification Management | PBM10000 | Product Problem Management | 0.0166

TQA10000 | Product Test Quality Assurance | CTL10000 | Product Catalogue Lifecycle Management | 0.0163

ANL10000 | Product Anomaly Lifecycle Management | PUR10000 | Product Offering Purchasing | 0.0163

PCF10000 | Product Configuration Management | PUR10000 | Product Offering Purchasing | 0.0162
INV10000 | Product Inventory Management | PCC10000 | Product Catalogue Content Management | 0.0155
OCD10000 | Product Offering Capability Delivery | ANL10000 | Product Anomaly Lifecycle Management | 0.0155
CTP10000 | Product Catalogue Planning Management | COR10000 | Product Catalogue Operational Readiness Management | 0.0154
PCF10000 | Product Configuration Management | TST10000 | Product Test Management | 0.0154
PPP10000 | Product Offering Portfolio Planning | TST10000 | Product Test Management | 0.0154
WPO10000 | Work Product Orchestration | PPP10000 | Product Offering Portfolio Planning | -0.0153
PSU10000 | Product Support | INV10000 | Product Inventory Management | 0.0151
PPP10000 | Product Offering Portfolio Planning | SPC10000 | Product Specification Management | 0.0149
TST10000 | Product Test Management | COR10000 | Product Catalogue Operational Readiness Management | -0.0146
CTL10000 | Product Catalogue Lifecycle Management | ANM10000 | Product Anomaly Management | -0.0142
TST10000 | Product Test Management | CAP10000 | Product Capacity Management | 0.0140
PCF10000 | Product Configuration Management | INV10000 | Product Inventory Management | -0.0140
WPO10000 | Work Product Orchestration | PCF10000 | Product Configuration Management | -0.0139
CTP10000 | Product Catalogue Planning Management | POD10000 | Product Specification and Offering Development and Retirement | 0.0137
WPO10000 | Work Product Orchestration | PUR10000 | Product Offering Purchasing | -0.0135
WPO10000 | Work Product Orchestration | ANL10000 | Product Anomaly Lifecycle Management | -0.0127
PCC10000 | Product Catalogue Content Management | ANM10000 | Product Anomaly Management | -0.0124
PCF10000 | Product Configuration Management | PSU10000 | Product Support | 0.0124
SPC10000 | Product Specification Management | PCC10000 | Product Catalogue Content Management | -0.0121
PSU10000 | Product Support | ANM10000 | Product Anomaly Management | -0.0120
PCF10000 | Product Configuration Management | COR10000 | Product Catalogue Operational Readiness Management | 0.0116
SPC10000 | Product Specification Management | PSU10000 | Product Support | 0.0116
PPP10000 | Product Offering Portfolio Planning | CTL10000 | Product Catalogue Lifecycle Management | 0.0116
CAP10000 | Product Capacity Management | PUR10000 | Product Offering Purchasing | -0.0111
PCF10000 | Product Configuration Management | CAP10000 | Product Capacity Management | 0.0109
POD10000 | Product Specification and Offering Development and Retirement | ANM10000 | Product Anomaly Management | 0.0109
WPO10000 | Work Product Orchestration | SPC10000 | Product Specification Management | 0.0107
TQA10000 | Product Test Quality Assurance | OCD10000 | Product Offering Capability Delivery | -0.0104
SPC10000 | Product Specification Management | CTL10000 | Product Catalogue Lifecycle Management | 0.0104
CTP10000 | Product Catalogue Planning Management | TST10000 | Product Test Management | -0.0101
CTL10000 | Product Catalogue Lifecycle Management | PUR10000 | Product Offering Purchasing | 0.0100
PCF10000 | Product Configuration Management | POD10000 | Product Specification and Offering Development and Retirement | 0.0097
PCC10000 | Product Catalogue Content Management | PBM10000 | Product Problem Management | -0.0093
OCD10000 | Product Offering Capability Delivery | INV10000 | Product Inventory Management | -0.0093

WPO10000 | Work Product Orchestration | CTP10000 | Product Catalogue Planning Management | 0.0092
SPC10000 | Product Specification Management | ANM10000 | Product Anomaly Management | -0.0091
CTL10000 | Product Catalogue Lifecycle Management | PCC10000 | Product Catalogue Content Management | 0.0090
PPP10000 | Product Offering Portfolio Planning | POD10000 | Product Specification and Offering Development and Retirement | -0.0086
CTP10000 | Product Catalogue Planning Management | PCF10000 | Product Configuration Management | 0.0083
PPP10000 | Product Offering Portfolio Planning | CAP10000 | Product Capacity Management | -0.0077
TQA10000 | Product Test Quality Assurance | PUR10000 | Product Offering Purchasing | -0.0076
CTL10000 | Product Catalogue Lifecycle Management | PBM10000 | Product Problem Management | -0.0070
TQA10000 | Product Test Quality Assurance | TST10000 | Product Test Management | 0.0069
CTP10000 | Product Catalogue Planning Management | PSU10000 | Product Support | -0.0066
PPP10000 | Product Offering Portfolio Planning | TQA10000 | Product Test Quality Assurance | -0.0065
PPP10000 | Product Offering Portfolio Planning | PCF10000 | Product Configuration Management | 0.0065
PSU10000 | Product Support | PBM10000 | Product Problem Management | -0.0064
CTP10000 | Product Catalogue Planning Management | INV10000 | Product Inventory Management | -0.0064
INV10000 | Product Inventory Management | COR10000 | Product Catalogue Operational Readiness Management | 0.0063
TQA10000 | Product Test Quality Assurance | ANL10000 | Product Anomaly Lifecycle Management | -0.0062
OCD10000 | Product Offering Capability Delivery | PCC10000 | Product Catalogue Content Management | -0.0061
POD10000 | Product Specification and Offering Development and Retirement | INV10000 | Product Inventory Management | 0.0059
CTP10000 | Product Catalogue Planning Management | ANL10000 | Product Anomaly Lifecycle Management | -0.0056
CTP10000 | Product Catalogue Planning Management | CAP10000 | Product Capacity Management | 0.0055
CTL10000 | Product Catalogue Lifecycle Management | INV10000 | Product Inventory Management | 0.0054
PCF10000 | Product Configuration Management | ANL10000 | Product Anomaly Lifecycle Management | -0.0051
CTL10000 | Product Catalogue Lifecycle Management | TST10000 | Product Test Management | 0.0051
COR10000 | Product Catalogue Operational Readiness Management | PUR10000 | Product Offering Purchasing | -0.0050
TQA10000 | Product Test Quality Assurance | COR10000 | Product Catalogue Operational Readiness Management | 0.0044
PUR10000 | Product Offering Purchasing | PBM10000 | Product Problem Management | -0.0042
SPC10000 | Product Specification Management | POD10000 | Product Specification and Offering Development and Retirement | -0.0042
SPC10000 | Product Specification Management | PCF10000 | Product Configuration Management | 0.0042
CTP10000 | Product Catalogue Planning Management | PBM10000 | Product Problem Management | -0.0041
PPP10000 | Product Offering Portfolio Planning | ANM10000 | Product Anomaly Management | 0.0041
INV10000 | Product Inventory Management | PBM10000 | Product Problem Management | 0.0040
INV10000 | Product Inventory Management | CAP10000 | Product Capacity Management | -0.0037
OCD10000 | Product Offering Capability Delivery | PCF10000 | Product Configuration Management | 0.0037

=== chaid_risk_segmentation_report_product.txt ===

CHAID Risk Segmentation Report

Generated on: 2026-09-20 14:58:06

CHAID Tree Summary:

[[([], {'Critical': 273.0, 'High': 361.0}, (Repetition, p=6.743142576932802e-140, score=634.0, groups=[['Irregular'], ['Repetitive']]), dof=1)), ([['Irregular'], {'Critical': 273.0, 'High': 0}], <Invalid Chaid Split> - the node only contains single category respondents), ([['Repetitive'], {'Critical': 0, 'High': 361.0}], <Invalid Chaid Split> - the node only contains single category respondents)]

High-Risk Metrics Summary (Critical + High):

Metric ID | Metric Name | Risk Level | Trend | Repetition | Avg Correlation | Inconsistency Level

WPO10102	Number of Work Items Decomposed	Critical	Decreasing	Irregular	Low	Very High
WPO10103	Average Decomposition Time	High	Increasing	Repetitive	Low	Very High
WPO10104	Decomposition Accuracy	High	Increasing	Repetitive	Low	Very High
WPO10106	Configuration Changes	High	Decreasing	Repetitive	Low	Very High
WPO10107	Configuration Time	High	Stable	Repetitive	Low	Very High
WPO10108	Configuration Errors	Critical	Stable	Irregular	Low	Very High
WPO10110	Execution Time	Critical	Stable	Irregular	Low	Very High
WPO10111	Success Rate	Critical	Increasing	Irregular	Low	Very High
WPO10112	Error Rate	High	Increasing	Repetitive	Low	Very High
WPO10114	Lifecycle Duration	Critical	Stable	Irregular	Low	Very High
WPO10115	Instances Created	High	Stable	Repetitive	Low	Very High
WPO10116	Instances Completed	Critical	Increasing	Irregular	Low	Very High
WPO10118	Policy Changes	Critical	Increasing	Irregular	Low	Very High
WPO10119	Policy Update Time	Critical	Increasing	Irregular	Low	Very High
WPO10120	Policy Compliance	High	Stable	Repetitive	Low	Very High
WPO10122	Sequence Accuracy	High	Decreasing	Repetitive	Low	Very High
WPO10123	Control Failures	High	Increasing	Repetitive	Low	Very High
WPO10124	Sequence Execution Time	Critical	Decreasing	Irregular	Low	Very High
WPO10126	Configuration Changes	Critical	Stable	Irregular	Low	Very High
WPO10127	Configuration Time	High	Increasing	Repetitive	Low	Very High
WPO10128	Configuration Errors	High	Stable	Repetitive	Low	Very High
WPO10130	Execution Time	High	Increasing	Repetitive	Low	Very High
WPO10131	Success Rate	High	Decreasing	Repetitive	Low	Very High
WPO10132	Error Rate	High	Stable	Repetitive	Low	Very High
WPO10133	Success Rate	High	Decreasing	Repetitive	Low	Very High
WPO10135	Configuration Changes	Critical	Increasing	Irregular	Low	Very High

WPO10136 | Configuration Time | High | Decreasing | Repetitive | Low | Very High
WPO10137 | Configuration Errors | Critical | Increasing | Irregular | Low | Very High
PPP10102 | Market Share | High | Stable | Repetitive | Low | Very High
PPP10103 | Customer Acquisition Cost (CAC) by Product | High | Increasing | Repetitive | Low | Very High
PPP10104 | Customer Lifetime Value (CLV) by Product | Critical | Stable | Irregular | Low | Very High
PPP10105 | Net Promoter Score (NPS) by Product | Critical | Increasing | Irregular | Low | Very High
PPP10107 | Active Usage by Product | High | Stable | Repetitive | Low | Very High
PPP10108 | Revenue per User (ARPU) by Product | High | Decreasing | Repetitive | Low | Very High
PPP10109 | Customer Churn Rate by Product | High | Increasing | Repetitive | Low | Very High
PPP10110 | Conversion Rate by Product/Service | Critical | Stable | Irregular | Low | Very High
PPP10112 | Resource Allocation by Product | Critical | Increasing | Irregular | Low | Very High
PPP10113 | Product Cannibalization | Critical | Increasing | Irregular | Low | Very High
PPP10114 | Innovation Rate | Critical | Decreasing | Irregular | Low | Very High
TQA10102 | Number of Test Cases | High | Stable | Repetitive | Low | Very High
TQA10103 | Test Case Coverage | Critical | Stable | Irregular | Low | Very High
TQA10104 | Test Case Design Time | Critical | Increasing | Irregular | Low | Very High
TQA10106 | Test Execution Time | Critical | Decreasing | Irregular | Low | Very High
TQA10107 | Test Pass Rate | Critical | Stable | Irregular | Low | Very High
TQA10108 | Test Fail Rate | Critical | Stable | Irregular | Low | Very High
TQA10109 | Defects Found | High | Stable | Repetitive | Low | Very High
TQA10111 | Automation Coverage | Critical | Stable | Irregular | Low | Very High
TQA10112 | Automation Execution Time | Critical | Increasing | Irregular | Low | Very High
TQA10113 | Automation Success Rate | Critical | Decreasing | Irregular | Low | Very High
TQA10114 | Automation Fail Rate | High | Decreasing | Repetitive | Low | Very High
TQA10116 | Defect Density | High | Stable | Repetitive | Low | Very High
TQA10117 | Defect Resolution Time | Critical | Stable | Irregular | Low | Very High
TQA10118 | Reopen Rate | High | Stable | Repetitive | Low | Very High
TQA10119 | Severity of Defects | Critical | Stable | Irregular | Low | Very High
TQA10121 | Environment Stability | Critical | Stable | Irregular | Low | Very High
TQA10122 | Environment Setup Time | High | Increasing | Repetitive | Low | Very High
TQA10123 | Environment Downtime | Critical | Stable | Irregular | Low | Very High
TQA10125 | Regression Test Pass Rate | High | Increasing | Repetitive | Low | Very High
TQA10126 | Regression Test Execution Time | High | Stable | Repetitive | Low | Very High
TQA10127 | Regression Test Coverage | High | Increasing | Repetitive | Low | Very High
TQA10129 | Response Time | High | Decreasing | Repetitive | Low | Very High
TQA10130 | Throughput | High | Stable | Repetitive | Low | Very High
TQA10131 | Scalability | High | Increasing | Repetitive | Low | Very High
TQA10132 | Resource Utilization | High | Increasing | Repetitive | Low | Very High
TQA10134 | UAT Pass Rate | Critical | Decreasing | Irregular | Low | Very High
TQA10135 | UAT Execution Time | High | Stable | Repetitive | Low | Very High

TQA10136 | UAT Defects Found | High | Increasing | Repetitive | Low | Very High
TQA10138 | Test Reports Generated | High | Stable | Repetitive | Low | Very High
TQA10139 | Report Accuracy | High | Increasing | Repetitive | Low | Very High
TQA10140 | Report Generation Time | High | Stable | Repetitive | Low | Very High
TQA10142 | CI Build Success Rate | High | Stable | Repetitive | Low | Very High
TQA10143 | CI Build Time | Critical | Decreasing | Irregular | Low | Very High
TQA10144 | CI Test Coverage | Critical | Stable | Irregular | Low | Very High
OCD10102 | Requirements Identified | High | Increasing | Repetitive | Low | Very High
OCD10103 | Requirement Validation Time | High | Decreasing | Repetitive | Low | Very High
OCD10104 | Stakeholder Satisfaction | Critical | Increasing | Irregular | Low | Very High
OCD10106 | Shortfalls Identified | High | Increasing | Repetitive | Low | Very High
OCD10107 | Shortfall Resolution Time | High | Decreasing | Repetitive | Low | Very High
OCD10108 | Shortfall Impact Analysis | High | Decreasing | Repetitive | Low | Very High
OCD10110 | Business Cases Submitted | High | Decreasing | Repetitive | Low | Very High
OCD10111 | Approval Time | High | Decreasing | Repetitive | Low | Very High
OCD10112 | Approval Rate | High | Increasing | Repetitive | Low | Very High
OCD10114 | Delivery Time | High | Decreasing | Repetitive | Low | Very High
OCD10115 | On-Time Delivery Rate | Critical | Decreasing | Irregular | Low | Very High
OCD10116 | Delivery Quality | Critical | Stable | Irregular | Low | Very High
OCD10118 | Strategy Development Time | Critical | Increasing | Irregular | Low | Very High
OCD10119 | Strategy Implementation Rate | High | Increasing | Repetitive | Low | Very High
OCD10120 | Market Alignment | Critical | Decreasing | Irregular | Low | Very High
OCD10122 | Business Plans Developed | Critical | Decreasing | Irregular | Low | Very High
OCD10123 | Plan Execution Time | High | Stable | Repetitive | Low | Very High
OCD10124 | Plan Success Rate | High | Decreasing | Repetitive | Low | Very High
OCD10126 | Deployment Time | High | Decreasing | Repetitive | Low | Very High
OCD10127 | Deployment Success Rate | Critical | Increasing | Irregular | Low | Very High
OCD10128 | Deployment Issues | Critical | Stable | Irregular | Low | Very High
OCD10130 | Monitoring Frequency | High | Decreasing | Repetitive | Low | Very High
OCD10131 | Performance Metrics | High | Decreasing | Repetitive | Low | Very High
OCD10132 | Monitoring Accuracy | Critical | Stable | Irregular | Low | Very High
OCD10134 | Initiatives Launched | Critical | Decreasing | Irregular | Low | Very High
OCD10135 | Initiative Success Rate | Critical | Stable | Irregular | Low | Very High
OCD10136 | Customer Feedback | Critical | Decreasing | Irregular | Low | Very High
OCD10138 | Retirement Rate | High | Increasing | Repetitive | Low | Very High
OCD10139 | Retirement Time | Critical | Stable | Irregular | Low | Very High
OCD10140 | Retirement Impact Analysis | Critical | Increasing | Irregular | Low | Very High
SPC10102 | Number of Specifications Created | Critical | Decreasing | Irregular | Low | Very High
SPC10103 | Specification Creation Time | High | Increasing | Repetitive | Low | Very High
SPC10104 | Accuracy of Specifications | High | Increasing | Repetitive | Low | Very High

SPC10106 | Review Cycle Time | High | Stable | Repetitive | Low | Very High
SPC10107 | Approval Rate | High | Decreasing | Repetitive | Low | Very High
SPC10108 | Review Iterations | Critical | Decreasing | Irregular | Low | Very High
SPC10110 | Compliance Rate | Critical | Increasing | Irregular | Low | Very High
SPC10111 | Audit Findings | High | Stable | Repetitive | Low | Very High
SPC10112 | Compliance Correction Time | Critical | Decreasing | Irregular | Low | Very High
SPC10114 | Update Frequency | High | Stable | Repetitive | Low | Very High
SPC10115 | Update Time | Critical | Decreasing | Irregular | Low | Very High
SPC10116 | Update Accuracy | Critical | Stable | Irregular | Low | Very High
SPC10118 | Distribution Time | High | Stable | Repetitive | Low | Very High
SPC10119 | Stakeholder Access | Critical | Decreasing | Irregular | Low | Very High
SPC10120 | Distribution Errors | High | Decreasing | Repetitive | Low | Very High
SPC10122 | Impact Analysis Completion Time | High | Decreasing | Repetitive | Low | Very High
SPC10123 | Impact Accuracy | High | Increasing | Repetitive | Low | Very High
SPC10124 | Stakeholder Satisfaction | High | Increasing | Repetitive | Low | Very High
SPC10126 | Change Request Volume | High | Increasing | Repetitive | Low | Very High
SPC10127 | Change Approval Rate | High | Stable | Repetitive | Low | Very High
SPC10128 | Change Implementation Time | High | Decreasing | Repetitive | Low | Very High
SPC10130 | Document Quality Score | High | Increasing | Repetitive | Low | Very High
SPC10131 | Document Review Time | High | Stable | Repetitive | Low | Very High
SPC10132 | Documentation Errors | High | Stable | Repetitive | Low | Very High
SPC10134 | Communication Timeliness | High | Stable | Repetitive | Low | Very High
SPC10135 | Communication Clarity | High | Stable | Repetitive | Low | Very High
SPC10136 | Feedback Responsiveness | Critical | Increasing | Irregular | Low | Very High
SPC10138 | Engagement Rate | Critical | Decreasing | Irregular | Low | Very High
SPC10139 | Feedback Incorporation | Critical | Increasing | Irregular | Low | Very High
SPC10140 | Stakeholder Satisfaction | High | Stable | Repetitive | Low | Very High
CTP10102 | Number of Specifications Created | High | Stable | Repetitive | Low | Very High
CTP10103 | Specification Creation Time | Critical | Decreasing | Irregular | Low | Very High
CTP10104 | Accuracy of Specifications | Critical | Increasing | Irregular | Low | Very High
CTP10106 | Review Cycle Time | High | Increasing | Repetitive | Low | Very High
CTP10107 | Approval Rate | Critical | Stable | Irregular | Low | Very High
CTP10108 | Review Iterations | High | Increasing | Repetitive | Low | Very High
CTP10110 | Compliance Rate | Critical | Stable | Irregular | Low | Very High
CTP10111 | Audit Findings | High | Increasing | Repetitive | Low | Very High
CTP10112 | Compliance Correction Time | Critical | Decreasing | Irregular | Low | Very High
CTP10114 | Update Frequency | High | Stable | Repetitive | Low | Very High
CTP10115 | Update Time | Critical | Increasing | Irregular | Low | Very High
CTP10116 | Update Accuracy | High | Decreasing | Repetitive | Low | Very High
CTP10118 | Distribution Time | Critical | Increasing | Irregular | Low | Very High

CTP10119 | Stakeholder Access | Critical | Decreasing | Irregular | Low | Very High
CTP10120 | Distribution Errors | Critical | Stable | Irregular | Low | Very High
CTP10122 | Impact Analysis Completion Time | High | Decreasing | Repetitive | Low | Very High
CTP10123 | Impact Accuracy | High | Stable | Repetitive | Low | Very High
CTP10124 | Stakeholder Satisfaction | High | Decreasing | Repetitive | Low | Very High
CTP10126 | Change Request Volume | High | Increasing | Repetitive | Low | Very High
CTP10127 | Change Approval Rate | High | Increasing | Repetitive | Low | Very High
CTP10128 | Change Implementation Time | High | Decreasing | Repetitive | Low | Very High
CTP10130 | Document Quality Score | Critical | Stable | Irregular | Low | Very High
CTP10131 | Document Review Time | High | Stable | Repetitive | Low | Very High
CTP10132 | Documentation Errors | High | Stable | Repetitive | Low | Very High
CTP10134 | Communication Timeliness | High | Stable | Repetitive | Low | Very High
CTP10135 | Communication Clarity | High | Increasing | Repetitive | Low | Very High
CTP10136 | Feedback Responsiveness | Critical | Increasing | Irregular | Low | Very High
CTP10138 | Engagement Rate | High | Decreasing | Repetitive | Low | Very High
CTP10139 | Feedback Incorporation | High | Increasing | Repetitive | Low | Very High
CTP10140 | Stakeholder Satisfaction | High | Stable | Repetitive | Low | Very High
PCF10102 | Number of Configuration Changes | High | Increasing | Repetitive | Low | Very High
PCF10103 | Change Approval Rate | Critical | Stable | Irregular | Low | Very High
PCF10104 | Change Implementation Time | High | Increasing | Repetitive | Low | Very High
PCF10106 | Configuration Error Rate | High | Decreasing | Repetitive | Low | Very High
PCF10107 | Configuration Correction Time | High | Stable | Repetitive | Low | Very High
PCF10108 | Accuracy of Initial Configuration | Critical | Increasing | Irregular | Low | Very High
PCF10110 | Compliance Rate | High | Decreasing | Repetitive | Low | Very High
PCF10111 | Audit Findings | Critical | Stable | Irregular | Low | Very High
PCF10112 | Compliance Correction Time | High | Decreasing | Repetitive | Low | Very High
PCF10114 | Update Frequency | Critical | Stable | Irregular | Low | Very High
PCF10115 | Frequency of Critical Updates | High | Decreasing | Repetitive | Low | Very High
PCF10116 | Update Lead Time | High | Increasing | Repetitive | Low | Very High
PCF10118 | Version Control Accuracy | High | Stable | Repetitive | Low | Very High
PCF10119 | Version Control Issues | High | Increasing | Repetitive | Low | Very High
PCF10120 | Rollback Frequency | High | Decreasing | Repetitive | Low | Very High
PCF10122 | Stakeholder Satisfaction Score | Critical | Stable | Irregular | Low | Very High
PCF10123 | Feedback Incorporation Rate | Critical | Stable | Irregular | Low | Very High
PCF10124 | Configuration Change Requests | High | Increasing | Repetitive | Low | Very High
PCF10126 | Documentation Completeness | High | Decreasing | Repetitive | Low | Very High
PCF10127 | Documentation Update Time | High | Decreasing | Repetitive | Low | Very High
PCF10128 | Documentation Errors | High | Stable | Repetitive | Low | Very High
PCF10130 | Impact Analysis Completion Time | Critical | Increasing | Irregular | Low | Very High
PCF10131 | Impact Analysis Accuracy | High | Decreasing | Repetitive | Low | Very High

PCF10132 | Stakeholder Review | High | Increasing | Repetitive | Low | Very High
PCF10134 | Performance Deviation | High | Increasing | Repetitive | Low | Very High
PCF10135 | Monitoring Frequency | Critical | Decreasing | Irregular | Low | Very High
PCF10136 | Monitoring Alerts | High | Decreasing | Repetitive | Low | Very High
PCF10138 | Efficiency Ratio | Critical | Decreasing | Irregular | Low | Very High
PCF10139 | Resource Utilization | High | Stable | Repetitive | Low | Very High
PCF10140 | Process Improvement Initiatives | High | Decreasing | Repetitive | Low | Very High
CTL10102 | Number of New Specifications | High | Stable | Repetitive | Low | Very High
CTL10103 | Development Time | Critical | Stable | Irregular | Low | Very High
CTL10104 | Specification Approval Rate | Critical | Stable | Irregular | Low | Very High
CTL10105 | Stakeholder Feedback | High | Decreasing | Repetitive | Low | Very High
CTL10107 | Number of New Offerings | High | Decreasing | Repetitive | Low | Very High
CTL10108 | Development Time | High | Increasing | Repetitive | Low | Very High
CTL10109 | Offering Approval Rate | High | Increasing | Repetitive | Low | Very High
CTL10110 | Market Research | High | Stable | Repetitive | Low | Very High
CTL10112 | Number of Catalogues Created | Critical | Stable | Irregular | Low | Very High
CTL10113 | Creation Time | Critical | Increasing | Irregular | Low | Very High
CTL10114 | Catalogue Approval Rate | High | Increasing | Repetitive | Low | Very High
CTL10115 | Stakeholder Feedback | High | Stable | Repetitive | Low | Very High
CTL10117 | Update Frequency | Critical | Decreasing | Irregular | Low | Very High
CTL10118 | Update Time | Critical | Decreasing | Irregular | Low | Very High
CTL10119 | Update Accuracy | Critical | Increasing | Irregular | Low | Very High
CTL10121 | Distribution Time | High | Stable | Repetitive | Low | Very High
CTL10122 | Stakeholder Access | High | Stable | Repetitive | Low | Very High
CTL10123 | Distribution Errors | High | Increasing | Repetitive | Low | Very High
CTL10125 | Retirement Rate | Critical | Stable | Irregular | Low | Very High
CTL10126 | Retirement Time | High | Stable | Repetitive | Low | Very High
CTL10127 | Retirement Impact Analysis | High | Stable | Repetitive | Low | Very High
CTL10128 | Customer Feedback | Critical | Stable | Irregular | Low | Very High
CTL10130 | Version Control Accuracy | Critical | Decreasing | Irregular | Low | Very High
CTL10131 | Version Control Issues | High | Decreasing | Repetitive | Low | Very High
CTL10132 | Rollback Frequency | Critical | Increasing | Irregular | Low | Very High
CTL10134 | Engagement Rate | Critical | Decreasing | Irregular | Low | Very High
CTL10135 | Feedback Incorporation | Critical | Increasing | Irregular | Low | Very High
CTL10136 | Stakeholder Satisfaction | High | Decreasing | Repetitive | Low | Very High
CTL10138 | Document Quality Score | Critical | Decreasing | Irregular | Low | Very High
CTL10139 | Document Review Time | Critical | Stable | Irregular | Low | Very High
CTL10140 | Documentation Errors | High | Stable | Repetitive | Low | Very High
CTL10142 | Innovation Rate | High | Stable | Repetitive | Low | Very High
CTL10143 | Development Time | High | Increasing | Repetitive | Low | Very High

CTL10144 | R&D Investment | High | Increasing | Repetitive | Low | Very High
POD10102 | Number of New Specifications | Critical | Decreasing | Irregular | Low | Very High
POD10103 | Development Time | Critical | Stable | Irregular | Low | Very High
POD10104 | Specification Approval Rate | Critical | Stable | Irregular | Low | Very High
POD10105 | Stakeholder Feedback | High | Stable | Repetitive | Low | Very High
POD10107 | Number of New Offerings | High | Decreasing | Repetitive | Low | Very High
POD10108 | Development Time | High | Increasing | Repetitive | Low | Very High
POD10109 | Offering Approval Rate | High | Increasing | Repetitive | Low | Very High
POD10110 | Market Research | Critical | Increasing | Irregular | Low | Very High
POD10112 | Commercialization Time | High | Decreasing | Repetitive | Low | Very High
POD10113 | Market Launch Success Rate | High | Stable | Repetitive | Low | Very High
POD10114 | Marketing Campaign Effectiveness | High | Decreasing | Repetitive | Low | Very High
POD10115 | Customer Acquisition Rate | High | Stable | Repetitive | Low | Very High
POD10117 | Performance Metrics | Critical | Increasing | Irregular | Low | Very High
POD10118 | Monitoring Frequency | Critical | Stable | Irregular | Low | Very High
POD10119 | Performance Improvement Initiatives | Critical | Decreasing | Irregular | Low | Very High
POD10120 | Customer Satisfaction | Critical | Stable | Irregular | Low | Very High
POD10122 | Retirement Rate | Critical | Stable | Irregular | Low | Very High
POD10123 | Retirement Time | Critical | Increasing | Irregular | Low | Very High
POD10124 | Retirement Impact Analysis | Critical | Stable | Irregular | Low | Very High
POD10125 | Customer Feedback | High | Stable | Repetitive | Low | Very High
POD10127 | Lifecycle Duration | High | Increasing | Repetitive | Low | Very High
POD10128 | Lifecycle Costs | Critical | Stable | Irregular | Low | Very High
POD10129 | Lifecycle Efficiency | High | Increasing | Repetitive | Low | Very High
POD10131 | Strategy Development Time | Critical | Increasing | Irregular | Low | Very High
POD10132 | Strategy Implementation Rate | High | Increasing | Repetitive | Low | Very High
POD10133 | Market Alignment | High | Increasing | Repetitive | Low | Very High
POD10135 | Market Analysis Frequency | Critical | Decreasing | Irregular | Low | Very High
POD10136 | Market Trends Identified | High | Stable | Repetitive | Low | Very High
POD10137 | Market Analysis Accuracy | High | Decreasing | Repetitive | Low | Very High
POD10139 | Engagement Rate | High | Decreasing | Repetitive | Low | Very High
POD10140 | Feedback Incorporation | Critical | Increasing | Irregular | Low | Very High
POD10141 | Stakeholder Satisfaction | High | Stable | Repetitive | Low | Very High
POD10143 | Innovation Rate | Critical | Decreasing | Irregular | Low | Very High
POD10144 | Development Time | High | Stable | Repetitive | Low | Very High
POD10145 | R&D Investment | Critical | Stable | Irregular | Low | Very High
ANL10102 | Detection Accuracy | Critical | Stable | Irregular | Low | Very High
ANL10103 | False Positive Rate | High | Increasing | Repetitive | Low | Very High
ANL10104 | False Negative Rate | Critical | Decreasing | Irregular | Low | Very High
ANL10105 | Detection Time | High | Increasing | Repetitive | Low | Very High

ANL10107 | Reporting Rate | Critical | Decreasing | Irregular | Low | Very High
ANL10108 | Report Accuracy | High | Decreasing | Repetitive | Low | Very High
ANL10109 | Report Time | High | Stable | Repetitive | Low | Very High
ANL10110 | Stakeholder Feedback | Critical | Decreasing | Irregular | Low | Very High
ANL10112 | Analysis Time | High | Increasing | Repetitive | Low | Very High
ANL10113 | Root Cause Identification Rate | High | Increasing | Repetitive | Low | Very High
ANL10114 | Analysis Accuracy | Critical | Stable | Irregular | Low | Very High
ANL10115 | Analytical Tools Utilization | High | Decreasing | Repetitive | Low | Very High
ANL10117 | Resolution Time | High | Increasing | Repetitive | Low | Very High
ANL10118 | Resolution Success Rate | High | Decreasing | Repetitive | Low | Very High
ANL10119 | Reoccurrence Rate | High | Stable | Repetitive | Low | Very High
ANL10120 | Resolution Methods | High | Decreasing | Repetitive | Low | Very High
ANL10122 | Communication Timeliness | High | Decreasing | Repetitive | Low | Very High
ANL10123 | Stakeholder Engagement | Critical | Decreasing | Irregular | Low | Very High
ANL10124 | Feedback Incorporation Rate | High | Decreasing | Repetitive | Low | Very High
ANL10125 | Communication Clarity | Critical | Increasing | Irregular | Low | Very High
ANL10127 | Impact Analysis Time | High | Stable | Repetitive | Low | Very High
ANL10128 | Impact Severity | High | Decreasing | Repetitive | Low | Very High
ANL10129 | Impact Mitigation Success | Critical | Decreasing | Irregular | Low | Very High
ANL10130 | Customer Impact | High | Increasing | Repetitive | Low | Very High
ANL10132 | Monitoring Frequency | High | Stable | Repetitive | Low | Very High
ANL10133 | Monitoring Coverage | Critical | Increasing | Irregular | Low | Very High
ANL10134 | Monitoring Alerts | High | Decreasing | Repetitive | Low | Very High
ANL10135 | Monitoring Accuracy | High | Decreasing | Repetitive | Low | Very High
ANL10137 | Documentation Completeness | High | Stable | Repetitive | Low | Very High
ANL10138 | Knowledge Base Usage | Critical | Increasing | Irregular | Low | Very High
ANL10139 | Document Update Frequency | Critical | Stable | Irregular | Low | Very High
ANL10140 | Knowledge Transfer Sessions | High | Stable | Repetitive | Low | Very High
ANL10142 | Risk Identification Rate | Critical | Increasing | Irregular | Low | Very High
ANL10143 | Risk Mitigation Time | High | Stable | Repetitive | Low | Very High
ANL10144 | Risk Severity | High | Increasing | Repetitive | Low | Very High
ANL10145 | Risk Resolution Rate | High | Stable | Repetitive | Low | Very High
ANL10147 | Improvement Initiatives | High | Stable | Repetitive | Low | Very High
ANL10148 | Improvement Impact | Critical | Increasing | Irregular | Low | Very High
ANL10149 | Innovation Rate | Critical | Stable | Irregular | Low | Very High
ANL10150 | Employee Suggestions | Critical | Increasing | Irregular | Low | Very High
PSU10102 | Incident Volume | High | Stable | Repetitive | Low | Very High
PSU10103 | Incident Resolution Time | High | Decreasing | Repetitive | Low | Very High
PSU10104 | First Call Resolution Rate | Critical | Decreasing | Irregular | Low | Very High
PSU10105 | Incident Reopen Rate | High | Stable | Repetitive | Low | Very High

PSU10107 | Service Request Volume | Critical | Increasing | Irregular | Low | Very High
PSU10108 | Request Fulfillment Time | Critical | Increasing | Irregular | Low | Very High
PSU10109 | Request Escalation Rate | High | Stable | Repetitive | Low | Very High
PSU10110 | Customer Satisfaction | Critical | Decreasing | Irregular | Low | Very High
PSU10112 | Problem Volume | Critical | Stable | Irregular | Low | Very High
PSU10113 | Problem Resolution Time | High | Increasing | Repetitive | Low | Very High
PSU10114 | Root Cause Analysis Time | Critical | Stable | Irregular | Low | Very High
PSU10115 | Recurring Problem Rate | High | Decreasing | Repetitive | Low | Very High
PSU10117 | Change Volume | Critical | Decreasing | Irregular | Low | Very High
PSU10118 | Change Success Rate | Critical | Increasing | Irregular | Low | Very High
PSU10119 | Change Implementation Time | Critical | Stable | Irregular | Low | Very High
PSU10120 | Change-Related Incidents | High | Increasing | Repetitive | Low | Very High
PSU10122 | Knowledge Base Articles | High | Increasing | Repetitive | Low | Very High
PSU10123 | Knowledge Base Usage | Critical | Increasing | Irregular | Low | Very High
PSU10124 | Knowledge Base Accuracy | High | Stable | Repetitive | Low | Very High
PSU10125 | User Feedback | Critical | Decreasing | Irregular | Low | Very High
PSU10127 | Agent Utilization | High | Stable | Repetitive | Low | Very High
PSU10128 | Agent Productivity | High | Decreasing | Repetitive | Low | Very High
PSU10129 | Training Hours | High | Stable | Repetitive | Low | Very High
PSU10130 | Agent Satisfaction | High | Decreasing | Repetitive | Low | Very High
PSU10132 | Customer Satisfaction Score (CSAT) | Critical | Decreasing | Irregular | Low | Very High
PSU10133 | Net Promoter Score (NPS) | Critical | Stable | Irregular | Low | Very High
PSU10134 | Customer Feedback Volume | Critical | Stable | Irregular | Low | Very High
PSU10135 | Feedback Resolution Time | Critical | Decreasing | Irregular | Low | Very High
PSU10137 | SLA Compliance Rate | Critical | Decreasing | Irregular | Low | Very High
PSU10138 | SLA Breach Rate | Critical | Increasing | Irregular | Low | Very High
PSU10139 | Average Response Time | High | Stable | Repetitive | Low | Very High
PSU10140 | Average Resolution Time | Critical | Stable | Irregular | Low | Very High
PSU10142 | Cost per Incident | Critical | Increasing | Irregular | Low | Very High
PSU10143 | Support Budget Utilization | High | Increasing | Repetitive | Low | Very High
PSU10144 | Cost Savings Initiatives | High | Increasing | Repetitive | Low | Very High
PSU10145 | Return on Investment (ROI) | Critical | Decreasing | Irregular | Low | Very High
PSU10147 | Improvement Initiatives | High | Stable | Repetitive | Low | Very High
PSU10148 | Improvement Impact | High | Increasing | Repetitive | Low | Very High
PSU10149 | Innovation Rate | High | Increasing | Repetitive | Low | Very High
PSU10150 | Employee Suggestions | Critical | Decreasing | Irregular | Low | Very High
INV10102 | Inventory Accuracy Rate | High | Stable | Repetitive | Low | Very High
INV10103 | Inventory Discrepancies | High | Decreasing | Repetitive | Low | Very High
INV10104 | Cycle Count Accuracy | High | Decreasing | Repetitive | Low | Very High
INV10106 | Average Inventory Levels | High | Stable | Repetitive | Low | Very High

INV10107 | Stockout Rate | Critical | Increasing | Irregular | Low | Very High
INV10108 | Overstock Rate | High | Increasing | Repetitive | Low | Very High
INV10110 | Inventory Turnover Ratio | High | Increasing | Repetitive | Low | Very High
INV10111 | Days Sales of Inventory (DSI) | High | Stable | Repetitive | Low | Very High
INV10112 | Sell-Through Rate | High | Increasing | Repetitive | Low | Very High
INV10114 | Order Accuracy | High | Decreasing | Repetitive | Low | Very High
INV10115 | Order Cycle Time | High | Increasing | Repetitive | Low | Very High
INV10116 | Backorder Rate | High | Stable | Repetitive | Low | Very High
INV10118 | Supplier Lead Time | Critical | Increasing | Irregular | Low | Very High
INV10119 | Supplier Reliability | Critical | Stable | Irregular | Low | Very High
INV10120 | Supplier Defect Rate | High | Stable | Repetitive | Low | Very High
INV10122 | Carrying Costs | Critical | Decreasing | Irregular | Low | Very High
INV10123 | Ordering Costs | High | Increasing | Repetitive | Low | Very High
INV10124 | Stockout Costs | Critical | Stable | Irregular | Low | Very High
INV10126 | Category Turnover Rate | High | Decreasing | Repetitive | Low | Very High
INV10127 | Category Performance | High | Decreasing | Repetitive | Low | Very High
INV10128 | Category Stock Levels | High | Decreasing | Repetitive | Low | Very High
INV10130 | Utilization Rate | Critical | Increasing | Irregular | Low | Very High
INV10131 | Idle Inventory | Critical | Stable | Irregular | Low | Very High
INV10132 | Obsolete Inventory | Critical | Stable | Irregular | Low | Very High
INV10134 | Forecast Accuracy | Critical | Increasing | Irregular | Low | Very High
INV10135 | Forecast Error Rate | Critical | Stable | Irregular | Low | Very High
INV10136 | Forecast Bias | Critical | Increasing | Irregular | Low | Very High
INV10138 | Process Improvement Initiatives | Critical | Stable | Irregular | Low | Very High
INV10139 | Improvement Impact | High | Decreasing | Repetitive | Low | Very High
INV10140 | Employee Suggestions | High | Stable | Repetitive | Low | Very High
TST10102 | Test Plan Completeness | Critical | Increasing | Irregular | Low | Very High
TST10103 | Test Plan Approval Rate | Critical | Decreasing | Irregular | Low | Very High
TST10104 | Planning Accuracy | High | Decreasing | Repetitive | Low | Very High
TST10106 | Resource Utilization | Critical | Decreasing | Irregular | Low | Very High
TST10107 | Resource Allocation Time | High | Increasing | Repetitive | Low | Very High
TST10108 | Resource Productivity | High | Increasing | Repetitive | Low | Very High
TST10110 | Schedule Adherence Rate | Critical | Increasing | Irregular | Low | Very High
TST10111 | Schedule Slippage | Critical | Increasing | Irregular | Low | Very High
TST10112 | Test Cycle Time | Critical | Stable | Irregular | Low | Very High
TST10114 | Budget Adherence | Critical | Increasing | Irregular | Low | Very High
TST10115 | Cost per Test Case | High | Increasing | Repetitive | Low | Very High
TST10116 | Cost Savings Initiatives | Critical | Stable | Irregular | Low | Very High
TST10118 | Defect Detection Efficiency | High | Decreasing | Repetitive | Low | Very High
TST10119 | Defect Leakage | Critical | Decreasing | Irregular | Low | Very High

TST10120 | Defect Fix Efficiency | Critical | Decreasing | Irregular | Low | Very High
TST10122 | Improvement Initiatives | High | Increasing | Repetitive | Low | Very High
TST10123 | Improvement Impact | High | Stable | Repetitive | Low | Very High
TST10124 | Employee Suggestions | High | Decreasing | Repetitive | Low | Very High
TST10126 | Risk Identification Rate | Critical | Increasing | Irregular | Low | Very High
TST10127 | Risk Mitigation Success | High | Stable | Repetitive | Low | Very High
TST10128 | Risk Impact Analysis | High | Decreasing | Repetitive | Low | Very High
TST10130 | Communication Timeliness | High | Decreasing | Repetitive | Low | Very High
TST10131 | Stakeholder Feedback | High | Decreasing | Repetitive | Low | Very High
TST10132 | Issue Resolution Time | Critical | Decreasing | Irregular | Low | Very High
TST10134 | Compliance Rate | High | Increasing | Repetitive | Low | Very High
TST10135 | Audit Findings | Critical | Decreasing | Irregular | Low | Very High
TST10136 | Compliance Correction Time | High | Decreasing | Repetitive | Low | Very High
TST10138 | Customer Satisfaction Score (CSAT) | Critical | Stable | Irregular | Low | Very High
TST10139 | Net Promoter Score (NPS) | High | Decreasing | Repetitive | Low | Very High
TST10140 | Customer Feedback Volume | Critical | Increasing | Irregular | Low | Very High
TST10141 | Feedback Resolution Time | High | Decreasing | Repetitive | Low | Very High
COR10102 | Readiness Score | Critical | Decreasing | Irregular | Low | Very High
COR10103 | Assessment Completion Rate | Critical | Decreasing | Irregular | Low | Very High
COR10104 | Assessment Accuracy | High | Stable | Repetitive | Low | Very High
COR10105 | Assessment Time | Critical | Decreasing | Irregular | Low | Very High
COR10107 | Configuration Accuracy | High | Increasing | Repetitive | Low | Very High
COR10108 | Deployment Time | High | Stable | Repetitive | Low | Very High
COR10109 | Deployment Success Rate | High | Increasing | Repetitive | Low | Very High
COR10110 | Rollback Frequency | High | Decreasing | Repetitive | Low | Very High
COR10112 | Test Coverage | Critical | Decreasing | Irregular | Low | Very High
COR10113 | Test Pass Rate | High | Stable | Repetitive | Low | Very High
COR10114 | Defect Density | Critical | Decreasing | Irregular | Low | Very High
COR10115 | Validation Time | High | Stable | Repetitive | Low | Very High
COR10117 | Change Request Volume | High | Increasing | Repetitive | Low | Very High
COR10118 | Change Approval Rate | High | Decreasing | Repetitive | Low | Very High
COR10119 | Change Implementation Time | High | Stable | Repetitive | Low | Very High
COR10120 | Change-Related Incidents | Critical | Decreasing | Irregular | Low | Very High
COR10122 | Training Completion Rate | High | Decreasing | Repetitive | Low | Very High
COR10123 | Training Effectiveness | High | Decreasing | Repetitive | Low | Very High
COR10124 | Knowledge Transfer Sessions | High | Decreasing | Repetitive | Low | Very High
COR10125 | Training Time | Critical | Stable | Irregular | Low | Very High
COR10127 | Engagement Rate | High | Stable | Repetitive | Low | Very High
COR10128 | Feedback Incorporation Rate | Critical | Stable | Irregular | Low | Very High
COR10129 | Stakeholder Satisfaction | High | Stable | Repetitive | Low | Very High

COR10130 | Communication Timeliness | High | Decreasing | Repetitive | Low | Very High
COR10132 | Documentation Completeness | Critical | Stable | Irregular | Low | Very High
COR10133 | Document Review Time | High | Stable | Repetitive | Low | Very High
COR10134 | Documentation Errors | High | Stable | Repetitive | Low | Very High
COR10135 | Document Update Frequency | High | Stable | Repetitive | Low | Very High
COR10137 | Monitoring Frequency | High | Stable | Repetitive | Low | Very High
COR10138 | Performance Metrics | Critical | Increasing | Irregular | Low | Very High
COR10139 | Monitoring Alerts | Critical | Stable | Irregular | Low | Very High
COR10140 | Performance Deviation | High | Increasing | Repetitive | Low | Very High
COR10142 | Risk Identification Rate | High | Decreasing | Repetitive | Low | Very High
COR10143 | Risk Mitigation Time | Critical | Increasing | Irregular | Low | Very High
COR10144 | Risk Severity | High | Increasing | Repetitive | Low | Very High
COR10145 | Risk Resolution Rate | High | Increasing | Repetitive | Low | Very High
COR10147 | Improvement Initiatives | Critical | Increasing | Irregular | Low | Very High
COR10148 | Improvement Impact | Critical | Increasing | Irregular | Low | Very High
COR10149 | Innovation Rate | High | Stable | Repetitive | Low | Very High
COR10150 | Employee Suggestions | Critical | Decreasing | Irregular | Low | Very High
PCC10102 | Accuracy Rate | Critical | Increasing | Irregular | Low | Very High
PCC10103 | Content Errors | High | Decreasing | Repetitive | Low | Very High
PCC10104 | Correction Time | High | Decreasing | Repetitive | Low | Very High
PCC10106 | Completeness Rate | High | Increasing | Repetitive | Low | Very High
PCC10107 | Missing Information Incidents | Critical | Decreasing | Irregular | Low | Very High
PCC10108 | Completion Time | High | Stable | Repetitive | Low | Very High
PCC10110 | Relevance Score | High | Stable | Repetitive | Low | Very High
PCC10111 | Content Update Frequency | High | Stable | Repetitive | Low | Very High
PCC10112 | Stakeholder Satisfaction | High | Increasing | Repetitive | Low | Very High
PCC10114 | Consistency Rate | Critical | Increasing | Irregular | Low | Very High
PCC10115 | Inconsistency Incidents | High | Stable | Repetitive | Low | Very High
PCC10116 | Correction Time for Inconsistencies | High | Stable | Repetitive | Low | Very High
PCC10118 | Update Time | High | Increasing | Repetitive | Low | Very High
PCC10119 | Timely Updates Rate | High | Increasing | Repetitive | Low | Very High
PCC10120 | Stale Content Incidents | Critical | Decreasing | Irregular | Low | Very High
PCC10122 | Accessibility Rate | Critical | Stable | Irregular | Low | Very High
PCC10123 | User Access Issues | Critical | Increasing | Irregular | Low | Very High
PCC10124 | Resolution Time for Access Issues | Critical | Decreasing | Irregular | Low | Very High
PCC10126 | Compliance Rate | Critical | Stable | Irregular | Low | Very High
PCC10127 | Audit Findings | Critical | Stable | Irregular | Low | Very High
PCC10128 | Compliance Correction Time | Critical | Increasing | Irregular | Low | Very High
PCC10130 | Engagement Rate | High | Increasing | Repetitive | Low | Very High
PCC10131 | Feedback Volume | Critical | Stable | Irregular | Low | Very High

PCC10132 | Incorporation Rate | Critical | Stable | Irregular | Low | Very High
PCC10134 | Effectiveness Score | Critical | Decreasing | Irregular | Low | Very High
PCC10135 | Usage Metrics | High | Decreasing | Repetitive | Low | Very High
PCC10136 | Impact Analysis | Critical | Stable | Irregular | Low | Very High
PCC10138 | Improvement Initiatives | High | Stable | Repetitive | Low | Very High
PCC10139 | Improvement Impact | Critical | Increasing | Irregular | Low | Very High
PCC10140 | Innovation Rate | Critical | Increasing | Irregular | Low | Very High
PCC10141 | Employee Suggestions | High | Stable | Repetitive | Low | Very High
CAP10102 | Utilization Rate | High | Increasing | Repetitive | Low | Very High
CAP10103 | Peak Utilization | Critical | Increasing | Irregular | Low | Very High
CAP10104 | Idle Capacity | High | Stable | Repetitive | Low | Very High
CAP10105 | Capacity Buffer | High | Stable | Repetitive | Low | Very High
CAP10107 | Planning Accuracy | High | Decreasing | Repetitive | Low | Very High
CAP10108 | Forecast Error Rate | High | Increasing | Repetitive | Low | Very High
CAP10109 | Planning Lead Time | High | Stable | Repetitive | Low | Very High
CAP10110 | Scenario Analysis | Critical | Stable | Irregular | Low | Very High
CAP10112 | Expansion Projects | High | Stable | Repetitive | Low | Very High
CAP10113 | Expansion Time | High | Increasing | Repetitive | Low | Very High
CAP10114 | Expansion Cost | High | Increasing | Repetitive | Low | Very High
CAP10115 | Post-Expansion Utilization | High | Stable | Repetitive | Low | Very High
CAP10117 | Resource Allocation Accuracy | High | Stable | Repetitive | Low | Very High
CAP10118 | Resource Allocation Time | High | Increasing | Repetitive | Low | Very High
CAP10119 | Resource Availability | High | Decreasing | Repetitive | Low | Very High
CAP10120 | Allocation Efficiency | High | Decreasing | Repetitive | Low | Very High
CAP10122 | Monitoring Frequency | High | Decreasing | Repetitive | Low | Very High
CAP10123 | Key Performance Indicators (KPIs) | High | Increasing | Repetitive | Low | Very High
CAP10124 | Monitoring Alerts | Critical | Stable | Irregular | Low | Very High
CAP10125 | Performance Deviation | High | Stable | Repetitive | Low | Very High
CAP10127 | Scalability Index | Critical | Decreasing | Irregular | Low | Very High
CAP10128 | Scaling Time | Critical | Decreasing | Irregular | Low | Very High
CAP10129 | Elasticity | Critical | Decreasing | Irregular | Low | Very High
CAP10130 | Scaling Costs | High | Increasing | Repetitive | Low | Very High
CAP10132 | Risk Identification Rate | Critical | Stable | Irregular | Low | Very High
CAP10133 | Risk Mitigation Success | Critical | Stable | Irregular | Low | Very High
CAP10134 | Risk Impact Analysis | High | Stable | Repetitive | Low | Very High
CAP10135 | Risk Resolution Time | High | Stable | Repetitive | Low | Very High
CAP10137 | Optimization Initiatives | High | Decreasing | Repetitive | Low | Very High
CAP10138 | Optimization Impact | High | Stable | Repetitive | Low | Very High
CAP10139 | Process Improvement | Critical | Stable | Irregular | Low | Very High
CAP10140 | Cost Savings | Critical | Stable | Irregular | Low | Very High

CAP10142 | Compliance Rate | High | Stable | Repetitive | Low | Very High
CAP10143 | Audit Findings | High | Increasing | Repetitive | Low | Very High
CAP10144 | Compliance Correction Time | Critical | Decreasing | Irregular | Low | Very High
CAP10145 | Reporting Accuracy | Critical | Increasing | Irregular | Low | Very High
CAP10147 | Stakeholder Satisfaction | High | Stable | Repetitive | Low | Very High
CAP10148 | Feedback Incorporation | Critical | Increasing | Irregular | Low | Very High
CAP10149 | Engagement Rate | High | Increasing | Repetitive | Low | Very High
CAP10150 | Communication Timeliness | Critical | Decreasing | Irregular | Low | Very High
PUR10102 | Number of Purchase Orders | High | Stable | Repetitive | Low | Very High
PUR10103 | Order Accuracy | High | Stable | Repetitive | Low | Very High
PUR10104 | Order Fulfillment Time | High | Increasing | Repetitive | Low | Very High
PUR10105 | Order Approval Rate | High | Decreasing | Repetitive | Low | Very High
PUR10107 | Supplier Lead Time | Critical | Decreasing | Irregular | Low | Very High
PUR10108 | Supplier Reliability | High | Decreasing | Repetitive | Low | Very High
PUR10109 | Supplier Defect Rate | High | Increasing | Repetitive | Low | Very High
PUR10110 | Supplier Performance Score | High | Increasing | Repetitive | Low | Very High
PUR10112 | Purchase Cost per Unit | Critical | Stable | Irregular | Low | Very High
PUR10113 | Cost Variance | Critical | Decreasing | Irregular | Low | Very High
PUR10114 | Discount Utilization | High | Increasing | Repetitive | Low | Very High
PUR10115 | Cost Savings Initiatives | High | Increasing | Repetitive | Low | Very High
PUR10117 | Inventory Turnover | Critical | Stable | Irregular | Low | Very High
PUR10118 | Stockout Rate | Critical | Increasing | Irregular | Low | Very High
PUR10119 | Overstock Rate | Critical | Stable | Irregular | Low | Very High
PUR10120 | Inventory Holding Costs | High | Stable | Repetitive | Low | Very High
PUR10122 | Fulfillment Accuracy | High | Stable | Repetitive | Low | Very High
PUR10123 | Fulfillment Lead Time | Critical | Increasing | Irregular | Low | Very High
PUR10124 | Backorder Rate | High | Decreasing | Repetitive | Low | Very High
PUR10125 | Customer Satisfaction | High | Decreasing | Repetitive | Low | Very High
PUR10127 | Compliance Rate | Critical | Decreasing | Irregular | Low | Very High
PUR10128 | Audit Findings | High | Increasing | Repetitive | Low | Very High
PUR10129 | Compliance Correction Time | High | Stable | Repetitive | Low | Very High
PUR10130 | Accuracy of purchasing reports. | Critical | Stable | Irregular | Low | Very High
PUR10132 | Risk Identification Rate | High | Increasing | Repetitive | Low | Very High
PUR10133 | Risk Mitigation Success | High | Increasing | Repetitive | Low | Very High
PUR10134 | Risk Impact Analysis | High | Increasing | Repetitive | Low | Very High
PUR10135 | Risk Resolution Time | Critical | Decreasing | Irregular | Low | Very High
PUR10137 | Supplier Engagement Rate | High | Increasing | Repetitive | Low | Very High
PUR10138 | Supplier Feedback Incorporation | Critical | Decreasing | Irregular | Low | Very High
PUR10139 | Supplier Satisfaction | High | Increasing | Repetitive | Low | Very High
PUR10140 | Communication Timeliness | High | Stable | Repetitive | Low | Very High

PUR10142 | Cycle Time | High | Increasing | Repetitive | Low | Very High
PUR10143 | Cycle Time Variability | High | Decreasing | Repetitive | Low | Very High
PUR10144 | Process Bottlenecks | Critical | Stable | Irregular | Low | Very High
PUR10145 | Continuous Improvement | Critical | Stable | Irregular | Low | Very High
PUR10147 | Sustainability Metrics | Critical | Increasing | Irregular | Low | Very High
PUR10148 | Ethical Sourcing Compliance | Critical | Increasing | Irregular | Low | Very High
PUR10149 | Green Purchasing Initiatives | Critical | Decreasing | Irregular | Low | Very High
PUR10150 | Environmental Impact | High | Increasing | Repetitive | Low | Very High
PBM10102 | Problem Detection Rate | Critical | Increasing | Irregular | Low | Very High
PBM10103 | Detection Accuracy | Critical | Stable | Irregular | Low | Very High
PBM10104 | False Positive Rate | Critical | Increasing | Irregular | Low | Very High
PBM10105 | Detection Time | High | Decreasing | Repetitive | Low | Very High
PBM10107 | Reporting Rate | High | Stable | Repetitive | Low | Very High
PBM10108 | Report Accuracy | High | Decreasing | Repetitive | Low | Very High
PBM10109 | Reporting Time | High | Increasing | Repetitive | Low | Very High
PBM10110 | Stakeholder Feedback | Critical | Increasing | Irregular | Low | Very High
PBM10112 | Analysis Completion Time | High | Increasing | Repetitive | Low | Very High
PBM10113 | Root Cause Identification Rate | Critical | Decreasing | Irregular | Low | Very High
PBM10114 | Analysis Accuracy | Critical | Decreasing | Irregular | Low | Very High
PBM10115 | Analytical Tools Utilization | High | Decreasing | Repetitive | Low | Very High
PBM10117 | Resolution Time | High | Decreasing | Repetitive | Low | Very High
PBM10118 | Resolution Success Rate | Critical | Decreasing | Irregular | Low | Very High
PBM10119 | Reoccurrence Rate | Critical | Increasing | Irregular | Low | Very High
PBM10120 | Resolution Methods | High | Stable | Repetitive | Low | Very High
PBM10122 | Communication Timeliness | High | Stable | Repetitive | Low | Very High
PBM10123 | Stakeholder Engagement | High | Stable | Repetitive | Low | Very High
PBM10124 | Feedback Incorporation Rate | High | Increasing | Repetitive | Low | Very High
PBM10125 | Communication Clarity | Critical | Stable | Irregular | Low | Very High
PBM10127 | Impact Analysis Time | Critical | Stable | Irregular | Low | Very High
PBM10128 | Impact Severity | High | Decreasing | Repetitive | Low | Very High
PBM10129 | Impact Mitigation Success | Critical | Stable | Irregular | Low | Very High
PBM10130 | Customer Impact | High | Increasing | Repetitive | Low | Very High
PBM10132 | Monitoring Frequency | Critical | Increasing | Irregular | Low | Very High
PBM10133 | Monitoring Coverage | High | Increasing | Repetitive | Low | Very High
PBM10134 | Monitoring Alerts | High | Decreasing | Repetitive | Low | Very High
PBM10135 | Monitoring Accuracy | High | Decreasing | Repetitive | Low | Very High
PBM10137 | Documentation Completeness | High | Increasing | Repetitive | Low | Very High
PBM10138 | Knowledge Base Usage | Critical | Increasing | Irregular | Low | Very High
PBM10139 | Document Update Frequency | Critical | Stable | Irregular | Low | Very High
PBM10140 | Knowledge Transfer Sessions | Critical | Stable | Irregular | Low | Very High

PBM10142 | Risk Identification Rate | High | Stable | Repetitive | Low | Very High
PBM10143 | Risk Mitigation Time | Critical | Stable | Irregular | Low | Very High
PBM10144 | Risk Severity | Critical | Decreasing | Irregular | Low | Very High
PBM10145 | Risk Resolution Rate | Critical | Stable | Irregular | Low | Very High
PBM10147 | Improvement Initiatives | High | Increasing | Repetitive | Low | Very High
PBM10148 | Improvement Impact | High | Decreasing | Repetitive | Low | Very High
PBM10149 | Innovation Rate | High | Stable | Repetitive | Low | Very High
PBM10150 | Employee Suggestions | Critical | Stable | Irregular | Low | Very High
ANM10102 | Detection Accuracy | High | Stable | Repetitive | Low | Very High
ANM10103 | False Positive Rate | High | Decreasing | Repetitive | Low | Very High
ANM10104 | False Negative Rate | High | Decreasing | Repetitive | Low | Very High
ANM10105 | Detection Time | Critical | Decreasing | Irregular | Low | Very High
ANM10107 | Reporting Rate | Critical | Increasing | Irregular | Low | Very High
ANM10108 | Report Accuracy | Critical | Stable | Irregular | Low | Very High
ANM10109 | Report Time | Critical | Decreasing | Irregular | Low | Very High
ANM10110 | Stakeholder Feedback | Critical | Decreasing | Irregular | Low | Very High
ANM10112 | Analysis Completion Time | High | Stable | Repetitive | Low | Very High
ANM10113 | Root Cause Identification Rate | Critical | Decreasing | Irregular | Low | Very High
ANM10114 | Analysis Accuracy | Critical | Increasing | Irregular | Low | Very High
ANM10115 | Analytical Tools Utilization | High | Increasing | Repetitive | Low | Very High
ANM10117 | Resolution Time | Critical | Decreasing | Irregular | Low | Very High
ANM10118 | Resolution Success Rate | High | Decreasing | Repetitive | Low | Very High
ANM10119 | Reoccurrence Rate | High | Decreasing | Repetitive | Low | Very High
ANM10120 | Resolution Methods | High | Decreasing | Repetitive | Low | Very High
ANM10122 | Communication Timeliness | High | Decreasing | Repetitive | Low | Very High
ANM10123 | Stakeholder Engagement | Critical | Decreasing | Irregular | Low | Very High
ANM10124 | Feedback Incorporation Rate | High | Stable | Repetitive | Low | Very High
ANM10125 | Communication Clarity | Critical | Decreasing | Irregular | Low | Very High
ANM10127 | Impact Analysis Time | Critical | Decreasing | Irregular | Low | Very High
ANM10128 | Impact Severity | Critical | Increasing | Irregular | Low | Very High
ANM10129 | Impact Mitigation Success | Critical | Stable | Irregular | Low | Very High
ANM10130 | Customer Impact | Critical | Increasing | Irregular | Low | Very High
ANM10132 | Monitoring Frequency | High | Stable | Repetitive | Low | Very High
ANM10133 | Monitoring Coverage | Critical | Decreasing | Irregular | Low | Very High
ANM10134 | Monitoring Alerts | High | Decreasing | Repetitive | Low | Very High
ANM10135 | Monitoring Accuracy | High | Decreasing | Repetitive | Low | Very High
ANM10137 | Documentation Completeness | High | Increasing | Repetitive | Low | Very High
ANM10138 | Knowledge Base Usage | Critical | Increasing | Irregular | Low | Very High
ANM10139 | Document Update Frequency | Critical | Decreasing | Irregular | Low | Very High
ANM10140 | Knowledge Transfer Sessions | High | Stable | Repetitive | Low | Very High

ANM10142 | Risk Identification Rate | High | Stable | Repetitive | Low | Very High
ANM10143 | Risk Mitigation Time | High | Increasing | Repetitive | Low | Very High
ANM10144 | Risk Severity | Critical | Increasing | Irregular | Low | Very High
ANM10145 | Risk Resolution Rate | Critical | Stable | Irregular | Low | Very High
ANM10147 | Improvement Initiatives | High | Stable | Repetitive | Low | Very High
ANM10148 | Improvement Impact | Critical | Decreasing | Irregular | Low | Very High
ANM10149 | Innovation Rate | Critical | Decreasing | Irregular | Low | Very High
ANM10150 | Employee Suggestions | High | Stable | Repetitive | Low | Very High

=== inconsistencies_report_product.txt ===

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:55:43

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

200661 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

WPO10135 | Configuration Changes | CAP10134 | Risk Impact Analysis | 0.04 | 923 | 30.77% | 3000
WPO10133 | Success Rate | TQA10143 | CI Build Time | 0.05 | 921 | 30.70% | 3000
CTL10139 | Document Review Time | PSU10118 | Change Success Rate | 0.04 | 918 | 30.60% | 3000
ANL10147 | Improvement Initiatives | PBM10108 | Report Accuracy | 0.05 | 914 | 30.47% | 3000
TQA10117 | Defect Resolution Time | CTL10118 | Update Time | 0.05 | 913 | 30.43% | 3000
CTL10107 | Number of New Offerings | TST10139 | Net Promoter Score (NPS) | 0.04 | 912 | 30.40% | 3000
OCD10119 | Strategy Implementation Rate | COR10143 | Risk Mitigation Time | 0.04 | 909 | 30.30% | 3000
TST10115 | Cost per Test Case | PUR10119 | Overstock Rate | 0.04 | 908 | 30.27% | 3000
CTL10144 | R&D Investment | PBM10129 | Impact Mitigation Success | 0.06 | 906 | 30.20% | 3000
CTL10103 | Development Time | ANL10103 | False Positive Rate | 0.04 | 903 | 30.10% | 3000
WPO10132 | Error Rate | POD10105 | Stakeholder Feedback | 0.03 | 902 | 30.07% | 3000
COR10110 | Rollback Frequency | PUR10133 | Risk Mitigation Success | 0.02 | 902 | 30.07% | 3000
TQA10132 | Resource Utilization | PBM10140 | Knowledge Transfer Sessions | 0.07 | 901 | 30.03% | 3000
SPC10132 | Documentation Errors | POD10120 | Customer Satisfaction | 0.03 | 901 | 30.03% | 3000
SPC10136 | Feedback Responsiveness | PCC10103 | Content Errors | 0.07 | 901 | 30.03% | 3000
CTP10135 | Communication Clarity | TST10107 | Resource Allocation Time | 0.03 | 901 | 30.03% | 3000
CAP10149 | Engagement Rate | PBM10125 | Communication Clarity | 0.03 | 901 | 30.03% | 3000
CAP10149 | Engagement Rate | PBM10148 | Improvement Impact | 0.03 | 901 | 30.03% | 3000
TST10114 | Budget Adherence | ANM10142 | Risk Identification Rate | -0.01 | 900 | 30.00% | 3000
COR10108 | Deployment Time | CAP10149 | Engagement Rate | 0.02 | 900 | 30.00% | 3000
OCD10104 | Stakeholder Satisfaction | CAP10103 | Peak Utilization | 0.02 | 899 | 29.97% | 3000

SPC10130 | Document Quality Score | CTP10140 | Stakeholder Satisfaction | 0.04 | 899 | 29.97% | 3000
CTP10118 | Distribution Time | CTL10123 | Distribution Errors | 0.04 | 899 | 29.97% | 3000
PSU10125 | User Feedback | CAP10130 | Scaling Costs | 0.01 | 899 | 29.97% | 3000
COR10112 | Test Coverage | PBM10124 | Feedback Incorporation Rate | 0.02 | 899 | 29.97% | 3000
CAP10145 | Reporting Accuracy | ANM10109 | Report Time | 0.02 | 899 | 29.97% | 3000
TQA10114 | Automation Fail Rate | CTP10103 | Specification Creation Time | 0.01 | 898 | 29.93% | 3000
TQA10127 | Regression Test Coverage | ANM10117 | Resolution Time | 0.03 | 898 | 29.93% | 3000
ANL10108 | Report Accuracy | TST10141 | Feedback Resolution Time | 0.03 | 898 | 29.93% | 3000
PSU10148 | Improvement Impact | PUR10145 | Continuous Improvement | 0.03 | 898 | 29.93% | 3000

Groups Dependent Inconsistencies:

None found.

Groups Independent Inconsistencies:

16471 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

WPO10109 | WPO10109 | PBM10136 | PBM10136 | 0.05 | 906 | 30.20% | 3000
CTP10129 | CTP10129 | PCF10117 | PCF10117 | 0.02 | 900 | 30.00% | 3000
POD10116 | POD10116 | PUR10136 | PUR10136 | 0.05 | 897 | 29.90% | 3000
PSU10111 | PSU10111 | ANM10141 | ANM10141 | 0.02 | 897 | 29.90% | 3000
WPO10117 | WPO10117 | POD10101 | POD10101 | -0.02 | 895 | 29.83% | 3000
PCC10125 | PCC10125 | PBM10106 | PBM10106 | 0.02 | 893 | 29.77% | 3000
PSU10116 | PSU10116 | TST10117 | TST10117 | 0.03 | 890 | 29.67% | 3000
PPP10101 | PPP10101 | PSU10136 | PSU10136 | 0.00 | 889 | 29.63% | 3000
CTP10125 | CTP10125 | ANM10106 | ANM10106 | 0.00 | 889 | 29.63% | 3000
TQA10110 | TQA10110 | PCC10121 | PCC10121 | 0.03 | 888 | 29.60% | 3000
CAP10131 | CAP10131 | ANM10101 | ANM10101 | 0.04 | 888 | 29.60% | 3000
POD10142 | POD10142 | PBM10136 | PBM10136 | 0.04 | 887 | 29.57% | 3000
PCC10109 | PCC10109 | CAP10111 | CAP10111 | 0.03 | 887 | 29.57% | 3000
CAP10131 | CAP10131 | ANM10116 | ANM10116 | 0.01 | 887 | 29.57% | 3000
PPP10106 | PPP10106 | CAP10106 | CAP10106 | 0.02 | 886 | 29.53% | 3000
CTP10133 | CTP10133 | PBM10136 | PBM10136 | 0.01 | 886 | 29.53% | 3000
CTL10120 | CTL10120 | COR10116 | COR10116 | 0.04 | 886 | 29.53% | 3000
ANL10106 | ANL10106 | INV10133 | INV10133 | 0.00 | 886 | 29.53% | 3000
PUR10116 | PUR10116 | PBM10141 | PBM10141 | 0.00 | 886 | 29.53% | 3000
WPO10105 | WPO10105 | ANM10131 | ANM10131 | 0.03 | 885 | 29.50% | 3000
SPC10125 | SPC10125 | POD10111 | POD10111 | 0.03 | 885 | 29.50% | 3000
POD10106 | POD10106 | PCC10125 | PCC10125 | 0.05 | 885 | 29.50% | 3000
TST10109 | TST10109 | PCC10121 | PCC10121 | 0.01 | 885 | 29.50% | 3000
CTP10101 | CTP10101 | ANM10136 | ANM10136 | 0.00 | 884 | 29.47% | 3000
CTL10101 | CTL10101 | CAP10136 | CAP10136 | 0.02 | 884 | 29.47% | 3000

POD10116 | POD10116 | INV10113 | INV10113 | 0.03 | 884 | 29.47% | 3000
PBM10106 | PBM10106 | ANM10146 | ANM10146 | 0.02 | 884 | 29.47% | 3000
OCD10105 | OCD10105 | POD10111 | POD10111 | 0.01 | 883 | 29.43% | 3000
OCD10125 | OCD10125 | PUR10146 | PUR10146 | 0.05 | 883 | 29.43% | 3000
TQA10120 | TQA10120 | SPC10137 | SPC10137 | 0.01 | 882 | 29.40% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

171 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

PPP10000 | PPP10000 | COR10000 | COR10000 | 0.03 | 894 | 29.80% | 3000
SPC10000 | SPC10000 | PSU10000 | PSU10000 | 0.01 | 888 | 29.60% | 3000
TQA10000 | TQA10000 | INV10000 | INV10000 | 0.03 | 875 | 29.17% | 3000
POD10000 | POD10000 | TST10000 | TST10000 | -0.03 | 867 | 28.90% | 3000
ANL10000 | ANL10000 | TST10000 | TST10000 | 0.05 | 867 | 28.90% | 3000
TQA10000 | TQA10000 | CTL10000 | CTL10000 | 0.02 | 865 | 28.83% | 3000
CTP10000 | CTP10000 | CTL10000 | CTL10000 | 0.02 | 865 | 28.83% | 3000
OCD10000 | OCD10000 | CTP10000 | CTP10000 | 0.02 | 864 | 28.80% | 3000
SPC10000 | SPC10000 | PCF10000 | PCF10000 | 0.00 | 864 | 28.80% | 3000
OCD10000 | OCD10000 | ANL10000 | ANL10000 | 0.02 | 863 | 28.77% | 3000
OCD10000 | OCD10000 | TST10000 | TST10000 | 0.02 | 861 | 28.70% | 3000
OCD10000 | OCD10000 | COR10000 | COR10000 | -0.00 | 861 | 28.70% | 3000
CTP10000 | CTP10000 | PUR10000 | PUR10000 | 0.03 | 860 | 28.67% | 3000
POD10000 | POD10000 | ANL10000 | ANL10000 | 0.03 | 859 | 28.63% | 3000
TQA10000 | TQA10000 | PSU10000 | PSU10000 | 0.02 | 853 | 28.43% | 3000
PCC10000 | PCC10000 | PUR10000 | PUR10000 | 0.04 | 853 | 28.43% | 3000
TQA10000 | TQA10000 | TST10000 | TST10000 | 0.01 | 852 | 28.40% | 3000
PPP10000 | PPP10000 | PUR10000 | PUR10000 | 0.02 | 850 | 28.33% | 3000
PPP10000 | PPP10000 | PBM10000 | PBM10000 | -0.00 | 850 | 28.33% | 3000
CTL10000 | CTL10000 | POD10000 | POD10000 | 0.02 | 849 | 28.30% | 3000
WPO10000 | WPO10000 | COR10000 | COR10000 | 0.03 | 848 | 28.27% | 3000
TQA10000 | TQA10000 | PCC10000 | PCC10000 | 0.03 | 848 | 28.27% | 3000
PCF10000 | PCF10000 | PCC10000 | PCC10000 | 0.00 | 848 | 28.27% | 3000
PUR10000 | PUR10000 | ANM10000 | ANM10000 | 0.02 | 848 | 28.27% | 3000
PPP10000 | PPP10000 | PSU10000 | PSU10000 | 0.02 | 847 | 28.23% | 3000
OCD10000 | OCD10000 | PCF10000 | PCF10000 | 0.00 | 847 | 28.23% | 3000
CTP10000 | CTP10000 | TST10000 | TST10000 | -0.01 | 847 | 28.23% | 3000
CTL10000 | CTL10000 | PSU10000 | PSU10000 | 0.02 | 847 | 28.23% | 3000
TST10000 | TST10000 | PUR10000 | PUR10000 | 0.00 | 847 | 28.23% | 3000

TST10000 | TST10000 | ANM10000 | ANM10000 | 0.03 | 847 | 28.23% | 3000

=== trends_and_repetitions_report_product.txt ===

Metrics Trends:

WPO10102: Decreasing

WPO10103: Increasing

WPO10104: Increasing

WPO10106: Decreasing

WPO10107: Stable

WPO10108: Stable

WPO10110: Stable

WPO10111: Increasing

WPO10112: Increasing

WPO10114: Stable

WPO10115: Stable

WPO10116: Increasing

WPO10118: Increasing

WPO10119: Increasing

WPO10120: Stable

WPO10122: Decreasing

WPO10123: Increasing

WPO10124: Decreasing

WPO10126: Stable

WPO10127: Increasing

WPO10128: Stable

WPO10130: Increasing

WPO10131: Decreasing

WPO10132: Stable

WPO10133: Decreasing

WPO10135: Increasing

WPO10136: Decreasing

WPO10137: Increasing

PPP10102: Stable

PPP10103: Increasing

PPP10104: Stable

PPP10105: Increasing

PPP10107: Stable

PPP10108: Decreasing

PPP10109: Increasing

PPP10110: Stable
PPP10112: Increasing
PPP10113: Increasing
PPP10114: Decreasing
TQA10102: Stable
TQA10103: Stable
TQA10104: Increasing
TQA10106: Decreasing
TQA10107: Stable
TQA10108: Stable
TQA10109: Stable
TQA10111: Stable
TQA10112: Increasing
TQA10113: Decreasing
TQA10114: Decreasing
TQA10116: Stable
TQA10117: Stable
TQA10118: Stable
TQA10119: Stable
TQA10121: Stable
TQA10122: Increasing
TQA10123: Stable
TQA10125: Increasing
TQA10126: Stable
TQA10127: Increasing
TQA10129: Decreasing
TQA10130: Stable
TQA10131: Increasing
TQA10132: Increasing
TQA10134: Decreasing
TQA10135: Stable
TQA10136: Increasing
TQA10138: Stable
TQA10139: Increasing
TQA10140: Stable
TQA10142: Stable
TQA10143: Decreasing
TQA10144: Stable
OCD10102: Increasing
OCD10103: Decreasing

OCD10104: Increasing
OCD10106: Increasing
OCD10107: Decreasing
OCD10108: Decreasing
OCD10110: Decreasing
OCD10111: Decreasing
OCD10112: Increasing
OCD10114: Decreasing
OCD10115: Decreasing
OCD10116: Stable
OCD10118: Increasing
OCD10119: Increasing
OCD10120: Decreasing
OCD10122: Decreasing
OCD10123: Stable
OCD10124: Decreasing
OCD10126: Decreasing
OCD10127: Increasing
OCD10128: Stable
OCD10130: Decreasing
OCD10131: Decreasing
OCD10132: Stable
OCD10134: Decreasing
OCD10135: Stable
OCD10136: Decreasing
OCD10138: Increasing
OCD10139: Stable
OCD10140: Increasing
SPC10102: Decreasing
SPC10103: Increasing
SPC10104: Increasing
SPC10106: Stable
SPC10107: Decreasing
SPC10108: Decreasing
SPC10110: Increasing
SPC10111: Stable
SPC10112: Decreasing
SPC10114: Stable
SPC10115: Decreasing
SPC10116: Stable

SPC10118: Stable
SPC10119: Decreasing
SPC10120: Decreasing
SPC10122: Decreasing
SPC10123: Increasing
SPC10124: Increasing
SPC10126: Increasing
SPC10127: Stable
SPC10128: Decreasing
SPC10130: Increasing
SPC10131: Stable
SPC10132: Stable
SPC10134: Stable
SPC10135: Stable
SPC10136: Increasing
SPC10138: Decreasing
SPC10139: Increasing
SPC10140: Stable
CTP10102: Stable
CTP10103: Decreasing
CTP10104: Increasing
CTP10106: Increasing
CTP10107: Stable
CTP10108: Increasing
CTP10110: Stable
CTP10111: Increasing
CTP10112: Decreasing
CTP10114: Stable
CTP10115: Increasing
CTP10116: Decreasing
CTP10118: Increasing
CTP10119: Decreasing
CTP10120: Stable
CTP10122: Decreasing
CTP10123: Stable
CTP10124: Decreasing
CTP10126: Increasing
CTP10127: Increasing
CTP10128: Decreasing
CTP10130: Stable

CTP10131: Stable
CTP10132: Stable
CTP10134: Stable
CTP10135: Increasing
CTP10136: Increasing
CTP10138: Decreasing
CTP10139: Increasing
CTP10140: Stable
PCF10102: Increasing
PCF10103: Stable
PCF10104: Increasing
PCF10106: Decreasing
PCF10107: Stable
PCF10108: Increasing
PCF10110: Decreasing
PCF10111: Stable
PCF10112: Decreasing
PCF10114: Stable
PCF10115: Decreasing
PCF10116: Increasing
PCF10118: Stable
PCF10119: Increasing
PCF10120: Decreasing
PCF10122: Stable
PCF10123: Stable
PCF10124: Increasing
PCF10126: Decreasing
PCF10127: Decreasing
PCF10128: Stable
PCF10130: Increasing
PCF10131: Decreasing
PCF10132: Increasing
PCF10134: Increasing
PCF10135: Decreasing
PCF10136: Decreasing
PCF10138: Decreasing
PCF10139: Stable
PCF10140: Decreasing
CTL10102: Stable
CTL10103: Stable

CTL10104: Stable
CTL10105: Decreasing
CTL10107: Decreasing
CTL10108: Increasing
CTL10109: Increasing
CTL10110: Stable
CTL10112: Stable
CTL10113: Increasing
CTL10114: Increasing
CTL10115: Stable
CTL10117: Decreasing
CTL10118: Decreasing
CTL10119: Increasing
CTL10121: Stable
CTL10122: Stable
CTL10123: Increasing
CTL10125: Stable
CTL10126: Stable
CTL10127: Stable
CTL10128: Stable
CTL10130: Decreasing
CTL10131: Decreasing
CTL10132: Increasing
CTL10134: Decreasing
CTL10135: Increasing
CTL10136: Decreasing
CTL10138: Decreasing
CTL10139: Stable
CTL10140: Stable
CTL10142: Stable
CTL10143: Increasing
CTL10144: Increasing
POD10102: Decreasing
POD10103: Stable
POD10104: Stable
POD10105: Stable
POD10107: Decreasing
POD10108: Increasing
POD10109: Increasing
POD10110: Increasing

POD10112: Decreasing
POD10113: Stable
POD10114: Decreasing
POD10115: Stable
POD10117: Increasing
POD10118: Stable
POD10119: Decreasing
POD10120: Stable
POD10122: Stable
POD10123: Increasing
POD10124: Stable
POD10125: Stable
POD10127: Increasing
POD10128: Stable
POD10129: Increasing
POD10131: Increasing
POD10132: Increasing
POD10133: Increasing
POD10135: Decreasing
POD10136: Stable
POD10137: Decreasing
POD10139: Decreasing
POD10140: Increasing
POD10141: Stable
POD10143: Decreasing
POD10144: Stable
POD10145: Stable
ANL10102: Stable
ANL10103: Increasing
ANL10104: Decreasing
ANL10105: Increasing
ANL10107: Decreasing
ANL10108: Decreasing
ANL10109: Stable
ANL10110: Decreasing
ANL10112: Increasing
ANL10113: Increasing
ANL10114: Stable
ANL10115: Decreasing
ANL10117: Increasing

ANL10118: Decreasing
ANL10119: Stable
ANL10120: Decreasing
ANL10122: Decreasing
ANL10123: Decreasing
ANL10124: Decreasing
ANL10125: Increasing
ANL10127: Stable
ANL10128: Decreasing
ANL10129: Decreasing
ANL10130: Increasing
ANL10132: Stable
ANL10133: Increasing
ANL10134: Decreasing
ANL10135: Decreasing
ANL10137: Stable
ANL10138: Increasing
ANL10139: Stable
ANL10140: Stable
ANL10142: Increasing
ANL10143: Stable
ANL10144: Increasing
ANL10145: Stable
ANL10147: Stable
ANL10148: Increasing
ANL10149: Stable
ANL10150: Increasing
PSU10102: Stable
PSU10103: Decreasing
PSU10104: Decreasing
PSU10105: Stable
PSU10107: Increasing
PSU10108: Increasing
PSU10109: Stable
PSU10110: Decreasing
PSU10112: Stable
PSU10113: Increasing
PSU10114: Stable
PSU10115: Decreasing
PSU10117: Decreasing

PSU10118: Increasing
PSU10119: Stable
PSU10120: Increasing
PSU10122: Increasing
PSU10123: Increasing
PSU10124: Stable
PSU10125: Decreasing
PSU10127: Stable
PSU10128: Decreasing
PSU10129: Stable
PSU10130: Decreasing
PSU10132: Decreasing
PSU10133: Stable
PSU10134: Stable
PSU10135: Decreasing
PSU10137: Decreasing
PSU10138: Increasing
PSU10139: Stable
PSU10140: Stable
PSU10142: Increasing
PSU10143: Increasing
PSU10144: Increasing
PSU10145: Decreasing
PSU10147: Stable
PSU10148: Increasing
PSU10149: Increasing
PSU10150: Decreasing
INV10102: Stable
INV10103: Decreasing
INV10104: Decreasing
INV10106: Stable
INV10107: Increasing
INV10108: Increasing
INV10110: Increasing
INV10111: Stable
INV10112: Increasing
INV10114: Decreasing
INV10115: Increasing
INV10116: Stable
INV10118: Increasing

INV10119: Stable
INV10120: Stable
INV10122: Decreasing
INV10123: Increasing
INV10124: Stable
INV10126: Decreasing
INV10127: Decreasing
INV10128: Decreasing
INV10130: Increasing
INV10131: Stable
INV10132: Stable
INV10134: Increasing
INV10135: Stable
INV10136: Increasing
INV10138: Stable
INV10139: Decreasing
INV10140: Stable
TST10102: Increasing
TST10103: Decreasing
TST10104: Decreasing
TST10106: Decreasing
TST10107: Increasing
TST10108: Increasing
TST10110: Increasing
TST10111: Increasing
TST10112: Stable
TST10114: Increasing
TST10115: Increasing
TST10116: Stable
TST10118: Decreasing
TST10119: Decreasing
TST10120: Decreasing
TST10122: Increasing
TST10123: Stable
TST10124: Decreasing
TST10126: Increasing
TST10127: Stable
TST10128: Decreasing
TST10130: Decreasing
TST10131: Decreasing

TST10132: Decreasing
TST10134: Increasing
TST10135: Decreasing
TST10136: Decreasing
TST10138: Stable
TST10139: Decreasing
TST10140: Increasing
TST10141: Decreasing
COR10102: Decreasing
COR10103: Decreasing
COR10104: Stable
COR10105: Decreasing
COR10107: Increasing
COR10108: Stable
COR10109: Increasing
COR10110: Decreasing
COR10112: Decreasing
COR10113: Stable
COR10114: Decreasing
COR10115: Stable
COR10117: Increasing
COR10118: Decreasing
COR10119: Stable
COR10120: Decreasing
COR10122: Decreasing
COR10123: Decreasing
COR10124: Decreasing
COR10125: Stable
COR10127: Stable
COR10128: Stable
COR10129: Stable
COR10130: Decreasing
COR10132: Stable
COR10133: Stable
COR10134: Stable
COR10135: Stable
COR10137: Stable
COR10138: Increasing
COR10139: Stable
COR10140: Increasing

COR10142: Decreasing
COR10143: Increasing
COR10144: Increasing
COR10145: Increasing
COR10147: Increasing
COR10148: Increasing
COR10149: Stable
COR10150: Decreasing
PCC10102: Increasing
PCC10103: Decreasing
PCC10104: Decreasing
PCC10106: Increasing
PCC10107: Decreasing
PCC10108: Stable
PCC10110: Stable
PCC10111: Stable
PCC10112: Increasing
PCC10114: Increasing
PCC10115: Stable
PCC10116: Stable
PCC10118: Increasing
PCC10119: Increasing
PCC10120: Decreasing
PCC10122: Stable
PCC10123: Increasing
PCC10124: Decreasing
PCC10126: Stable
PCC10127: Stable
PCC10128: Increasing
PCC10130: Increasing
PCC10131: Stable
PCC10132: Stable
PCC10134: Decreasing
PCC10135: Decreasing
PCC10136: Stable
PCC10138: Stable
PCC10139: Increasing
PCC10140: Increasing
PCC10141: Stable
CAP10102: Increasing

CAP10103: Increasing
CAP10104: Stable
CAP10105: Stable
CAP10107: Decreasing
CAP10108: Increasing
CAP10109: Stable
CAP10110: Stable
CAP10112: Stable
CAP10113: Increasing
CAP10114: Increasing
CAP10115: Stable
CAP10117: Stable
CAP10118: Increasing
CAP10119: Decreasing
CAP10120: Decreasing
CAP10122: Decreasing
CAP10123: Increasing
CAP10124: Stable
CAP10125: Stable
CAP10127: Decreasing
CAP10128: Decreasing
CAP10129: Decreasing
CAP10130: Increasing
CAP10132: Stable
CAP10133: Stable
CAP10134: Stable
CAP10135: Stable
CAP10137: Decreasing
CAP10138: Stable
CAP10139: Stable
CAP10140: Stable
CAP10142: Stable
CAP10143: Increasing
CAP10144: Decreasing
CAP10145: Increasing
CAP10147: Stable
CAP10148: Increasing
CAP10149: Increasing
CAP10150: Decreasing
PUR10102: Stable

PUR10103: Stable
PUR10104: Increasing
PUR10105: Decreasing
PUR10107: Decreasing
PUR10108: Decreasing
PUR10109: Increasing
PUR10110: Increasing
PUR10112: Stable
PUR10113: Decreasing
PUR10114: Increasing
PUR10115: Increasing
PUR10117: Stable
PUR10118: Increasing
PUR10119: Stable
PUR10120: Stable
PUR10122: Stable
PUR10123: Increasing
PUR10124: Decreasing
PUR10125: Decreasing
PUR10127: Decreasing
PUR10128: Increasing
PUR10129: Stable
PUR10130: Stable
PUR10132: Increasing
PUR10133: Increasing
PUR10134: Increasing
PUR10135: Decreasing
PUR10137: Increasing
PUR10138: Decreasing
PUR10139: Increasing
PUR10140: Stable
PUR10142: Increasing
PUR10143: Decreasing
PUR10144: Stable
PUR10145: Stable
PUR10147: Increasing
PUR10148: Increasing
PUR10149: Decreasing
PUR10150: Increasing
PBM10102: Increasing

PBM10103: Stable
PBM10104: Increasing
PBM10105: Decreasing
PBM10107: Stable
PBM10108: Decreasing
PBM10109: Increasing
PBM10110: Increasing
PBM10112: Increasing
PBM10113: Decreasing
PBM10114: Decreasing
PBM10115: Decreasing
PBM10117: Decreasing
PBM10118: Decreasing
PBM10119: Increasing
PBM10120: Stable
PBM10122: Stable
PBM10123: Stable
PBM10124: Increasing
PBM10125: Stable
PBM10127: Stable
PBM10128: Decreasing
PBM10129: Stable
PBM10130: Increasing
PBM10132: Increasing
PBM10133: Increasing
PBM10134: Decreasing
PBM10135: Decreasing
PBM10137: Increasing
PBM10138: Increasing
PBM10139: Stable
PBM10140: Stable
PBM10142: Stable
PBM10143: Stable
PBM10144: Decreasing
PBM10145: Stable
PBM10147: Increasing
PBM10148: Decreasing
PBM10149: Stable
PBM10150: Stable
ANM10102: Stable

ANM10103: Decreasing
ANM10104: Decreasing
ANM10105: Decreasing
ANM10107: Increasing
ANM10108: Stable
ANM10109: Decreasing
ANM10110: Decreasing
ANM10112: Stable
ANM10113: Decreasing
ANM10114: Increasing
ANM10115: Increasing
ANM10117: Decreasing
ANM10118: Decreasing
ANM10119: Decreasing
ANM10120: Decreasing
ANM10122: Decreasing
ANM10123: Decreasing
ANM10124: Stable
ANM10125: Decreasing
ANM10127: Decreasing
ANM10128: Increasing
ANM10129: Stable
ANM10130: Increasing
ANM10132: Stable
ANM10133: Decreasing
ANM10134: Decreasing
ANM10135: Decreasing
ANM10137: Increasing
ANM10138: Increasing
ANM10139: Decreasing
ANM10140: Stable
ANM10142: Stable
ANM10143: Increasing
ANM10144: Increasing
ANM10145: Stable
ANM10147: Stable
ANM10148: Decreasing
ANM10149: Decreasing
ANM10150: Stable

Metrics Repetitions (Fourier Analysis):

WPO10102: No clear repetition (potential instability)
WPO10103: Dominant period: 7.39 units (repetitive)
WPO10104: Dominant period: 30.30 units (repetitive)
WPO10106: Dominant period: 18.52 units (repetitive)
WPO10107: Dominant period: 5.35 units (repetitive)
WPO10108: No clear repetition (potential instability)
WPO10110: No clear repetition (potential instability)
WPO10111: No clear repetition (potential instability)
WPO10112: Dominant period: 8.26 units (repetitive)
WPO10114: No clear repetition (potential instability)
WPO10115: Dominant period: 2.53 units (repetitive)
WPO10116: No clear repetition (potential instability)
WPO10118: No clear repetition (potential instability)
WPO10119: No clear repetition (potential instability)
WPO10120: Dominant period: 115.38 units (repetitive)
WPO10122: Dominant period: 10.71 units (repetitive)
WPO10123: Dominant period: 2.74 units (repetitive)
WPO10124: No clear repetition (potential instability)
WPO10126: No clear repetition (potential instability)
WPO10127: Dominant period: 2.42 units (repetitive)
WPO10128: Dominant period: 22.39 units (repetitive)
WPO10130: Dominant period: 4.29 units (repetitive)
WPO10131: Dominant period: 27.27 units (repetitive)
WPO10132: Dominant period: 5.19 units (repetitive)
WPO10133: Dominant period: 2.57 units (repetitive)
WPO10135: No clear repetition (potential instability)
WPO10136: Dominant period: 4.62 units (repetitive)
WPO10137: No clear repetition (potential instability)
PPP10102: Dominant period: 20.69 units (repetitive)
PPP10103: Dominant period: 300.00 units (repetitive)
PPP10104: No clear repetition (potential instability)
PPP10105: No clear repetition (potential instability)
PPP10107: Dominant period: 5.24 units (repetitive)
PPP10108: Dominant period: 3.33 units (repetitive)
PPP10109: Dominant period: 17.05 units (repetitive)
PPP10110: No clear repetition (potential instability)
PPP10112: No clear repetition (potential instability)
PPP10113: No clear repetition (potential instability)
PPP10114: No clear repetition (potential instability)

TQA10102: Dominant period: 2.18 units (repetitive)
TQA10103: No clear repetition (potential instability)
TQA10104: No clear repetition (potential instability)
TQA10106: No clear repetition (potential instability)
TQA10107: No clear repetition (potential instability)
TQA10108: No clear repetition (potential instability)
TQA10109: Dominant period: 2.63 units (repetitive)
TQA10111: No clear repetition (potential instability)
TQA10112: No clear repetition (potential instability)
TQA10113: No clear repetition (potential instability)
TQA10114: Dominant period: 4.05 units (repetitive)
TQA10116: Dominant period: 2.67 units (repetitive)
TQA10117: No clear repetition (potential instability)
TQA10118: Dominant period: 42.25 units (repetitive)
TQA10119: No clear repetition (potential instability)
TQA10121: No clear repetition (potential instability)
TQA10122: Dominant period: 10.42 units (repetitive)
TQA10123: No clear repetition (potential instability)
TQA10125: Dominant period: 53.57 units (repetitive)
TQA10126: Dominant period: 2.31 units (repetitive)
TQA10127: Dominant period: 2.51 units (repetitive)
TQA10129: Dominant period: 46.15 units (repetitive)
TQA10130: Dominant period: 6.00 units (repetitive)
TQA10131: Dominant period: 3.95 units (repetitive)
TQA10132: Dominant period: 13.27 units (repetitive)
TQA10134: No clear repetition (potential instability)
TQA10135: Dominant period: 73.17 units (repetitive)
TQA10136: Dominant period: 2.75 units (repetitive)
TQA10138: Dominant period: 22.90 units (repetitive)
TQA10139: Dominant period: 2.72 units (repetitive)
TQA10140: Dominant period: 3.30 units (repetitive)
TQA10142: Dominant period: 4.20 units (repetitive)
TQA10143: No clear repetition (potential instability)
TQA10144: No clear repetition (potential instability)
OCD10102: Dominant period: 200.00 units (repetitive)
OCD10103: Dominant period: 8.11 units (repetitive)
OCD10104: No clear repetition (potential instability)
OCD10106: Dominant period: 4.29 units (repetitive)
OCD10107: Dominant period: 5.49 units (repetitive)
OCD10108: Dominant period: 230.77 units (repetitive)

OCD10110: Dominant period: 3.79 units (repetitive)
OCD10111: Dominant period: 3.61 units (repetitive)
OCD10112: Dominant period: 2.99 units (repetitive)
OCD10114: Dominant period: 10.49 units (repetitive)
OCD10115: No clear repetition (potential instability)
OCD10116: No clear repetition (potential instability)
OCD10118: No clear repetition (potential instability)
OCD10119: Dominant period: 7.50 units (repetitive)
OCD10120: No clear repetition (potential instability)
OCD10122: No clear repetition (potential instability)
OCD10123: Dominant period: 3.41 units (repetitive)
OCD10124: Dominant period: 2.27 units (repetitive)
OCD10126: Dominant period: 2.81 units (repetitive)
OCD10127: No clear repetition (potential instability)
OCD10128: No clear repetition (potential instability)
OCD10130: Dominant period: 17.24 units (repetitive)
OCD10131: Dominant period: 111.11 units (repetitive)
OCD10132: No clear repetition (potential instability)
OCD10134: No clear repetition (potential instability)
OCD10135: No clear repetition (potential instability)
OCD10136: No clear repetition (potential instability)
OCD10138: Dominant period: 26.55 units (repetitive)
OCD10139: No clear repetition (potential instability)
OCD10140: No clear repetition (potential instability)
SPC10102: No clear repetition (potential instability)
SPC10103: Dominant period: 3.02 units (repetitive)
SPC10104: Dominant period: 28.30 units (repetitive)
SPC10106: Dominant period: 5.61 units (repetitive)
SPC10107: Dominant period: 26.32 units (repetitive)
SPC10108: No clear repetition (potential instability)
SPC10110: No clear repetition (potential instability)
SPC10111: Dominant period: 2.64 units (repetitive)
SPC10112: No clear repetition (potential instability)
SPC10114: Dominant period: 10.14 units (repetitive)
SPC10115: No clear repetition (potential instability)
SPC10116: No clear repetition (potential instability)
SPC10118: Dominant period: 5.84 units (repetitive)
SPC10119: No clear repetition (potential instability)
SPC10120: Dominant period: 5.54 units (repetitive)
SPC10122: Dominant period: 11.67 units (repetitive)

SPC10123: Dominant period: 3.02 units (repetitive)
SPC10124: Dominant period: 2.93 units (repetitive)
SPC10126: Dominant period: 27.27 units (repetitive)
SPC10127: Dominant period: 22.22 units (repetitive)
SPC10128: Dominant period: 7.41 units (repetitive)
SPC10130: Dominant period: 25.00 units (repetitive)
SPC10131: Dominant period: 103.45 units (repetitive)
SPC10132: Dominant period: 58.82 units (repetitive)
SPC10134: Dominant period: 2.08 units (repetitive)
SPC10135: Dominant period: 6.17 units (repetitive)
SPC10136: No clear repetition (potential instability)
SPC10138: No clear repetition (potential instability)
SPC10139: No clear repetition (potential instability)
SPC10140: Dominant period: 34.88 units (repetitive)
CTP10102: Dominant period: 4.65 units (repetitive)
CTP10103: No clear repetition (potential instability)
CTP10104: No clear repetition (potential instability)
CTP10106: Dominant period: 2.54 units (repetitive)
CTP10107: No clear repetition (potential instability)
CTP10108: Dominant period: 3.28 units (repetitive)
CTP10110: No clear repetition (potential instability)
CTP10111: Dominant period: 2.76 units (repetitive)
CTP10112: No clear repetition (potential instability)
CTP10114: Dominant period: 3.14 units (repetitive)
CTP10115: No clear repetition (potential instability)
CTP10116: Dominant period: 2.71 units (repetitive)
CTP10118: No clear repetition (potential instability)
CTP10119: No clear repetition (potential instability)
CTP10120: No clear repetition (potential instability)
CTP10122: Dominant period: 2.67 units (repetitive)
CTP10123: Dominant period: 12.10 units (repetitive)
CTP10124: Dominant period: 20.83 units (repetitive)
CTP10126: Dominant period: 3.08 units (repetitive)
CTP10127: Dominant period: 3.18 units (repetitive)
CTP10128: Dominant period: 2.60 units (repetitive)
CTP10130: No clear repetition (potential instability)
CTP10131: Dominant period: 15.62 units (repetitive)
CTP10132: Dominant period: 2.19 units (repetitive)
CTP10134: Dominant period: 3.33 units (repetitive)
CTP10135: Dominant period: 2.83 units (repetitive)

CTP10136: No clear repetition (potential instability)
CTP10138: Dominant period: 2.31 units (repetitive)
CTP10139: Dominant period: 3.74 units (repetitive)
CTP10140: Dominant period: 2.52 units (repetitive)
PCF10102: Dominant period: 3.27 units (repetitive)
PCF10103: No clear repetition (potential instability)
PCF10104: Dominant period: 11.81 units (repetitive)
PCF10106: Dominant period: 3.82 units (repetitive)
PCF10107: Dominant period: 2.08 units (repetitive)
PCF10108: No clear repetition (potential instability)
PCF10110: Dominant period: 3.18 units (repetitive)
PCF10111: No clear repetition (potential instability)
PCF10112: Dominant period: 16.30 units (repetitive)
PCF10114: No clear repetition (potential instability)
PCF10115: Dominant period: 2.94 units (repetitive)
PCF10116: Dominant period: 12.35 units (repetitive)
PCF10118: Dominant period: 6.49 units (repetitive)
PCF10119: Dominant period: 16.76 units (repetitive)
PCF10120: Dominant period: 2.28 units (repetitive)
PCF10122: No clear repetition (potential instability)
PCF10123: No clear repetition (potential instability)
PCF10124: Dominant period: 3.38 units (repetitive)
PCF10126: Dominant period: 3.14 units (repetitive)
PCF10127: Dominant period: 7.89 units (repetitive)
PCF10128: Dominant period: 17.96 units (repetitive)
PCF10130: No clear repetition (potential instability)
PCF10131: Dominant period: 2.82 units (repetitive)
PCF10132: Dominant period: 26.79 units (repetitive)
PCF10134: Dominant period: 2.09 units (repetitive)
PCF10135: No clear repetition (potential instability)
PCF10136: Dominant period: 3000.00 units (repetitive)
PCF10138: No clear repetition (potential instability)
PCF10139: Dominant period: 2.78 units (repetitive)
PCF10140: Dominant period: 2.35 units (repetitive)
CTL10102: Dominant period: 7.19 units (repetitive)
CTL10103: No clear repetition (potential instability)
CTL10104: No clear repetition (potential instability)
CTL10105: Dominant period: 8.82 units (repetitive)
CTL10107: Dominant period: 18.40 units (repetitive)
CTL10108: Dominant period: 10.68 units (repetitive)

CTL10109: Dominant period: 5.15 units (repetitive)
CTL10110: Dominant period: 3.80 units (repetitive)
CTL10112: No clear repetition (potential instability)
CTL10113: No clear repetition (potential instability)
CTL10114: Dominant period: 4.84 units (repetitive)
CTL10115: Dominant period: 3.88 units (repetitive)
CTL10117: No clear repetition (potential instability)
CTL10118: No clear repetition (potential instability)
CTL10119: No clear repetition (potential instability)
CTL10121: Dominant period: 7.19 units (repetitive)
CTL10122: Dominant period: 136.36 units (repetitive)
CTL10123: Dominant period: 3.17 units (repetitive)
CTL10125: No clear repetition (potential instability)
CTL10126: Dominant period: 5.08 units (repetitive)
CTL10127: Dominant period: 4.41 units (repetitive)
CTL10128: No clear repetition (potential instability)
CTL10130: No clear repetition (potential instability)
CTL10131: Dominant period: 3.87 units (repetitive)
CTL10132: No clear repetition (potential instability)
CTL10134: No clear repetition (potential instability)
CTL10135: No clear repetition (potential instability)
CTL10136: Dominant period: 2.33 units (repetitive)
CTL10138: No clear repetition (potential instability)
CTL10139: No clear repetition (potential instability)
CTL10140: Dominant period: 2.74 units (repetitive)
CTL10142: Dominant period: 8.70 units (repetitive)
CTL10143: Dominant period: 3.10 units (repetitive)
CTL10144: Dominant period: 10.95 units (repetitive)
POD10102: No clear repetition (potential instability)
POD10103: No clear repetition (potential instability)
POD10104: No clear repetition (potential instability)
POD10105: Dominant period: 7.81 units (repetitive)
POD10107: Dominant period: 2.23 units (repetitive)
POD10108: Dominant period: 5.74 units (repetitive)
POD10109: Dominant period: 65.22 units (repetitive)
POD10110: No clear repetition (potential instability)
POD10112: Dominant period: 10.99 units (repetitive)
POD10113: Dominant period: 8.47 units (repetitive)
POD10114: Dominant period: 11.81 units (repetitive)
POD10115: Dominant period: 3.82 units (repetitive)

POD10117: No clear repetition (potential instability)
POD10118: No clear repetition (potential instability)
POD10119: No clear repetition (potential instability)
POD10120: No clear repetition (potential instability)
POD10122: No clear repetition (potential instability)
POD10123: No clear repetition (potential instability)
POD10124: No clear repetition (potential instability)
POD10125: Dominant period: 6.32 units (repetitive)
POD10127: Dominant period: 7.48 units (repetitive)
POD10128: No clear repetition (potential instability)
POD10129: Dominant period: 3.66 units (repetitive)
POD10131: No clear repetition (potential instability)
POD10132: Dominant period: 3.78 units (repetitive)
POD10133: Dominant period: 2.24 units (repetitive)
POD10135: No clear repetition (potential instability)
POD10136: Dominant period: 14.22 units (repetitive)
POD10137: Dominant period: 24.00 units (repetitive)
POD10139: Dominant period: 2.25 units (repetitive)
POD10140: No clear repetition (potential instability)
POD10141: Dominant period: 7.94 units (repetitive)
POD10143: No clear repetition (potential instability)
POD10144: Dominant period: 2.52 units (repetitive)
POD10145: No clear repetition (potential instability)
ANL10102: No clear repetition (potential instability)
ANL10103: Dominant period: 5.56 units (repetitive)
ANL10104: No clear repetition (potential instability)
ANL10105: Dominant period: 17.96 units (repetitive)
ANL10107: No clear repetition (potential instability)
ANL10108: Dominant period: 8.65 units (repetitive)
ANL10109: Dominant period: 12.45 units (repetitive)
ANL10110: No clear repetition (potential instability)
ANL10112: Dominant period: 4.17 units (repetitive)
ANL10113: Dominant period: 2.76 units (repetitive)
ANL10114: No clear repetition (potential instability)
ANL10115: Dominant period: 2.49 units (repetitive)
ANL10117: Dominant period: 6.76 units (repetitive)
ANL10118: Dominant period: 4.71 units (repetitive)
ANL10119: Dominant period: 10.60 units (repetitive)
ANL10120: Dominant period: 4.55 units (repetitive)
ANL10122: Dominant period: 2.38 units (repetitive)

ANL10123: No clear repetition (potential instability)
ANL10124: Dominant period: 20.27 units (repetitive)
ANL10125: No clear repetition (potential instability)
ANL10127: Dominant period: 12.50 units (repetitive)
ANL10128: Dominant period: 18.52 units (repetitive)
ANL10129: No clear repetition (potential instability)
ANL10130: Dominant period: 3.53 units (repetitive)
ANL10132: Dominant period: 6.52 units (repetitive)
ANL10133: No clear repetition (potential instability)
ANL10134: Dominant period: 4.33 units (repetitive)
ANL10135: Dominant period: 9.38 units (repetitive)
ANL10137: Dominant period: 4.04 units (repetitive)
ANL10138: No clear repetition (potential instability)
ANL10139: No clear repetition (potential instability)
ANL10140: Dominant period: 5.41 units (repetitive)
ANL10142: No clear repetition (potential instability)
ANL10143: Dominant period: 88.24 units (repetitive)
ANL10144: Dominant period: 45.45 units (repetitive)
ANL10145: Dominant period: 2.62 units (repetitive)
ANL10147: Dominant period: 51.72 units (repetitive)
ANL10148: No clear repetition (potential instability)
ANL10149: No clear repetition (potential instability)
ANL10150: No clear repetition (potential instability)
PSU10102: Dominant period: 7.04 units (repetitive)
PSU10103: Dominant period: 19.23 units (repetitive)
PSU10104: No clear repetition (potential instability)
PSU10105: Dominant period: 2.78 units (repetitive)
PSU10107: No clear repetition (potential instability)
PSU10108: No clear repetition (potential instability)
PSU10109: Dominant period: 4.37 units (repetitive)
PSU10110: No clear repetition (potential instability)
PSU10112: No clear repetition (potential instability)
PSU10113: Dominant period: 2.46 units (repetitive)
PSU10114: No clear repetition (potential instability)
PSU10115: Dominant period: 8.13 units (repetitive)
PSU10117: No clear repetition (potential instability)
PSU10118: No clear repetition (potential instability)
PSU10119: No clear repetition (potential instability)
PSU10120: Dominant period: 3.90 units (repetitive)
PSU10122: Dominant period: 3.14 units (repetitive)

PSU10123: No clear repetition (potential instability)
PSU10124: Dominant period: 3.33 units (repetitive)
PSU10125: No clear repetition (potential instability)
PSU10127: Dominant period: 3.76 units (repetitive)
PSU10128: Dominant period: 120.00 units (repetitive)
PSU10129: Dominant period: 38.96 units (repetitive)
PSU10130: Dominant period: 2.44 units (repetitive)
PSU10132: No clear repetition (potential instability)
PSU10133: No clear repetition (potential instability)
PSU10134: No clear repetition (potential instability)
PSU10135: No clear repetition (potential instability)
PSU10137: No clear repetition (potential instability)
PSU10138: No clear repetition (potential instability)
PSU10139: Dominant period: 3.20 units (repetitive)
PSU10140: No clear repetition (potential instability)
PSU10142: No clear repetition (potential instability)
PSU10143: Dominant period: 4.49 units (repetitive)
PSU10144: Dominant period: 2.14 units (repetitive)
PSU10145: No clear repetition (potential instability)
PSU10147: Dominant period: 2.17 units (repetitive)
PSU10148: Dominant period: 8.96 units (repetitive)
PSU10149: Dominant period: 2.69 units (repetitive)
PSU10150: No clear repetition (potential instability)
INV10102: Dominant period: 2.81 units (repetitive)
INV10103: Dominant period: 2.79 units (repetitive)
INV10104: Dominant period: 3.58 units (repetitive)
INV10106: Dominant period: 22.73 units (repetitive)
INV10107: No clear repetition (potential instability)
INV10108: Dominant period: 13.27 units (repetitive)
INV10110: Dominant period: 4.13 units (repetitive)
INV10111: Dominant period: 2.34 units (repetitive)
INV10112: Dominant period: 750.00 units (repetitive)
INV10114: Dominant period: 27.27 units (repetitive)
INV10115: Dominant period: 5.18 units (repetitive)
INV10116: Dominant period: 4.78 units (repetitive)
INV10118: No clear repetition (potential instability)
INV10119: No clear repetition (potential instability)
INV10120: Dominant period: 2.49 units (repetitive)
INV10122: No clear repetition (potential instability)
INV10123: Dominant period: 10.00 units (repetitive)

INV10124: No clear repetition (potential instability)
INV10126: Dominant period: 30.93 units (repetitive)
INV10127: Dominant period: 8.52 units (repetitive)
INV10128: Dominant period: 9.77 units (repetitive)
INV10130: No clear repetition (potential instability)
INV10131: No clear repetition (potential instability)
INV10132: No clear repetition (potential instability)
INV10134: No clear repetition (potential instability)
INV10135: No clear repetition (potential instability)
INV10136: No clear repetition (potential instability)
INV10138: No clear repetition (potential instability)
INV10139: Dominant period: 2.87 units (repetitive)
INV10140: Dominant period: 7.50 units (repetitive)
TST10102: No clear repetition (potential instability)
TST10103: No clear repetition (potential instability)
TST10104: Dominant period: 7.41 units (repetitive)
TST10106: No clear repetition (potential instability)
TST10107: Dominant period: 3.35 units (repetitive)
TST10108: Dominant period: 3.12 units (repetitive)
TST10110: No clear repetition (potential instability)
TST10111: No clear repetition (potential instability)
TST10112: No clear repetition (potential instability)
TST10114: No clear repetition (potential instability)
TST10115: Dominant period: 8.17 units (repetitive)
TST10116: No clear repetition (potential instability)
TST10118: Dominant period: 3.28 units (repetitive)
TST10119: No clear repetition (potential instability)
TST10120: No clear repetition (potential instability)
TST10122: Dominant period: 7.58 units (repetitive)
TST10123: Dominant period: 428.57 units (repetitive)
TST10124: Dominant period: 125.00 units (repetitive)
TST10126: No clear repetition (potential instability)
TST10127: Dominant period: 8.60 units (repetitive)
TST10128: Dominant period: 24.39 units (repetitive)
TST10130: Dominant period: 12.35 units (repetitive)
TST10131: Dominant period: 8.47 units (repetitive)
TST10132: No clear repetition (potential instability)
TST10134: Dominant period: 3000.00 units (repetitive)
TST10135: No clear repetition (potential instability)
TST10136: Dominant period: 3.13 units (repetitive)

TST10138: No clear repetition (potential instability)
TST10139: Dominant period: 2.02 units (repetitive)
TST10140: No clear repetition (potential instability)
TST10141: Dominant period: 4.09 units (repetitive)
COR10102: No clear repetition (potential instability)
COR10103: No clear repetition (potential instability)
COR10104: Dominant period: 5.88 units (repetitive)
COR10105: No clear repetition (potential instability)
COR10107: Dominant period: 4.64 units (repetitive)
COR10108: Dominant period: 10.34 units (repetitive)
COR10109: Dominant period: 300.00 units (repetitive)
COR10110: Dominant period: 2.23 units (repetitive)
COR10112: No clear repetition (potential instability)
COR10113: Dominant period: 15.87 units (repetitive)
COR10114: No clear repetition (potential instability)
COR10115: Dominant period: 8.47 units (repetitive)
COR10117: Dominant period: 9.04 units (repetitive)
COR10118: Dominant period: 4.08 units (repetitive)
COR10119: Dominant period: 76.92 units (repetitive)
COR10120: No clear repetition (potential instability)
COR10122: Dominant period: 2.29 units (repetitive)
COR10123: Dominant period: 4.42 units (repetitive)
COR10124: Dominant period: 23.26 units (repetitive)
COR10125: No clear repetition (potential instability)
COR10127: Dominant period: 2.30 units (repetitive)
COR10128: No clear repetition (potential instability)
COR10129: Dominant period: 4.86 units (repetitive)
COR10130: Dominant period: 11.28 units (repetitive)
COR10132: No clear repetition (potential instability)
COR10133: Dominant period: 7.28 units (repetitive)
COR10134: Dominant period: 2.18 units (repetitive)
COR10135: Dominant period: 3.83 units (repetitive)
COR10137: Dominant period: 3.40 units (repetitive)
COR10138: No clear repetition (potential instability)
COR10139: No clear repetition (potential instability)
COR10140: Dominant period: 3.98 units (repetitive)
COR10142: Dominant period: 66.67 units (repetitive)
COR10143: No clear repetition (potential instability)
COR10144: Dominant period: 6.96 units (repetitive)
COR10145: Dominant period: 2.12 units (repetitive)

COR10147: No clear repetition (potential instability)
COR10148: No clear repetition (potential instability)
COR10149: Dominant period: 2.39 units (repetitive)
COR10150: No clear repetition (potential instability)
PCC10102: No clear repetition (potential instability)
PCC10103: Dominant period: 19.23 units (repetitive)
PCC10104: Dominant period: 17.05 units (repetitive)
PCC10106: Dominant period: 2.01 units (repetitive)
PCC10107: No clear repetition (potential instability)
PCC10108: Dominant period: 17.96 units (repetitive)
PCC10110: Dominant period: 7.56 units (repetitive)
PCC10111: Dominant period: 2.52 units (repetitive)
PCC10112: Dominant period: 40.54 units (repetitive)
PCC10114: No clear repetition (potential instability)
PCC10115: Dominant period: 9.52 units (repetitive)
PCC10116: Dominant period: 2.73 units (repetitive)
PCC10118: Dominant period: 3.90 units (repetitive)
PCC10119: Dominant period: 9.46 units (repetitive)
PCC10120: No clear repetition (potential instability)
PCC10122: No clear repetition (potential instability)
PCC10123: No clear repetition (potential instability)
PCC10124: No clear repetition (potential instability)
PCC10126: No clear repetition (potential instability)
PCC10127: No clear repetition (potential instability)
PCC10128: No clear repetition (potential instability)
PCC10130: Dominant period: 15.71 units (repetitive)
PCC10131: No clear repetition (potential instability)
PCC10132: No clear repetition (potential instability)
PCC10134: No clear repetition (potential instability)
PCC10135: Dominant period: 2.04 units (repetitive)
PCC10136: No clear repetition (potential instability)
PCC10138: Dominant period: 3.14 units (repetitive)
PCC10139: No clear repetition (potential instability)
PCC10140: No clear repetition (potential instability)
PCC10141: Dominant period: 6.40 units (repetitive)
CAP10102: Dominant period: 5.12 units (repetitive)
CAP10103: No clear repetition (potential instability)
CAP10104: Dominant period: 7.32 units (repetitive)
CAP10105: Dominant period: 2.22 units (repetitive)
CAP10107: Dominant period: 57.69 units (repetitive)

CAP10108: Dominant period: 6.88 units (repetitive)
CAP10109: Dominant period: 3.58 units (repetitive)
CAP10110: No clear repetition (potential instability)
CAP10112: Dominant period: 3.67 units (repetitive)
CAP10113: Dominant period: 2.71 units (repetitive)
CAP10114: Dominant period: 3.48 units (repetitive)
CAP10115: Dominant period: 3.92 units (repetitive)
CAP10117: Dominant period: 56.60 units (repetitive)
CAP10118: Dominant period: 38.96 units (repetitive)
CAP10119: Dominant period: 9.71 units (repetitive)
CAP10120: Dominant period: 2.57 units (repetitive)
CAP10122: Dominant period: 3.40 units (repetitive)
CAP10123: Dominant period: 11.54 units (repetitive)
CAP10124: No clear repetition (potential instability)
CAP10125: Dominant period: 4.60 units (repetitive)
CAP10127: No clear repetition (potential instability)
CAP10128: No clear repetition (potential instability)
CAP10129: No clear repetition (potential instability)
CAP10130: Dominant period: 2.08 units (repetitive)
CAP10132: No clear repetition (potential instability)
CAP10133: No clear repetition (potential instability)
CAP10134: Dominant period: 5.23 units (repetitive)
CAP10135: Dominant period: 2.04 units (repetitive)
CAP10137: Dominant period: 3.64 units (repetitive)
CAP10138: Dominant period: 8.29 units (repetitive)
CAP10139: No clear repetition (potential instability)
CAP10140: No clear repetition (potential instability)
CAP10142: Dominant period: 51.72 units (repetitive)
CAP10143: Dominant period: 3.08 units (repetitive)
CAP10144: No clear repetition (potential instability)
CAP10145: No clear repetition (potential instability)
CAP10147: Dominant period: 4.04 units (repetitive)
CAP10148: No clear repetition (potential instability)
CAP10149: Dominant period: 120.00 units (repetitive)
CAP10150: No clear repetition (potential instability)
PUR10102: Dominant period: 3.17 units (repetitive)
PUR10103: Dominant period: 2.18 units (repetitive)
PUR10104: Dominant period: 2.28 units (repetitive)
PUR10105: Dominant period: 2.78 units (repetitive)
PUR10107: No clear repetition (potential instability)

PUR10108: Dominant period: 55.56 units (repetitive)
PUR10109: Dominant period: 2.15 units (repetitive)
PUR10110: Dominant period: 2.75 units (repetitive)
PUR10112: No clear repetition (potential instability)
PUR10113: No clear repetition (potential instability)
PUR10114: Dominant period: 6.45 units (repetitive)
PUR10115: Dominant period: 3.05 units (repetitive)
PUR10117: No clear repetition (potential instability)
PUR10118: No clear repetition (potential instability)
PUR10119: No clear repetition (potential instability)
PUR10120: Dominant period: 13.89 units (repetitive)
PUR10122: Dominant period: 3.55 units (repetitive)
PUR10123: No clear repetition (potential instability)
PUR10124: Dominant period: 8.67 units (repetitive)
PUR10125: Dominant period: 8.65 units (repetitive)
PUR10127: No clear repetition (potential instability)
PUR10128: Dominant period: 2.16 units (repetitive)
PUR10129: Dominant period: 5.77 units (repetitive)
PUR10130: No clear repetition (potential instability)
PUR10132: Dominant period: 2.90 units (repetitive)
PUR10133: Dominant period: 4.32 units (repetitive)
PUR10134: Dominant period: 2.27 units (repetitive)
PUR10135: No clear repetition (potential instability)
PUR10137: Dominant period: 2.82 units (repetitive)
PUR10138: No clear repetition (potential instability)
PUR10139: Dominant period: 2.53 units (repetitive)
PUR10140: Dominant period: 4.75 units (repetitive)
PUR10142: Dominant period: 2.23 units (repetitive)
PUR10143: Dominant period: 2.57 units (repetitive)
PUR10144: No clear repetition (potential instability)
PUR10145: No clear repetition (potential instability)
PUR10147: No clear repetition (potential instability)
PUR10148: No clear repetition (potential instability)
PUR10149: No clear repetition (potential instability)
PUR10150: Dominant period: 157.89 units (repetitive)
PBM10102: No clear repetition (potential instability)
PBM10103: No clear repetition (potential instability)
PBM10104: No clear repetition (potential instability)
PBM10105: Dominant period: 2.43 units (repetitive)
PBM10107: Dominant period: 4.56 units (repetitive)

PBM10108: Dominant period: 3.06 units (repetitive)
PBM10109: Dominant period: 6.37 units (repetitive)
PBM10110: No clear repetition (potential instability)
PBM10112: Dominant period: 3.92 units (repetitive)
PBM10113: No clear repetition (potential instability)
PBM10114: No clear repetition (potential instability)
PBM10115: Dominant period: 100.00 units (repetitive)
PBM10117: Dominant period: 230.77 units (repetitive)
PBM10118: No clear repetition (potential instability)
PBM10119: No clear repetition (potential instability)
PBM10120: Dominant period: 3.24 units (repetitive)
PBM10122: Dominant period: 2.31 units (repetitive)
PBM10123: Dominant period: 2.35 units (repetitive)
PBM10124: Dominant period: 3.26 units (repetitive)
PBM10125: No clear repetition (potential instability)
PBM10127: No clear repetition (potential instability)
PBM10128: Dominant period: 10.45 units (repetitive)
PBM10129: No clear repetition (potential instability)
PBM10130: Dominant period: 2.47 units (repetitive)
PBM10132: No clear repetition (potential instability)
PBM10133: Dominant period: 5.36 units (repetitive)
PBM10134: Dominant period: 2.89 units (repetitive)
PBM10135: Dominant period: 4.85 units (repetitive)
PBM10137: Dominant period: 2.33 units (repetitive)
PBM10138: No clear repetition (potential instability)
PBM10139: No clear repetition (potential instability)
PBM10140: No clear repetition (potential instability)
PBM10142: Dominant period: 2.03 units (repetitive)
PBM10143: No clear repetition (potential instability)
PBM10144: No clear repetition (potential instability)
PBM10145: No clear repetition (potential instability)
PBM10147: Dominant period: 7.43 units (repetitive)
PBM10148: Dominant period: 14.42 units (repetitive)
PBM10149: Dominant period: 2.56 units (repetitive)
PBM10150: No clear repetition (potential instability)
ANM10102: Dominant period: 4.46 units (repetitive)
ANM10103: Dominant period: 3.57 units (repetitive)
ANM10104: Dominant period: 14.56 units (repetitive)
ANM10105: No clear repetition (potential instability)
ANM10107: No clear repetition (potential instability)

ANM10108: No clear repetition (potential instability)
ANM10109: No clear repetition (potential instability)
ANM10110: No clear repetition (potential instability)
ANM10112: Dominant period: 2.04 units (repetitive)
ANM10113: No clear repetition (potential instability)
ANM10114: No clear repetition (potential instability)
ANM10115: Dominant period: 3.38 units (repetitive)
ANM10117: No clear repetition (potential instability)
ANM10118: Dominant period: 2.27 units (repetitive)
ANM10119: Dominant period: 2.24 units (repetitive)
ANM10120: Dominant period: 2.52 units (repetitive)
ANM10122: Dominant period: 14.42 units (repetitive)
ANM10123: No clear repetition (potential instability)
ANM10124: Dominant period: 3.09 units (repetitive)
ANM10125: No clear repetition (potential instability)
ANM10127: No clear repetition (potential instability)
ANM10128: No clear repetition (potential instability)
ANM10129: No clear repetition (potential instability)
ANM10130: No clear repetition (potential instability)
ANM10132: Dominant period: 2.01 units (repetitive)
ANM10133: No clear repetition (potential instability)
ANM10134: Dominant period: 7.63 units (repetitive)
ANM10135: Dominant period: 2.09 units (repetitive)
ANM10137: Dominant period: 4.62 units (repetitive)
ANM10138: No clear repetition (potential instability)
ANM10139: No clear repetition (potential instability)
ANM10140: Dominant period: 4.17 units (repetitive)
ANM10142: Dominant period: 4.01 units (repetitive)
ANM10143: Dominant period: 2.58 units (repetitive)
ANM10144: No clear repetition (potential instability)
ANM10145: No clear repetition (potential instability)
ANM10147: Dominant period: 6.99 units (repetitive)
ANM10148: No clear repetition (potential instability)
ANM10149: No clear repetition (potential instability)
ANM10150: Dominant period: 2.85 units (repetitive)

Groups Trends:

WPO10101: Increasing
WPO10105: Decreasing
WPO10109: Increasing

WPO10113: Increasing
WPO10117: Increasing
WPO10121: Decreasing
WPO10125: Stable
WPO10129: Stable
WPO10134: Increasing
PPP10101: Increasing
PPP10106: Increasing
PPP10111: Stable
TQA10101: Stable
TQA10105: Decreasing
TQA10110: Decreasing
TQA10115: Stable
TQA10120: Increasing
TQA10124: Increasing
TQA10128: Stable
TQA10133: Stable
TQA10137: Stable
TQA10141: Decreasing
OCD10101: Stable
OCD10105: Decreasing
OCD10109: Decreasing
OCD10113: Decreasing
OCD10117: Stable
OCD10121: Decreasing
OCD10125: Stable
OCD10129: Decreasing
OCD10133: Decreasing
OCD10137: Increasing
SPC10101: Stable
SPC10105: Decreasing
SPC10109: Stable
SPC10113: Decreasing
SPC10117: Decreasing
SPC10121: Increasing
SPC10125: Stable
SPC10129: Increasing
SPC10133: Stable
SPC10137: Stable
CTP10101: Increasing

CTP10105: Increasing
CTP10109: Stable
CTP10113: Stable
CTP10117: Stable
CTP10121: Decreasing
CTP10125: Increasing
CTP10129: Stable
CTP10133: Increasing
CTP10137: Decreasing
PCF10101: Increasing
PCF10105: Stable
PCF10109: Decreasing
PCF10113: Stable
PCF10117: Decreasing
PCF10121: Stable
PCF10125: Decreasing
PCF10129: Increasing
PCF10133: Decreasing
PCF10137: Decreasing
CTL10101: Stable
CTL10106: Stable
CTL10111: Increasing
CTL10116: Decreasing
CTL10120: Increasing
CTL10124: Stable
CTL10129: Decreasing
CTL10133: Decreasing
CTL10137: Decreasing
CTL10141: Increasing
POD10101: Stable
POD10106: Increasing
POD10111: Decreasing
POD10116: Stable
POD10121: Stable
POD10126: Increasing
POD10130: Increasing
POD10134: Decreasing
POD10138: Stable
POD10142: Stable
ANL10101: Stable

ANL10106: Decreasing
ANL10111: Stable
ANL10116: Stable
ANL10121: Decreasing
ANL10126: Decreasing
ANL10131: Stable
ANL10136: Increasing
ANL10141: Increasing
ANL10146: Increasing
PSU10101: Decreasing
PSU10106: Increasing
PSU10111: Decreasing
PSU10116: Stable
PSU10121: Increasing
PSU10126: Decreasing
PSU10131: Decreasing
PSU10136: Stable
PSU10141: Increasing
PSU10146: Increasing
INV10101: Decreasing
INV10105: Increasing
INV10109: Increasing
INV10113: Increasing
INV10117: Increasing
INV10121: Stable
INV10125: Decreasing
INV10129: Increasing
INV10133: Increasing
INV10137: Decreasing
TST10101: Stable
TST10105: Increasing
TST10109: Increasing
TST10113: Increasing
TST10117: Decreasing
TST10121: Increasing
TST10125: Stable
TST10129: Decreasing
TST10133: Stable
TST10137: Decreasing
COR10101: Decreasing

COR10106: Stable
COR10111: Stable
COR10116: Stable
COR10121: Decreasing
COR10126: Decreasing
COR10131: Stable
COR10136: Increasing
COR10141: Increasing
COR10146: Increasing
PCC10101: Stable
PCC10105: Stable
PCC10109: Stable
PCC10113: Stable
PCC10117: Stable
PCC10121: Stable
PCC10125: Increasing
PCC10129: Increasing
PCC10133: Decreasing
PCC10137: Increasing
CAP10101: Increasing
CAP10106: Stable
CAP10111: Increasing
CAP10116: Increasing
CAP10121: Stable
CAP10126: Decreasing
CAP10131: Stable
CAP10136: Stable
CAP10141: Increasing
CAP10146: Stable
PUR10101: Increasing
PUR10106: Stable
PUR10111: Stable
PUR10116: Stable
PUR10121: Stable
PUR10126: Increasing
PUR10131: Increasing
PUR10136: Stable
PUR10141: Decreasing
PUR10146: Stable
PBM10101: Stable

PBM10106: Increasing
PBM10111: Decreasing
PBM10116: Decreasing
PBM10121: Increasing
PBM10126: Stable
PBM10131: Stable
PBM10136: Increasing
PBM10141: Stable
PBM10146: Increasing
ANM10101: Decreasing
ANM10106: Decreasing
ANM10111: Increasing
ANM10116: Decreasing
ANM10121: Decreasing
ANM10126: Increasing
ANM10131: Decreasing
ANM10136: Increasing
ANM10141: Increasing
ANM10146: Decreasing

Groups Repetitions (Fourier Analysis):

WPO10101: Dominant period: 8.80 units (repetitive)
WPO10105: Dominant period: 4.73 units (repetitive)
WPO10109: Dominant period: 20.00 units (repetitive)
WPO10113: No clear repetition (potential instability)
WPO10117: Dominant period: 18.40 units (repetitive)
WPO10121: No clear repetition (potential instability)
WPO10125: No clear repetition (potential instability)
WPO10129: No clear repetition (potential instability)
WPO10134: Dominant period: 3.35 units (repetitive)
PPP10101: No clear repetition (potential instability)
PPP10106: Dominant period: 2.11 units (repetitive)
PPP10111: No clear repetition (potential instability)
TQA10101: No clear repetition (potential instability)
TQA10105: No clear repetition (potential instability)
TQA10110: Dominant period: 3.13 units (repetitive)
TQA10115: Dominant period: 13.33 units (repetitive)
TQA10120: Dominant period: 23.08 units (repetitive)
TQA10124: Dominant period: 53.57 units (repetitive)
TQA10128: Dominant period: 2.29 units (repetitive)

TQA10133: Dominant period: 73.17 units (repetitive)
TQA10137: No clear repetition (potential instability)
TQA10141: Dominant period: 4.10 units (repetitive)
OCD10101: No clear repetition (potential instability)
OCD10105: No clear repetition (potential instability)
OCD10109: Dominant period: 3.01 units (repetitive)
OCD10113: No clear repetition (potential instability)
OCD10117: No clear repetition (potential instability)
OCD10121: Dominant period: 11.72 units (repetitive)
OCD10125: No clear repetition (potential instability)
OCD10129: No clear repetition (potential instability)
OCD10133: No clear repetition (potential instability)
OCD10137: Dominant period: 4.63 units (repetitive)
SPC10101: Dominant period: 8.96 units (repetitive)
SPC10105: Dominant period: 26.32 units (repetitive)
SPC10109: Dominant period: 6.83 units (repetitive)
SPC10113: Dominant period: 15.54 units (repetitive)
SPC10117: No clear repetition (potential instability)
SPC10121: No clear repetition (potential instability)
SPC10125: Dominant period: 27.27 units (repetitive)
SPC10129: Dominant period: 2.15 units (repetitive)
SPC10133: Dominant period: 28.85 units (repetitive)
SPC10137: No clear repetition (potential instability)
CTP10101: No clear repetition (potential instability)
CTP10105: Dominant period: 2.93 units (repetitive)
CTP10109: Dominant period: 7.67 units (repetitive)
CTP10113: No clear repetition (potential instability)
CTP10117: Dominant period: 6.04 units (repetitive)
CTP10121: No clear repetition (potential instability)
CTP10125: No clear repetition (potential instability)
CTP10129: Dominant period: 2.00 units (repetitive)
CTP10133: No clear repetition (potential instability)
CTP10137: Dominant period: 46.88 units (repetitive)
PCF10101: Dominant period: 11.81 units (repetitive)
PCF10105: Dominant period: 5.88 units (repetitive)
PCF10109: Dominant period: 3.18 units (repetitive)
PCF10113: Dominant period: 12.35 units (repetitive)
PCF10117: Dominant period: 27.52 units (repetitive)
PCF10121: Dominant period: 9.29 units (repetitive)
PCF10125: No clear repetition (potential instability)

PCF10129: No clear repetition (potential instability)
PCF10133: Dominant period: 9.09 units (repetitive)
PCF10137: No clear repetition (potential instability)
CTL10101: Dominant period: 2.72 units (repetitive)
CTL10106: Dominant period: 3.80 units (repetitive)
CTL10111: Dominant period: 55.56 units (repetitive)
CTL10116: No clear repetition (potential instability)
CTL10120: No clear repetition (potential instability)
CTL10124: No clear repetition (potential instability)
CTL10129: No clear repetition (potential instability)
CTL10133: Dominant period: 3.88 units (repetitive)
CTL10137: No clear repetition (potential instability)
CTL10141: No clear repetition (potential instability)
POD10101: Dominant period: 8.50 units (repetitive)
POD10106: Dominant period: 3.18 units (repetitive)
POD10111: No clear repetition (potential instability)
POD10116: Dominant period: 56.60 units (repetitive)
POD10121: No clear repetition (potential instability)
POD10126: Dominant period: 10.87 units (repetitive)
POD10130: Dominant period: 6.38 units (repetitive)
POD10134: No clear repetition (potential instability)
POD10138: No clear repetition (potential instability)
POD10142: No clear repetition (potential instability)
ANL10101: Dominant period: 2.69 units (repetitive)
ANL10106: No clear repetition (potential instability)
ANL10111: Dominant period: 6.44 units (repetitive)
ANL10116: Dominant period: 50.00 units (repetitive)
ANL10121: Dominant period: 8.77 units (repetitive)
ANL10126: No clear repetition (potential instability)
ANL10131: Dominant period: 6.52 units (repetitive)
ANL10136: Dominant period: 7.41 units (repetitive)
ANL10141: Dominant period: 2.08 units (repetitive)
ANL10146: No clear repetition (potential instability)
PSU10101: Dominant period: 16.30 units (repetitive)
PSU10106: Dominant period: 2.14 units (repetitive)
PSU10111: Dominant period: 37.50 units (repetitive)
PSU10116: Dominant period: 25.42 units (repetitive)
PSU10121: No clear repetition (potential instability)
PSU10126: Dominant period: 3.73 units (repetitive)
PSU10131: Dominant period: 17.75 units (repetitive)

PSU10136: Dominant period: 11.28 units (repetitive)
PSU10141: No clear repetition (potential instability)
PSU10146: Dominant period: 13.27 units (repetitive)
INV10101: Dominant period: 2.81 units (repetitive)
INV10105: No clear repetition (potential instability)
INV10109: No clear repetition (potential instability)
INV10113: Dominant period: 30.93 units (repetitive)
INV10117: Dominant period: 19.87 units (repetitive)
INV10121: No clear repetition (potential instability)
INV10125: Dominant period: 2.02 units (repetitive)
INV10129: Dominant period: 4.42 units (repetitive)
INV10133: No clear repetition (potential instability)
INV10137: No clear repetition (potential instability)
TST10101: Dominant period: 3.63 units (repetitive)
TST10105: No clear repetition (potential instability)
TST10109: No clear repetition (potential instability)
TST10113: Dominant period: 2.55 units (repetitive)
TST10117: No clear repetition (potential instability)
TST10121: Dominant period: 13.57 units (repetitive)
TST10125: Dominant period: 14.63 units (repetitive)
TST10129: Dominant period: 2.67 units (repetitive)
TST10133: No clear repetition (potential instability)
TST10137: Dominant period: 4.84 units (repetitive)
COR10101: Dominant period: 14.42 units (repetitive)
COR10106: Dominant period: 300.00 units (repetitive)
COR10111: Dominant period: 14.29 units (repetitive)
COR10116: Dominant period: 4.83 units (repetitive)
COR10121: No clear repetition (potential instability)
COR10126: Dominant period: 2.98 units (repetitive)
COR10131: Dominant period: 2.06 units (repetitive)
COR10136: Dominant period: 7.30 units (repetitive)
COR10141: No clear repetition (potential instability)
COR10146: No clear repetition (potential instability)
PCC10101: Dominant period: 10.03 units (repetitive)
PCC10105: No clear repetition (potential instability)
PCC10109: Dominant period: 3.12 units (repetitive)
PCC10113: No clear repetition (potential instability)
PCC10117: No clear repetition (potential instability)
PCC10121: No clear repetition (potential instability)
PCC10125: No clear repetition (potential instability)

PCC10129: No clear repetition (potential instability)
PCC10133: No clear repetition (potential instability)
PCC10137: Dominant period: 3.37 units (repetitive)
CAP10101: Dominant period: 3.05 units (repetitive)
CAP10106: No clear repetition (potential instability)
CAP10111: Dominant period: 55.56 units (repetitive)
CAP10116: Dominant period: 11.67 units (repetitive)
CAP10121: Dominant period: 500.00 units (repetitive)
CAP10126: Dominant period: 18.18 units (repetitive)
CAP10131: Dominant period: 2.41 units (repetitive)
CAP10136: No clear repetition (potential instability)
CAP10141: No clear repetition (potential instability)
CAP10146: Dominant period: 3.28 units (repetitive)
PUR10101: No clear repetition (potential instability)
PUR10106: Dominant period: 2.77 units (repetitive)
PUR10111: No clear repetition (potential instability)
PUR10116: No clear repetition (potential instability)
PUR10121: Dominant period: 4.64 units (repetitive)
PUR10126: No clear repetition (potential instability)
PUR10131: No clear repetition (potential instability)
PUR10136: No clear repetition (potential instability)
PUR10141: No clear repetition (potential instability)
PUR10146: Dominant period: 4.51 units (repetitive)
PBM10101: Dominant period: 2.01 units (repetitive)
PBM10106: Dominant period: 10.87 units (repetitive)
PBM10111: Dominant period: 3.23 units (repetitive)
PBM10116: Dominant period: 2.62 units (repetitive)
PBM10121: No clear repetition (potential instability)
PBM10126: Dominant period: 7.48 units (repetitive)
PBM10131: Dominant period: 4.87 units (repetitive)
PBM10136: No clear repetition (potential instability)
PBM10141: No clear repetition (potential instability)
PBM10146: Dominant period: 5.17 units (repetitive)
ANM10101: No clear repetition (potential instability)
ANM10106: No clear repetition (potential instability)
ANM10111: No clear repetition (potential instability)
ANM10116: No clear repetition (potential instability)
ANM10121: Dominant period: 7.96 units (repetitive)
ANM10126: Dominant period: 3.41 units (repetitive)
ANM10131: Dominant period: 11.67 units (repetitive)

ANM10136: Dominant period: 3.53 units (repetitive)
ANM10141: Dominant period: 12.55 units (repetitive)
ANM10146: Dominant period: 27.78 units (repetitive)

Sub_Modules Trends:

WPO10000: Increasing
PPP10000: Increasing
TQA10000: Stable
OCD10000: Decreasing
SPC10000: Decreasing
CTP10000: Stable
PCF10000: Decreasing
CTL10000: Stable
POD10000: Increasing
ANL10000: Stable
PSU10000: Stable
INV10000: Increasing
TST10000: Increasing
COR10000: Stable
PCC10000: Stable
CAP10000: Stable
PUR10000: Increasing
PBM10000: Increasing
ANM10000: Decreasing

Sub_Modules Repetitions (Fourier Analysis):

WPO10000: Dominant period: 2.81 units (repetitive)
PPP10000: No clear repetition (potential instability)
TQA10000: No clear repetition (potential instability)
OCD10000: No clear repetition (potential instability)
SPC10000: No clear repetition (potential instability)
CTP10000: Dominant period: 18.99 units (repetitive)
PCF10000: No clear repetition (potential instability)
CTL10000: No clear repetition (potential instability)
POD10000: No clear repetition (potential instability)
ANL10000: No clear repetition (potential instability)
PSU10000: Dominant period: 2.70 units (repetitive)
INV10000: No clear repetition (potential instability)
TST10000: No clear repetition (potential instability)
COR10000: No clear repetition (potential instability)
PCC10000: Dominant period: 4.58 units (repetitive)

CAP10000: No clear repetition (potential instability)
PUR10000: Dominant period: 9.09 units (repetitive)
PBM10000: No clear repetition (potential instability)
ANM10000: No clear repetition (potential instability)

=== metrics_summary_product.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ANL10102	56.29	24.9	131.01	-18.42	0	35	2026-01-07
ANL10103	56.63	24.81	131.05	-17.79	0	35	2026-01-07
ANL10104	56.56	24.95	131.42	-18.3	0	35	2026-01-07
ANL10105	57.01	26.06	135.19	-21.17	0	35	2026-01-07
ANL10107	56.47	25.02	131.53	-18.58	0	35	2026-01-07
ANL10108	56.27	24.81	130.71	-18.16	0	35	2026-01-07
ANL10109	57.14	24.86	131.72	-17.43	0	35	2026-01-07
ANL10110	56.45	24.42	129.71	-16.81	0	35	2026-01-07
ANL10112	56.35	24.75	130.6	-17.9	0	35	2026-01-07
ANL10113	56.23	24.88	130.88	-18.42	0	35	2026-01-07
ANL10114	56.64	25.31	132.58	-19.3	0	35	2026-01-07
ANL10115	56.0	25.13	131.38	-19.39	0	35	2026-01-07
ANL10117	56.09	24.72	130.24	-18.05	0	35	2026-01-07
ANL10118	56.16	25.02	131.23	-18.92	0	35	2026-01-07
ANL10119	56.87	24.69	130.94	-17.2	0	35	2026-01-07
ANL10120	56.95	24.95	131.8	-17.91	0	35	2026-01-07
ANL10122	56.99	25.0	131.97	-18.0	0	35	2026-01-07
ANL10123	56.39	24.36	129.47	-16.7	0	35	2026-01-07
ANL10124	56.37	25.27	132.17	-19.42	0	35	2026-01-07
ANL10125	56.32	24.42	129.59	-16.95	0	35	2026-01-07
ANL10127	56.51	24.53	130.1	-17.08	0	35	2026-01-07
ANL10128	56.37	24.6	130.16	-17.41	0	35	2026-01-07
ANL10129	56.47	24.31	129.41	-16.46	0	35	2026-01-07
ANL10130	56.45	24.41	129.69	-16.79	0	35	2026-01-07
ANL10132	55.65	24.9	130.34	-19.05	0	35	2026-01-07
ANL10133	55.81	24.6	129.61	-18.0	0	35	2026-01-07
ANL10134	56.13	25.03	131.23	-18.97	0	35	2026-01-07
ANL10135	56.29	25.02	131.35	-18.78	0	35	2026-01-07
ANL10137	56.41	25.28	132.26	-19.45	0	35	2026-01-07
ANL10138	56.38	25.17	131.9	-19.13	0	35	2026-01-07
ANL10139	56.27	25.56	132.95	-20.4	0	35	2026-01-07
ANL10140	56.73	24.68	130.78	-17.32	0	35	2026-01-07
ANL10142	56.41	24.25	129.17	-16.35	0	35	2026-01-07
ANL10143	56.12	24.53	129.69	-17.46	0	35	2026-01-07
ANL10144	56.56	24.86	131.12	-18.01	0	35	2026-01-07
ANL10145	57.14	25.14	132.55	-18.27	0	35	2026-01-07
ANL10147	56.16	24.36	129.24	-16.92	0	35	2026-01-07
ANL10148	55.75	24.04	127.88	-16.39	0	35	2026-01-07
ANL10149	56.37	24.74	130.59	-17.85	0	35	2026-01-07
ANL10150	56.02	24.51	129.54	-17.51	0	35	2026-01-07
ANM10102	56.34	24.74	130.55	-17.87	0	35	2026-01-07
ANM10103	57.4	25.19	132.97	-18.16	0	35	2026-01-07
ANM10104	55.54	23.98	127.48	-16.4	0	35	2026-01-07
ANM10105	57.4	24.63	131.3	-16.49	0	35	2026-01-07
ANM10107	56.52	24.76	130.79	-17.76	0	35	2026-01-07
ANM10108	56.25	25.09	131.51	-19.02	0	35	2026-01-07
ANM10109	56.55	23.94	128.38	-15.29	0	35	2026-01-07
ANM10110	57.62	24.75	131.87	-16.62	0	35	2026-01-07
ANM10112	56.68	24.82	131.15	-17.79	0	35	2026-01-07
ANM10113	56.31	24.84	130.84	-18.22	0	35	2026-01-07
ANM10114	56.94	24.68	130.99	-17.1	0	35	2026-01-07
ANM10115	55.85	25.02	130.91	-19.21	0	35	2026-01-07
ANM10117	56.76	24.64	130.67	-17.15	0	35	2026-01-07
ANM10118	57.09	24.89	131.74	-17.57	0	35	2026-01-07
ANM10119	55.71	25.72	132.87	-21.44	0	35	2026-01-07
ANM10120	56.46	25.31	132.39	-19.48	0	35	2026-01-07
ANM10122	56.67	25.16	132.14	-18.8	0	35	2026-01-07
ANM10123	55.92	24.77	130.24	-18.4	0	35	2026-01-07
ANM10124	56.33	24.87	130.95	-18.29	0	35	2026-01-07
ANM10125	56.36	24.17	128.88	-16.17	0	35	2026-01-07
ANM10127	56.38	24.23	129.08	-16.32	0	35	2026-01-07
ANM10128	55.92	25.0	130.92	-19.08	0	35	2026-01-07

ANM10129	55.91	24.85	130.47	-18.64	0	35	2026-01-07
ANM10130	56.46	24.3	129.37	-16.45	0	35	2026-01-07
ANM10132	57.04	24.65	130.99	-16.91	0	35	2026-01-07
ANM10133	55.53	24.96	130.39	-19.34	0	35	2026-01-07
ANM10134	56.96	24.5	130.47	-16.54	0	35	2026-01-07
ANM10135	56.79	24.41	130.03	-16.45	0	35	2026-01-07
ANM10137	56.38	25.76	133.66	-20.91	0	35	2026-01-07
ANM10138	55.92	24.46	129.29	-17.46	0	35	2026-01-07
ANM10139	56.63	24.79	130.98	-17.73	0	35	2026-01-07
ANM10140	55.77	25.0	130.77	-19.24	0	35	2026-01-07
ANM10142	56.47	24.66	130.46	-17.53	0	35	2026-01-07
ANM10143	57.08	24.82	131.54	-17.37	0	35	2026-01-07
ANM10144	56.34	25.11	131.67	-18.99	0	35	2026-01-07
ANM10145	56.55	25.09	131.83	-18.73	0	35	2026-01-07
ANM10147	55.88	24.96	130.76	-19.01	0	35	2026-01-07
ANM10148	56.3	25.09	131.58	-18.98	0	35	2026-01-07
ANM10149	56.92	24.82	131.38	-17.55	0	35	2026-01-07
ANM10150	56.3	24.67	130.32	-17.72	0	35	2026-01-07
CAP10102	56.65	25.07	131.87	-18.57	0	35	2026-01-07
CAP10103	56.48	24.88	131.13	-18.16	0	35	2026-01-07
CAP10104	57.32	25.02	132.37	-17.72	0	35	2026-01-07
CAP10105	56.37	24.15	128.83	-16.09	0	35	2026-01-07
CAP10107	56.1	24.98	131.05	-18.85	0	35	2026-01-07
CAP10108	56.38	24.28	129.21	-16.45	0	35	2026-01-07
CAP10109	56.95	24.64	130.86	-16.96	0	35	2026-01-07
CAP10110	56.57	24.08	128.83	-15.68	0	35	2026-01-07
CAP10112	55.92	24.58	129.65	-17.82	0	35	2026-01-07
CAP10113	56.53	25.08	131.76	-18.71	0	35	2026-01-07
CAP10114	56.32	24.69	130.4	-17.75	0	35	2026-01-07
CAP10115	56.83	24.41	130.07	-16.4	0	35	2026-01-07
CAP10117	55.81	24.58	129.55	-17.93	0	35	2026-01-07
CAP10118	56.57	24.5	130.06	-16.91	0	35	2026-01-07
CAP10119	56.21	25.0	131.21	-18.79	0	35	2026-01-07
CAP10120	56.94	24.74	131.15	-17.27	0	35	2026-01-07
CAP10122	56.6	24.07	128.79	-15.6	0	35	2026-01-07
CAP10123	56.18	24.7	130.27	-17.91	0	35	2026-01-07
CAP10124	57.18	25.11	132.53	-18.16	0	35	2026-01-07
CAP10125	57.45	24.83	131.93	-17.03	0	35	2026-01-07
CAP10127	56.72	24.87	131.33	-17.88	0	35	2026-01-07
CAP10128	56.26	24.31	129.18	-16.67	0	35	2026-01-07
CAP10129	56.34	24.53	129.92	-17.25	0	35	2026-01-07
CAP10130	56.39	25.03	131.48	-18.7	0	35	2026-01-07
CAP10132	56.5	24.63	130.39	-17.39	0	35	2026-01-07
CAP10133	56.48	25.47	132.9	-19.94	0	35	2026-01-07
CAP10134	56.16	25.01	131.2	-18.88	0	35	2026-01-07
CAP10135	56.21	25.1	131.51	-19.09	0	35	2026-01-07
CAP10137	56.08	25.29	131.95	-19.8	0	35	2026-01-07
CAP10138	56.25	24.81	130.68	-18.18	0	35	2026-01-07
CAP10139	56.16	25.29	132.04	-19.72	0	35	2026-01-07
CAP10140	56.3	24.97	131.21	-18.6	0	35	2026-01-07
CAP10142	56.41	24.64	130.32	-17.51	0	35	2026-01-07
CAP10143	57.11	25.5	133.6	-19.38	0	35	2026-01-07
CAP10144	56.35	24.64	130.28	-17.57	0	35	2026-01-07
CAP10145	56.22	24.89	130.89	-18.44	0	35	2026-01-07
CAP10147	56.08	25.01	131.12	-18.96	0	35	2026-01-07
CAP10148	56.82	25.23	132.49	-18.86	0	35	2026-01-07
CAP10149	56.32	25.08	131.54	-18.91	0	35	2026-01-07
CAP10150	57.23	25.31	133.16	-18.7	0	35	2026-01-07
COR10102	56.64	24.98	131.57	-18.29	0	35	2026-01-07
COR10103	56.8	24.7	130.91	-17.32	0	35	2026-01-07
COR10104	56.47	25.11	131.79	-18.85	0	35	2026-01-07
COR10105	56.26	24.47	129.67	-17.16	0	35	2026-01-07
COR10107	55.75	24.96	130.62	-19.13	0	35	2026-01-07
COR10108	56.49	25.02	131.55	-18.57	0	35	2026-01-07
COR10109	57.15	24.17	129.67	-15.37	0	35	2026-01-07
COR10110	57.06	24.71	131.18	-17.06	0	35	2026-01-07
COR10112	56.52	24.82	130.99	-17.94	0	35	2026-01-07
COR10113	55.99	24.92	130.75	-18.78	0	35	2026-01-07
COR10114	56.0	25.04	131.12	-19.12	0	35	2026-01-07
COR10115	56.16	24.95	131.02	-18.71	0	35	2026-01-07
COR10117	55.89	24.59	129.68	-17.89	0	35	2026-01-07
COR10118	56.45	24.87	131.08	-18.17	0	35	2026-01-07
COR10119	56.51	24.38	129.64	-16.63	0	35	2026-01-07
COR10120	56.13	24.89	130.79	-18.53	0	35	2026-01-07
COR10122	56.47	24.97	131.37	-18.44	0	35	2026-01-07

COR10123	56.06	24.95	130.92	-18.79	0	35	2026-01-07
COR10124	56.63	24.56	130.3	-17.04	0	35	2026-01-07
COR10125	56.13	25.2	131.73	-19.47	0	35	2026-01-07
COR10127	56.81	24.98	131.75	-18.13	0	35	2026-01-07
COR10128	56.34	24.79	130.72	-18.04	0	35	2026-01-07
COR10129	56.38	24.86	130.98	-18.21	0	35	2026-01-07
COR10130	56.61	24.4	129.8	-16.59	0	35	2026-01-07
COR10132	56.29	25.02	131.37	-18.78	0	35	2026-01-07
COR10133	55.8	25.18	131.35	-19.75	0	35	2026-01-07
COR10134	56.65	24.47	130.07	-16.77	0	35	2026-01-07
COR10135	56.34	25.42	132.61	-19.92	0	35	2026-01-07
COR10137	56.03	24.7	130.14	-18.08	0	35	2026-01-07
COR10138	56.44	25.08	131.67	-18.8	0	35	2026-01-07
COR10139	56.03	24.71	130.16	-18.09	0	35	2026-01-07
COR10140	56.36	25.3	132.25	-19.53	0	35	2026-01-07
COR10142	57.03	24.79	131.41	-17.35	0	35	2026-01-07
COR10143	56.45	25.63	133.35	-20.45	0	35	2026-01-07
COR10144	56.08	24.52	129.62	-17.47	0	35	2026-01-07
COR10145	56.22	24.52	129.8	-17.35	0	35	2026-01-07
COR10147	55.92	25.0	130.91	-19.08	0	35	2026-01-07
COR10148	57.07	25.08	132.3	-18.16	0	35	2026-01-07
COR10149	57.37	24.65	131.33	-16.58	0	35	2026-01-07
COR10150	56.79	24.98	131.73	-18.15	0	35	2026-01-07
CTL10102	56.8	24.59	130.57	-16.96	0	35	2026-01-07
CTL10103	56.68	24.66	130.67	-17.31	0	35	2026-01-07
CTL10104	55.75	24.96	130.64	-19.14	0	35	2026-01-07
CTL10105	55.8	24.56	129.48	-17.88	0	35	2026-01-07
CTL10107	56.4	24.42	129.68	-16.87	0	35	2026-01-07
CTL10108	56.24	24.5	129.74	-17.27	0	35	2026-01-07
CTL10109	56.46	25.22	132.11	-19.19	0	35	2026-01-07
CTL10110	56.88	25.49	133.34	-19.59	0	35	2026-01-07
CTL10112	56.69	24.76	130.96	-17.57	0	35	2026-01-07
CTL10113	56.37	25.02	131.42	-18.69	0	35	2026-01-07
CTL10114	56.51	24.57	130.22	-17.2	0	35	2026-01-07
CTL10115	56.35	25.18	131.88	-19.19	0	35	2026-01-07
CTL10117	56.54	24.95	131.39	-18.31	0	35	2026-01-07
CTL10118	56.68	24.74	130.91	-17.55	0	35	2026-01-07
CTL10119	55.76	24.98	130.68	-19.17	0	35	2026-01-07
CTL10121	56.37	24.3	129.26	-16.53	0	35	2026-01-07
CTL10122	56.08	25.37	132.2	-20.04	0	35	2026-01-07
CTL10123	57.38	24.28	130.22	-15.47	0	35	2026-01-07
CTL10125	57.34	24.81	131.79	-17.1	0	35	2026-01-07
CTL10126	56.28	25.01	131.31	-18.75	0	35	2026-01-07
CTL10127	56.15	24.77	130.46	-18.17	0	35	2026-01-07
CTL10128	56.64	25.44	132.96	-19.68	0	35	2026-01-07
CTL10130	56.08	24.75	130.31	-18.16	0	35	2026-01-07
CTL10131	56.13	24.36	129.22	-16.96	0	35	2026-01-07
CTL10132	56.8	24.7	130.9	-17.3	0	35	2026-01-07
CTL10134	56.32	25.16	131.82	-19.17	0	35	2026-01-07
CTL10135	56.55	24.62	130.41	-17.32	0	35	2026-01-07
CTL10136	56.57	24.82	131.03	-17.89	0	35	2026-01-07
CTL10138	56.43	24.28	129.27	-16.41	0	35	2026-01-07
CTL10139	56.57	24.86	131.14	-18.0	0	35	2026-01-07
CTL10140	56.95	25.5	133.46	-19.55	0	35	2026-01-07
CTL10142	55.76	24.6	129.56	-18.04	0	35	2026-01-07
CTL10143	56.11	25.7	133.19	-20.98	0	35	2026-01-07
CTL10144	56.79	24.76	131.08	-17.5	0	35	2026-01-07
CTP10102	56.47	24.46	129.86	-16.92	0	35	2026-01-07
CTP10103	55.68	24.58	129.42	-18.06	0	35	2026-01-07
CTP10104	56.63	25.22	132.29	-19.02	0	35	2026-01-07
CTP10106	57.03	25.57	133.73	-19.67	0	35	2026-01-07
CTP10107	56.86	24.46	130.25	-16.53	0	35	2026-01-07
CTP10108	56.77	24.91	131.51	-17.97	0	35	2026-01-07
CTP10110	56.96	24.81	131.38	-17.46	0	35	2026-01-07
CTP10111	56.54	25.02	131.59	-18.51	0	35	2026-01-07
CTP10112	56.48	24.92	131.23	-18.27	0	35	2026-01-07
CTP10114	56.71	25.9	134.43	-21.0	0	35	2026-01-07
CTP10115	56.09	24.47	129.5	-17.32	0	35	2026-01-07
CTP10116	56.94	25.7	134.05	-20.16	0	35	2026-01-07
CTP10118	56.35	24.86	130.93	-18.24	0	35	2026-01-07
CTP10119	56.51	24.84	131.04	-18.02	0	35	2026-01-07
CTP10120	56.9	25.02	131.97	-18.16	0	35	2026-01-07
CTP10122	56.72	25.01	131.75	-18.31	0	35	2026-01-07
CTP10123	56.38	25.1	131.67	-18.92	0	35	2026-01-07
CTP10124	56.3	24.97	131.2	-18.6	0	35	2026-01-07

CTP10126	57.59	25.06	132.78	-17.61	0	35	2026-01-07
CTP10127	57.37	24.89	132.06	-17.31	0	35	2026-01-07
CTP10128	56.28	24.73	130.46	-17.91	0	35	2026-01-07
CTP10130	56.67	24.02	128.73	-15.4	0	35	2026-01-07
CTP10131	56.14	24.96	131.02	-18.74	0	35	2026-01-07
CTP10132	56.61	24.45	129.95	-16.73	0	35	2026-01-07
CTP10134	57.18	24.8	131.57	-17.2	0	35	2026-01-07
CTP10135	56.05	25.11	131.39	-19.29	0	35	2026-01-07
CTP10136	56.35	24.43	129.64	-16.94	0	35	2026-01-07
CTP10138	56.98	25.66	133.94	-19.99	0	35	2026-01-07
CTP10139	56.28	24.54	129.9	-17.34	0	35	2026-01-07
CTP10140	55.78	24.93	130.58	-19.01	0	35	2026-01-07
INV10102	57.35	25.19	132.91	-18.22	0	35	2026-01-07
INV10103	56.11	25.82	133.56	-21.33	0	35	2026-01-07
INV10104	57.01	25.47	133.41	-19.39	0	35	2026-01-07
INV10106	56.34	25.04	131.47	-18.79	0	35	2026-01-07
INV10107	56.79	24.86	131.38	-17.8	0	35	2026-01-07
INV10108	56.15	24.75	130.4	-18.09	0	35	2026-01-07
INV10110	56.64	25.24	132.36	-19.08	0	35	2026-01-07
INV10111	56.27	24.89	130.94	-18.41	0	35	2026-01-07
INV10112	56.7	24.6	130.5	-17.09	0	35	2026-01-07
INV10114	55.96	24.57	129.67	-17.76	0	35	2026-01-07
INV10115	56.64	24.97	131.56	-18.28	0	35	2026-01-07
INV10116	56.03	24.39	129.2	-17.14	0	35	2026-01-07
INV10118	56.59	24.92	131.37	-18.18	0	35	2026-01-07
INV10119	56.21	24.79	130.59	-18.17	0	35	2026-01-07
INV10120	56.31	24.64	130.24	-17.61	0	35	2026-01-07
INV10122	56.54	24.93	131.31	-18.24	0	35	2026-01-07
INV10123	55.54	24.2	128.15	-17.07	0	35	2026-01-07
INV10124	55.55	24.4	128.75	-17.65	0	35	2026-01-07
INV10126	56.92	24.32	129.88	-16.04	0	35	2026-01-07
INV10127	56.22	25.38	132.37	-19.93	0	35	2026-01-07
INV10128	56.88	24.75	131.12	-17.37	0	35	2026-01-07
INV10130	56.41	25.38	132.55	-19.73	0	35	2026-01-07
INV10131	56.77	24.55	130.41	-16.87	0	35	2026-01-07
INV10132	56.12	25.15	131.56	-19.32	0	35	2026-01-07
INV10134	55.86	24.92	130.61	-18.89	0	35	2026-01-07
INV10135	56.9	25.36	132.97	-19.18	0	35	2026-01-07
INV10136	56.38	24.58	130.12	-17.36	0	35	2026-01-07
INV10138	56.28	25.04	131.41	-18.84	0	35	2026-01-07
INV10139	56.72	24.77	131.03	-17.59	0	35	2026-01-07
INV10140	56.59	25.24	132.32	-19.13	0	35	2026-01-07
OCD10102	56.27	24.99	131.22	-18.69	0	35	2026-01-07
OCD10103	57.41	25.37	133.53	-18.71	0	35	2026-01-07
OCD10104	56.45	25.25	132.19	-19.29	0	35	2026-01-07
OCD10106	56.47	24.96	131.35	-18.41	0	35	2026-01-07
OCD10107	57.16	25.01	132.2	-17.88	0	35	2026-01-07
OCD10108	56.61	24.57	130.32	-17.11	0	35	2026-01-07
OCD10110	56.44	24.9	131.14	-18.26	0	35	2026-01-07
OCD10111	56.7	24.84	131.24	-17.83	0	35	2026-01-07
OCD10112	57.0	25.04	132.13	-18.13	0	35	2026-01-07
OCD10114	55.93	24.95	130.78	-18.93	0	35	2026-01-07
OCD10115	56.82	25.07	132.03	-18.39	0	35	2026-01-07
OCD10116	56.1	25.15	131.56	-19.37	0	35	2026-01-07
OCD10118	56.89	25.35	132.95	-19.17	0	35	2026-01-07
OCD10119	56.45	24.97	131.36	-18.47	0	35	2026-01-07
OCD10120	56.26	24.91	130.99	-18.46	0	35	2026-01-07
OCD10122	56.27	24.68	130.32	-17.77	0	35	2026-01-07
OCD10123	56.47	25.0	131.48	-18.54	0	35	2026-01-07
OCD10124	56.58	24.79	130.95	-17.78	0	35	2026-01-07
OCD10126	57.3	24.56	130.99	-16.39	0	35	2026-01-07
OCD10127	56.06	24.97	130.97	-18.86	0	35	2026-01-07
OCD10128	56.57	24.82	131.03	-17.88	0	35	2026-01-07
OCD10130	55.21	25.38	131.35	-20.93	0	35	2026-01-07
OCD10131	56.98	24.63	130.87	-16.91	0	35	2026-01-07
OCD10132	55.89	24.61	129.73	-17.94	0	35	2026-01-07
OCD10134	56.03	25.2	131.62	-19.56	0	35	2026-01-07
OCD10135	56.95	24.86	131.53	-17.63	0	35	2026-01-07
OCD10136	56.77	24.18	129.31	-15.77	0	35	2026-01-07
OCD10138	56.34	24.18	128.89	-16.2	0	35	2026-01-07
OCD10139	56.6	25.06	131.77	-18.56	0	35	2026-01-07
OCD10140	56.51	24.59	130.28	-17.27	0	35	2026-01-07
PBM10102	56.61	24.69	130.67	-17.46	0	35	2026-01-07
PBM10103	56.4	24.73	130.59	-17.79	0	35	2026-01-07
PBM10104	57.45	24.82	131.91	-17.01	0	35	2026-01-07

PBM10105	56.42	24.65	130.35	-17.52	0	35	2026-01-07
PBM10107	56.23	25.03	131.32	-18.86	0	35	2026-01-07
PBM10108	56.27	25.04	131.39	-18.85	0	35	2026-01-07
PBM10109	56.37	24.8	130.78	-18.04	0	35	2026-01-07
PBM10110	56.5	25.11	131.82	-18.83	0	35	2026-01-07
PBM10112	57.39	24.7	131.49	-16.7	0	35	2026-01-07
PBM10113	56.32	24.69	130.4	-17.76	0	35	2026-01-07
PBM10114	56.72	25.28	132.57	-19.12	0	35	2026-01-07
PBM10115	56.73	25.33	132.72	-19.25	0	35	2026-01-07
PBM10117	56.99	24.41	130.21	-16.23	0	35	2026-01-07
PBM10118	56.67	24.98	131.61	-18.28	0	35	2026-01-07
PBM10119	56.72	24.74	130.95	-17.52	0	35	2026-01-07
PBM10120	56.51	24.73	130.69	-17.66	0	35	2026-01-07
PBM10122	57.15	24.7	131.24	-16.94	0	35	2026-01-07
PBM10123	56.63	24.94	131.45	-18.19	0	35	2026-01-07
PBM10124	56.35	25.68	133.39	-20.68	0	35	2026-01-07
PBM10125	56.36	25.24	132.09	-19.36	0	35	2026-01-07
PBM10127	56.12	25.38	132.27	-20.02	0	35	2026-01-07
PBM10128	56.49	25.0	131.49	-18.52	0	35	2026-01-07
PBM10129	56.77	24.67	130.8	-17.25	0	35	2026-01-07
PBM10130	56.76	24.69	130.83	-17.3	0	35	2026-01-07
PBM10132	56.39	24.72	130.56	-17.78	0	35	2026-01-07
PBM10133	56.53	24.74	130.75	-17.69	0	35	2026-01-07
PBM10134	56.46	24.87	131.07	-18.16	0	35	2026-01-07
PBM10135	56.51	24.22	129.16	-16.13	0	35	2026-01-07
PBM10137	56.46	24.37	129.57	-16.66	0	35	2026-01-07
PBM10138	57.02	24.39	130.2	-16.15	0	35	2026-01-07
PBM10139	55.8	24.79	130.17	-18.57	0	35	2026-01-07
PBM10140	56.94	24.98	131.89	-18.01	0	35	2026-01-07
PBM10142	56.55	24.83	131.05	-17.94	0	35	2026-01-07
PBM10143	56.32	25.5	132.81	-20.17	0	35	2026-01-07
PBM10144	56.42	25.29	132.29	-19.45	0	35	2026-01-07
PBM10145	56.31	24.8	130.71	-18.1	0	35	2026-01-07
PBM10147	55.86	25.71	132.98	-21.26	0	35	2026-01-07
PBM10148	56.18	24.77	130.49	-18.12	0	35	2026-01-07
PBM10149	56.95	25.06	132.12	-18.22	0	35	2026-01-07
PBM10150	56.64	24.95	131.5	-18.22	0	35	2026-01-07
PCC10102	56.61	25.0	131.6	-18.39	0	35	2026-01-07
PCC10103	55.69	24.74	129.91	-18.53	0	35	2026-01-07
PCC10104	57.12	24.97	132.04	-17.79	0	35	2026-01-07
PCC10106	56.5	25.39	132.67	-19.67	0	35	2026-01-07
PCC10107	56.23	24.07	128.44	-15.97	0	35	2026-01-07
PCC10108	55.66	25.09	130.92	-19.6	0	35	2026-01-07
PCC10110	57.66	24.57	131.38	-16.07	0	35	2026-01-07
PCC10111	55.86	24.83	130.34	-18.62	0	35	2026-01-07
PCC10112	56.83	24.12	129.2	-15.54	0	35	2026-01-07
PCC10114	56.1	24.73	130.28	-18.09	0	35	2026-01-07
PCC10115	56.31	24.81	130.74	-18.11	0	35	2026-01-07
PCC10116	56.25	24.92	130.99	-18.5	0	35	2026-01-07
PCC10118	56.22	24.59	130.0	-17.55	0	35	2026-01-07
PCC10119	56.51	24.7	130.61	-17.59	0	35	2026-01-07
PCC10120	56.33	25.1	131.64	-18.98	0	35	2026-01-07
PCC10122	56.98	24.68	131.01	-17.05	0	35	2026-01-07
PCC10123	56.74	24.59	130.52	-17.03	0	35	2026-01-07
PCC10124	56.69	25.35	132.74	-19.36	0	35	2026-01-07
PCC10126	56.53	25.69	133.61	-20.56	0	35	2026-01-07
PCC10127	57.12	24.52	130.69	-16.45	0	35	2026-01-07
PCC10128	56.6	24.91	131.32	-18.13	0	35	2026-01-07
PCC10130	56.6	24.95	131.44	-18.23	0	35	2026-01-07
PCC10131	56.34	24.8	130.74	-18.07	0	35	2026-01-07
PCC10132	56.13	24.63	130.04	-17.77	0	35	2026-01-07
PCC10134	57.36	25.07	132.57	-17.85	0	35	2026-01-07
PCC10135	57.74	24.77	132.05	-16.57	0	35	2026-01-07
PCC10136	56.91	24.09	129.18	-15.35	0	35	2026-01-07
PCC10138	56.82	25.62	133.7	-20.05	0	35	2026-01-07
PCC10139	56.73	24.93	131.52	-18.06	0	35	2026-01-07
PCC10140	55.96	25.23	131.65	-19.72	0	35	2026-01-07
PCC10141	55.93	25.3	131.83	-19.97	0	35	2026-01-07
PCF10102	56.38	25.07	131.6	-18.83	0	35	2026-01-07
PCF10103	56.48	24.18	129.03	-16.08	0	35	2026-01-07
PCF10104	57.08	24.53	130.66	-16.49	0	35	2026-01-07
PCF10106	57.34	23.95	129.2	-14.51	0	35	2026-01-07
PCF10107	55.92	25.14	131.34	-19.49	0	35	2026-01-07
PCF10108	57.19	24.8	131.6	-17.21	0	35	2026-01-07
PCF10110	56.59	24.79	130.95	-17.78	0	35	2026-01-07

PCF10111	57.1	25.03	132.19	-17.99	0	35	2026-01-07
PCF10112	57.07	25.24	132.79	-18.65	0	35	2026-01-07
PCF10114	56.27	24.77	130.57	-18.03	0	35	2026-01-07
PCF10115	56.76	24.59	130.52	-16.99	0	35	2026-01-07
PCF10116	56.97	24.77	131.3	-17.35	0	35	2026-01-07
PCF10118	56.05	24.36	129.13	-17.03	0	35	2026-01-07
PCF10119	56.53	24.7	130.63	-17.56	0	35	2026-01-07
PCF10120	56.41	24.54	130.02	-17.2	0	35	2026-01-07
PCF10122	56.67	24.5	130.18	-16.84	0	35	2026-01-07
PCF10123	56.1	25.18	131.64	-19.43	0	35	2026-01-07
PCF10124	56.87	24.68	130.91	-17.17	0	35	2026-01-07
PCF10126	56.3	25.11	131.63	-19.02	0	35	2026-01-07
PCF10127	56.57	24.76	130.85	-17.72	0	35	2026-01-07
PCF10128	57.0	24.48	130.43	-16.43	0	35	2026-01-07
PCF10130	56.68	24.84	131.2	-17.83	0	35	2026-01-07
PCF10131	57.02	25.21	132.65	-18.61	0	35	2026-01-07
PCF10132	57.62	24.93	132.42	-17.18	0	35	2026-01-07
PCF10134	55.94	24.48	129.38	-17.5	0	35	2026-01-07
PCF10135	56.96	24.91	131.7	-17.78	0	35	2026-01-07
PCF10136	57.33	23.82	128.79	-14.13	0	35	2026-01-07
PCF10138	56.54	24.58	130.29	-17.2	0	35	2026-01-07
PCF10139	57.01	25.17	132.53	-18.51	0	35	2026-01-07
PCF10140	55.96	24.66	129.93	-18.02	0	35	2026-01-07
POD10102	56.32	24.54	129.93	-17.3	0	35	2026-01-07
POD10103	56.17	24.64	130.08	-17.75	0	35	2026-01-07
POD10104	56.73	24.3	129.63	-16.18	0	35	2026-01-07
POD10105	57.09	24.64	131.01	-16.83	0	35	2026-01-07
POD10107	56.13	24.87	130.74	-18.48	0	35	2026-01-07
POD10108	57.12	24.53	130.7	-16.46	0	35	2026-01-07
POD10109	57.04	24.29	129.92	-15.84	0	35	2026-01-07
POD10110	56.79	24.74	131.0	-17.43	0	35	2026-01-07
POD10112	56.85	24.73	131.05	-17.36	0	35	2026-01-07
POD10113	56.27	24.68	130.31	-17.76	0	35	2026-01-07
POD10114	56.57	24.39	129.75	-16.61	0	35	2026-01-07
POD10115	57.23	24.64	131.14	-16.67	0	35	2026-01-07
POD10117	56.2	24.44	129.52	-17.12	0	35	2026-01-07
POD10118	56.76	25.76	134.03	-20.52	0	35	2026-01-07
POD10119	56.84	24.7	130.93	-17.25	0	35	2026-01-07
POD10120	56.57	25.74	133.8	-20.66	0	35	2026-01-07
POD10122	56.36	24.77	130.68	-17.96	0	35	2026-01-07
POD10123	55.77	24.69	129.84	-18.3	0	35	2026-01-07
POD10124	56.43	24.71	130.56	-17.7	0	35	2026-01-07
POD10125	56.0	25.07	131.21	-19.21	0	35	2026-01-07
POD10127	56.39	24.81	130.81	-18.03	0	35	2026-01-07
POD10128	56.77	23.91	128.51	-14.97	0	35	2026-01-07
POD10129	56.57	24.26	129.34	-16.2	0	35	2026-01-07
POD10131	56.64	24.74	130.86	-17.58	0	35	2026-01-07
POD10132	56.42	25.35	132.48	-19.63	0	35	2026-01-07
POD10133	56.33	25.17	131.84	-19.19	0	35	2026-01-07
POD10135	56.65	24.76	130.93	-17.63	0	35	2026-01-07
POD10136	56.38	25.2	131.98	-19.23	0	35	2026-01-07
POD10137	56.16	24.9	130.85	-18.53	0	35	2026-01-07
POD10139	55.05	24.45	128.41	-18.3	0	35	2026-01-07
POD10140	56.17	25.03	131.25	-18.91	0	35	2026-01-07
POD10141	56.74	25.03	131.83	-18.36	0	35	2026-01-07
POD10143	57.07	24.51	130.59	-16.46	0	35	2026-01-07
POD10144	57.18	24.83	131.68	-17.33	0	35	2026-01-07
POD10145	55.55	24.66	129.54	-18.45	0	35	2026-01-07
PPP10102	55.95	25.06	131.12	-19.21	0	35	2026-01-07
PPP10103	57.11	25.33	133.09	-18.87	0	35	2026-01-07
PPP10104	57.18	24.54	130.81	-16.44	0	35	2026-01-07
PPP10105	57.05	24.5	130.55	-16.46	0	35	2026-01-07
PPP10107	56.39	24.64	130.32	-17.54	0	35	2026-01-07
PPP10108	56.74	25.08	131.99	-18.5	0	35	2026-01-07
PPP10109	55.91	25.18	131.44	-19.62	0	35	2026-01-07
PPP10110	55.88	24.83	130.35	-18.6	0	35	2026-01-07
PPP10112	56.57	24.38	129.71	-16.56	0	35	2026-01-07
PPP10113	56.79	25.4	132.99	-19.42	0	35	2026-01-07
PPP10114	56.62	24.75	130.87	-17.63	0	35	2026-01-07
PSU10102	56.24	25.4	132.43	-19.94	0	35	2026-01-07
PSU10103	56.99	24.44	130.29	-16.32	0	35	2026-01-07
PSU10104	57.36	24.78	131.69	-16.97	0	35	2026-01-07
PSU10105	57.01	24.95	131.87	-17.85	0	35	2026-01-07
PSU10107	56.56	24.65	130.5	-17.39	0	35	2026-01-07
PSU10108	57.05	24.58	130.79	-16.68	0	35	2026-01-07

PSU10109	56.14	24.51	129.66	-17.38	0	35	2026-01-07
PSU10110	57.15	24.56	130.82	-16.52	0	35	2026-01-07
PSU10112	56.82	25.32	132.79	-19.15	0	35	2026-01-07
PSU10113	56.0	24.14	128.44	-16.43	0	35	2026-01-07
PSU10114	56.6	24.48	130.05	-16.84	0	35	2026-01-07
PSU10115	56.62	24.67	130.62	-17.39	0	35	2026-01-07
PSU10117	56.67	25.4	132.88	-19.54	0	35	2026-01-07
PSU10118	56.54	24.73	130.73	-17.64	0	35	2026-01-07
PSU10119	55.67	24.43	128.97	-17.62	0	35	2026-01-07
PSU10120	57.3	25.0	132.3	-17.69	0	35	2026-01-07
PSU10122	55.61	25.15	131.05	-19.83	0	35	2026-01-07
PSU10123	56.48	25.07	131.69	-18.73	0	35	2026-01-07
PSU10124	56.37	25.1	131.67	-18.93	0	35	2026-01-07
PSU10125	56.47	24.71	130.61	-17.67	0	35	2026-01-07
PSU10127	56.1	24.76	130.37	-18.17	0	35	2026-01-07
PSU10128	55.89	24.41	129.12	-17.35	0	35	2026-01-07
PSU10129	57.17	24.39	130.35	-16.01	0	35	2026-01-07
PSU10130	56.5	24.91	131.23	-18.23	0	35	2026-01-07
PSU10132	57.1	25.31	133.03	-18.82	0	35	2026-01-07
PSU10133	56.09	24.78	130.45	-18.26	0	35	2026-01-07
PSU10134	57.22	24.99	132.2	-17.76	0	35	2026-01-07
PSU10135	56.85	24.26	129.64	-15.93	0	35	2026-01-07
PSU10137	56.52	25.34	132.54	-19.5	0	35	2026-01-07
PSU10138	56.78	24.85	131.32	-17.77	0	35	2026-01-07
PSU10139	56.74	24.79	131.11	-17.63	0	35	2026-01-07
PSU10140	56.08	24.88	130.73	-18.56	0	35	2026-01-07
PSU10142	56.51	25.09	131.78	-18.77	0	35	2026-01-07
PSU10143	56.09	25.44	132.43	-20.24	0	35	2026-01-07
PSU10144	56.99	24.82	131.44	-17.46	0	35	2026-01-07
PSU10145	56.87	25.1	132.17	-18.43	0	35	2026-01-07
PSU10147	56.28	24.86	130.85	-18.29	0	35	2026-01-07
PSU10148	56.9	24.61	130.73	-16.94	0	35	2026-01-07
PSU10149	57.04	24.75	131.3	-17.22	0	35	2026-01-07
PSU10150	56.27	24.66	130.24	-17.71	0	35	2026-01-07
PUR10102	55.86	24.76	130.14	-18.42	0	35	2026-01-07
PUR10103	56.77	24.21	129.41	-15.87	0	35	2026-01-07
PUR10104	56.12	25.41	132.36	-20.12	0	35	2026-01-07
PUR10105	55.75	25.0	130.75	-19.24	0	35	2026-01-07
PUR10107	56.47	24.97	131.38	-18.44	0	35	2026-01-07
PUR10108	56.54	24.66	130.51	-17.44	0	35	2026-01-07
PUR10109	55.52	25.33	131.52	-20.49	0	35	2026-01-07
PUR10110	56.27	24.87	130.88	-18.34	0	35	2026-01-07
PUR10112	55.97	24.12	128.32	-16.38	0	35	2026-01-07
PUR10113	56.77	24.9	131.48	-17.93	0	35	2026-01-07
PUR10114	56.56	25.12	131.92	-18.8	0	35	2026-01-07
PUR10115	56.08	24.5	129.58	-17.42	0	35	2026-01-07
PUR10117	56.41	24.56	130.09	-17.27	0	35	2026-01-07
PUR10118	56.77	24.85	131.33	-17.78	0	35	2026-01-07
PUR10119	56.49	24.65	130.46	-17.47	0	35	2026-01-07
PUR10120	55.27	24.48	128.7	-18.16	0	35	2026-01-07
PUR10122	57.51	25.02	132.56	-17.54	0	35	2026-01-07
PUR10123	56.2	24.74	130.42	-18.02	0	35	2026-01-07
PUR10124	55.74	24.63	129.64	-18.16	0	35	2026-01-07
PUR10125	56.63	25.45	132.99	-19.72	0	35	2026-01-07
PUR10127	56.61	24.21	129.25	-16.04	0	35	2026-01-07
PUR10128	56.68	25.28	132.52	-19.16	0	35	2026-01-07
PUR10129	55.99	25.45	132.34	-20.37	0	35	2026-01-07
PUR10130	56.18	24.79	130.54	-18.19	0	35	2026-01-07
PUR10132	56.15	23.97	128.05	-15.75	0	35	2026-01-07
PUR10133	56.09	24.63	129.99	-17.82	0	35	2026-01-07
PUR10134	56.02	25.17	131.54	-19.49	0	35	2026-01-07
PUR10135	56.32	24.57	130.02	-17.38	0	35	2026-01-07
PUR10137	56.2	24.54	129.83	-17.42	0	35	2026-01-07
PUR10138	56.55	24.97	131.46	-18.36	0	35	2026-01-07
PUR10139	57.0	25.05	132.16	-18.16	0	35	2026-01-07
PUR10140	56.37	25.15	131.8	-19.07	0	35	2026-01-07
PUR10142	57.28	24.87	131.89	-17.32	0	35	2026-01-07
PUR10143	57.08	25.08	132.32	-18.15	0	35	2026-01-07
PUR10144	56.25	24.94	131.05	-18.56	0	35	2026-01-07
PUR10145	56.81	24.44	130.12	-16.51	0	35	2026-01-07
PUR10147	56.91	24.66	130.91	-17.08	0	35	2026-01-07
PUR10148	56.87	25.02	131.93	-18.18	0	35	2026-01-07
PUR10149	56.26	25.19	131.82	-19.3	0	35	2026-01-07
PUR10150	56.47	24.45	129.81	-16.87	0	35	2026-01-07
SPC10102	56.7	24.62	130.57	-17.17	0	35	2026-01-07

SPC10103	57.39	24.63	131.27	-16.49	0	35	2026-01-07
SPC10104	56.38	24.59	130.15	-17.4	0	35	2026-01-07
SPC10106	56.72	25.19	132.31	-18.86	0	35	2026-01-07
SPC10107	56.37	24.9	131.08	-18.34	0	35	2026-01-07
SPC10108	55.85	24.49	129.32	-17.61	0	35	2026-01-07
SPC10110	57.0	24.94	131.82	-17.81	0	35	2026-01-07
SPC10111	57.94	24.5	131.43	-15.56	0	35	2026-01-07
SPC10112	55.79	24.85	130.33	-18.75	0	35	2026-01-07
SPC10114	57.27	24.33	130.25	-15.71	0	35	2026-01-07
SPC10115	57.06	25.04	132.19	-18.07	0	35	2026-01-07
SPC10116	56.41	25.11	131.75	-18.93	0	35	2026-01-07
SPC10118	56.48	24.99	131.44	-18.48	0	35	2026-01-07
SPC10119	56.62	24.88	131.25	-18.0	0	35	2026-01-07
SPC10120	56.53	24.77	130.84	-17.78	0	35	2026-01-07
SPC10122	55.72	24.78	130.05	-18.61	0	35	2026-01-07
SPC10123	56.46	24.61	130.3	-17.37	0	35	2026-01-07
SPC10124	57.24	25.02	132.3	-17.82	0	35	2026-01-07
SPC10126	56.66	24.6	130.46	-17.14	0	35	2026-01-07
SPC10127	57.09	24.75	131.34	-17.17	0	35	2026-01-07
SPC10128	56.96	24.34	129.98	-16.06	0	35	2026-01-07
SPC10130	55.83	25.13	131.22	-19.56	0	35	2026-01-07
SPC10131	56.65	24.23	129.33	-16.03	0	35	2026-01-07
SPC10132	56.5	24.93	131.28	-18.28	0	35	2026-01-07
SPC10134	56.73	24.77	131.05	-17.6	0	35	2026-01-07
SPC10135	57.0	24.94	131.84	-17.83	0	35	2026-01-07
SPC10136	56.19	24.55	129.83	-17.45	0	35	2026-01-07
SPC10138	56.76	25.73	133.96	-20.44	0	35	2026-01-07
SPC10139	56.79	24.86	131.37	-17.78	0	35	2026-01-07
SPC10140	56.4	24.85	130.96	-18.16	0	35	2026-01-07
TQA10102	56.77	24.13	129.17	-15.63	0	35	2026-01-07
TQA10103	56.65	25.54	133.28	-19.99	0	35	2026-01-07
TQA10104	57.22	24.35	130.28	-15.84	0	35	2026-01-07
TQA10106	56.97	25.33	132.97	-19.02	0	35	2026-01-07
TQA10107	55.93	24.52	129.49	-17.63	0	35	2026-01-07
TQA10108	56.52	24.84	131.05	-18.01	0	35	2026-01-07
TQA10109	56.44	24.82	130.9	-18.02	0	35	2026-01-07
TQA10111	55.93	24.52	129.48	-17.61	0	35	2026-01-07
TQA10112	56.45	24.7	130.54	-17.65	0	35	2026-01-07
TQA10113	56.46	24.86	131.03	-18.12	0	35	2026-01-07
TQA10114	55.73	25.21	131.36	-19.91	0	35	2026-01-07
TQA10116	56.97	24.64	130.89	-16.94	0	35	2026-01-07
TQA10117	56.62	24.67	130.62	-17.38	0	35	2026-01-07
TQA10118	57.26	24.85	131.8	-17.29	0	35	2026-01-07
TQA10119	55.95	24.13	128.33	-16.44	0	35	2026-01-07
TQA10121	55.76	24.84	130.27	-18.75	0	35	2026-01-07
TQA10122	56.69	24.79	131.06	-17.68	0	35	2026-01-07
TQA10123	55.89	24.67	129.88	-18.11	0	35	2026-01-07
TQA10125	57.07	24.94	131.9	-17.75	0	35	2026-01-07
TQA10126	57.19	24.94	132.0	-17.62	0	35	2026-01-07
TQA10127	56.85	25.25	132.6	-18.9	0	35	2026-01-07
TQA10129	56.25	24.73	130.44	-17.95	0	35	2026-01-07
TQA10130	57.3	24.56	130.98	-16.39	0	35	2026-01-07
TQA10131	55.84	24.66	129.82	-18.15	0	35	2026-01-07
TQA10132	56.48	25.23	132.18	-19.22	0	35	2026-01-07
TQA10134	56.78	24.55	130.44	-16.87	0	35	2026-01-07
TQA10135	56.87	24.73	131.07	-17.33	0	35	2026-01-07
TQA10136	55.89	24.51	129.43	-17.65	0	35	2026-01-07
TQA10138	57.03	25.21	132.66	-18.59	0	35	2026-01-07
TQA10139	56.06	24.84	130.59	-18.47	0	35	2026-01-07
TQA10140	56.21	25.17	131.71	-19.29	0	35	2026-01-07
TQA10142	56.58	24.19	129.14	-15.98	0	35	2026-01-07
TQA10143	56.13	24.78	130.48	-18.23	0	35	2026-01-07
TQA10144	57.18	25.54	133.8	-19.44	0	35	2026-01-07
TST10102	56.3	24.78	130.63	-18.04	0	35	2026-01-07
TST10103	56.73	25.25	132.48	-19.02	0	35	2026-01-07
TST10104	57.11	24.86	131.71	-17.48	0	35	2026-01-07
TST10106	55.84	24.94	130.65	-18.98	0	35	2026-01-07
TST10107	57.19	24.88	131.82	-17.43	0	35	2026-01-07
TST10108	56.25	25.03	131.33	-18.83	0	35	2026-01-07
TST10110	56.77	25.02	131.82	-18.28	0	35	2026-01-07
TST10111	55.94	25.18	131.47	-19.6	0	35	2026-01-07
TST10112	56.65	24.38	129.79	-16.49	0	35	2026-01-07
TST10114	56.47	24.82	130.94	-18.0	0	35	2026-01-07
TST10115	56.59	25.25	132.33	-19.15	0	35	2026-01-07
TST10116	56.69	24.86	131.26	-17.87	0	35	2026-01-07

TST10118	55.92	24.74	130.15	-18.3	0	35	2026-01-07
TST10119	55.9	24.53	129.49	-17.69	0	35	2026-01-07
TST10120	56.65	23.97	128.57	-15.27	0	35	2026-01-07
TST10122	55.84	24.44	129.16	-17.49	0	35	2026-01-07
TST10123	56.26	25.11	131.58	-19.06	0	35	2026-01-07
TST10124	57.53	24.49	130.99	-15.93	0	35	2026-01-07
TST10126	56.19	24.81	130.62	-18.23	0	35	2026-01-07
TST10127	56.31	24.62	130.15	-17.54	0	35	2026-01-07
TST10128	56.39	24.68	130.44	-17.65	0	35	2026-01-07
TST10130	56.02	24.71	130.14	-18.1	0	35	2026-01-07
TST10131	56.84	25.11	132.17	-18.49	0	35	2026-01-07
TST10132	56.5	24.77	130.81	-17.82	0	35	2026-01-07
TST10134	57.03	25.56	133.7	-19.65	0	35	2026-01-07
TST10135	55.32	24.58	129.05	-18.41	0	35	2026-01-07
TST10136	56.42	24.91	131.14	-18.3	0	35	2026-01-07
TST10138	56.76	25.19	132.34	-18.82	0	35	2026-01-07
TST10139	56.79	24.39	129.97	-16.38	0	35	2026-01-07
TST10140	56.53	24.73	130.73	-17.67	0	35	2026-01-07
TST10141	57.18	24.64	131.11	-16.76	0	35	2026-01-07
WP010102	56.6	24.75	130.84	-17.65	0	35	2026-01-07
WP010103	56.37	24.38	129.51	-16.76	0	35	2026-01-07
WP010104	56.03	23.8	127.44	-15.38	0	35	2026-01-07
WP010106	57.34	24.58	131.08	-16.4	0	35	2026-01-07
WP010107	56.72	25.31	132.66	-19.22	0	35	2026-01-07
WP010108	57.04	25.0	132.04	-17.97	0	35	2026-01-07
WP010110	55.82	24.55	129.48	-17.83	0	35	2026-01-07
WP010111	56.3	24.41	129.52	-16.93	0	35	2026-01-07
WP010112	56.87	24.52	130.44	-16.7	0	35	2026-01-07
WP010114	56.27	24.78	130.6	-18.07	0	35	2026-01-07
WP010115	56.76	24.59	130.55	-17.02	0	35	2026-01-07
WP010116	55.89	25.22	131.55	-19.76	0	35	2026-01-07
WP010118	56.96	24.64	130.89	-16.96	0	35	2026-01-07
WP010119	56.66	24.98	131.6	-18.28	0	35	2026-01-07
WP010120	56.41	24.48	129.85	-17.02	0	35	2026-01-07
WP010122	56.11	24.39	129.27	-17.04	0	35	2026-01-07
WP010123	56.2	25.37	132.32	-19.92	0	35	2026-01-07
WP010124	57.41	24.51	130.92	-16.11	0	35	2026-01-07
WP010126	56.92	24.86	131.5	-17.65	0	35	2026-01-07
WP010127	56.5	24.75	130.74	-17.74	0	35	2026-01-07
WP010128	56.7	24.97	131.62	-18.21	0	35	2026-01-07
WP010130	56.56	24.43	129.83	-16.72	0	35	2026-01-07
WP010131	57.65	24.6	131.45	-16.16	0	35	2026-01-07
WP010132	56.19	24.85	130.75	-18.37	0	35	2026-01-07
WP010133	56.33	25.27	132.13	-19.47	0	35	2026-01-07
WP010135	56.18	24.94	130.99	-18.63	0	35	2026-01-07
WP010136	56.7	24.92	131.47	-18.07	0	35	2026-01-07
WP010137	55.85	24.65	129.8	-18.1	0	35	2026-01-07

=== rp_n_summary_product.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ANL10102	56.29	24.9	131.01	-18.42	0	35	2026-01-07
ANL10103	56.63	24.81	131.05	-17.79	0	35	2026-01-07
ANL10104	56.56	24.95	131.42	-18.3	0	35	2026-01-07
ANL10105	57.01	26.06	135.19	-21.17	0	35	2026-01-07
ANL10107	56.47	25.02	131.53	-18.58	0	35	2026-01-07
ANL10108	56.27	24.81	130.71	-18.16	0	35	2026-01-07
ANL10109	57.14	24.86	131.72	-17.43	0	35	2026-01-07
ANL10110	56.45	24.42	129.71	-16.81	0	35	2026-01-07
ANL10112	56.35	24.75	130.6	-17.9	0	35	2026-01-07
ANL10113	56.23	24.88	130.88	-18.42	0	35	2026-01-07
ANL10114	56.64	25.31	132.58	-19.3	0	35	2026-01-07
ANL10115	56.0	25.13	131.38	-19.39	0	35	2026-01-07
ANL10117	56.09	24.72	130.24	-18.05	0	35	2026-01-07
ANL10118	56.16	25.02	131.23	-18.92	0	35	2026-01-07
ANL10119	56.87	24.69	130.94	-17.2	0	35	2026-01-07
ANL10120	56.95	24.95	131.8	-17.91	0	35	2026-01-07
ANL10122	56.99	25.0	131.97	-18.0	0	35	2026-01-07
ANL10123	56.39	24.36	129.47	-16.7	0	35	2026-01-07
ANL10124	56.37	25.27	132.17	-19.42	0	35	2026-01-07
ANL10125	56.32	24.42	129.59	-16.95	0	35	2026-01-07
ANL10127	56.51	24.53	130.1	-17.08	0	35	2026-01-07
ANL10128	56.37	24.6	130.16	-17.41	0	35	2026-01-07

ANL10129	56.47	24.31	129.41	-16.46	0	35	2026-01-07
ANL10130	56.45	24.41	129.69	-16.79	0	35	2026-01-07
ANL10132	55.65	24.9	130.34	-19.05	0	35	2026-01-07
ANL10133	55.81	24.6	129.61	-18.0	0	35	2026-01-07
ANL10134	56.13	25.03	131.23	-18.97	0	35	2026-01-07
ANL10135	56.29	25.02	131.35	-18.78	0	35	2026-01-07
ANL10137	56.41	25.28	132.26	-19.45	0	35	2026-01-07
ANL10138	56.38	25.17	131.9	-19.13	0	35	2026-01-07
ANL10139	56.27	25.56	132.95	-20.4	0	35	2026-01-07
ANL10140	56.73	24.68	130.78	-17.32	0	35	2026-01-07
ANL10142	56.41	24.25	129.17	-16.35	0	35	2026-01-07
ANL10143	56.12	24.53	129.69	-17.46	0	35	2026-01-07
ANL10144	56.56	24.86	131.12	-18.01	0	35	2026-01-07
ANL10145	57.14	25.14	132.55	-18.27	0	35	2026-01-07
ANL10147	56.16	24.36	129.24	-16.92	0	35	2026-01-07
ANL10148	55.75	24.04	127.88	-16.39	0	35	2026-01-07
ANL10149	56.37	24.74	130.59	-17.85	0	35	2026-01-07
ANL10150	56.02	24.51	129.54	-17.51	0	35	2026-01-07
ANM10102	56.34	24.74	130.55	-17.87	0	35	2026-01-07
ANM10103	57.4	25.19	132.97	-18.16	0	35	2026-01-07
ANM10104	55.54	23.98	127.48	-16.4	0	35	2026-01-07
ANM10105	57.4	24.63	131.3	-16.49	0	35	2026-01-07
ANM10107	56.52	24.76	130.79	-17.76	0	35	2026-01-07
ANM10108	56.25	25.09	131.51	-19.02	0	35	2026-01-07
ANM10109	56.55	23.94	128.38	-15.29	0	35	2026-01-07
ANM10110	57.62	24.75	131.87	-16.62	0	35	2026-01-07
ANM10112	56.68	24.82	131.15	-17.79	0	35	2026-01-07
ANM10113	56.31	24.84	130.84	-18.22	0	35	2026-01-07
ANM10114	56.94	24.68	130.99	-17.1	0	35	2026-01-07
ANM10115	55.85	25.02	130.91	-19.21	0	35	2026-01-07
ANM10117	56.76	24.64	130.67	-17.15	0	35	2026-01-07
ANM10118	57.09	24.89	131.74	-17.57	0	35	2026-01-07
ANM10119	55.71	25.72	132.87	-21.44	0	35	2026-01-07
ANM10120	56.46	25.31	132.39	-19.48	0	35	2026-01-07
ANM10122	56.67	25.16	132.14	-18.8	0	35	2026-01-07
ANM10123	55.92	24.77	130.24	-18.4	0	35	2026-01-07
ANM10124	56.33	24.87	130.95	-18.29	0	35	2026-01-07
ANM10125	56.36	24.17	128.88	-16.17	0	35	2026-01-07
ANM10127	56.38	24.23	129.08	-16.32	0	35	2026-01-07
ANM10128	55.92	25.0	130.92	-19.08	0	35	2026-01-07
ANM10129	55.91	24.85	130.47	-18.64	0	35	2026-01-07
ANM10130	56.46	24.3	129.37	-16.45	0	35	2026-01-07
ANM10132	57.04	24.65	130.99	-16.91	0	35	2026-01-07
ANM10133	55.53	24.96	130.39	-19.34	0	35	2026-01-07
ANM10134	56.96	24.5	130.47	-16.54	0	35	2026-01-07
ANM10135	56.79	24.41	130.03	-16.45	0	35	2026-01-07
ANM10137	56.38	25.76	133.66	-20.91	0	35	2026-01-07
ANM10138	55.92	24.46	129.29	-17.46	0	35	2026-01-07
ANM10139	56.63	24.79	130.98	-17.73	0	35	2026-01-07
ANM10140	55.77	25.0	130.77	-19.24	0	35	2026-01-07
ANM10142	56.47	24.66	130.46	-17.53	0	35	2026-01-07
ANM10143	57.08	24.82	131.54	-17.37	0	35	2026-01-07
ANM10144	56.34	25.11	131.67	-18.99	0	35	2026-01-07
ANM10145	56.55	25.09	131.83	-18.73	0	35	2026-01-07
ANM10147	55.88	24.96	130.76	-19.01	0	35	2026-01-07
ANM10148	56.3	25.09	131.58	-18.98	0	35	2026-01-07
ANM10149	56.92	24.82	131.38	-17.55	0	35	2026-01-07
ANM10150	56.3	24.67	130.32	-17.72	0	35	2026-01-07
CAP10102	56.65	25.07	131.87	-18.57	0	35	2026-01-07
CAP10103	56.48	24.88	131.13	-18.16	0	35	2026-01-07
CAP10104	57.32	25.02	132.37	-17.72	0	35	2026-01-07
CAP10105	56.37	24.15	128.83	-16.09	0	35	2026-01-07
CAP10107	56.1	24.98	131.05	-18.85	0	35	2026-01-07
CAP10108	56.38	24.28	129.21	-16.45	0	35	2026-01-07
CAP10109	56.95	24.64	130.86	-16.96	0	35	2026-01-07
CAP10110	56.57	24.08	128.83	-15.68	0	35	2026-01-07
CAP10112	55.92	24.58	129.65	-17.82	0	35	2026-01-07
CAP10113	56.53	25.08	131.76	-18.71	0	35	2026-01-07
CAP10114	56.32	24.69	130.4	-17.75	0	35	2026-01-07
CAP10115	56.83	24.41	130.07	-16.4	0	35	2026-01-07
CAP10117	55.81	24.58	129.55	-17.93	0	35	2026-01-07
CAP10118	56.57	24.5	130.06	-16.91	0	35	2026-01-07
CAP10119	56.21	25.0	131.21	-18.79	0	35	2026-01-07
CAP10120	56.94	24.74	131.15	-17.27	0	35	2026-01-07
CAP10122	56.6	24.07	128.79	-15.6	0	35	2026-01-07

CAP10123	56.18	24.7	130.27	-17.91	0	35	2026-01-07
CAP10124	57.18	25.11	132.53	-18.16	0	35	2026-01-07
CAP10125	57.45	24.83	131.93	-17.03	0	35	2026-01-07
CAP10127	56.72	24.87	131.33	-17.88	0	35	2026-01-07
CAP10128	56.26	24.31	129.18	-16.67	0	35	2026-01-07
CAP10129	56.34	24.53	129.92	-17.25	0	35	2026-01-07
CAP10130	56.39	25.03	131.48	-18.7	0	35	2026-01-07
CAP10132	56.5	24.63	130.39	-17.39	0	35	2026-01-07
CAP10133	56.48	25.47	132.9	-19.94	0	35	2026-01-07
CAP10134	56.16	25.01	131.2	-18.88	0	35	2026-01-07
CAP10135	56.21	25.1	131.51	-19.09	0	35	2026-01-07
CAP10137	56.08	25.29	131.95	-19.8	0	35	2026-01-07
CAP10138	56.25	24.81	130.68	-18.18	0	35	2026-01-07
CAP10139	56.16	25.29	132.04	-19.72	0	35	2026-01-07
CAP10140	56.3	24.97	131.21	-18.6	0	35	2026-01-07
CAP10142	56.41	24.64	130.32	-17.51	0	35	2026-01-07
CAP10143	57.11	25.5	133.6	-19.38	0	35	2026-01-07
CAP10144	56.35	24.64	130.28	-17.57	0	35	2026-01-07
CAP10145	56.22	24.89	130.89	-18.44	0	35	2026-01-07
CAP10147	56.08	25.01	131.12	-18.96	0	35	2026-01-07
CAP10148	56.82	25.23	132.49	-18.86	0	35	2026-01-07
CAP10149	56.32	25.08	131.54	-18.91	0	35	2026-01-07
CAP10150	57.23	25.31	133.16	-18.7	0	35	2026-01-07
COR10102	56.64	24.98	131.57	-18.29	0	35	2026-01-07
COR10103	56.8	24.7	130.91	-17.32	0	35	2026-01-07
COR10104	56.47	25.11	131.79	-18.85	0	35	2026-01-07
COR10105	56.26	24.47	129.67	-17.16	0	35	2026-01-07
COR10107	55.75	24.96	130.62	-19.13	0	35	2026-01-07
COR10108	56.49	25.02	131.55	-18.57	0	35	2026-01-07
COR10109	57.15	24.17	129.67	-15.37	0	35	2026-01-07
COR10110	57.06	24.71	131.18	-17.06	0	35	2026-01-07
COR10112	56.52	24.82	130.99	-17.94	0	35	2026-01-07
COR10113	55.99	24.92	130.75	-18.78	0	35	2026-01-07
COR10114	56.0	25.04	131.12	-19.12	0	35	2026-01-07
COR10115	56.16	24.95	131.02	-18.71	0	35	2026-01-07
COR10117	55.89	24.59	129.68	-17.89	0	35	2026-01-07
COR10118	56.45	24.87	131.08	-18.17	0	35	2026-01-07
COR10119	56.51	24.38	129.64	-16.63	0	35	2026-01-07
COR10120	56.13	24.89	130.79	-18.53	0	35	2026-01-07
COR10122	56.47	24.97	131.37	-18.44	0	35	2026-01-07
COR10123	56.06	24.95	130.92	-18.79	0	35	2026-01-07
COR10124	56.63	24.56	130.3	-17.04	0	35	2026-01-07
COR10125	56.13	25.2	131.73	-19.47	0	35	2026-01-07
COR10127	56.81	24.98	131.75	-18.13	0	35	2026-01-07
COR10128	56.34	24.79	130.72	-18.04	0	35	2026-01-07
COR10129	56.38	24.86	130.98	-18.21	0	35	2026-01-07
COR10130	56.61	24.4	129.8	-16.59	0	35	2026-01-07
COR10132	56.29	25.02	131.37	-18.78	0	35	2026-01-07
COR10133	55.8	25.18	131.35	-19.75	0	35	2026-01-07
COR10134	56.65	24.47	130.07	-16.77	0	35	2026-01-07
COR10135	56.34	25.42	132.61	-19.92	0	35	2026-01-07
COR10137	56.03	24.7	130.14	-18.08	0	35	2026-01-07
COR10138	56.44	25.08	131.67	-18.8	0	35	2026-01-07
COR10139	56.03	24.71	130.16	-18.09	0	35	2026-01-07
COR10140	56.36	25.3	132.25	-19.53	0	35	2026-01-07
COR10142	57.03	24.79	131.41	-17.35	0	35	2026-01-07
COR10143	56.45	25.63	133.35	-20.45	0	35	2026-01-07
COR10144	56.08	24.52	129.62	-17.47	0	35	2026-01-07
COR10145	56.22	24.52	129.8	-17.35	0	35	2026-01-07
COR10147	55.92	25.0	130.91	-19.08	0	35	2026-01-07
COR10148	57.07	25.08	132.3	-18.16	0	35	2026-01-07
COR10149	57.37	24.65	131.33	-16.58	0	35	2026-01-07
COR10150	56.79	24.98	131.73	-18.15	0	35	2026-01-07
CTL10102	56.8	24.59	130.57	-16.96	0	35	2026-01-07
CTL10103	56.68	24.66	130.67	-17.31	0	35	2026-01-07
CTL10104	55.75	24.96	130.64	-19.14	0	35	2026-01-07
CTL10105	55.8	24.56	129.48	-17.88	0	35	2026-01-07
CTL10107	56.4	24.42	129.68	-16.87	0	35	2026-01-07
CTL10108	56.24	24.5	129.74	-17.27	0	35	2026-01-07
CTL10109	56.46	25.22	132.11	-19.19	0	35	2026-01-07
CTL10110	56.88	25.49	133.34	-19.59	0	35	2026-01-07
CTL10112	56.69	24.76	130.96	-17.57	0	35	2026-01-07
CTL10113	56.37	25.02	131.42	-18.69	0	35	2026-01-07
CTL10114	56.51	24.57	130.22	-17.2	0	35	2026-01-07
CTL10115	56.35	25.18	131.88	-19.19	0	35	2026-01-07

CTL10117	56.54	24.95	131.39	-18.31	0	35	2026-01-07
CTL10118	56.68	24.74	130.91	-17.55	0	35	2026-01-07
CTL10119	55.76	24.98	130.68	-19.17	0	35	2026-01-07
CTL10121	56.37	24.3	129.26	-16.53	0	35	2026-01-07
CTL10122	56.08	25.37	132.2	-20.04	0	35	2026-01-07
CTL10123	57.38	24.28	130.22	-15.47	0	35	2026-01-07
CTL10125	57.34	24.81	131.79	-17.1	0	35	2026-01-07
CTL10126	56.28	25.01	131.31	-18.75	0	35	2026-01-07
CTL10127	56.15	24.77	130.46	-18.17	0	35	2026-01-07
CTL10128	56.64	25.44	132.96	-19.68	0	35	2026-01-07
CTL10130	56.08	24.75	130.31	-18.16	0	35	2026-01-07
CTL10131	56.13	24.36	129.22	-16.96	0	35	2026-01-07
CTL10132	56.8	24.7	130.9	-17.3	0	35	2026-01-07
CTL10134	56.32	25.16	131.82	-19.17	0	35	2026-01-07
CTL10135	56.55	24.62	130.41	-17.32	0	35	2026-01-07
CTL10136	56.57	24.82	131.03	-17.89	0	35	2026-01-07
CTL10138	56.43	24.28	129.27	-16.41	0	35	2026-01-07
CTL10139	56.57	24.86	131.14	-18.0	0	35	2026-01-07
CTL10140	56.95	25.5	133.46	-19.55	0	35	2026-01-07
CTL10142	55.76	24.6	129.56	-18.04	0	35	2026-01-07
CTL10143	56.11	25.7	133.19	-20.98	0	35	2026-01-07
CTL10144	56.79	24.76	131.08	-17.5	0	35	2026-01-07
CTP10102	56.47	24.46	129.86	-16.92	0	35	2026-01-07
CTP10103	55.68	24.58	129.42	-18.06	0	35	2026-01-07
CTP10104	56.63	25.22	132.29	-19.02	0	35	2026-01-07
CTP10106	57.03	25.57	133.73	-19.67	0	35	2026-01-07
CTP10107	56.86	24.46	130.25	-16.53	0	35	2026-01-07
CTP10108	56.77	24.91	131.51	-17.97	0	35	2026-01-07
CTP10110	56.96	24.81	131.38	-17.46	0	35	2026-01-07
CTP10111	56.54	25.02	131.59	-18.51	0	35	2026-01-07
CTP10112	56.48	24.92	131.23	-18.27	0	35	2026-01-07
CTP10114	56.71	25.9	134.43	-21.0	0	35	2026-01-07
CTP10115	56.09	24.47	129.5	-17.32	0	35	2026-01-07
CTP10116	56.94	25.7	134.05	-20.16	0	35	2026-01-07
CTP10118	56.35	24.86	130.93	-18.24	0	35	2026-01-07
CTP10119	56.51	24.84	131.04	-18.02	0	35	2026-01-07
CTP10120	56.9	25.02	131.97	-18.16	0	35	2026-01-07
CTP10122	56.72	25.01	131.75	-18.31	0	35	2026-01-07
CTP10123	56.38	25.1	131.67	-18.92	0	35	2026-01-07
CTP10124	56.3	24.97	131.2	-18.6	0	35	2026-01-07
CTP10126	57.59	25.06	132.78	-17.61	0	35	2026-01-07
CTP10127	57.37	24.89	132.06	-17.31	0	35	2026-01-07
CTP10128	56.28	24.73	130.46	-17.91	0	35	2026-01-07
CTP10130	56.67	24.02	128.73	-15.4	0	35	2026-01-07
CTP10131	56.14	24.96	131.02	-18.74	0	35	2026-01-07
CTP10132	56.61	24.45	129.95	-16.73	0	35	2026-01-07
CTP10134	57.18	24.8	131.57	-17.2	0	35	2026-01-07
CTP10135	56.05	25.11	131.39	-19.29	0	35	2026-01-07
CTP10136	56.35	24.43	129.64	-16.94	0	35	2026-01-07
CTP10138	56.98	25.66	133.94	-19.99	0	35	2026-01-07
CTP10139	56.28	24.54	129.9	-17.34	0	35	2026-01-07
CTP10140	55.78	24.93	130.58	-19.01	0	35	2026-01-07
INV10102	57.35	25.19	132.91	-18.22	0	35	2026-01-07
INV10103	56.11	25.82	133.56	-21.33	0	35	2026-01-07
INV10104	57.01	25.47	133.41	-19.39	0	35	2026-01-07
INV10106	56.34	25.04	131.47	-18.79	0	35	2026-01-07
INV10107	56.79	24.86	131.38	-17.8	0	35	2026-01-07
INV10108	56.15	24.75	130.4	-18.09	0	35	2026-01-07
INV10110	56.64	25.24	132.36	-19.08	0	35	2026-01-07
INV10111	56.27	24.89	130.94	-18.41	0	35	2026-01-07
INV10112	56.7	24.6	130.5	-17.09	0	35	2026-01-07
INV10114	55.96	24.57	129.67	-17.76	0	35	2026-01-07
INV10115	56.64	24.97	131.56	-18.28	0	35	2026-01-07
INV10116	56.03	24.39	129.2	-17.14	0	35	2026-01-07
INV10118	56.59	24.92	131.37	-18.18	0	35	2026-01-07
INV10119	56.21	24.79	130.59	-18.17	0	35	2026-01-07
INV10120	56.31	24.64	130.24	-17.61	0	35	2026-01-07
INV10122	56.54	24.93	131.31	-18.24	0	35	2026-01-07
INV10123	55.54	24.2	128.15	-17.07	0	35	2026-01-07
INV10124	55.55	24.4	128.75	-17.65	0	35	2026-01-07
INV10126	56.92	24.32	129.88	-16.04	0	35	2026-01-07
INV10127	56.22	25.38	132.37	-19.93	0	35	2026-01-07
INV10128	56.88	24.75	131.12	-17.37	0	35	2026-01-07
INV10130	56.41	25.38	132.55	-19.73	0	35	2026-01-07
INV10131	56.77	24.55	130.41	-16.87	0	35	2026-01-07

INV10132	56.12	25.15	131.56	-19.32	0	35	2026-01-07
INV10134	55.86	24.92	130.61	-18.89	0	35	2026-01-07
INV10135	56.9	25.36	132.97	-19.18	0	35	2026-01-07
INV10136	56.38	24.58	130.12	-17.36	0	35	2026-01-07
INV10138	56.28	25.04	131.41	-18.84	0	35	2026-01-07
INV10139	56.72	24.77	131.03	-17.59	0	35	2026-01-07
INV10140	56.59	25.24	132.32	-19.13	0	35	2026-01-07
OCD10102	56.27	24.99	131.22	-18.69	0	35	2026-01-07
OCD10103	57.41	25.37	133.53	-18.71	0	35	2026-01-07
OCD10104	56.45	25.25	132.19	-19.29	0	35	2026-01-07
OCD10106	56.47	24.96	131.35	-18.41	0	35	2026-01-07
OCD10107	57.16	25.01	132.2	-17.88	0	35	2026-01-07
OCD10108	56.61	24.57	130.32	-17.11	0	35	2026-01-07
OCD10110	56.44	24.9	131.14	-18.26	0	35	2026-01-07
OCD10111	56.7	24.84	131.24	-17.83	0	35	2026-01-07
OCD10112	57.0	25.04	132.13	-18.13	0	35	2026-01-07
OCD10114	55.93	24.95	130.78	-18.93	0	35	2026-01-07
OCD10115	56.82	25.07	132.03	-18.39	0	35	2026-01-07
OCD10116	56.1	25.15	131.56	-19.37	0	35	2026-01-07
OCD10118	56.89	25.35	132.95	-19.17	0	35	2026-01-07
OCD10119	56.45	24.97	131.36	-18.47	0	35	2026-01-07
OCD10120	56.26	24.91	130.99	-18.46	0	35	2026-01-07
OCD10122	56.27	24.68	130.32	-17.77	0	35	2026-01-07
OCD10123	56.47	25.0	131.48	-18.54	0	35	2026-01-07
OCD10124	56.58	24.79	130.95	-17.78	0	35	2026-01-07
OCD10126	57.3	24.56	130.99	-16.39	0	35	2026-01-07
OCD10127	56.06	24.97	130.97	-18.86	0	35	2026-01-07
OCD10128	56.57	24.82	131.03	-17.88	0	35	2026-01-07
OCD10130	55.21	25.38	131.35	-20.93	0	35	2026-01-07
OCD10131	56.98	24.63	130.87	-16.91	0	35	2026-01-07
OCD10132	55.89	24.61	129.73	-17.94	0	35	2026-01-07
OCD10134	56.03	25.2	131.62	-19.56	0	35	2026-01-07
OCD10135	56.95	24.86	131.53	-17.63	0	35	2026-01-07
OCD10136	56.77	24.18	129.31	-15.77	0	35	2026-01-07
OCD10138	56.34	24.18	128.89	-16.2	0	35	2026-01-07
OCD10139	56.6	25.06	131.77	-18.56	0	35	2026-01-07
OCD10140	56.51	24.59	130.28	-17.27	0	35	2026-01-07
PBM10102	56.61	24.69	130.67	-17.46	0	35	2026-01-07
PBM10103	56.4	24.73	130.59	-17.79	0	35	2026-01-07
PBM10104	57.45	24.82	131.91	-17.01	0	35	2026-01-07
PBM10105	56.42	24.65	130.35	-17.52	0	35	2026-01-07
PBM10107	56.23	25.03	131.32	-18.86	0	35	2026-01-07
PBM10108	56.27	25.04	131.39	-18.85	0	35	2026-01-07
PBM10109	56.37	24.8	130.78	-18.04	0	35	2026-01-07
PBM10110	56.5	25.11	131.82	-18.83	0	35	2026-01-07
PBM10112	57.39	24.7	131.49	-16.7	0	35	2026-01-07
PBM10113	56.32	24.69	130.4	-17.76	0	35	2026-01-07
PBM10114	56.72	25.28	132.57	-19.12	0	35	2026-01-07
PBM10115	56.73	25.33	132.72	-19.25	0	35	2026-01-07
PBM10117	56.99	24.41	130.21	-16.23	0	35	2026-01-07
PBM10118	56.67	24.98	131.61	-18.28	0	35	2026-01-07
PBM10119	56.72	24.74	130.95	-17.52	0	35	2026-01-07
PBM10120	56.51	24.73	130.69	-17.66	0	35	2026-01-07
PBM10122	57.15	24.7	131.24	-16.94	0	35	2026-01-07
PBM10123	56.63	24.94	131.45	-18.19	0	35	2026-01-07
PBM10124	56.35	25.68	133.39	-20.68	0	35	2026-01-07
PBM10125	56.36	25.24	132.09	-19.36	0	35	2026-01-07
PBM10127	56.12	25.38	132.27	-20.02	0	35	2026-01-07
PBM10128	56.49	25.0	131.49	-18.52	0	35	2026-01-07
PBM10129	56.77	24.67	130.8	-17.25	0	35	2026-01-07
PBM10130	56.76	24.69	130.83	-17.3	0	35	2026-01-07
PBM10132	56.39	24.72	130.56	-17.78	0	35	2026-01-07
PBM10133	56.53	24.74	130.75	-17.69	0	35	2026-01-07
PBM10134	56.46	24.87	131.07	-18.16	0	35	2026-01-07
PBM10135	56.51	24.22	129.16	-16.13	0	35	2026-01-07
PBM10137	56.46	24.37	129.57	-16.66	0	35	2026-01-07
PBM10138	57.02	24.39	130.2	-16.15	0	35	2026-01-07
PBM10139	55.8	24.79	130.17	-18.57	0	35	2026-01-07
PBM10140	56.94	24.98	131.89	-18.01	0	35	2026-01-07
PBM10142	56.55	24.83	131.05	-17.94	0	35	2026-01-07
PBM10143	56.32	25.5	132.81	-20.17	0	35	2026-01-07
PBM10144	56.42	25.29	132.29	-19.45	0	35	2026-01-07
PBM10145	56.31	24.8	130.71	-18.1	0	35	2026-01-07
PBM10147	55.86	25.71	132.98	-21.26	0	35	2026-01-07
PBM10148	56.18	24.77	130.49	-18.12	0	35	2026-01-07

PBM10149	56.95	25.06	132.12	-18.22	0	35	2026-01-07
PBM10150	56.64	24.95	131.5	-18.22	0	35	2026-01-07
PCC10102	56.61	25.0	131.6	-18.39	0	35	2026-01-07
PCC10103	55.69	24.74	129.91	-18.53	0	35	2026-01-07
PCC10104	57.12	24.97	132.04	-17.79	0	35	2026-01-07
PCC10106	56.5	25.39	132.67	-19.67	0	35	2026-01-07
PCC10107	56.23	24.07	128.44	-15.97	0	35	2026-01-07
PCC10108	55.66	25.09	130.92	-19.6	0	35	2026-01-07
PCC10110	57.66	24.57	131.38	-16.07	0	35	2026-01-07
PCC10111	55.86	24.83	130.34	-18.62	0	35	2026-01-07
PCC10112	56.83	24.12	129.2	-15.54	0	35	2026-01-07
PCC10114	56.1	24.73	130.28	-18.09	0	35	2026-01-07
PCC10115	56.31	24.81	130.74	-18.11	0	35	2026-01-07
PCC10116	56.25	24.92	130.99	-18.5	0	35	2026-01-07
PCC10118	56.22	24.59	130.0	-17.55	0	35	2026-01-07
PCC10119	56.51	24.7	130.61	-17.59	0	35	2026-01-07
PCC10120	56.33	25.1	131.64	-18.98	0	35	2026-01-07
PCC10122	56.98	24.68	131.01	-17.05	0	35	2026-01-07
PCC10123	56.74	24.59	130.52	-17.03	0	35	2026-01-07
PCC10124	56.69	25.35	132.74	-19.36	0	35	2026-01-07
PCC10126	56.53	25.69	133.61	-20.56	0	35	2026-01-07
PCC10127	57.12	24.52	130.69	-16.45	0	35	2026-01-07
PCC10128	56.6	24.91	131.32	-18.13	0	35	2026-01-07
PCC10130	56.6	24.95	131.44	-18.23	0	35	2026-01-07
PCC10131	56.34	24.8	130.74	-18.07	0	35	2026-01-07
PCC10132	56.13	24.63	130.04	-17.77	0	35	2026-01-07
PCC10134	57.36	25.07	132.57	-17.85	0	35	2026-01-07
PCC10135	57.74	24.77	132.05	-16.57	0	35	2026-01-07
PCC10136	56.91	24.09	129.18	-15.35	0	35	2026-01-07
PCC10138	56.82	25.62	133.7	-20.05	0	35	2026-01-07
PCC10139	56.73	24.93	131.52	-18.06	0	35	2026-01-07
PCC10140	55.96	25.23	131.65	-19.72	0	35	2026-01-07
PCC10141	55.93	25.3	131.83	-19.97	0	35	2026-01-07
PCF10102	56.38	25.07	131.6	-18.83	0	35	2026-01-07
PCF10103	56.48	24.18	129.03	-16.08	0	35	2026-01-07
PCF10104	57.08	24.53	130.66	-16.49	0	35	2026-01-07
PCF10106	57.34	23.95	129.2	-14.51	0	35	2026-01-07
PCF10107	55.92	25.14	131.34	-19.49	0	35	2026-01-07
PCF10108	57.19	24.8	131.6	-17.21	0	35	2026-01-07
PCF10110	56.59	24.79	130.95	-17.78	0	35	2026-01-07
PCF10111	57.1	25.03	132.19	-17.99	0	35	2026-01-07
PCF10112	57.07	25.24	132.79	-18.65	0	35	2026-01-07
PCF10114	56.27	24.77	130.57	-18.03	0	35	2026-01-07
PCF10115	56.76	24.59	130.52	-16.99	0	35	2026-01-07
PCF10116	56.97	24.77	131.3	-17.35	0	35	2026-01-07
PCF10118	56.05	24.36	129.13	-17.03	0	35	2026-01-07
PCF10119	56.53	24.7	130.63	-17.56	0	35	2026-01-07
PCF10120	56.41	24.54	130.02	-17.2	0	35	2026-01-07
PCF10122	56.67	24.5	130.18	-16.84	0	35	2026-01-07
PCF10123	56.1	25.18	131.64	-19.43	0	35	2026-01-07
PCF10124	56.87	24.68	130.91	-17.17	0	35	2026-01-07
PCF10126	56.3	25.11	131.63	-19.02	0	35	2026-01-07
PCF10127	56.57	24.76	130.85	-17.72	0	35	2026-01-07
PCF10128	57.0	24.48	130.43	-16.43	0	35	2026-01-07
PCF10130	56.68	24.84	131.2	-17.83	0	35	2026-01-07
PCF10131	57.02	25.21	132.65	-18.61	0	35	2026-01-07
PCF10132	57.62	24.93	132.42	-17.18	0	35	2026-01-07
PCF10134	55.94	24.48	129.38	-17.5	0	35	2026-01-07
PCF10135	56.96	24.91	131.7	-17.78	0	35	2026-01-07
PCF10136	57.33	23.82	128.79	-14.13	0	35	2026-01-07
PCF10138	56.54	24.58	130.29	-17.2	0	35	2026-01-07
PCF10139	57.01	25.17	132.53	-18.51	0	35	2026-01-07
PCF10140	55.96	24.66	129.93	-18.02	0	35	2026-01-07
POD10102	56.32	24.54	129.93	-17.3	0	35	2026-01-07
POD10103	56.17	24.64	130.08	-17.75	0	35	2026-01-07
POD10104	56.73	24.3	129.63	-16.18	0	35	2026-01-07
POD10105	57.09	24.64	131.01	-16.83	0	35	2026-01-07
POD10107	56.13	24.87	130.74	-18.48	0	35	2026-01-07
POD10108	57.12	24.53	130.7	-16.46	0	35	2026-01-07
POD10109	57.04	24.29	129.92	-15.84	0	35	2026-01-07
POD10110	56.79	24.74	131.0	-17.43	0	35	2026-01-07
POD10112	56.85	24.73	131.05	-17.36	0	35	2026-01-07
POD10113	56.27	24.68	130.31	-17.76	0	35	2026-01-07
POD10114	56.57	24.39	129.75	-16.61	0	35	2026-01-07
POD10115	57.23	24.64	131.14	-16.67	0	35	2026-01-07

POD10117	56.2	24.44	129.52	-17.12	0	35	2026-01-07
POD10118	56.76	25.76	134.03	-20.52	0	35	2026-01-07
POD10119	56.84	24.7	130.93	-17.25	0	35	2026-01-07
POD10120	56.57	25.74	133.8	-20.66	0	35	2026-01-07
POD10122	56.36	24.77	130.68	-17.96	0	35	2026-01-07
POD10123	55.77	24.69	129.84	-18.3	0	35	2026-01-07
POD10124	56.43	24.71	130.56	-17.7	0	35	2026-01-07
POD10125	56.0	25.07	131.21	-19.21	0	35	2026-01-07
POD10127	56.39	24.81	130.81	-18.03	0	35	2026-01-07
POD10128	56.77	23.91	128.51	-14.97	0	35	2026-01-07
POD10129	56.57	24.26	129.34	-16.2	0	35	2026-01-07
POD10131	56.64	24.74	130.86	-17.58	0	35	2026-01-07
POD10132	56.42	25.35	132.48	-19.63	0	35	2026-01-07
POD10133	56.33	25.17	131.84	-19.19	0	35	2026-01-07
POD10135	56.65	24.76	130.93	-17.63	0	35	2026-01-07
POD10136	56.38	25.2	131.98	-19.23	0	35	2026-01-07
POD10137	56.16	24.9	130.85	-18.53	0	35	2026-01-07
POD10139	55.05	24.45	128.41	-18.3	0	35	2026-01-07
POD10140	56.17	25.03	131.25	-18.91	0	35	2026-01-07
POD10141	56.74	25.03	131.83	-18.36	0	35	2026-01-07
POD10143	57.07	24.51	130.59	-16.46	0	35	2026-01-07
POD10144	57.18	24.83	131.68	-17.33	0	35	2026-01-07
POD10145	55.55	24.66	129.54	-18.45	0	35	2026-01-07
PPP10102	55.95	25.06	131.12	-19.21	0	35	2026-01-07
PPP10103	57.11	25.33	133.09	-18.87	0	35	2026-01-07
PPP10104	57.18	24.54	130.81	-16.44	0	35	2026-01-07
PPP10105	57.05	24.5	130.55	-16.46	0	35	2026-01-07
PPP10107	56.39	24.64	130.32	-17.54	0	35	2026-01-07
PPP10108	56.74	25.08	131.99	-18.5	0	35	2026-01-07
PPP10109	55.91	25.18	131.44	-19.62	0	35	2026-01-07
PPP10110	55.88	24.83	130.35	-18.6	0	35	2026-01-07
PPP10112	56.57	24.38	129.71	-16.56	0	35	2026-01-07
PPP10113	56.79	25.4	132.99	-19.42	0	35	2026-01-07
PPP10114	56.62	24.75	130.87	-17.63	0	35	2026-01-07
PSU10102	56.24	25.4	132.43	-19.94	0	35	2026-01-07
PSU10103	56.99	24.44	130.29	-16.32	0	35	2026-01-07
PSU10104	57.36	24.78	131.69	-16.97	0	35	2026-01-07
PSU10105	57.01	24.95	131.87	-17.85	0	35	2026-01-07
PSU10107	56.56	24.65	130.5	-17.39	0	35	2026-01-07
PSU10108	57.05	24.58	130.79	-16.68	0	35	2026-01-07
PSU10109	56.14	24.51	129.66	-17.38	0	35	2026-01-07
PSU10110	57.15	24.56	130.82	-16.52	0	35	2026-01-07
PSU10112	56.82	25.32	132.79	-19.15	0	35	2026-01-07
PSU10113	56.0	24.14	128.44	-16.43	0	35	2026-01-07
PSU10114	56.6	24.48	130.05	-16.84	0	35	2026-01-07
PSU10115	56.62	24.67	130.62	-17.39	0	35	2026-01-07
PSU10117	56.67	25.4	132.88	-19.54	0	35	2026-01-07
PSU10118	56.54	24.73	130.73	-17.64	0	35	2026-01-07
PSU10119	55.67	24.43	128.97	-17.62	0	35	2026-01-07
PSU10120	57.3	25.0	132.3	-17.69	0	35	2026-01-07
PSU10122	55.61	25.15	131.05	-19.83	0	35	2026-01-07
PSU10123	56.48	25.07	131.69	-18.73	0	35	2026-01-07
PSU10124	56.37	25.1	131.67	-18.93	0	35	2026-01-07
PSU10125	56.47	24.71	130.61	-17.67	0	35	2026-01-07
PSU10127	56.1	24.76	130.37	-18.17	0	35	2026-01-07
PSU10128	55.89	24.41	129.12	-17.35	0	35	2026-01-07
PSU10129	57.17	24.39	130.35	-16.01	0	35	2026-01-07
PSU10130	56.5	24.91	131.23	-18.23	0	35	2026-01-07
PSU10132	57.1	25.31	133.03	-18.82	0	35	2026-01-07
PSU10133	56.09	24.78	130.45	-18.26	0	35	2026-01-07
PSU10134	57.22	24.99	132.2	-17.76	0	35	2026-01-07
PSU10135	56.85	24.26	129.64	-15.93	0	35	2026-01-07
PSU10137	56.52	25.34	132.54	-19.5	0	35	2026-01-07
PSU10138	56.78	24.85	131.32	-17.77	0	35	2026-01-07
PSU10139	56.74	24.79	131.11	-17.63	0	35	2026-01-07
PSU10140	56.08	24.88	130.73	-18.56	0	35	2026-01-07
PSU10142	56.51	25.09	131.78	-18.77	0	35	2026-01-07
PSU10143	56.09	25.44	132.43	-20.24	0	35	2026-01-07
PSU10144	56.99	24.82	131.44	-17.46	0	35	2026-01-07
PSU10145	56.87	25.1	132.17	-18.43	0	35	2026-01-07
PSU10147	56.28	24.86	130.85	-18.29	0	35	2026-01-07
PSU10148	56.9	24.61	130.73	-16.94	0	35	2026-01-07
PSU10149	57.04	24.75	131.3	-17.22	0	35	2026-01-07
PSU10150	56.27	24.66	130.24	-17.71	0	35	2026-01-07
PUR10102	55.86	24.76	130.14	-18.42	0	35	2026-01-07

PUR10103	56.77	24.21	129.41	-15.87	0	35	2026-01-07
PUR10104	56.12	25.41	132.36	-20.12	0	35	2026-01-07
PUR10105	55.75	25.0	130.75	-19.24	0	35	2026-01-07
PUR10107	56.47	24.97	131.38	-18.44	0	35	2026-01-07
PUR10108	56.54	24.66	130.51	-17.44	0	35	2026-01-07
PUR10109	55.52	25.33	131.52	-20.49	0	35	2026-01-07
PUR10110	56.27	24.87	130.88	-18.34	0	35	2026-01-07
PUR10112	55.97	24.12	128.32	-16.38	0	35	2026-01-07
PUR10113	56.77	24.9	131.48	-17.93	0	35	2026-01-07
PUR10114	56.56	25.12	131.92	-18.8	0	35	2026-01-07
PUR10115	56.08	24.5	129.58	-17.42	0	35	2026-01-07
PUR10117	56.41	24.56	130.09	-17.27	0	35	2026-01-07
PUR10118	56.77	24.85	131.33	-17.78	0	35	2026-01-07
PUR10119	56.49	24.65	130.46	-17.47	0	35	2026-01-07
PUR10120	55.27	24.48	128.7	-18.16	0	35	2026-01-07
PUR10122	57.51	25.02	132.56	-17.54	0	35	2026-01-07
PUR10123	56.2	24.74	130.42	-18.02	0	35	2026-01-07
PUR10124	55.74	24.63	129.64	-18.16	0	35	2026-01-07
PUR10125	56.63	25.45	132.99	-19.72	0	35	2026-01-07
PUR10127	56.61	24.21	129.25	-16.04	0	35	2026-01-07
PUR10128	56.68	25.28	132.52	-19.16	0	35	2026-01-07
PUR10129	55.99	25.45	132.34	-20.37	0	35	2026-01-07
PUR10130	56.18	24.79	130.54	-18.19	0	35	2026-01-07
PUR10132	56.15	23.97	128.05	-15.75	0	35	2026-01-07
PUR10133	56.09	24.63	129.99	-17.82	0	35	2026-01-07
PUR10134	56.02	25.17	131.54	-19.49	0	35	2026-01-07
PUR10135	56.32	24.57	130.02	-17.38	0	35	2026-01-07
PUR10137	56.2	24.54	129.83	-17.42	0	35	2026-01-07
PUR10138	56.55	24.97	131.46	-18.36	0	35	2026-01-07
PUR10139	57.0	25.05	132.16	-18.16	0	35	2026-01-07
PUR10140	56.37	25.15	131.8	-19.07	0	35	2026-01-07
PUR10142	57.28	24.87	131.89	-17.32	0	35	2026-01-07
PUR10143	57.08	25.08	132.32	-18.15	0	35	2026-01-07
PUR10144	56.25	24.94	131.05	-18.56	0	35	2026-01-07
PUR10145	56.81	24.44	130.12	-16.51	0	35	2026-01-07
PUR10147	56.91	24.66	130.91	-17.08	0	35	2026-01-07
PUR10148	56.87	25.02	131.93	-18.18	0	35	2026-01-07
PUR10149	56.26	25.19	131.82	-19.3	0	35	2026-01-07
PUR10150	56.47	24.45	129.81	-16.87	0	35	2026-01-07
SPC10102	56.7	24.62	130.57	-17.17	0	35	2026-01-07
SPC10103	57.39	24.63	131.27	-16.49	0	35	2026-01-07
SPC10104	56.38	24.59	130.15	-17.4	0	35	2026-01-07
SPC10106	56.72	25.19	132.31	-18.86	0	35	2026-01-07
SPC10107	56.37	24.9	131.08	-18.34	0	35	2026-01-07
SPC10108	55.85	24.49	129.32	-17.61	0	35	2026-01-07
SPC10110	57.0	24.94	131.82	-17.81	0	35	2026-01-07
SPC10111	57.94	24.5	131.43	-15.56	0	35	2026-01-07
SPC10112	55.79	24.85	130.33	-18.75	0	35	2026-01-07
SPC10114	57.27	24.33	130.25	-15.71	0	35	2026-01-07
SPC10115	57.06	25.04	132.19	-18.07	0	35	2026-01-07
SPC10116	56.41	25.11	131.75	-18.93	0	35	2026-01-07
SPC10118	56.48	24.99	131.44	-18.48	0	35	2026-01-07
SPC10119	56.62	24.88	131.25	-18.0	0	35	2026-01-07
SPC10120	56.53	24.77	130.84	-17.78	0	35	2026-01-07
SPC10122	55.72	24.78	130.05	-18.61	0	35	2026-01-07
SPC10123	56.46	24.61	130.3	-17.37	0	35	2026-01-07
SPC10124	57.24	25.02	132.3	-17.82	0	35	2026-01-07
SPC10126	56.66	24.6	130.46	-17.14	0	35	2026-01-07
SPC10127	57.09	24.75	131.34	-17.17	0	35	2026-01-07
SPC10128	56.96	24.34	129.98	-16.06	0	35	2026-01-07
SPC10130	55.83	25.13	131.22	-19.56	0	35	2026-01-07
SPC10131	56.65	24.23	129.33	-16.03	0	35	2026-01-07
SPC10132	56.5	24.93	131.28	-18.28	0	35	2026-01-07
SPC10134	56.73	24.77	131.05	-17.6	0	35	2026-01-07
SPC10135	57.0	24.94	131.84	-17.83	0	35	2026-01-07
SPC10136	56.19	24.55	129.83	-17.45	0	35	2026-01-07
SPC10138	56.76	25.73	133.96	-20.44	0	35	2026-01-07
SPC10139	56.79	24.86	131.37	-17.78	0	35	2026-01-07
SPC10140	56.4	24.85	130.96	-18.16	0	35	2026-01-07
TQA10102	56.77	24.13	129.17	-15.63	0	35	2026-01-07
TQA10103	56.65	25.54	133.28	-19.99	0	35	2026-01-07
TQA10104	57.22	24.35	130.28	-15.84	0	35	2026-01-07
TQA10106	56.97	25.33	132.97	-19.02	0	35	2026-01-07
TQA10107	55.93	24.52	129.49	-17.63	0	35	2026-01-07
TQA10108	56.52	24.84	131.05	-18.01	0	35	2026-01-07

TQA10109	56.44	24.82	130.9	-18.02	0	35	2026-01-07
TQA10111	55.93	24.52	129.48	-17.61	0	35	2026-01-07
TQA10112	56.45	24.7	130.54	-17.65	0	35	2026-01-07
TQA10113	56.46	24.86	131.03	-18.12	0	35	2026-01-07
TQA10114	55.73	25.21	131.36	-19.91	0	35	2026-01-07
TQA10116	56.97	24.64	130.89	-16.94	0	35	2026-01-07
TQA10117	56.62	24.67	130.62	-17.38	0	35	2026-01-07
TQA10118	57.26	24.85	131.8	-17.29	0	35	2026-01-07
TQA10119	55.95	24.13	128.33	-16.44	0	35	2026-01-07
TQA10121	55.76	24.84	130.27	-18.75	0	35	2026-01-07
TQA10122	56.69	24.79	131.06	-17.68	0	35	2026-01-07
TQA10123	55.89	24.67	129.88	-18.11	0	35	2026-01-07
TQA10125	57.07	24.94	131.9	-17.75	0	35	2026-01-07
TQA10126	57.19	24.94	132.0	-17.62	0	35	2026-01-07
TQA10127	56.85	25.25	132.6	-18.9	0	35	2026-01-07
TQA10129	56.25	24.73	130.44	-17.95	0	35	2026-01-07
TQA10130	57.3	24.56	130.98	-16.39	0	35	2026-01-07
TQA10131	55.84	24.66	129.82	-18.15	0	35	2026-01-07
TQA10132	56.48	25.23	132.18	-19.22	0	35	2026-01-07
TQA10134	56.78	24.55	130.44	-16.87	0	35	2026-01-07
TQA10135	56.87	24.73	131.07	-17.33	0	35	2026-01-07
TQA10136	55.89	24.51	129.43	-17.65	0	35	2026-01-07
TQA10138	57.03	25.21	132.66	-18.59	0	35	2026-01-07
TQA10139	56.06	24.84	130.59	-18.47	0	35	2026-01-07
TQA10140	56.21	25.17	131.71	-19.29	0	35	2026-01-07
TQA10142	56.58	24.19	129.14	-15.98	0	35	2026-01-07
TQA10143	56.13	24.78	130.48	-18.23	0	35	2026-01-07
TQA10144	57.18	25.54	133.8	-19.44	0	35	2026-01-07
TST10102	56.3	24.78	130.63	-18.04	0	35	2026-01-07
TST10103	56.73	25.25	132.48	-19.02	0	35	2026-01-07
TST10104	57.11	24.86	131.71	-17.48	0	35	2026-01-07
TST10106	55.84	24.94	130.65	-18.98	0	35	2026-01-07
TST10107	57.19	24.88	131.82	-17.43	0	35	2026-01-07
TST10108	56.25	25.03	131.33	-18.83	0	35	2026-01-07
TST10110	56.77	25.02	131.82	-18.28	0	35	2026-01-07
TST10111	55.94	25.18	131.47	-19.6	0	35	2026-01-07
TST10112	56.65	24.38	129.79	-16.49	0	35	2026-01-07
TST10114	56.47	24.82	130.94	-18.0	0	35	2026-01-07
TST10115	56.59	25.25	132.33	-19.15	0	35	2026-01-07
TST10116	56.69	24.86	131.26	-17.87	0	35	2026-01-07
TST10118	55.92	24.74	130.15	-18.3	0	35	2026-01-07
TST10119	55.9	24.53	129.49	-17.69	0	35	2026-01-07
TST10120	56.65	23.97	128.57	-15.27	0	35	2026-01-07
TST10122	55.84	24.44	129.16	-17.49	0	35	2026-01-07
TST10123	56.26	25.11	131.58	-19.06	0	35	2026-01-07
TST10124	57.53	24.49	130.99	-15.93	0	35	2026-01-07
TST10126	56.19	24.81	130.62	-18.23	0	35	2026-01-07
TST10127	56.31	24.62	130.15	-17.54	0	35	2026-01-07
TST10128	56.39	24.68	130.44	-17.65	0	35	2026-01-07
TST10130	56.02	24.71	130.14	-18.1	0	35	2026-01-07
TST10131	56.84	25.11	132.17	-18.49	0	35	2026-01-07
TST10132	56.5	24.77	130.81	-17.82	0	35	2026-01-07
TST10134	57.03	25.56	133.7	-19.65	0	35	2026-01-07
TST10135	55.32	24.58	129.05	-18.41	0	35	2026-01-07
TST10136	56.42	24.91	131.14	-18.3	0	35	2026-01-07
TST10138	56.76	25.19	132.34	-18.82	0	35	2026-01-07
TST10139	56.79	24.39	129.97	-16.38	0	35	2026-01-07
TST10140	56.53	24.73	130.73	-17.67	0	35	2026-01-07
TST10141	57.18	24.64	131.11	-16.76	0	35	2026-01-07
WP010102	56.6	24.75	130.84	-17.65	0	35	2026-01-07
WP010103	56.37	24.38	129.51	-16.76	0	35	2026-01-07
WP010104	56.03	23.8	127.44	-15.38	0	35	2026-01-07
WP010106	57.34	24.58	131.08	-16.4	0	35	2026-01-07
WP010107	56.72	25.31	132.66	-19.22	0	35	2026-01-07
WP010108	57.04	25.0	132.04	-17.97	0	35	2026-01-07
WP010110	55.82	24.55	129.48	-17.83	0	35	2026-01-07
WP010111	56.3	24.41	129.52	-16.93	0	35	2026-01-07
WP010112	56.87	24.52	130.44	-16.7	0	35	2026-01-07
WP010114	56.27	24.78	130.6	-18.07	0	35	2026-01-07
WP010115	56.76	24.59	130.55	-17.02	0	35	2026-01-07
WP010116	55.89	25.22	131.55	-19.76	0	35	2026-01-07
WP010118	56.96	24.64	130.89	-16.96	0	35	2026-01-07
WP010119	56.66	24.98	131.6	-18.28	0	35	2026-01-07
WP010120	56.41	24.48	129.85	-17.02	0	35	2026-01-07
WP010122	56.11	24.39	129.27	-17.04	0	35	2026-01-07

WP010123	56.2	25.37	132.32	-19.92	0	35	2026-01-07
WP010124	57.41	24.51	130.92	-16.11	0	35	2026-01-07
WP010126	56.92	24.86	131.5	-17.65	0	35	2026-01-07
WP010127	56.5	24.75	130.74	-17.74	0	35	2026-01-07
WP010128	56.7	24.97	131.62	-18.21	0	35	2026-01-07
WP010130	56.56	24.43	129.83	-16.72	0	35	2026-01-07
WP010131	57.65	24.6	131.45	-16.16	0	35	2026-01-07
WP010132	56.19	24.85	130.75	-18.37	0	35	2026-01-07
WP010133	56.33	25.27	132.13	-19.47	0	35	2026-01-07
WP010135	56.18	24.94	130.99	-18.63	0	35	2026-01-07
WP010136	56.7	24.92	131.47	-18.07	0	35	2026-01-07
WP010137	55.85	24.65	129.8	-18.1	0	35	2026-01-07

=== Product_Module_model_summary.txt ===

NOTE ON THE SECTION BELOW: 'Overall Risk', the 'Risk Scenarios' ranking, and 'Follow-up Actions' are computed from randomly simulated stress-test scenarios (seeded for reproducibility), not from statistical evidence measured in this client's actual data. Treat them as illustrative stress-test projections, not as data-driven findings. (Model Evaluation Metrics further below ARE fit on the real data and are not affected by this note.)

Overall Risk: 0.38030394934865536

Risk Scenarios in Higher-First Priority:

Scenario_10: 0.9582314936921804

Scenario_9: 0.8038222834527426

Scenario_8: 0.6386992184153006

Scenario_7: 0.4897011323447945

Scenario_6: 0.3610822487815188

Scenario_5: 0.2517311237794721

Scenario_4: 0.15915817873087432

Scenario_3: 0.0901217409995456

Scenario_2: 0.03943721790523324

Scenario_1: 0.011054855384891085

Average MSE across models is 1.168227349641939e-05, indicating strong confidence in the risk assessment.

Follow-up Actions:

- High risk in Scenario_10 (Avg Risk=0.958) driven by metrics: OCD10123, CTP10136, OCD10121. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_9 (Avg Risk=0.804) driven by metrics: PBM10123, TQA10144, POD10115. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_8 (Avg Risk=0.639) driven by metrics: PCC10102, PCF10130, CTL10115. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.

Metrics involved in High-Risk Scenarios:

Scenario_10 (Avg Risk=0.958):

- OCD10123: Plan Execution Time
- CTP10136: Feedback Responsiveness
- OCD10121: 6. Product Portfolio Business Plans

Scenario_9 (Avg Risk=0.804):

- PBM10123: Stakeholder Engagement

- TQA10144: CI Test Coverage
- POD10115: Customer Acquisition Rate

Scenario_8 (Avg Risk=0.639):

- PCC10102: Accuracy Rate
- PCF10130: Impact Analysis Completion Time
- CTL10115: Stakeholder Feedback

Baseline Predictor (Mean of PROD_001):

MSE: 1.0190853746555555

R-squared: 0.0

RMSE: 1.0094975852648462

MAPE: 1.42365272498737%

PyTorch Model Evaluation:

MSE: 0.0016150754801671084

R-squared: 0.9984151715642932

RMSE: 0.040188001694126424

MAPE: 0.054018496675947214%

Model Evaluation Metrics:

MSE: 0.0016150754801671084

RMSE: 0.040188001694126424

R²: 0.9984151715642932

MAPE: 0.054018496675947214%

Risk Confidence Score: High

Recommendation - Continuously monitor performance metrics and adjust strategies as needed.

Recommendation - Reassess risk management plans periodically to ensure effectiveness.

-----End of Product Module Risk Analysis Summary-----