

metrics_summary_resource.txt

TBD2 pipeline output - rendered to PDF

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
RCD10101	59.65	17.79	113.01	6.29	0	35	2026-01-07
RCD10102	60.43	17.95	114.27	6.58	0	35	2026-01-07
RCD10103	59.93	17.72	113.1	6.77	0	35	2026-01-07
RCD10104	60.34	17.46	112.74	7.95	0	35	2026-01-07
RCD10105	59.8	17.62	112.66	6.93	0	35	2026-01-07
RCD10106	60.34	17.64	113.25	7.43	0	35	2026-01-07
RCD10107	60.25	18.04	114.36	6.14	0	35	2026-01-07
RCD10108	60.68	17.9	114.39	6.97	0	35	2026-01-07
RCD10109	60.02	17.88	113.67	6.36	0	35	2026-01-07
RCD10110	59.84	18.18	114.38	5.3	0	35	2026-01-07
RCD10111	59.83	18.05	113.98	5.68	0	35	2026-01-07
RCD10112	59.92	18.17	114.41	5.42	0	35	2026-01-07
RCD10113	60.37	18.09	114.63	6.1	0	35	2026-01-07
RCD10114	60.06	18.04	114.19	5.93	0	35	2026-01-07
RCD10115	59.99	17.51	112.53	7.45	0	35	2026-01-07
RCD10116	59.68	17.86	113.25	6.11	0	35	2026-01-07
RCD10117	60.23	17.81	113.68	6.79	0	35	2026-01-07
RCD10118	59.82	17.67	112.82	6.82	0	35	2026-01-07
RCD10119	60.44	18.52	115.99	4.89	0	35	2026-01-07
RCM10101	59.88	17.72	113.03	6.72	0	35	2026-01-07
RCM10102	60.4	17.97	114.31	6.49	0	35	2026-01-07
RCM10103	59.88	18.0	113.89	5.87	0	35	2026-01-07
RCM10104	60.12	18.06	114.3	5.93	0	35	2026-01-07
RCM10105	59.92	17.79	113.28	6.56	0	35	2026-01-07
RCM10106	60.37	18.04	114.48	6.25	0	35	2026-01-07
RCM10107	60.2	18.29	115.07	5.34	0	35	2026-01-07
RCM10108	60.5	18.17	115.02	5.98	0	35	2026-01-07
RCM10109	59.45	17.62	112.32	6.59	0	35	2026-01-07
RCM10110	60.08	18.12	114.43	5.72	0	35	2026-01-07
RCM10111	60.55	17.99	114.53	6.57	0	35	2026-01-07
RCM10112	59.8	17.77	113.11	6.49	0	35	2026-01-07
RCM10113	60.25	17.78	113.6	6.9	0	35	2026-01-07
RCM10114	59.48	17.95	113.34	5.63	0	35	2026-01-07
RCM10115	59.69	17.41	111.93	7.45	0	35	2026-01-07
RCM10116	60.14	18.17	114.64	5.64	0	35	2026-01-07
RCM10117	60.21	18.33	115.2	5.21	0	35	2026-01-07
RCM10118	59.57	17.59	112.33	6.82	0	35	2026-01-07
RCM10119	59.9	18.34	114.92	4.88	0	35	2026-01-07
RDA10101	60.51	17.85	114.05	6.97	0	35	2026-01-07
RDA10102	60.0	18.03	114.1	5.9	0	35	2026-01-07
RDA10103	59.68	18.12	114.02	5.33	0	35	2026-01-07
RDA10104	60.46	18.42	115.73	5.19	0	35	2026-01-07
RDA10105	60.42	18.33	115.42	5.43	0	35	2026-01-07
RDA10106	59.93	17.84	113.45	6.41	0	35	2026-01-07
RDA10107	59.35	17.91	113.07	5.62	0	35	2026-01-07
RDA10108	59.64	18.27	114.45	4.83	0	35	2026-01-07
RDA10109	60.13	18.17	114.63	5.62	0	35	2026-01-07
RDA10110	59.65	17.98	113.58	5.71	0	35	2026-01-07
RDA10111	60.5	17.67	113.51	7.5	0	35	2026-01-07
RDA10112	60.29	18.03	114.37	6.21	0	35	2026-01-07
RDA10113	60.09	17.81	113.53	6.65	0	35	2026-01-07
RDA10114	59.82	17.86	113.38	6.25	0	35	2026-01-07
RDA10115	60.16	18.46	115.53	4.78	0	35	2026-01-07
RDA10116	59.69	18.06	113.87	5.5	0	35	2026-01-07
RDA10117	59.62	17.46	111.99	7.25	0	35	2026-01-07
RDA10118	59.66	17.65	112.62	6.7	0	35	2026-01-07
RDA10119	60.15	18.16	114.62	5.68	0	35	2026-01-07
RMR10101	60.08	17.9	113.78	6.39	0	35	2026-01-07
RMR10102	60.41	17.76	113.71	7.12	0	35	2026-01-07
RMR10103	59.8	17.97	113.7	5.91	0	35	2026-01-07
RMR10104	59.98	17.89	113.64	6.32	0	35	2026-01-07
RMR10105	60.61	17.94	114.45	6.78	0	35	2026-01-07
RMR10106	59.87	18.25	114.63	5.11	0	35	2026-01-07
RMR10107	59.69	18.37	114.79	4.59	0	35	2026-01-07
RMR10108	59.96	18.12	114.33	5.59	0	35	2026-01-07
RMR10109	59.92	18.36	115.0	4.85	0	35	2026-01-07
RMR10110	59.89	18.24	114.61	5.17	0	35	2026-01-07

RMR10111	60.52	17.75	113.77	7.28	0	35	2026-01-07
RMR10112	60.09	17.82	113.56	6.62	0	35	2026-01-07
RMR10113	59.14	18.11	113.47	4.8	0	35	2026-01-07
RMR10114	59.85	17.82	113.3	6.4	0	35	2026-01-07
RMR10115	60.2	17.86	113.79	6.62	0	35	2026-01-07
RMR10116	59.94	17.76	113.23	6.66	0	35	2026-01-07
RMR10117	60.25	17.96	114.14	6.35	0	35	2026-01-07
RMR10118	60.39	18.37	115.49	5.3	0	35	2026-01-07
RMR10119	59.75	17.89	113.42	6.09	0	35	2026-01-07
ROR10101	59.51	17.65	112.46	6.56	0	35	2026-01-07
ROR10102	59.66	18.6	115.46	3.87	0	35	2026-01-07
ROR10103	59.76	17.83	113.25	6.26	0	35	2026-01-07
ROR10104	60.28	18.57	115.98	4.57	0	35	2026-01-07
ROR10105	59.61	17.95	113.48	5.75	0	35	2026-01-07
ROR10106	59.73	17.96	113.62	5.84	0	35	2026-01-07
ROR10107	60.11	18.12	114.47	5.75	0	35	2026-01-07
ROR10108	59.33	17.73	112.51	6.15	0	35	2026-01-07
ROR10109	60.36	18.16	114.85	5.88	0	35	2026-01-07
ROR10110	59.67	17.66	112.66	6.68	0	35	2026-01-07
ROR10111	59.85	18.12	114.2	5.5	0	35	2026-01-07
ROR10112	60.11	18.29	114.96	5.25	0	35	2026-01-07
ROR10113	59.86	18.1	114.15	5.57	0	35	2026-01-07
ROR10114	60.25	18.41	115.5	5.01	0	35	2026-01-07
ROR10115	60.07	18.41	115.31	4.83	0	35	2026-01-07
ROR10116	59.18	17.86	112.77	5.6	0	35	2026-01-07
ROR10117	60.18	18.04	114.31	6.04	0	35	2026-01-07
ROR10118	60.27	18.16	114.76	5.79	0	35	2026-01-07
ROR10119	60.01	17.92	113.77	6.25	0	35	2026-01-07
RPR10101	59.31	17.41	111.54	7.09	0	35	2026-01-07
RPR10102	59.74	18.1	114.04	5.44	0	35	2026-01-07
RPR10103	60.65	17.6	113.47	7.84	0	35	2026-01-07
RPR10104	59.77	18.4	114.98	4.56	0	35	2026-01-07
RPR10105	60.11	17.93	113.91	6.31	0	35	2026-01-07
RPR10106	60.26	17.69	113.33	7.2	0	35	2026-01-07
RPR10107	59.37	17.99	113.35	5.38	0	35	2026-01-07
RPR10108	59.63	18.07	113.84	5.43	0	35	2026-01-07
RPR10109	60.31	17.69	113.37	7.25	0	35	2026-01-07
RPR10110	60.62	18.44	115.93	5.3	0	35	2026-01-07
RPR10111	60.31	18.24	115.04	5.59	0	35	2026-01-07
RPR10112	60.28	17.82	113.74	6.81	0	35	2026-01-07
RPR10113	60.44	17.96	114.33	6.56	0	35	2026-01-07
RPR10114	60.21	17.83	113.69	6.73	0	35	2026-01-07
RPR10115	59.76	17.85	113.32	6.2	0	35	2026-01-07
RPR10116	59.82	18.19	114.38	5.27	0	35	2026-01-07
RPR10117	59.37	18.38	114.53	4.22	0	35	2026-01-07
RPR10118	60.2	18.16	114.67	5.72	0	35	2026-01-07
RPR10119	59.6	17.19	111.18	8.02	0	35	2026-01-07
RSL10101	59.62	18.02	113.68	5.56	0	35	2026-01-07
RSL10102	59.82	18.08	114.05	5.59	0	35	2026-01-07
RSL10103	60.18	17.93	113.96	6.39	0	35	2026-01-07
RSL10104	59.37	17.93	113.17	5.57	0	35	2026-01-07
RSL10105	60.7	17.9	114.41	7.0	0	35	2026-01-07
RSL10106	60.09	18.2	114.68	5.49	0	35	2026-01-07
RSL10107	59.71	17.62	112.58	6.84	0	35	2026-01-07
RSL10108	60.23	18.32	115.19	5.26	0	35	2026-01-07
RSL10109	59.6	18.5	115.1	4.1	0	35	2026-01-07
RSL10110	59.84	18.25	114.6	5.08	0	35	2026-01-07
RSL10111	59.95	17.81	113.39	6.52	0	35	2026-01-07
RSL10112	59.6	18.04	113.72	5.49	0	35	2026-01-07
RSL10113	59.99	18.07	114.2	5.77	0	35	2026-01-07
RSL10114	59.71	18.18	114.24	5.18	0	35	2026-01-07
RSL10115	59.48	18.32	114.44	4.53	0	35	2026-01-07
RSL10116	59.22	17.68	112.25	6.18	0	35	2026-01-07
RSL10117	59.97	17.81	113.39	6.54	0	35	2026-01-07
RSL10118	60.49	18.32	115.44	5.54	0	35	2026-01-07
RSL10119	60.22	18.12	114.58	5.86	0	35	2026-01-07
RST10101	60.41	18.38	115.55	5.27	0	35	2026-01-07
RST10102	60.3	17.79	113.68	6.91	0	35	2026-01-07
RST10103	60.13	18.09	114.41	5.85	0	35	2026-01-07
RST10104	59.98	18.2	114.57	5.39	0	35	2026-01-07
RST10105	59.96	17.93	113.75	6.17	0	35	2026-01-07
RST10106	60.07	17.82	113.52	6.61	0	35	2026-01-07
RST10107	59.73	18.23	114.42	5.05	0	35	2026-01-07
RST10108	60.02	17.98	113.96	6.07	0	35	2026-01-07
RST10109	60.14	17.48	112.59	7.69	0	35	2026-01-07

RST10110	60.02	17.45	112.35	7.68	0	35	2026-01-07
RST10111	60.14	18.14	114.56	5.73	0	35	2026-01-07
RST10112	60.38	17.72	113.53	7.23	0	35	2026-01-07
RST10113	60.08	18.25	114.82	5.33	0	35	2026-01-07
RST10114	60.01	18.38	115.16	4.87	0	35	2026-01-07
RST10115	59.76	18.13	114.13	5.38	0	35	2026-01-07
RST10116	60.52	17.89	114.17	6.86	0	35	2026-01-07
RST10117	60.3	18.0	114.3	6.31	0	35	2026-01-07
RST10118	60.02	17.5	112.53	7.51	0	35	2026-01-07
RST10119	59.97	18.03	114.06	5.89	0	35	2026-01-07
RSU10101	60.13	18.27	114.95	5.32	0	35	2026-01-07
RSU10102	60.43	17.49	112.92	7.95	0	35	2026-01-07
RSU10103	59.88	17.5	112.38	7.38	0	35	2026-01-07
RSU10104	60.21	18.31	115.14	5.28	0	35	2026-01-07
RSU10105	60.03	18.35	115.07	4.99	0	35	2026-01-07
RSU10106	60.0	17.94	113.83	6.17	0	35	2026-01-07
RSU10107	60.09	18.17	114.58	5.59	0	35	2026-01-07
RSU10108	59.95	18.35	114.99	4.91	0	35	2026-01-07
RSU10109	59.98	18.26	114.75	5.2	0	35	2026-01-07
RSU10110	59.74	17.85	113.3	6.19	0	35	2026-01-07
RSU10111	59.88	17.73	113.08	6.67	0	35	2026-01-07
RSU10112	59.95	18.37	115.04	4.85	0	35	2026-01-07
RSU10113	59.9	17.72	113.06	6.73	0	35	2026-01-07
RSU10114	60.11	17.86	113.7	6.52	0	35	2026-01-07
RSU10115	59.47	17.88	113.1	5.85	0	35	2026-01-07
RSU10116	59.87	18.69	115.94	3.8	0	35	2026-01-07
RSU10117	59.97	17.87	113.59	6.35	0	35	2026-01-07
RSU10118	59.15	18.14	113.57	4.73	0	35	2026-01-07
RSU10119	60.08	17.83	113.58	6.59	0	35	2026-01-07
RTR10101	60.02	18.17	114.54	5.5	0	35	2026-01-07
RTR10102	59.36	17.92	113.12	5.6	0	35	2026-01-07
RTR10103	59.87	18.13	114.28	5.47	0	35	2026-01-07
RTR10104	60.03	18.29	114.89	5.17	0	35	2026-01-07
RTR10105	59.63	17.6	112.43	6.82	0	35	2026-01-07
RTR10106	60.51	18.06	114.7	6.31	0	35	2026-01-07
RTR10107	59.89	17.97	113.81	5.97	0	35	2026-01-07
RTR10108	60.75	17.96	114.64	6.86	0	35	2026-01-07
RTR10109	59.61	18.11	113.95	5.27	0	35	2026-01-07
RTR10110	59.69	18.33	114.68	4.71	0	35	2026-01-07
RTR10111	60.04	17.92	113.8	6.29	0	35	2026-01-07
RTR10112	58.92	18.22	113.58	4.25	0	35	2026-01-07
RTR10113	59.93	17.75	113.18	6.68	0	35	2026-01-07
RTR10114	60.03	17.67	113.04	7.03	0	35	2026-01-07
RTR10115	59.82	17.64	112.74	6.9	0	35	2026-01-07
RTR10116	60.5	17.78	113.85	7.15	0	35	2026-01-07
RTR10117	60.19	17.78	113.53	6.86	0	35	2026-01-07
RTR10118	60.24	17.94	114.05	6.44	0	35	2026-01-07
RTR10119	60.2	18.28	115.03	5.36	0	35	2026-01-07