

MASTER_CONSOLIDATED_REPORT.txt

TBD2 pipeline output - rendered to PDF

MASTER REPORT: Resource Module Unified Report

Total sections: 8

=== low_performing_entities_report_resource.txt ===

Low-Performing Metrics

S.No,Metric Id,Metric Name,Metric Value

1,	RTR10112,	Incident Detection Rate,	58.916666666666664
2,	RMR10113,	Error Detection Rate,	59.135666666666665
3,	RSU10118,	Incident Recurrence Rate,	59.150666666666666
4,	ROR10116,	Order Management System Uptime,	59.183666666666667
5,	RSL10116,	Resource Integration Time,	59.215
6,	RPR10101,	Resource Utilization Rate,	59.311666666666667
7,	ROR10108,	Order Escalation Rate,	59.332
8,	RDA10107,	Data Security Incident Rate,	59.345666666666666
9,	RTR10102,	Incident Resolution Time,	59.360333333333334
10,	RPR10107,	Resource Capacity Utilization,	59.367666666666665

Low-Performing Groups

S.No,Group Id,Group Name,Group Value

1,	RSL10001,	Resource Specification Lifecycle Management Metrics,	59.883666666666667
2,	ROR10001,	Resource Order Management Metrics,	59.88502
3,	RSU10001,	Resource Support Management Metrics,	59.937650000000005
4,	RTR10001,	Resource Trouble Management Metrics,	59.95912
5,	RDA10001,	Resource Data Management Metrics,	59.986163333333333
6,	RPR10001,	Resource Performance Management Metrics,	59.98796
7,	RMR10001,	Resource Mediation & Reporting Metrics,	60.018923333333334
8,	RCM10001,	Resource Capacity Management Metrics,	60.020606666666666
9,	RCD10001,	Resource Capability Delivery Metrics,	60.08447
10,	RST10001,	Resource Strategy Management Metrics,	60.101593333333334

Low-Performing Sub-Modules

S.No,	Sub-Module Id,	Sub-Module Name,	Sub-Module Value
1,	RSL10000,	Resource Specification Lifecycle Management,	59.88366666666667
2,	ROR10000,	Resource Order Management,	59.88502
3,	RSU10000,	Resource Support Management,	59.937650000000005
4,	RTR10000,	Resource Trouble Management,	59.95912
5,	RDA10000,	Resource Data Management,	59.98616333333333
6,	RPR10000,	Resource Performance Management,	59.98796
7,	RMR10000,	Resource Mediation & Reporting,	60.01892333333334
8,	RCM10000,	Resource Capacity Management,	60.020606666666666
9,	RCD10000,	Resource Capability Delivery,	60.08447
10,	RST10000,	Resource Strategy Management,	60.101593333333334
Overall Module Average,RSRC_001,			59.99

=== M_G_SM_correlation_report_resource.txt ===

Correlation Report (top pairs by |correlation|; full matrices are still used internally for CHAID risk binning - see chaid_risk_segmentation_report)

Metrics Correlation Summary

Total pairs examined: 17955
Pairs with |correlation| >= 0.5: 0
Mean |correlation|: 0.0145

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

RST10111	Resource Utilization by Project	RSU10116	Support Interaction Quality Score	0.0716
RCD10106	Resource Scalability	RTR10109	Escalation Rate	-0.0685
RDA10105	Data Retrieval Time	RPR10103	Resource Availability	-0.0673
RST10117	Resource Allocation Accuracy	ROR10115	Order Communication Effectiveness	-0.0671
RSU10115	Support System Uptime	RPR10109	Resource Downtime	-0.0668
RCD10117	Deployment Error Rate	RTR10116	Trouble Management Training Hours	0.0661
RCD10103	Resource Utilization Rate	RDA10116	Data Access Request Fulfillment Time	0.0654
RCD10116	Resource Integration Time	RTR10107	Root Cause Analysis (RCA) Completion Rate	-0.0631
ROR10109	Order Management Cost	RPR10101	Resource Utilization Rate	-0.0629
RSU10116	Support Interaction Quality Score	RTR10107	Root Cause Analysis (RCA) Completion Rate	-0.0625
RSL10105	Mean Time to Activate (MTTA)	RPR10108	Resource Scalability	-0.0625
RCD10119	Customer Feedback on Resource Deployment	RCM10114	Resource Quality Score	-0.0620
RSU10110	Service Level Agreement (SLA) Compliance	ROR10106	Customer Satisfaction (CSAT) with Order Management	-0.0619

RSU10101 | Support Ticket Volume | RSU10115 | Support System Uptime | 0.0617
RMR10101 | Mediation Accuracy Rate | RMR10103 | Data Normalization Rate | -0.0615
RCD10113 | Resource Availability Post-Deployment | RSL10111 | Resource Activation Success Rate | 0.0610
RCD10114 | Resource Redundancy | RTR10110 | Trouble Management Cost | -0.0608
RST10112 | Resource Efficiency Index | RSL10102 | Deployment Success Rate | -0.0605
RPR10112 | Resource Load Balancing | RCM10105 | Mean Time Between Failures (MTBF) | 0.0601
RSL10116 | Resource Integration Time | RCM10104 | Resource Performance Metrics | -0.0596
RCD10108 | Resource Configuration Accuracy | RTR10114 | Trouble Resolution Success Rate | 0.0596
RSU10117 | Support Channel Effectiveness | RTR10117 | Trouble Management System Uptime | 0.0596
RSL10107 | Deployment Cost per Resource | RDA10117 | Data Retention Compliance | -0.0585
RSU10102 | Incident Response Time | RTR10119 | Incident Trend Analysis | -0.0585
RSL10112 | Time to Resolve Deployment Issues | RCM10102 | Resource Efficiency | 0.0584
ROR10105 | First-Time Right Rate | RPR10105 | Mean Time Between Failures (MTBF) | 0.0581
ROR10101 | Order Processing Time | RTR10104 | Customer Satisfaction (CSAT) with Trouble Management | -0.0580
RMR10114 | Error Resolution Time | RMR10118 | Data Utilization Rate | -0.0579
ROR10106 | Customer Satisfaction (CSAT) with Order Management | RCM10112 | Resource Load Balancing | 0.0578
RCD10118 | Resource Monitoring Post-Deployment | ROR10119 | Automated Order Processing Rate | -0.0577
RDA10116 | Data Access Request Fulfillment Time | RTR10115 | Customer Feedback on Trouble Management | 0.0577
RDA10116 | Data Access Request Fulfillment Time | RCM10117 | Resource Performance Monitoring Frequency | 0.0577
RCD10110 | Customer Satisfaction (CSAT) with Resource Delivery | RTR10112 | Incident Detection Rate | 0.0576
RST10111 | Resource Utilization by Project | RPR10103 | Resource Availability | 0.0572
RSL10114 | Resource Redundancy | RTR10111 | Service Level Agreement (SLA) Compliance | 0.0572
RSL10103 | Resource Utilization Rate | RSL10116 | Resource Integration Time | 0.0568
RST10104 | Resource Capacity Planning Accuracy | RMR10104 | Report Generation Time | 0.0566
RCD10105 | Mean Time to Activate (MTTA) | RMR10107 | Data Correlation Rate | -0.0565
RCD10110 | Customer Satisfaction (CSAT) with Resource Delivery | RCD10113 | Resource Availability Post-Deployment | 0.0562
ROR10106 | Customer Satisfaction (CSAT) with Order Management | RPR10112 | Resource Load Balancing | 0.0561
RSL10105 | Mean Time to Activate (MTTA) | RMR10108 | Duplicate Record Removal Rate | -0.0559
RPR10105 | Mean Time Between Failures (MTBF) | RCM10115 | Customer Satisfaction (CSAT) with Resource Performance | -0.0558
RCD10119 | Customer Feedback on Resource Deployment | RTR10118 | Incident Reporting Accuracy | 0.0553
RSL10110 | Customer Satisfaction (CSAT) with Resource Delivery | ROR10118 | Customer Feedback on Order Management | -0.0551
RSL10107 | Deployment Cost per Resource | RSU10115 | Support System Uptime | 0.0549
RCD10107 | Deployment Cost per Resource | RDA10111 | Data Quality Score | 0.0548
RTR10115 | Customer Feedback on Trouble Management | RCM10109 | Resource Downtime | 0.0547

RSL10105 | Mean Time to Activate (MTTA) | RSU10119 | Root Cause Analysis (RCA) Completion Rate | -0.0545
RST10112 | Resource Efficiency Index | RTR10107 | Root Cause Analysis (RCA) Completion Rate | -0.0545
ROR10117 | Order Handling Productivity | RPR10104 | Resource Performance Metrics | 0.0544
RPR10109 | Resource Downtime | RCM10107 | Resource Capacity Utilization | 0.0543
RDA10113 | Data Error Resolution Time | RMR10113 | Error Detection Rate | -0.0543
RST10110 | Resource Scalability | RMR10115 | Data Security Incident Rate | -0.0542
ROR10113 | Order Fulfillment Compliance | RPR10105 | Mean Time Between Failures (MTBF) | -0.0541
RSL10116 | Resource Integration Time | RDA10111 | Data Quality Score | 0.0541
RMR10118 | Data Utilization Rate | RCM10104 | Resource Performance Metrics | -0.0540
RST10104 | Resource Capacity Planning Accuracy | RSL10103 | Resource Utilization Rate | -0.0539
RSU10107 | Mean Time to Repair (MTTR) | RSU10112 | Customer Feedback on Support | -0.0539
ROR10103 | Order Completion Rate | RPR10110 | Resource Performance Improvement Rate | 0.0537
RDA10107 | Data Security Incident Rate | RPR10111 | Resource Cost Efficiency | -0.0537
ROR10108 | Order Escalation Rate | ROR10114 | Resource Allocation Efficiency | 0.0536
RTR10117 | Trouble Management System Uptime | RPR10114 | Resource Quality Score | 0.0535
RCD10111 | Resource Activation Success Rate | RDA10101 | Data Accuracy Rate | -0.0534
RSU10101 | Support Ticket Volume | RDA10102 | Data Completeness | -0.0534
RSL10102 | Deployment Success Rate | RSL10116 | Resource Integration Time | 0.0534
RSL10101 | Resource Deployment Time | ROR10119 | Automated Order Processing Rate | 0.0534
RST10107 | Resource Investment Return | RTR10113 | Incident Severity Levels | 0.0533
RST10107 | Resource Investment Return | ROR10119 | Automated Order Processing Rate | 0.0533
RSL10109 | Deployment Compliance Rate | ROR10114 | Resource Allocation Efficiency | -0.0531
ROR10115 | Order Communication Effectiveness | RMR10104 | Report Generation Time | 0.0530
RDA10116 | Data Access Request Fulfillment Time | RPR10108 | Resource Scalability | 0.0530
RSL10105 | Mean Time to Activate (MTTA) | RTR10107 | Root Cause Analysis (RCA) Completion Rate | 0.0530
ROR10117 | Order Handling Productivity | RTR10108 | Trouble Ticket Volume | 0.0529
ROR10106 | Customer Satisfaction (CSAT) with Order Management | ROR10108 | Order Escalation Rate | 0.0528
RSL10102 | Deployment Success Rate | RPR10103 | Resource Availability | -0.0528
RCD10117 | Deployment Error Rate | RPR10118 | Resource Performance Reporting Accuracy | -0.0527
RTR10103 | First Contact Resolution (FCR) Rate | RTR10109 | Escalation Rate | -0.0526
RSU10107 | Mean Time to Repair (MTTR) | RTR10103 | First Contact Resolution (FCR) Rate | -0.0524
RST10107 | Resource Investment Return | RCM10111 | Resource Cost Efficiency | -0.0523
RST10101 | Resource Utilization Rate | RTR10117 | Trouble Management System Uptime | 0.0522
RST10111 | Resource Utilization by Project | RST10115 | Resource Strategy Compliance Rate | 0.0522
RPR10117 | Resource Performance Monitoring Frequency | RCM10104 | Resource Performance Metrics | -0.0520
RSL10102 | Deployment Success Rate | RMR10117 | Data Recovery Time | -0.0520
RST10101 | Resource Utilization Rate | ROR10106 | Customer Satisfaction (CSAT) with Order Management | 0.0516
RCD10108 | Resource Configuration Accuracy | RTR10117 | Trouble Management System Uptime | -0.0515
RCD10111 | Resource Activation Success Rate | RCM10119 | Resource Performance Benchmarking | 0.0514

RSU10105 | Customer Satisfaction (CSAT) with Support | RSU10106 | Resource Availability | 0.0514
RST10114 | Resource Training Hours | RCD10105 | Mean Time to Activate (MTTA) | -0.0513
RSL10118 | Resource Monitoring Post-Deployment | RTR10118 | Incident Reporting Accuracy | 0.0513
RST10114 | Resource Training Hours | RMR10109 | Data Integrity Score | 0.0512
RSL10109 | Deployment Compliance Rate | RTR10117 | Trouble Management System Uptime | 0.0512
RSU10111 | Support Cost per Incident | ROR10110 | Order Status Tracking | 0.0510
RST10106 | Resource Performance Metrics | RTR10113 | Incident Severity Levels | -0.0510
RCM10102 | Resource Efficiency | RCM10106 | Mean Time to Repair (MTTR) | -0.0509
RCD10113 | Resource Availability Post-Deployment | RSL10118 | Resource Monitoring Post-Deployment | -0.0509
RDA10117 | Data Retention Compliance | RCM10106 | Mean Time to Repair (MTTR) | 0.0509
RCD10103 | Resource Utilization Rate | RTR10115 | Customer Feedback on Trouble Management | -0.0507
RCD10106 | Resource Scalability | RTR10103 | First Contact Resolution (FCR) Rate | 0.0507
RTR10116 | Trouble Management Training Hours | RMR10110 | Customer Satisfaction (CSAT) with Reporting | -0.0507
RPR10106 | Mean Time to Repair (MTTR) | RMR10119 | Data Quality Score | 0.0506
RCD10114 | Resource Redundancy | RDA10108 | Data Backup Success Rate | 0.0504
RSL10104 | Resource Performance Metrics | RMR10109 | Data Integrity Score | 0.0504
ROR10104 | Order Fulfillment Time | RMR10117 | Data Recovery Time | 0.0502
RST10107 | Resource Investment Return | RDA10114 | Data Management Cost | 0.0502
RSU10118 | Incident Recurrence Rate | ROR10114 | Resource Allocation Efficiency | -0.0501
RST10103 | Resource Availability | RDA10103 | Data Consistency | 0.0501
RMR10113 | Error Detection Rate | RMR10114 | Error Resolution Time | 0.0500
RCD10115 | Deployment Workflow Efficiency | RCD10116 | Resource Integration Time | 0.0500
RSU10105 | Customer Satisfaction (CSAT) with Support | RMR10111 | Report Distribution Efficiency | 0.0500
RST10113 | Resource Lifecycle Management Cost | RCM10118 | Resource Performance Reporting Accuracy | -0.0500
RSU10114 | Support Training Hours per Agent | RCM10110 | Resource Performance Improvement Rate | -0.0500
RSU10118 | Incident Recurrence Rate | RTR10111 | Service Level Agreement (SLA) Compliance | -0.0499
RCD10103 | Resource Utilization Rate | RMR10103 | Data Normalization Rate | -0.0499
RCD10108 | Resource Configuration Accuracy | RCD10117 | Deployment Error Rate | -0.0499
RCD10114 | Resource Redundancy | RSU10110 | Service Level Agreement (SLA) Compliance | -0.0498
RDA10106 | Data Access Compliance | RCM10111 | Resource Cost Efficiency | 0.0498
RST10114 | Resource Training Hours | RCM10109 | Resource Downtime | -0.0497
RDA10113 | Data Error Resolution Time | RCM10104 | Resource Performance Metrics | 0.0496
RSL10119 | Customer Feedback on Resource Deployment | RTR10107 | Root Cause Analysis (RCA) Completion Rate | 0.0496
RPR10119 | Resource Performance Benchmarking | RCM10115 | Customer Satisfaction (CSAT) with Resource Performance | -0.0495
RST10115 | Resource Strategy Compliance Rate | RTR10117 | Trouble Management System Uptime | 0.0495
RPR10109 | Resource Downtime | RMR10105 | Report Accuracy | -0.0494
RST10109 | Resource Downtime | RSL10103 | Resource Utilization Rate | -0.0494

RST10119 | Resource Feedback Loop Closure | RSL10106 | Resource Scalability | 0.0494
RDA10113 | Data Error Resolution Time | RDA10119 | Data Analytics Utilization | -0.0494
RSU10104 | First Contact Resolution (FCR) Rate | ROR10102 | Order Accuracy Rate | -0.0491
RSL10107 | Deployment Cost per Resource | RSU10103 | Incident Resolution Time | 0.0491
RST10110 | Resource Scalability | RSL10110 | Customer Satisfaction (CSAT) with Resource Delivery | 0.0490
RDA10113 | Data Error Resolution Time | RTR10109 | Escalation Rate | 0.0490
RST10115 | Resource Strategy Compliance Rate | RMR10119 | Data Quality Score | 0.0490
RTR10110 | Trouble Management Cost | RMR10108 | Duplicate Record Removal Rate | -0.0489
RDA10112 | Customer Satisfaction (CSAT) with Data Management | RTR10117 | Trouble Management System Uptime | 0.0489
RST10108 | Resource Cost Management | RCM10115 | Customer Satisfaction (CSAT) with Resource Performance | -0.0488
RST10108 | Resource Cost Management | RDA10112 | Customer Satisfaction (CSAT) with Data Management | -0.0488
ROR10103 | Order Completion Rate | RTR10102 | Incident Resolution Time | -0.0487
RSU10119 | Root Cause Analysis (RCA) Completion Rate | RTR10115 | Customer Feedback on Trouble Management | 0.0487
RCD10101 | Resource Deployment Time | RDA10118 | Data Lifecycle Management Efficiency | 0.0486
RDA10101 | Data Accuracy Rate | RMR10117 | Data Recovery Time | 0.0486
RPR10118 | Resource Performance Reporting Accuracy | RMR10116 | Data Backup Success Rate | -0.0486
RCD10113 | Resource Availability Post-Deployment | RPR10119 | Resource Performance Benchmarking | 0.0485
RDA10116 | Data Access Request Fulfillment Time | RCM10102 | Resource Efficiency | -0.0485
RCD10114 | Resource Redundancy | RCM10112 | Resource Load Balancing | 0.0485
ROR10112 | Order Error Resolution Time | RDA10108 | Data Backup Success Rate | -0.0484
RSL10112 | Time to Resolve Deployment Issues | RDA10115 | Data Integration Efficiency | 0.0484
RSU10110 | Service Level Agreement (SLA) Compliance | RDA10105 | Data Retrieval Time | -0.0484
RSL10115 | Deployment Workflow Efficiency | RSU10112 | Customer Feedback on Support | 0.0483
RST10108 | Resource Cost Management | RSU10119 | Root Cause Analysis (RCA) Completion Rate | -0.0483
RSU10102 | Incident Response Time | ROR10102 | Order Accuracy Rate | 0.0483
RCD10118 | Resource Monitoring Post-Deployment | RSU10103 | Incident Resolution Time | -0.0482
RSU10107 | Mean Time to Repair (MTTR) | RCM10112 | Resource Load Balancing | 0.0482

Groups Correlation Summary

Total pairs examined: 45
Pairs with |correlation| >= 0.5: 0
Mean |correlation|: 0.0153

No pairs met the threshold - showing top 45 by |correlation| anyway:
Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

RSL10001 | Resource Specification Lifecycle Management Metrics | RPR10001 | Resource Performance Management Metrics | -0.0507

RST10001 | Resource Strategy Management Metrics | RPR10001 | Resource Performance Management Metrics | 0.0405

RTR10001 | Resource Trouble Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0393

RTR10001 | Resource Trouble Management Metrics | RPR10001 | Resource Performance Management Metrics | -0.0369

ROR10001 | Resource Order Management Metrics | RTR10001 | Resource Trouble Management Metrics | 0.0308

RSU10001 | Resource Support Management Metrics | ROR10001 | Resource Order Management Metrics | 0.0295

RTR10001 | Resource Trouble Management Metrics | RCM10001 | Resource Capacity Management Metrics | 0.0293

RDA10001 | Resource Data Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0276

RST10001 | Resource Strategy Management Metrics | RCM10001 | Resource Capacity Management Metrics | 0.0273

RST10001 | Resource Strategy Management Metrics | RTR10001 | Resource Trouble Management Metrics | 0.0271

RCD10001 | Resource Capability Delivery Metrics | RDA10001 | Resource Data Management Metrics | 0.0266

RCD10001 | Resource Capability Delivery Metrics | RSU10001 | Resource Support Management Metrics | -0.0235

ROR10001 | Resource Order Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0200

RST10001 | Resource Strategy Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0200

ROR10001 | Resource Order Management Metrics | RPR10001 | Resource Performance Management Metrics | 0.0186

RPR10001 | Resource Performance Management Metrics | RCM10001 | Resource Capacity Management Metrics | -0.0179

RSU10001 | Resource Support Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0168

RDA10001 | Resource Data Management Metrics | RPR10001 | Resource Performance Management Metrics | 0.0157

RCD10001 | Resource Capability Delivery Metrics | RTR10001 | Resource Trouble Management Metrics | 0.0149

RSL10001 | Resource Specification Lifecycle Management Metrics | RTR10001 | Resource Trouble Management Metrics | 0.0148

RCD10001 | Resource Capability Delivery Metrics | ROR10001 | Resource Order Management Metrics | 0.0122

RSL10001 | Resource Specification Lifecycle Management Metrics | RDA10001 | Resource Data Management Metrics | -0.0114

RSL10001 | Resource Specification Lifecycle Management Metrics | RSU10001 | Resource Support Management Metrics | 0.0114

RSU10001 | Resource Support Management Metrics | RTR10001 | Resource Trouble Management Metrics | -0.0113

RSU10001 | Resource Support Management Metrics | RDA10001 | Resource Data Management Metrics | 0.0106

RMR10001 | Resource Mediation & Reporting Metrics | RCM10001 | Resource Capacity Management Metrics | 0.0106

RSL10001 | Resource Specification Lifecycle Management Metrics | ROR10001 | Resource Order Management Metrics | -0.0100

RCD10001 | Resource Capability Delivery Metrics | RSL10001 | Resource Specification Lifecycle Management Metrics | -0.0091

RSL10001 | Resource Specification Lifecycle Management Metrics | RCM10001 | Resource Capacity Management Metrics | 0.0090

RST10001 | Resource Strategy Management Metrics | RDA10001 | Resource Data Management Metrics | 0.0087

RCD10001 | Resource Capability Delivery Metrics | RPR10001 | Resource Performance Management Metrics | -0.0086

RDA10001 | Resource Data Management Metrics | RTR10001 | Resource Trouble Management Metrics | 0.0072

RST10001 | Resource Strategy Management Metrics | RSL10001 | Resource Specification Lifecycle Management Metrics | 0.0068

RDA10001 | Resource Data Management Metrics | RCM10001 | Resource Capacity Management Metrics | 0.0065

RSU10001 | Resource Support Management Metrics | RPR10001 | Resource Performance Management Metrics | 0.0054

RSL10001 | Resource Specification Lifecycle Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0046

RST10001 | Resource Strategy Management Metrics | RCD10001 | Resource Capability Delivery Metrics | -0.0036

RCD10001 | Resource Capability Delivery Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0027

RST10001 | Resource Strategy Management Metrics | ROR10001 | Resource Order Management Metrics | 0.0025

RPR10001 | Resource Performance Management Metrics | RMR10001 | Resource Mediation & Reporting Metrics | -0.0024

RST10001 | Resource Strategy Management Metrics | RSU10001 | Resource Support Management Metrics | 0.0022

ROR10001 | Resource Order Management Metrics | RCM10001 | Resource Capacity Management Metrics | 0.0021

RSU10001 | Resource Support Management Metrics | RCM10001 | Resource Capacity Management Metrics | -0.0013

ROR10001 | Resource Order Management Metrics | RDA10001 | Resource Data Management Metrics | 0.0006

RCD10001 | Resource Capability Delivery Metrics | RCM10001 | Resource Capacity Management Metrics | -0.0005

Sub_Modules Correlation Summary

Total pairs examined: 45

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0153

No pairs met the threshold - showing top 45 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

RSL10000 | Resource Specification Lifecycle Management | RPR10000 | Resource Performance Management | -0.0507

RST10000 | Resource Strategy Management | RPR10000 | Resource Performance Management | 0.0405

RTR10000 | Resource Trouble Management | RMR10000 | Resource Mediation & Reporting | -0.0393

RTR10000 | Resource Trouble Management | RPR10000 | Resource Performance Management | -0.0369

ROR10000 | Resource Order Management | RTR10000 | Resource Trouble Management | 0.0308

RSU10000 | Resource Support Management | ROR10000 | Resource Order Management | 0.0295

RTR10000 | Resource Trouble Management | RCM10000 | Resource Capacity Management | 0.0293

RDA10000 | Resource Data Management | RMR10000 | Resource Mediation & Reporting | -0.0276
RST10000 | Resource Strategy Management | RCM10000 | Resource Capacity Management | 0.0273
RST10000 | Resource Strategy Management | RTR10000 | Resource Trouble Management | 0.0271
RCD10000 | Resource Capability Delivery | RDA10000 | Resource Data Management | 0.0266
RCD10000 | Resource Capability Delivery | RSU10000 | Resource Support Management | -0.0235
ROR10000 | Resource Order Management | RMR10000 | Resource Mediation & Reporting | -0.0200
RST10000 | Resource Strategy Management | RMR10000 | Resource Mediation & Reporting | -0.0200
ROR10000 | Resource Order Management | RPR10000 | Resource Performance Management | 0.0186
RPR10000 | Resource Performance Management | RCM10000 | Resource Capacity Management | -0.0179
RSU10000 | Resource Support Management | RMR10000 | Resource Mediation & Reporting | -0.0168
RDA10000 | Resource Data Management | RPR10000 | Resource Performance Management | 0.0157
RCD10000 | Resource Capability Delivery | RTR10000 | Resource Trouble Management | 0.0149
RSL10000 | Resource Specification Lifecycle Management | RTR10000 | Resource Trouble Management | 0.0148
RCD10000 | Resource Capability Delivery | ROR10000 | Resource Order Management | 0.0122
RSL10000 | Resource Specification Lifecycle Management | RDA10000 | Resource Data Management | -0.0114
RSL10000 | Resource Specification Lifecycle Management | RSU10000 | Resource Support Management | 0.0114
RSU10000 | Resource Support Management | RTR10000 | Resource Trouble Management | -0.0113
RSU10000 | Resource Support Management | RDA10000 | Resource Data Management | 0.0106
RMR10000 | Resource Mediation & Reporting | RCM10000 | Resource Capacity Management | 0.0106
RSL10000 | Resource Specification Lifecycle Management | ROR10000 | Resource Order Management | -0.0100
RCD10000 | Resource Capability Delivery | RSL10000 | Resource Specification Lifecycle Management | -0.0091
RSL10000 | Resource Specification Lifecycle Management | RCM10000 | Resource Capacity Management | 0.0090
RST10000 | Resource Strategy Management | RDA10000 | Resource Data Management | 0.0087
RCD10000 | Resource Capability Delivery | RPR10000 | Resource Performance Management | -0.0086
RDA10000 | Resource Data Management | RTR10000 | Resource Trouble Management | 0.0072
RST10000 | Resource Strategy Management | RSL10000 | Resource Specification Lifecycle Management | 0.0068
RDA10000 | Resource Data Management | RCM10000 | Resource Capacity Management | 0.0065
RSU10000 | Resource Support Management | RPR10000 | Resource Performance Management | 0.0054
RSL10000 | Resource Specification Lifecycle Management | RMR10000 | Resource Mediation & Reporting |
-0.0046
RST10000 | Resource Strategy Management | RCD10000 | Resource Capability Delivery | -0.0036
RCD10000 | Resource Capability Delivery | RMR10000 | Resource Mediation & Reporting | -0.0027
RST10000 | Resource Strategy Management | ROR10000 | Resource Order Management | 0.0025
RPR10000 | Resource Performance Management | RMR10000 | Resource Mediation & Reporting | -0.0024
RST10000 | Resource Strategy Management | RSU10000 | Resource Support Management | 0.0022
ROR10000 | Resource Order Management | RCM10000 | Resource Capacity Management | 0.0021
RSU10000 | Resource Support Management | RCM10000 | Resource Capacity Management | -0.0013
ROR10000 | Resource Order Management | RDA10000 | Resource Data Management | 0.0006
RCD10000 | Resource Capability Delivery | RCM10000 | Resource Capacity Management | -0.0005

=== chaid_risk_segmentation_report_resource.txt ===

CHAID Risk Segmentation Report
Generated on: 2026-09-20 14:58:42

CHAID Tree Summary:

[[([], {'Critical': 94.0, 'High': 96.0}, (Repetition, p=3.1792965787794822e-43, score=190.0, groups=[['Irregular'], ['Repetitive']]), dof=1)), ([['Irregular'], {'Critical': 94.0, 'High': 0}], <Invalid Chaid Split> - the node only contains single category respondents), ([['Repetitive'], {'Critical': 0, 'High': 96.0}], <Invalid Chaid Split> - the node only contains single category respondents)]

High-Risk Metrics Summary (Critical + High):

Metric ID	Metric Name	Risk Level	Trend	Repetition	Avg Correlation	Inconsistency Level
RST10101	Resource Utilization Rate	High	Increasing	Repetitive	Low	Very High
RST10102	Resource Allocation Efficiency	High	Stable	Repetitive	Low	Very High
RST10103	Resource Availability	Critical	Decreasing	Irregular	Low	Very High
RST10104	Resource Capacity Planning Accuracy	Critical	Stable	Irregular	Low	Very High
RST10105	Resource Deployment Time	Critical	Increasing	Irregular	Low	Very High
RST10106	Resource Performance Metrics	High	Decreasing	Repetitive	Low	Very High
RST10107	Resource Investment Return	Critical	Increasing	Irregular	Low	Very High
RST10108	Resource Cost Management	High	Increasing	Repetitive	Low	Very High
RST10109	Resource Downtime	High	Stable	Repetitive	Low	Very High
RST10110	Resource Scalability	High	Stable	Repetitive	Low	Very High
RST10111	Resource Utilization by Project	Critical	Increasing	Irregular	Low	Very High
RST10112	Resource Efficiency Index	High	Increasing	Repetitive	Low	Very High
RST10113	Resource Lifecycle Management Cost	Critical	Stable	Irregular	Low	Very High
RST10114	Resource Training Hours	Critical	Decreasing	Irregular	Low	Very High
RST10115	Resource Strategy Compliance Rate	High	Increasing	Repetitive	Low	Very High
RST10116	Resource Innovation Rate	High	Decreasing	Repetitive	Low	Very High
RST10117	Resource Allocation Accuracy	High	Increasing	Repetitive	Low	Very High
RST10118	Resource Redundancy Rate	Critical	Stable	Irregular	Low	Very High
RST10119	Resource Feedback Loop Closure	Critical	Decreasing	Irregular	Low	Very High
RCD10101	Resource Deployment Time	Critical	Stable	Irregular	Low	Very High
RCD10102	Deployment Success Rate	High	Increasing	Repetitive	Low	Very High
RCD10103	Resource Utilization Rate	Critical	Decreasing	Irregular	Low	Very High
RCD10104	Resource Performance Metrics	Critical	Stable	Irregular	Low	Very High
RCD10105	Mean Time to Activate (MTTA)	High	Increasing	Repetitive	Low	Very High
RCD10106	Resource Scalability	Critical	Stable	Irregular	Low	Very High
RCD10107	Deployment Cost per Resource	Critical	Increasing	Irregular	Low	Very High
RCD10108	Resource Configuration Accuracy	High	Increasing	Repetitive	Low	Very High
RCD10109	Deployment Compliance Rate	Critical	Stable	Irregular	Low	Very High
RCD10110	Customer Satisfaction (CSAT) with Resource Delivery	Critical	Decreasing	Irregular	Low	Very High

RCD10111 | Resource Activation Success Rate | Critical | Increasing | Irregular | Low | Very High
RCD10112 | Time to Resolve Deployment Issues | Critical | Increasing | Irregular | Low | Very High
RCD10113 | Resource Availability Post-Deployment | Critical | Increasing | Irregular | Low | Very High
RCD10114 | Resource Redundancy | High | Stable | Repetitive | Low | Very High
RCD10115 | Deployment Workflow Efficiency | Critical | Decreasing | Irregular | Low | Very High
RCD10116 | Resource Integration Time | High | Decreasing | Repetitive | Low | Very High
RCD10117 | Deployment Error Rate | Critical | Increasing | Irregular | Low | Very High
RCD10118 | Resource Monitoring Post-Deployment | Critical | Stable | Irregular | Low | Very High
RCD10119 | Customer Feedback on Resource Deployment | Critical | Stable | Irregular | Low | Very High
RSL10101 | Resource Deployment Time | High | Increasing | Repetitive | Low | Very High
RSL10102 | Deployment Success Rate | High | Decreasing | Repetitive | Low | Very High
RSL10103 | Resource Utilization Rate | High | Stable | Repetitive | Low | Very High
RSL10104 | Resource Performance Metrics | Critical | Stable | Irregular | Low | Very High
RSL10105 | Mean Time to Activate (MTTA) | High | Stable | Repetitive | Low | Very High
RSL10106 | Resource Scalability | Critical | Stable | Irregular | Low | Very High
RSL10107 | Deployment Cost per Resource | Critical | Decreasing | Irregular | Low | Very High
RSL10108 | Resource Configuration Accuracy | Critical | Stable | Irregular | Low | Very High
RSL10109 | Deployment Compliance Rate | High | Increasing | Repetitive | Low | Very High
RSL10110 | Customer Satisfaction (CSAT) with Resource Delivery | Critical | Increasing | Irregular | Low | Very High
RSL10111 | Resource Activation Success Rate | High | Increasing | Repetitive | Low | Very High
RSL10112 | Time to Resolve Deployment Issues | Critical | Decreasing | Irregular | Low | Very High
RSL10113 | Resource Availability Post-Deployment | Critical | Stable | Irregular | Low | Very High
RSL10114 | Resource Redundancy | Critical | Decreasing | Irregular | Low | Very High
RSL10115 | Deployment Workflow Efficiency | Critical | Stable | Irregular | Low | Very High
RSL10116 | Resource Integration Time | Critical | Stable | Irregular | Low | Very High
RSL10117 | Deployment Error Rate | High | Decreasing | Repetitive | Low | Very High
RSL10118 | Resource Monitoring Post-Deployment | High | Increasing | Repetitive | Low | Very High
RSL10119 | Customer Feedback on Resource Deployment | High | Decreasing | Repetitive | Low | Very High
RSU10101 | Support Ticket Volume | High | Increasing | Repetitive | Low | Very High
RSU10102 | Incident Response Time | High | Increasing | Repetitive | Low | Very High
RSU10103 | Incident Resolution Time | Critical | Stable | Irregular | Low | Very High
RSU10104 | First Contact Resolution (FCR) Rate | High | Stable | Repetitive | Low | Very High
RSU10105 | Customer Satisfaction (CSAT) with Support | High | Decreasing | Repetitive | Low | Very High
RSU10106 | Resource Availability | Critical | Increasing | Irregular | Low | Very High
RSU10107 | Mean Time to Repair (MTTR) | High | Increasing | Repetitive | Low | Very High
RSU10108 | Escalation Rate | Critical | Increasing | Irregular | Low | Very High
RSU10109 | Support Agent Productivity | Critical | Stable | Irregular | Low | Very High
RSU10110 | Service Level Agreement (SLA) Compliance | High | Decreasing | Repetitive | Low | Very High
RSU10111 | Support Cost per Incident | Critical | Decreasing | Irregular | Low | Very High
RSU10112 | Customer Feedback on Support | Critical | Stable | Irregular | Low | Very High

RSU10113 | Knowledge Base Utilization | Critical | Increasing | Irregular | Low | Very High
RSU10114 | Support Training Hours per Agent | Critical | Stable | Irregular | Low | Very High
RSU10115 | Support System Uptime | High | Increasing | Repetitive | Low | Very High
RSU10116 | Support Interaction Quality Score | Critical | Decreasing | Irregular | Low | Very High
RSU10117 | Support Channel Effectiveness | Critical | Increasing | Irregular | Low | Very High
RSU10118 | Incident Recurrence Rate | High | Decreasing | Repetitive | Low | Very High
RSU10119 | Root Cause Analysis (RCA) Completion Rate | Critical | Increasing | Irregular | Low | Very High
ROR10101 | Order Processing Time | High | Decreasing | Repetitive | Low | Very High
ROR10102 | Order Accuracy Rate | Critical | Stable | Irregular | Low | Very High
ROR10103 | Order Completion Rate | Critical | Stable | Irregular | Low | Very High
ROR10104 | Order Fulfillment Time | High | Stable | Repetitive | Low | Very High
ROR10105 | First-Time Right Rate | Critical | Increasing | Irregular | Low | Very High
ROR10106 | Customer Satisfaction (CSAT) with Order Management | High | Increasing | Repetitive | Low | Very High
ROR10107 | Order Cancellation Rate | High | Increasing | Repetitive | Low | Very High
ROR10108 | Order Escalation Rate | Critical | Increasing | Irregular | Low | Very High
ROR10109 | Order Management Cost | Critical | Decreasing | Irregular | Low | Very High
ROR10110 | Order Status Tracking | High | Increasing | Repetitive | Low | Very High
ROR10111 | Order Backlog | Critical | Decreasing | Irregular | Low | Very High
ROR10112 | Order Error Resolution Time | High | Stable | Repetitive | Low | Very High
ROR10113 | Order Fulfillment Compliance | High | Stable | Repetitive | Low | Very High
ROR10114 | Resource Allocation Efficiency | Critical | Decreasing | Irregular | Low | Very High
ROR10115 | Order Communication Effectiveness | Critical | Decreasing | Irregular | Low | Very High
ROR10116 | Order Management System Uptime | High | Decreasing | Repetitive | Low | Very High
ROR10117 | Order Handling Productivity | High | Decreasing | Repetitive | Low | Very High
ROR10118 | Customer Feedback on Order Management | High | Stable | Repetitive | Low | Very High
ROR10119 | Automated Order Processing Rate | Critical | Stable | Irregular | Low | Very High
RDA10101 | Data Accuracy Rate | High | Increasing | Repetitive | Low | Very High
RDA10102 | Data Completeness | Critical | Decreasing | Irregular | Low | Very High
RDA10103 | Data Consistency | High | Stable | Repetitive | Low | Very High
RDA10104 | Data Update Frequency | High | Increasing | Repetitive | Low | Very High
RDA10105 | Data Retrieval Time | High | Stable | Repetitive | Low | Very High
RDA10106 | Data Access Compliance | High | Stable | Repetitive | Low | Very High
RDA10107 | Data Security Incident Rate | High | Decreasing | Repetitive | Low | Very High
RDA10108 | Data Backup Success Rate | Critical | Stable | Irregular | Low | Very High
RDA10109 | Data Recovery Time | High | Increasing | Repetitive | Low | Very High
RDA10110 | Data Utilization Rate | High | Stable | Repetitive | Low | Very High
RDA10111 | Data Quality Score | Critical | Stable | Irregular | Low | Very High
RDA10112 | Customer Satisfaction (CSAT) with Data Management | Critical | Stable | Irregular | Low | Very High
RDA10113 | Data Error Resolution Time | High | Stable | Repetitive | Low | Very High

RDA10114 | Data Management Cost | High | Decreasing | Repetitive | Low | Very High
RDA10115 | Data Integration Efficiency | Critical | Stable | Irregular | Low | Very High
RDA10116 | Data Access Request Fulfillment Time | High | Increasing | Repetitive | Low | Very High
RDA10117 | Data Retention Compliance | High | Decreasing | Repetitive | Low | Very High
RDA10118 | Data Lifecycle Management Efficiency | Critical | Increasing | Irregular | Low | Very High
RDA10119 | Data Analytics Utilization | Critical | Stable | Irregular | Low | Very High
RTR10101 | Incident Response Time | High | Increasing | Repetitive | Low | Very High
RTR10102 | Incident Resolution Time | High | Stable | Repetitive | Low | Very High
RTR10103 | First Contact Resolution (FCR) Rate | High | Stable | Repetitive | Low | Very High
RTR10104 | Customer Satisfaction (CSAT) with Trouble Management | Critical | Stable | Irregular | Low | Very High
RTR10105 | Mean Time to Repair (MTTR) | High | Increasing | Repetitive | Low | Very High
RTR10106 | Incident Recurrence Rate | High | Stable | Repetitive | Low | Very High
RTR10107 | Root Cause Analysis (RCA) Completion Rate | Critical | Decreasing | Irregular | Low | Very High
RTR10108 | Trouble Ticket Volume | High | Increasing | Repetitive | Low | Very High
RTR10109 | Escalation Rate | High | Decreasing | Repetitive | Low | Very High
RTR10110 | Trouble Management Cost | High | Stable | Repetitive | Low | Very High
RTR10111 | Service Level Agreement (SLA) Compliance | Critical | Stable | Irregular | Low | Very High
RTR10112 | Incident Detection Rate | Critical | Increasing | Irregular | Low | Very High
RTR10113 | Incident Severity Levels | High | Increasing | Repetitive | Low | Very High
RTR10114 | Trouble Resolution Success Rate | High | Increasing | Repetitive | Low | Very High
RTR10115 | Customer Feedback on Trouble Management | Critical | Increasing | Irregular | Low | Very High
RTR10116 | Trouble Management Training Hours | High | Stable | Repetitive | Low | Very High
RTR10117 | Trouble Management System Uptime | High | Stable | Repetitive | Low | Very High
RTR10118 | Incident Reporting Accuracy | High | Decreasing | Repetitive | Low | Very High
RTR10119 | Incident Trend Analysis | High | Increasing | Repetitive | Low | Very High
RPR10101 | Resource Utilization Rate | Critical | Decreasing | Irregular | Low | Very High
RPR10102 | Resource Efficiency | Critical | Decreasing | Irregular | Low | Very High
RPR10103 | Resource Availability | Critical | Increasing | Irregular | Low | Very High
RPR10104 | Resource Performance Metrics | Critical | Increasing | Irregular | Low | Very High
RPR10105 | Mean Time Between Failures (MTBF) | Critical | Increasing | Irregular | Low | Very High
RPR10106 | Mean Time to Repair (MTTR) | High | Increasing | Repetitive | Low | Very High
RPR10107 | Resource Capacity Utilization | High | Decreasing | Repetitive | Low | Very High
RPR10108 | Resource Scalability | High | Increasing | Repetitive | Low | Very High
RPR10109 | Resource Downtime | High | Stable | Repetitive | Low | Very High
RPR10110 | Resource Performance Improvement Rate | High | Decreasing | Repetitive | Low | Very High
RPR10111 | Resource Cost Efficiency | High | Stable | Repetitive | Low | Very High
RPR10112 | Resource Load Balancing | Critical | Increasing | Irregular | Low | Very High
RPR10113 | Resource Performance Trend Analysis | Critical | Increasing | Irregular | Low | Very High
RPR10114 | Resource Quality Score | Critical | Increasing | Irregular | Low | Very High

RPR10115 | Customer Satisfaction (CSAT) with Resource Performance | Critical | Stable | Irregular | Low | Very High

RPR10116 | Resource Performance Compliance | High | Increasing | Repetitive | Low | Very High

RPR10117 | Resource Performance Monitoring Frequency | Critical | Decreasing | Irregular | Low | Very High

RPR10118 | Resource Performance Reporting Accuracy | High | Decreasing | Repetitive | Low | Very High

RPR10119 | Resource Performance Benchmarking | Critical | Increasing | Irregular | Low | Very High

RMR10101 | Mediation Accuracy Rate | High | Stable | Repetitive | Low | Very High

RMR10102 | Data Collection Efficiency | High | Stable | Repetitive | Low | Very High

RMR10103 | Data Normalization Rate | High | Increasing | Repetitive | Low | Very High

RMR10104 | Report Generation Time | High | Stable | Repetitive | Low | Very High

RMR10105 | Report Accuracy | High | Increasing | Repetitive | Low | Very High

RMR10106 | Data Conversion Success Rate | Critical | Stable | Irregular | Low | Very High

RMR10107 | Data Correlation Rate | Critical | Decreasing | Irregular | Low | Very High

RMR10108 | Duplicate Record Removal Rate | Critical | Stable | Irregular | Low | Very High

RMR10109 | Data Integrity Score | High | Increasing | Repetitive | Low | Very High

RMR10110 | Customer Satisfaction (CSAT) with Reporting | Critical | Increasing | Irregular | Low | Very High

RMR10111 | Report Distribution Efficiency | Critical | Decreasing | Irregular | Low | Very High

RMR10112 | Data Audit Compliance | High | Increasing | Repetitive | Low | Very High

RMR10113 | Error Detection Rate | Critical | Stable | Irregular | Low | Very High

RMR10114 | Error Resolution Time | High | Increasing | Repetitive | Low | Very High

RMR10115 | Data Security Incident Rate | Critical | Increasing | Irregular | Low | Very High

RMR10116 | Data Backup Success Rate | High | Increasing | Repetitive | Low | Very High

RMR10117 | Data Recovery Time | Critical | Increasing | Irregular | Low | Very High

RMR10118 | Data Utilization Rate | High | Stable | Repetitive | Low | Very High

RMR10119 | Data Quality Score | High | Decreasing | Repetitive | Low | Very High

RCM10101 | Resource Utilization Rate | High | Decreasing | Repetitive | Low | Very High

RCM10102 | Resource Efficiency | Critical | Increasing | Irregular | Low | Very High

RCM10103 | Resource Availability | High | Increasing | Repetitive | Low | Very High

RCM10104 | Resource Performance Metrics | High | Stable | Repetitive | Low | Very High

RCM10105 | Mean Time Between Failures (MTBF) | Critical | Stable | Irregular | Low | Very High

RCM10106 | Mean Time to Repair (MTTR) | High | Increasing | Repetitive | Low | Very High

RCM10107 | Resource Capacity Utilization | Critical | Decreasing | Irregular | Low | Very High

RCM10108 | Resource Scalability | Critical | Stable | Irregular | Low | Very High

RCM10109 | Resource Downtime | Critical | Stable | Irregular | Low | Very High

RCM10110 | Resource Performance Improvement Rate | Critical | Increasing | Irregular | Low | Very High

RCM10111 | Resource Cost Efficiency | High | Stable | Repetitive | Low | Very High

RCM10112 | Resource Load Balancing | High | Decreasing | Repetitive | Low | Very High

RCM10113 | Resource Performance Trend Analysis | High | Decreasing | Repetitive | Low | Very High

RCM10114 | Resource Quality Score | High | Stable | Repetitive | Low | Very High

RCM10115 | Customer Satisfaction (CSAT) with Resource Performance | Critical | Increasing | Irregular | Low | Very High

RCM10116 | Resource Performance Compliance | Critical | Increasing | Irregular | Low | Very High

RCM10117 | Resource Performance Monitoring Frequency | Critical | Stable | Irregular | Low | Very High

RCM10118 | Resource Performance Reporting Accuracy | Critical | Stable | Irregular | Low | Very High

RCM10119 | Resource Performance Benchmarking | High | Stable | Repetitive | Low | Very High

=== inconsistencies_report_resource.txt ===

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:58:30

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

17955 pair(s) found; showing top 30 by percentage:

Metric 1 ID	Metric 1 Name	Metric 2 ID	Metric 2 Name	Correlation	Count	Percentage	Over Points
RCD10106	Resource Scalability	RSL10117	Deployment Error Rate	0.03	913	30.43%	3000
RCD10106	Resource Scalability	RCD10112	Time to Resolve Deployment Issues	0.03	900	30.00%	3000
RSL10109	Deployment Compliance Rate	ROR10112	Order Error Resolution Time	0.01	900	30.00%	3000
RST10118	Resource Redundancy Rate	RDA10118	Data Lifecycle Management Efficiency	0.03	899	29.97%	3000
RSL10102	Deployment Success Rate	RDA10101	Data Accuracy Rate	0.04	898	29.93%	3000
RSU10107	Mean Time to Repair (MTTR)	RPR10108	Resource Scalability	0.04	896	29.87%	3000
RTR10103	First Contact Resolution (FCR) Rate	RPR10110	Resource Performance Improvement Rate	0.01	895	29.83%	3000
RDA10101	Data Accuracy Rate	RTR10113	Incident Severity Levels	0.03	893	29.77%	3000
RCD10118	Resource Monitoring Post-Deployment	RSL10108	Resource Configuration Accuracy	0.01	892	29.73%	3000
RSL10116	Resource Integration Time	RMR10103	Data Normalization Rate	0.01	892	29.73%	3000
RST10105	Resource Deployment Time	RMR10111	Report Distribution Efficiency	0.03	891	29.70%	3000
RST10115	Resource Strategy Compliance Rate	RCD10104	Resource Performance Metrics	0.04	891	29.70%	3000
RST10119	Resource Feedback Loop Closure	RTR10105	Mean Time to Repair (MTTR)	0.00	891	29.70%	3000
RSL10116	Resource Integration Time	RTR10109	Escalation Rate	0.04	891	29.70%	3000
RST10115	Resource Strategy Compliance Rate	RTR10117	Trouble Management System Uptime	0.05	889	29.63%	3000
ROR10119	Automated Order Processing Rate	RCM10114	Resource Quality Score	0.02	888	29.60%	3000
RCD10111	Resource Activation Success Rate	RPR10118	Resource Performance Reporting Accuracy	0.05	887	29.57%	3000
ROR10113	Order Fulfillment Compliance	RMR10115	Data Security Incident Rate	0.03	887	29.57%	3000

ROR10119 | Automated Order Processing Rate | RDA10101 | Data Accuracy Rate | 0.03 | 887 | 29.57% | 3000
RPR10112 | Resource Load Balancing | RMR10110 | Customer Satisfaction (CSAT) with Reporting | 0.03 | 887 | 29.57% | 3000
RSL10108 | Resource Configuration Accuracy | RSL10116 | Resource Integration Time | 0.03 | 886 | 29.53% | 3000
ROR10110 | Order Status Tracking | ROR10116 | Order Management System Uptime | 0.03 | 886 | 29.53% | 3000
RTR10101 | Incident Response Time | RPR10107 | Resource Capacity Utilization | 0.02 | 886 | 29.53% | 3000
RMR10106 | Data Conversion Success Rate | RCM10106 | Mean Time to Repair (MTTR) | 0.03 | 886 | 29.53% | 3000
RSL10109 | Deployment Compliance Rate | RTR10117 | Trouble Management System Uptime | 0.05 | 885 | 29.50% | 3000
RSL10117 | Deployment Error Rate | RPR10106 | Mean Time to Repair (MTTR) | 0.03 | 885 | 29.50% | 3000
RTR10108 | Trouble Ticket Volume | RTR10118 | Incident Reporting Accuracy | 0.03 | 885 | 29.50% | 3000
RST10118 | Resource Redundancy Rate | RSL10101 | Resource Deployment Time | 0.03 | 884 | 29.47% | 3000
RCD10102 | Deployment Success Rate | ROR10112 | Order Error Resolution Time | 0.02 | 884 | 29.47% | 3000
RCD10108 | Resource Configuration Accuracy | RTR10118 | Incident Reporting Accuracy | 0.02 | 884 | 29.47% | 3000

Groups Dependent Inconsistencies:

None found.

Groups Independent Inconsistencies:

45 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

RST10001 | RST10001 | RPR10001 | RPR10001 | 0.04 | 865 | 28.83% | 3000
RDA10001 | RDA10001 | RCM10001 | RCM10001 | 0.01 | 862 | 28.73% | 3000
RMR10001 | RMR10001 | RCM10001 | RCM10001 | 0.01 | 859 | 28.63% | 3000
RST10001 | RST10001 | RMR10001 | RMR10001 | -0.02 | 858 | 28.60% | 3000
RSL10001 | RSL10001 | RTR10001 | RTR10001 | 0.01 | 853 | 28.43% | 3000
RST10001 | RST10001 | ROR10001 | ROR10001 | 0.00 | 851 | 28.37% | 3000
RST10001 | RST10001 | RCD10001 | RCD10001 | -0.00 | 850 | 28.33% | 3000
RST10001 | RST10001 | RSU10001 | RSU10001 | 0.00 | 850 | 28.33% | 3000
RCD10001 | RCD10001 | RPR10001 | RPR10001 | -0.01 | 850 | 28.33% | 3000
RSU10001 | RSU10001 | RMR10001 | RMR10001 | -0.02 | 849 | 28.30% | 3000
ROR10001 | ROR10001 | RPR10001 | RPR10001 | 0.02 | 848 | 28.27% | 3000
RDA10001 | RDA10001 | RPR10001 | RPR10001 | 0.02 | 842 | 28.07% | 3000
RSU10001 | RSU10001 | RCM10001 | RCM10001 | -0.00 | 841 | 28.03% | 3000
RST10001 | RST10001 | RSL10001 | RSL10001 | 0.01 | 840 | 28.00% | 3000
RDA10001 | RDA10001 | RTR10001 | RTR10001 | 0.01 | 840 | 28.00% | 3000
RSL10001 | RSL10001 | RCM10001 | RCM10001 | 0.01 | 839 | 27.97% | 3000
RSU10001 | RSU10001 | ROR10001 | ROR10001 | 0.03 | 838 | 27.93% | 3000
RCD10001 | RCD10001 | RDA10001 | RDA10001 | 0.03 | 837 | 27.90% | 3000
RPR10001 | RPR10001 | RCM10001 | RCM10001 | -0.02 | 837 | 27.90% | 3000

RSU10001 | RSU10001 | RPR10001 | RPR10001 | 0.01 | 835 | 27.83% | 3000
ROR10001 | ROR10001 | RCM10001 | RCM10001 | 0.00 | 834 | 27.80% | 3000
RSL10001 | RSL10001 | RPR10001 | RPR10001 | -0.05 | 831 | 27.70% | 3000
ROR10001 | ROR10001 | RTR10001 | RTR10001 | 0.03 | 831 | 27.70% | 3000
RST10001 | RST10001 | RDA10001 | RDA10001 | 0.01 | 829 | 27.63% | 3000
ROR10001 | ROR10001 | RDA10001 | RDA10001 | 0.00 | 827 | 27.57% | 3000
RCD10001 | RCD10001 | RTR10001 | RTR10001 | 0.01 | 825 | 27.50% | 3000
RCD10001 | RCD10001 | RCM10001 | RCM10001 | -0.00 | 825 | 27.50% | 3000
RTR10001 | RTR10001 | RCM10001 | RCM10001 | 0.03 | 819 | 27.30% | 3000
RSU10001 | RSU10001 | RTR10001 | RTR10001 | -0.01 | 815 | 27.17% | 3000
RSU10001 | RSU10001 | RDA10001 | RDA10001 | 0.01 | 814 | 27.13% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

45 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

RST10000 | RST10000 | RPR10000 | RPR10000 | 0.04 | 865 | 28.83% | 3000
RDA10000 | RDA10000 | RCM10000 | RCM10000 | 0.01 | 862 | 28.73% | 3000
RMR10000 | RMR10000 | RCM10000 | RCM10000 | 0.01 | 859 | 28.63% | 3000
RST10000 | RST10000 | RMR10000 | RMR10000 | -0.02 | 858 | 28.60% | 3000
RSL10000 | RSL10000 | RTR10000 | RTR10000 | 0.01 | 853 | 28.43% | 3000
RST10000 | RST10000 | ROR10000 | ROR10000 | 0.00 | 851 | 28.37% | 3000
RST10000 | RST10000 | RCD10000 | RCD10000 | -0.00 | 850 | 28.33% | 3000
RST10000 | RST10000 | RSU10000 | RSU10000 | 0.00 | 850 | 28.33% | 3000
RCD10000 | RCD10000 | RPR10000 | RPR10000 | -0.01 | 850 | 28.33% | 3000
RSU10000 | RSU10000 | RMR10000 | RMR10000 | -0.02 | 849 | 28.30% | 3000
ROR10000 | ROR10000 | RPR10000 | RPR10000 | 0.02 | 848 | 28.27% | 3000
RDA10000 | RDA10000 | RPR10000 | RPR10000 | 0.02 | 842 | 28.07% | 3000
RSU10000 | RSU10000 | RCM10000 | RCM10000 | -0.00 | 841 | 28.03% | 3000
RST10000 | RST10000 | RSL10000 | RSL10000 | 0.01 | 840 | 28.00% | 3000
RDA10000 | RDA10000 | RTR10000 | RTR10000 | 0.01 | 840 | 28.00% | 3000
RSL10000 | RSL10000 | RCM10000 | RCM10000 | 0.01 | 839 | 27.97% | 3000
RSU10000 | RSU10000 | ROR10000 | ROR10000 | 0.03 | 838 | 27.93% | 3000
RCD10000 | RCD10000 | RDA10000 | RDA10000 | 0.03 | 837 | 27.90% | 3000
RPR10000 | RPR10000 | RCM10000 | RCM10000 | -0.02 | 837 | 27.90% | 3000
RSU10000 | RSU10000 | RPR10000 | RPR10000 | 0.01 | 835 | 27.83% | 3000
ROR10000 | ROR10000 | RCM10000 | RCM10000 | 0.00 | 834 | 27.80% | 3000
RSL10000 | RSL10000 | RPR10000 | RPR10000 | -0.05 | 831 | 27.70% | 3000
ROR10000 | ROR10000 | RTR10000 | RTR10000 | 0.03 | 831 | 27.70% | 3000

RST10000	RST10000	RDA10000	RDA10000	0.01	829	27.63%	3000
ROR10000	ROR10000	RDA10000	RDA10000	0.00	827	27.57%	3000
RCD10000	RCD10000	RTR10000	RTR10000	0.01	825	27.50%	3000
RCD10000	RCD10000	RCM10000	RCM10000	-0.00	825	27.50%	3000
RTR10000	RTR10000	RCM10000	RCM10000	0.03	819	27.30%	3000
RSU10000	RSU10000	RTR10000	RTR10000	-0.01	815	27.17%	3000
RSU10000	RSU10000	RDA10000	RDA10000	0.01	814	27.13%	3000

=== trends_and_repetitions_report_resource.txt ===

Metrics Trends:

RST10101: Increasing

RST10102: Stable

RST10103: Decreasing

RST10104: Stable

RST10105: Increasing

RST10106: Decreasing

RST10107: Increasing

RST10108: Increasing

RST10109: Stable

RST10110: Stable

RST10111: Increasing

RST10112: Increasing

RST10113: Stable

RST10114: Decreasing

RST10115: Increasing

RST10116: Decreasing

RST10117: Increasing

RST10118: Stable

RST10119: Decreasing

RCD10101: Stable

RCD10102: Increasing

RCD10103: Decreasing

RCD10104: Stable

RCD10105: Increasing

RCD10106: Stable

RCD10107: Increasing

RCD10108: Increasing

RCD10109: Stable

RCD10110: Decreasing

RCD10111: Increasing
RCD10112: Increasing
RCD10113: Increasing
RCD10114: Stable
RCD10115: Decreasing
RCD10116: Decreasing
RCD10117: Increasing
RCD10118: Stable
RCD10119: Stable
RSL10101: Increasing
RSL10102: Decreasing
RSL10103: Stable
RSL10104: Stable
RSL10105: Stable
RSL10106: Stable
RSL10107: Decreasing
RSL10108: Stable
RSL10109: Increasing
RSL10110: Increasing
RSL10111: Increasing
RSL10112: Decreasing
RSL10113: Stable
RSL10114: Decreasing
RSL10115: Stable
RSL10116: Stable
RSL10117: Decreasing
RSL10118: Increasing
RSL10119: Decreasing
RSU10101: Increasing
RSU10102: Increasing
RSU10103: Stable
RSU10104: Stable
RSU10105: Decreasing
RSU10106: Increasing
RSU10107: Increasing
RSU10108: Increasing
RSU10109: Stable
RSU10110: Decreasing
RSU10111: Decreasing
RSU10112: Stable

RSU10113: Increasing
RSU10114: Stable
RSU10115: Increasing
RSU10116: Decreasing
RSU10117: Increasing
RSU10118: Decreasing
RSU10119: Increasing
ROR10101: Decreasing
ROR10102: Stable
ROR10103: Stable
ROR10104: Stable
ROR10105: Increasing
ROR10106: Increasing
ROR10107: Increasing
ROR10108: Increasing
ROR10109: Decreasing
ROR10110: Increasing
ROR10111: Decreasing
ROR10112: Stable
ROR10113: Stable
ROR10114: Decreasing
ROR10115: Decreasing
ROR10116: Decreasing
ROR10117: Decreasing
ROR10118: Stable
ROR10119: Stable
RDA10101: Increasing
RDA10102: Decreasing
RDA10103: Stable
RDA10104: Increasing
RDA10105: Stable
RDA10106: Stable
RDA10107: Decreasing
RDA10108: Stable
RDA10109: Increasing
RDA10110: Stable
RDA10111: Stable
RDA10112: Stable
RDA10113: Stable
RDA10114: Decreasing

RDA10115: Stable
RDA10116: Increasing
RDA10117: Decreasing
RDA10118: Increasing
RDA10119: Stable
RTR10101: Increasing
RTR10102: Stable
RTR10103: Stable
RTR10104: Stable
RTR10105: Increasing
RTR10106: Stable
RTR10107: Decreasing
RTR10108: Increasing
RTR10109: Decreasing
RTR10110: Stable
RTR10111: Stable
RTR10112: Increasing
RTR10113: Increasing
RTR10114: Increasing
RTR10115: Increasing
RTR10116: Stable
RTR10117: Stable
RTR10118: Decreasing
RTR10119: Increasing
RPR10101: Decreasing
RPR10102: Decreasing
RPR10103: Increasing
RPR10104: Increasing
RPR10105: Increasing
RPR10106: Increasing
RPR10107: Decreasing
RPR10108: Increasing
RPR10109: Stable
RPR10110: Decreasing
RPR10111: Stable
RPR10112: Increasing
RPR10113: Increasing
RPR10114: Increasing
RPR10115: Stable
RPR10116: Increasing

RPR10117: Decreasing
RPR10118: Decreasing
RPR10119: Increasing
RMR10101: Stable
RMR10102: Stable
RMR10103: Increasing
RMR10104: Stable
RMR10105: Increasing
RMR10106: Stable
RMR10107: Decreasing
RMR10108: Stable
RMR10109: Increasing
RMR10110: Increasing
RMR10111: Decreasing
RMR10112: Increasing
RMR10113: Stable
RMR10114: Increasing
RMR10115: Increasing
RMR10116: Increasing
RMR10117: Increasing
RMR10118: Stable
RMR10119: Decreasing
RCM10101: Decreasing
RCM10102: Increasing
RCM10103: Increasing
RCM10104: Stable
RCM10105: Stable
RCM10106: Increasing
RCM10107: Decreasing
RCM10108: Stable
RCM10109: Stable
RCM10110: Increasing
RCM10111: Stable
RCM10112: Decreasing
RCM10113: Decreasing
RCM10114: Stable
RCM10115: Increasing
RCM10116: Increasing
RCM10117: Stable
RCM10118: Stable

RCM10119: Stable

Metrics Repetitions (Fourier Analysis):

RST10101: Dominant period: 10.71 units (repetitive)

RST10102: Dominant period: 13.39 units (repetitive)

RST10103: No clear repetition (potential instability)

RST10104: No clear repetition (potential instability)

RST10105: No clear repetition (potential instability)

RST10106: Dominant period: 6.17 units (repetitive)

RST10107: No clear repetition (potential instability)

RST10108: Dominant period: 2.66 units (repetitive)

RST10109: Dominant period: 11.58 units (repetitive)

RST10110: Dominant period: 2.57 units (repetitive)

RST10111: No clear repetition (potential instability)

RST10112: Dominant period: 2.38 units (repetitive)

RST10113: No clear repetition (potential instability)

RST10114: No clear repetition (potential instability)

RST10115: Dominant period: 8.85 units (repetitive)

RST10116: Dominant period: 2.32 units (repetitive)

RST10117: Dominant period: 9.52 units (repetitive)

RST10118: No clear repetition (potential instability)

RST10119: No clear repetition (potential instability)

RCD10101: No clear repetition (potential instability)

RCD10102: Dominant period: 13.33 units (repetitive)

RCD10103: No clear repetition (potential instability)

RCD10104: No clear repetition (potential instability)

RCD10105: Dominant period: 3.33 units (repetitive)

RCD10106: No clear repetition (potential instability)

RCD10107: No clear repetition (potential instability)

RCD10108: Dominant period: 3.40 units (repetitive)

RCD10109: No clear repetition (potential instability)

RCD10110: No clear repetition (potential instability)

RCD10111: No clear repetition (potential instability)

RCD10112: No clear repetition (potential instability)

RCD10113: No clear repetition (potential instability)

RCD10114: Dominant period: 2.82 units (repetitive)

RCD10115: No clear repetition (potential instability)

RCD10116: Dominant period: 7.92 units (repetitive)

RCD10117: No clear repetition (potential instability)

RCD10118: No clear repetition (potential instability)

RCD10119: No clear repetition (potential instability)
RSL10101: Dominant period: 9.80 units (repetitive)
RSL10102: Dominant period: 7.85 units (repetitive)
RSL10103: Dominant period: 4.72 units (repetitive)
RSL10104: No clear repetition (potential instability)
RSL10105: Dominant period: 5.47 units (repetitive)
RSL10106: No clear repetition (potential instability)
RSL10107: No clear repetition (potential instability)
RSL10108: No clear repetition (potential instability)
RSL10109: Dominant period: 5.99 units (repetitive)
RSL10110: No clear repetition (potential instability)
RSL10111: Dominant period: 6.01 units (repetitive)
RSL10112: No clear repetition (potential instability)
RSL10113: No clear repetition (potential instability)
RSL10114: No clear repetition (potential instability)
RSL10115: No clear repetition (potential instability)
RSL10116: No clear repetition (potential instability)
RSL10117: Dominant period: 19.87 units (repetitive)
RSL10118: Dominant period: 17.05 units (repetitive)
RSL10119: Dominant period: 3.79 units (repetitive)
RSU10101: Dominant period: 2.37 units (repetitive)
RSU10102: Dominant period: 2.97 units (repetitive)
RSU10103: No clear repetition (potential instability)
RSU10104: Dominant period: 3.99 units (repetitive)
RSU10105: Dominant period: 19.23 units (repetitive)
RSU10106: No clear repetition (potential instability)
RSU10107: Dominant period: 37.50 units (repetitive)
RSU10108: No clear repetition (potential instability)
RSU10109: No clear repetition (potential instability)
RSU10110: Dominant period: 7.13 units (repetitive)
RSU10111: No clear repetition (potential instability)
RSU10112: No clear repetition (potential instability)
RSU10113: No clear repetition (potential instability)
RSU10114: No clear repetition (potential instability)
RSU10115: Dominant period: 4.30 units (repetitive)
RSU10116: No clear repetition (potential instability)
RSU10117: No clear repetition (potential instability)
RSU10118: Dominant period: 23.62 units (repetitive)
RSU10119: No clear repetition (potential instability)
ROR10101: Dominant period: 8.17 units (repetitive)

ROR10102: No clear repetition (potential instability)
ROR10103: No clear repetition (potential instability)
ROR10104: Dominant period: 8.62 units (repetitive)
ROR10105: No clear repetition (potential instability)
ROR10106: Dominant period: 3.79 units (repetitive)
ROR10107: Dominant period: 2.92 units (repetitive)
ROR10108: No clear repetition (potential instability)
ROR10109: No clear repetition (potential instability)
ROR10110: Dominant period: 4.55 units (repetitive)
ROR10111: No clear repetition (potential instability)
ROR10112: Dominant period: 4.13 units (repetitive)
ROR10113: Dominant period: 3.58 units (repetitive)
ROR10114: No clear repetition (potential instability)
ROR10115: No clear repetition (potential instability)
ROR10116: Dominant period: 16.67 units (repetitive)
ROR10117: Dominant period: 2.20 units (repetitive)
ROR10118: Dominant period: 4.25 units (repetitive)
ROR10119: No clear repetition (potential instability)
RDA10101: Dominant period: 5.55 units (repetitive)
RDA10102: No clear repetition (potential instability)
RDA10103: Dominant period: 2.77 units (repetitive)
RDA10104: Dominant period: 43.48 units (repetitive)
RDA10105: Dominant period: 2.10 units (repetitive)
RDA10106: Dominant period: 2.34 units (repetitive)
RDA10107: Dominant period: 23.08 units (repetitive)
RDA10108: No clear repetition (potential instability)
RDA10109: Dominant period: 14.35 units (repetitive)
RDA10110: Dominant period: 13.82 units (repetitive)
RDA10111: No clear repetition (potential instability)
RDA10112: No clear repetition (potential instability)
RDA10113: Dominant period: 3.69 units (repetitive)
RDA10114: Dominant period: 55.56 units (repetitive)
RDA10115: No clear repetition (potential instability)
RDA10116: Dominant period: 2.41 units (repetitive)
RDA10117: Dominant period: 4.68 units (repetitive)
RDA10118: No clear repetition (potential instability)
RDA10119: No clear repetition (potential instability)
RTR10101: Dominant period: 7.56 units (repetitive)
RTR10102: Dominant period: 31.58 units (repetitive)
RTR10103: Dominant period: 11.54 units (repetitive)

RTR10104: No clear repetition (potential instability)
RTR10105: Dominant period: 7.16 units (repetitive)
RTR10106: Dominant period: 3.15 units (repetitive)
RTR10107: No clear repetition (potential instability)
RTR10108: Dominant period: 3.54 units (repetitive)
RTR10109: Dominant period: 2.72 units (repetitive)
RTR10110: Dominant period: 2.54 units (repetitive)
RTR10111: No clear repetition (potential instability)
RTR10112: No clear repetition (potential instability)
RTR10113: Dominant period: 2.04 units (repetitive)
RTR10114: Dominant period: 4.20 units (repetitive)
RTR10115: No clear repetition (potential instability)
RTR10116: Dominant period: 10.03 units (repetitive)
RTR10117: Dominant period: 103.45 units (repetitive)
RTR10118: Dominant period: 5.93 units (repetitive)
RTR10119: Dominant period: 2.94 units (repetitive)
RPR10101: No clear repetition (potential instability)
RPR10102: No clear repetition (potential instability)
RPR10103: No clear repetition (potential instability)
RPR10104: No clear repetition (potential instability)
RPR10105: No clear repetition (potential instability)
RPR10106: Dominant period: 2.64 units (repetitive)
RPR10107: Dominant period: 2.87 units (repetitive)
RPR10108: Dominant period: 11.36 units (repetitive)
RPR10109: Dominant period: 18.75 units (repetitive)
RPR10110: Dominant period: 5.68 units (repetitive)
RPR10111: Dominant period: 6.29 units (repetitive)
RPR10112: No clear repetition (potential instability)
RPR10113: No clear repetition (potential instability)
RPR10114: No clear repetition (potential instability)
RPR10115: No clear repetition (potential instability)
RPR10116: Dominant period: 6.07 units (repetitive)
RPR10117: No clear repetition (potential instability)
RPR10118: Dominant period: 2.02 units (repetitive)
RPR10119: No clear repetition (potential instability)
RMR10101: Dominant period: 16.04 units (repetitive)
RMR10102: Dominant period: 4.64 units (repetitive)
RMR10103: Dominant period: 5.87 units (repetitive)
RMR10104: Dominant period: 3.99 units (repetitive)
RMR10105: Dominant period: 2.06 units (repetitive)

RMR10106: No clear repetition (potential instability)
RMR10107: No clear repetition (potential instability)
RMR10108: No clear repetition (potential instability)
RMR10109: Dominant period: 11.81 units (repetitive)
RMR10110: No clear repetition (potential instability)
RMR10111: No clear repetition (potential instability)
RMR10112: Dominant period: 3.80 units (repetitive)
RMR10113: No clear repetition (potential instability)
RMR10114: Dominant period: 9.04 units (repetitive)
RMR10115: No clear repetition (potential instability)
RMR10116: Dominant period: 4.58 units (repetitive)
RMR10117: No clear repetition (potential instability)
RMR10118: Dominant period: 9.04 units (repetitive)
RMR10119: Dominant period: 66.67 units (repetitive)
RCM10101: Dominant period: 2.58 units (repetitive)
RCM10102: No clear repetition (potential instability)
RCM10103: Dominant period: 43.48 units (repetitive)
RCM10104: Dominant period: 11.19 units (repetitive)
RCM10105: No clear repetition (potential instability)
RCM10106: Dominant period: 10.31 units (repetitive)
RCM10107: No clear repetition (potential instability)
RCM10108: No clear repetition (potential instability)
RCM10109: No clear repetition (potential instability)
RCM10110: No clear repetition (potential instability)
RCM10111: Dominant period: 21.74 units (repetitive)
RCM10112: Dominant period: 3.06 units (repetitive)
RCM10113: Dominant period: 2.70 units (repetitive)
RCM10114: Dominant period: 96.77 units (repetitive)
RCM10115: No clear repetition (potential instability)
RCM10116: No clear repetition (potential instability)
RCM10117: No clear repetition (potential instability)
RCM10118: No clear repetition (potential instability)
RCM10119: Dominant period: 4.85 units (repetitive)

Groups Trends:

RST10001: Increasing
RCD10001: Increasing
RSL10001: Decreasing
RSU10001: Increasing
ROR10001: Stable

RDA10001: Stable

RTR10001: Increasing

RPR10001: Increasing

RMR10001: Increasing

RCM10001: Stable

Groups Repetitions (Fourier Analysis):

RST10001: No clear repetition (potential instability)

RCD10001: No clear repetition (potential instability)

RSL10001: No clear repetition (potential instability)

RSU10001: No clear repetition (potential instability)

ROR10001: No clear repetition (potential instability)

RDA10001: Dominant period: 6.10 units (repetitive)

RTR10001: Dominant period: 18.63 units (repetitive)

RPR10001: Dominant period: 45.45 units (repetitive)

RMR10001: No clear repetition (potential instability)

RCM10001: Dominant period: 2.32 units (repetitive)

Sub_Modules Trends:

RST10000: Increasing

RCD10000: Increasing

RSL10000: Decreasing

RSU10000: Increasing

ROR10000: Stable

RDA10000: Stable

RTR10000: Increasing

RPR10000: Increasing

RMR10000: Increasing

RCM10000: Stable

Sub_Modules Repetitions (Fourier Analysis):

RST10000: No clear repetition (potential instability)

RCD10000: No clear repetition (potential instability)

RSL10000: No clear repetition (potential instability)

RSU10000: No clear repetition (potential instability)

ROR10000: No clear repetition (potential instability)

RDA10000: Dominant period: 6.10 units (repetitive)

RTR10000: Dominant period: 18.63 units (repetitive)

RPR10000: Dominant period: 45.45 units (repetitive)

RMR10000: No clear repetition (potential instability)

RCM10000: Dominant period: 2.32 units (repetitive)

=== metrics_summary_resource.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
RCD10101	59.65	17.79	113.01	6.29	0	35	2026-01-07
RCD10102	60.43	17.95	114.27	6.58	0	35	2026-01-07
RCD10103	59.93	17.72	113.1	6.77	0	35	2026-01-07
RCD10104	60.34	17.46	112.74	7.95	0	35	2026-01-07
RCD10105	59.8	17.62	112.66	6.93	0	35	2026-01-07
RCD10106	60.34	17.64	113.25	7.43	0	35	2026-01-07
RCD10107	60.25	18.04	114.36	6.14	0	35	2026-01-07
RCD10108	60.68	17.9	114.39	6.97	0	35	2026-01-07
RCD10109	60.02	17.88	113.67	6.36	0	35	2026-01-07
RCD10110	59.84	18.18	114.38	5.3	0	35	2026-01-07
RCD10111	59.83	18.05	113.98	5.68	0	35	2026-01-07
RCD10112	59.92	18.17	114.41	5.42	0	35	2026-01-07
RCD10113	60.37	18.09	114.63	6.1	0	35	2026-01-07
RCD10114	60.06	18.04	114.19	5.93	0	35	2026-01-07
RCD10115	59.99	17.51	112.53	7.45	0	35	2026-01-07
RCD10116	59.68	17.86	113.25	6.11	0	35	2026-01-07
RCD10117	60.23	17.81	113.68	6.79	0	35	2026-01-07
RCD10118	59.82	17.67	112.82	6.82	0	35	2026-01-07
RCD10119	60.44	18.52	115.99	4.89	0	35	2026-01-07
RCM10101	59.88	17.72	113.03	6.72	0	35	2026-01-07
RCM10102	60.4	17.97	114.31	6.49	0	35	2026-01-07
RCM10103	59.88	18.0	113.89	5.87	0	35	2026-01-07
RCM10104	60.12	18.06	114.3	5.93	0	35	2026-01-07
RCM10105	59.92	17.79	113.28	6.56	0	35	2026-01-07
RCM10106	60.37	18.04	114.48	6.25	0	35	2026-01-07
RCM10107	60.2	18.29	115.07	5.34	0	35	2026-01-07
RCM10108	60.5	18.17	115.02	5.98	0	35	2026-01-07
RCM10109	59.45	17.62	112.32	6.59	0	35	2026-01-07
RCM10110	60.08	18.12	114.43	5.72	0	35	2026-01-07
RCM10111	60.55	17.99	114.53	6.57	0	35	2026-01-07
RCM10112	59.8	17.77	113.11	6.49	0	35	2026-01-07
RCM10113	60.25	17.78	113.6	6.9	0	35	2026-01-07
RCM10114	59.48	17.95	113.34	5.63	0	35	2026-01-07
RCM10115	59.69	17.41	111.93	7.45	0	35	2026-01-07
RCM10116	60.14	18.17	114.64	5.64	0	35	2026-01-07
RCM10117	60.21	18.33	115.2	5.21	0	35	2026-01-07
RCM10118	59.57	17.59	112.33	6.82	0	35	2026-01-07
RCM10119	59.9	18.34	114.92	4.88	0	35	2026-01-07
RDA10101	60.51	17.85	114.05	6.97	0	35	2026-01-07
RDA10102	60.0	18.03	114.1	5.9	0	35	2026-01-07
RDA10103	59.68	18.12	114.02	5.33	0	35	2026-01-07
RDA10104	60.46	18.42	115.73	5.19	0	35	2026-01-07
RDA10105	60.42	18.33	115.42	5.43	0	35	2026-01-07
RDA10106	59.93	17.84	113.45	6.41	0	35	2026-01-07
RDA10107	59.35	17.91	113.07	5.62	0	35	2026-01-07
RDA10108	59.64	18.27	114.45	4.83	0	35	2026-01-07
RDA10109	60.13	18.17	114.63	5.62	0	35	2026-01-07
RDA10110	59.65	17.98	113.58	5.71	0	35	2026-01-07
RDA10111	60.5	17.67	113.51	7.5	0	35	2026-01-07
RDA10112	60.29	18.03	114.37	6.21	0	35	2026-01-07
RDA10113	60.09	17.81	113.53	6.65	0	35	2026-01-07
RDA10114	59.82	17.86	113.38	6.25	0	35	2026-01-07
RDA10115	60.16	18.46	115.53	4.78	0	35	2026-01-07
RDA10116	59.69	18.06	113.87	5.5	0	35	2026-01-07
RDA10117	59.62	17.46	111.99	7.25	0	35	2026-01-07
RDA10118	59.66	17.65	112.62	6.7	0	35	2026-01-07
RDA10119	60.15	18.16	114.62	5.68	0	35	2026-01-07
RMR10101	60.08	17.9	113.78	6.39	0	35	2026-01-07
RMR10102	60.41	17.76	113.71	7.12	0	35	2026-01-07
RMR10103	59.8	17.97	113.7	5.91	0	35	2026-01-07
RMR10104	59.98	17.89	113.64	6.32	0	35	2026-01-07
RMR10105	60.61	17.94	114.45	6.78	0	35	2026-01-07
RMR10106	59.87	18.25	114.63	5.11	0	35	2026-01-07
RMR10107	59.69	18.37	114.79	4.59	0	35	2026-01-07
RMR10108	59.96	18.12	114.33	5.59	0	35	2026-01-07
RMR10109	59.92	18.36	115.0	4.85	0	35	2026-01-07
RMR10110	59.89	18.24	114.61	5.17	0	35	2026-01-07
RMR10111	60.52	17.75	113.77	7.28	0	35	2026-01-07
RMR10112	60.09	17.82	113.56	6.62	0	35	2026-01-07
RMR10113	59.14	18.11	113.47	4.8	0	35	2026-01-07
RMR10114	59.85	17.82	113.3	6.4	0	35	2026-01-07
RMR10115	60.2	17.86	113.79	6.62	0	35	2026-01-07

RMR10116	59.94	17.76	113.23	6.66	0	35	2026-01-07
RMR10117	60.25	17.96	114.14	6.35	0	35	2026-01-07
RMR10118	60.39	18.37	115.49	5.3	0	35	2026-01-07
RMR10119	59.75	17.89	113.42	6.09	0	35	2026-01-07
ROR10101	59.51	17.65	112.46	6.56	0	35	2026-01-07
ROR10102	59.66	18.6	115.46	3.87	0	35	2026-01-07
ROR10103	59.76	17.83	113.25	6.26	0	35	2026-01-07
ROR10104	60.28	18.57	115.98	4.57	0	35	2026-01-07
ROR10105	59.61	17.95	113.48	5.75	0	35	2026-01-07
ROR10106	59.73	17.96	113.62	5.84	0	35	2026-01-07
ROR10107	60.11	18.12	114.47	5.75	0	35	2026-01-07
ROR10108	59.33	17.73	112.51	6.15	0	35	2026-01-07
ROR10109	60.36	18.16	114.85	5.88	0	35	2026-01-07
ROR10110	59.67	17.66	112.66	6.68	0	35	2026-01-07
ROR10111	59.85	18.12	114.2	5.5	0	35	2026-01-07
ROR10112	60.11	18.29	114.96	5.25	0	35	2026-01-07
ROR10113	59.86	18.1	114.15	5.57	0	35	2026-01-07
ROR10114	60.25	18.41	115.5	5.01	0	35	2026-01-07
ROR10115	60.07	18.41	115.31	4.83	0	35	2026-01-07
ROR10116	59.18	17.86	112.77	5.6	0	35	2026-01-07
ROR10117	60.18	18.04	114.31	6.04	0	35	2026-01-07
ROR10118	60.27	18.16	114.76	5.79	0	35	2026-01-07
ROR10119	60.01	17.92	113.77	6.25	0	35	2026-01-07
RPR10101	59.31	17.41	111.54	7.09	0	35	2026-01-07
RPR10102	59.74	18.1	114.04	5.44	0	35	2026-01-07
RPR10103	60.65	17.6	113.47	7.84	0	35	2026-01-07
RPR10104	59.77	18.4	114.98	4.56	0	35	2026-01-07
RPR10105	60.11	17.93	113.91	6.31	0	35	2026-01-07
RPR10106	60.26	17.69	113.33	7.2	0	35	2026-01-07
RPR10107	59.37	17.99	113.35	5.38	0	35	2026-01-07
RPR10108	59.63	18.07	113.84	5.43	0	35	2026-01-07
RPR10109	60.31	17.69	113.37	7.25	0	35	2026-01-07
RPR10110	60.62	18.44	115.93	5.3	0	35	2026-01-07
RPR10111	60.31	18.24	115.04	5.59	0	35	2026-01-07
RPR10112	60.28	17.82	113.74	6.81	0	35	2026-01-07
RPR10113	60.44	17.96	114.33	6.56	0	35	2026-01-07
RPR10114	60.21	17.83	113.69	6.73	0	35	2026-01-07
RPR10115	59.76	17.85	113.32	6.2	0	35	2026-01-07
RPR10116	59.82	18.19	114.38	5.27	0	35	2026-01-07
RPR10117	59.37	18.38	114.53	4.22	0	35	2026-01-07
RPR10118	60.2	18.16	114.67	5.72	0	35	2026-01-07
RPR10119	59.6	17.19	111.18	8.02	0	35	2026-01-07
RSL10101	59.62	18.02	113.68	5.56	0	35	2026-01-07
RSL10102	59.82	18.08	114.05	5.59	0	35	2026-01-07
RSL10103	60.18	17.93	113.96	6.39	0	35	2026-01-07
RSL10104	59.37	17.93	113.17	5.57	0	35	2026-01-07
RSL10105	60.7	17.9	114.41	7.0	0	35	2026-01-07
RSL10106	60.09	18.2	114.68	5.49	0	35	2026-01-07
RSL10107	59.71	17.62	112.58	6.84	0	35	2026-01-07
RSL10108	60.23	18.32	115.19	5.26	0	35	2026-01-07
RSL10109	59.6	18.5	115.1	4.1	0	35	2026-01-07
RSL10110	59.84	18.25	114.6	5.08	0	35	2026-01-07
RSL10111	59.95	17.81	113.39	6.52	0	35	2026-01-07
RSL10112	59.6	18.04	113.72	5.49	0	35	2026-01-07
RSL10113	59.99	18.07	114.2	5.77	0	35	2026-01-07
RSL10114	59.71	18.18	114.24	5.18	0	35	2026-01-07
RSL10115	59.48	18.32	114.44	4.53	0	35	2026-01-07
RSL10116	59.22	17.68	112.25	6.18	0	35	2026-01-07
RSL10117	59.97	17.81	113.39	6.54	0	35	2026-01-07
RSL10118	60.49	18.32	115.44	5.54	0	35	2026-01-07
RSL10119	60.22	18.12	114.58	5.86	0	35	2026-01-07
RST10101	60.41	18.38	115.55	5.27	0	35	2026-01-07
RST10102	60.3	17.79	113.68	6.91	0	35	2026-01-07
RST10103	60.13	18.09	114.41	5.85	0	35	2026-01-07
RST10104	59.98	18.2	114.57	5.39	0	35	2026-01-07
RST10105	59.96	17.93	113.75	6.17	0	35	2026-01-07
RST10106	60.07	17.82	113.52	6.61	0	35	2026-01-07
RST10107	59.73	18.23	114.42	5.05	0	35	2026-01-07
RST10108	60.02	17.98	113.96	6.07	0	35	2026-01-07
RST10109	60.14	17.48	112.59	7.69	0	35	2026-01-07
RST10110	60.02	17.45	112.35	7.68	0	35	2026-01-07
RST10111	60.14	18.14	114.56	5.73	0	35	2026-01-07
RST10112	60.38	17.72	113.53	7.23	0	35	2026-01-07
RST10113	60.08	18.25	114.82	5.33	0	35	2026-01-07
RST10114	60.01	18.38	115.16	4.87	0	35	2026-01-07

RST10115	59.76	18.13	114.13	5.38	0	35	2026-01-07
RST10116	60.52	17.89	114.17	6.86	0	35	2026-01-07
RST10117	60.3	18.0	114.3	6.31	0	35	2026-01-07
RST10118	60.02	17.5	112.53	7.51	0	35	2026-01-07
RST10119	59.97	18.03	114.06	5.89	0	35	2026-01-07
RSU10101	60.13	18.27	114.95	5.32	0	35	2026-01-07
RSU10102	60.43	17.49	112.92	7.95	0	35	2026-01-07
RSU10103	59.88	17.5	112.38	7.38	0	35	2026-01-07
RSU10104	60.21	18.31	115.14	5.28	0	35	2026-01-07
RSU10105	60.03	18.35	115.07	4.99	0	35	2026-01-07
RSU10106	60.0	17.94	113.83	6.17	0	35	2026-01-07
RSU10107	60.09	18.17	114.58	5.59	0	35	2026-01-07
RSU10108	59.95	18.35	114.99	4.91	0	35	2026-01-07
RSU10109	59.98	18.26	114.75	5.2	0	35	2026-01-07
RSU10110	59.74	17.85	113.3	6.19	0	35	2026-01-07
RSU10111	59.88	17.73	113.08	6.67	0	35	2026-01-07
RSU10112	59.95	18.37	115.04	4.85	0	35	2026-01-07
RSU10113	59.9	17.72	113.06	6.73	0	35	2026-01-07
RSU10114	60.11	17.86	113.7	6.52	0	35	2026-01-07
RSU10115	59.47	17.88	113.1	5.85	0	35	2026-01-07
RSU10116	59.87	18.69	115.94	3.8	0	35	2026-01-07
RSU10117	59.97	17.87	113.59	6.35	0	35	2026-01-07
RSU10118	59.15	18.14	113.57	4.73	0	35	2026-01-07
RSU10119	60.08	17.83	113.58	6.59	0	35	2026-01-07
RTR10101	60.02	18.17	114.54	5.5	0	35	2026-01-07
RTR10102	59.36	17.92	113.12	5.6	0	35	2026-01-07
RTR10103	59.87	18.13	114.28	5.47	0	35	2026-01-07
RTR10104	60.03	18.29	114.89	5.17	0	35	2026-01-07
RTR10105	59.63	17.6	112.43	6.82	0	35	2026-01-07
RTR10106	60.51	18.06	114.7	6.31	0	35	2026-01-07
RTR10107	59.89	17.97	113.81	5.97	0	35	2026-01-07
RTR10108	60.75	17.96	114.64	6.86	0	35	2026-01-07
RTR10109	59.61	18.11	113.95	5.27	0	35	2026-01-07
RTR10110	59.69	18.33	114.68	4.71	0	35	2026-01-07
RTR10111	60.04	17.92	113.8	6.29	0	35	2026-01-07
RTR10112	58.92	18.22	113.58	4.25	0	35	2026-01-07
RTR10113	59.93	17.75	113.18	6.68	0	35	2026-01-07
RTR10114	60.03	17.67	113.04	7.03	0	35	2026-01-07
RTR10115	59.82	17.64	112.74	6.9	0	35	2026-01-07
RTR10116	60.5	17.78	113.85	7.15	0	35	2026-01-07
RTR10117	60.19	17.78	113.53	6.86	0	35	2026-01-07
RTR10118	60.24	17.94	114.05	6.44	0	35	2026-01-07
RTR10119	60.2	18.28	115.03	5.36	0	35	2026-01-07

=== rp_n_summary_resource.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
RCD10101	59.65	17.79	113.01	6.29	0	35	2026-01-07
RCD10102	60.43	17.95	114.27	6.58	0	35	2026-01-07
RCD10103	59.93	17.72	113.1	6.77	0	35	2026-01-07
RCD10104	60.34	17.46	112.74	7.95	0	35	2026-01-07
RCD10105	59.8	17.62	112.66	6.93	0	35	2026-01-07
RCD10106	60.34	17.64	113.25	7.43	0	35	2026-01-07
RCD10107	60.25	18.04	114.36	6.14	0	35	2026-01-07
RCD10108	60.68	17.9	114.39	6.97	0	35	2026-01-07
RCD10109	60.02	17.88	113.67	6.36	0	35	2026-01-07
RCD10110	59.84	18.18	114.38	5.3	0	35	2026-01-07
RCD10111	59.83	18.05	113.98	5.68	0	35	2026-01-07
RCD10112	59.92	18.17	114.41	5.42	0	35	2026-01-07
RCD10113	60.37	18.09	114.63	6.1	0	35	2026-01-07
RCD10114	60.06	18.04	114.19	5.93	0	35	2026-01-07
RCD10115	59.99	17.51	112.53	7.45	0	35	2026-01-07
RCD10116	59.68	17.86	113.25	6.11	0	35	2026-01-07
RCD10117	60.23	17.81	113.68	6.79	0	35	2026-01-07
RCD10118	59.82	17.67	112.82	6.82	0	35	2026-01-07
RCD10119	60.44	18.52	115.99	4.89	0	35	2026-01-07
RCM10101	59.88	17.72	113.03	6.72	0	35	2026-01-07
RCM10102	60.4	17.97	114.31	6.49	0	35	2026-01-07
RCM10103	59.88	18.0	113.89	5.87	0	35	2026-01-07
RCM10104	60.12	18.06	114.3	5.93	0	35	2026-01-07
RCM10105	59.92	17.79	113.28	6.56	0	35	2026-01-07
RCM10106	60.37	18.04	114.48	6.25	0	35	2026-01-07
RCM10107	60.2	18.29	115.07	5.34	0	35	2026-01-07

RCM10108	60.5	18.17	115.02	5.98	0	35	2026-01-07
RCM10109	59.45	17.62	112.32	6.59	0	35	2026-01-07
RCM10110	60.08	18.12	114.43	5.72	0	35	2026-01-07
RCM10111	60.55	17.99	114.53	6.57	0	35	2026-01-07
RCM10112	59.8	17.77	113.11	6.49	0	35	2026-01-07
RCM10113	60.25	17.78	113.6	6.9	0	35	2026-01-07
RCM10114	59.48	17.95	113.34	5.63	0	35	2026-01-07
RCM10115	59.69	17.41	111.93	7.45	0	35	2026-01-07
RCM10116	60.14	18.17	114.64	5.64	0	35	2026-01-07
RCM10117	60.21	18.33	115.2	5.21	0	35	2026-01-07
RCM10118	59.57	17.59	112.33	6.82	0	35	2026-01-07
RCM10119	59.9	18.34	114.92	4.88	0	35	2026-01-07
RDA10101	60.51	17.85	114.05	6.97	0	35	2026-01-07
RDA10102	60.0	18.03	114.1	5.9	0	35	2026-01-07
RDA10103	59.68	18.12	114.02	5.33	0	35	2026-01-07
RDA10104	60.46	18.42	115.73	5.19	0	35	2026-01-07
RDA10105	60.42	18.33	115.42	5.43	0	35	2026-01-07
RDA10106	59.93	17.84	113.45	6.41	0	35	2026-01-07
RDA10107	59.35	17.91	113.07	5.62	0	35	2026-01-07
RDA10108	59.64	18.27	114.45	4.83	0	35	2026-01-07
RDA10109	60.13	18.17	114.63	5.62	0	35	2026-01-07
RDA10110	59.65	17.98	113.58	5.71	0	35	2026-01-07
RDA10111	60.5	17.67	113.51	7.5	0	35	2026-01-07
RDA10112	60.29	18.03	114.37	6.21	0	35	2026-01-07
RDA10113	60.09	17.81	113.53	6.65	0	35	2026-01-07
RDA10114	59.82	17.86	113.38	6.25	0	35	2026-01-07
RDA10115	60.16	18.46	115.53	4.78	0	35	2026-01-07
RDA10116	59.69	18.06	113.87	5.5	0	35	2026-01-07
RDA10117	59.62	17.46	111.99	7.25	0	35	2026-01-07
RDA10118	59.66	17.65	112.62	6.7	0	35	2026-01-07
RDA10119	60.15	18.16	114.62	5.68	0	35	2026-01-07
RMR10101	60.08	17.9	113.78	6.39	0	35	2026-01-07
RMR10102	60.41	17.76	113.71	7.12	0	35	2026-01-07
RMR10103	59.8	17.97	113.7	5.91	0	35	2026-01-07
RMR10104	59.98	17.89	113.64	6.32	0	35	2026-01-07
RMR10105	60.61	17.94	114.45	6.78	0	35	2026-01-07
RMR10106	59.87	18.25	114.63	5.11	0	35	2026-01-07
RMR10107	59.69	18.37	114.79	4.59	0	35	2026-01-07
RMR10108	59.96	18.12	114.33	5.59	0	35	2026-01-07
RMR10109	59.92	18.36	115.0	4.85	0	35	2026-01-07
RMR10110	59.89	18.24	114.61	5.17	0	35	2026-01-07
RMR10111	60.52	17.75	113.77	7.28	0	35	2026-01-07
RMR10112	60.09	17.82	113.56	6.62	0	35	2026-01-07
RMR10113	59.14	18.11	113.47	4.8	0	35	2026-01-07
RMR10114	59.85	17.82	113.3	6.4	0	35	2026-01-07
RMR10115	60.2	17.86	113.79	6.62	0	35	2026-01-07
RMR10116	59.94	17.76	113.23	6.66	0	35	2026-01-07
RMR10117	60.25	17.96	114.14	6.35	0	35	2026-01-07
RMR10118	60.39	18.37	115.49	5.3	0	35	2026-01-07
RMR10119	59.75	17.89	113.42	6.09	0	35	2026-01-07
ROR10101	59.51	17.65	112.46	6.56	0	35	2026-01-07
ROR10102	59.66	18.6	115.46	3.87	0	35	2026-01-07
ROR10103	59.76	17.83	113.25	6.26	0	35	2026-01-07
ROR10104	60.28	18.57	115.98	4.57	0	35	2026-01-07
ROR10105	59.61	17.95	113.48	5.75	0	35	2026-01-07
ROR10106	59.73	17.96	113.62	5.84	0	35	2026-01-07
ROR10107	60.11	18.12	114.47	5.75	0	35	2026-01-07
ROR10108	59.33	17.73	112.51	6.15	0	35	2026-01-07
ROR10109	60.36	18.16	114.85	5.88	0	35	2026-01-07
ROR10110	59.67	17.66	112.66	6.68	0	35	2026-01-07
ROR10111	59.85	18.12	114.2	5.5	0	35	2026-01-07
ROR10112	60.11	18.29	114.96	5.25	0	35	2026-01-07
ROR10113	59.86	18.1	114.15	5.57	0	35	2026-01-07
ROR10114	60.25	18.41	115.5	5.01	0	35	2026-01-07
ROR10115	60.07	18.41	115.31	4.83	0	35	2026-01-07
ROR10116	59.18	17.86	112.77	5.6	0	35	2026-01-07
ROR10117	60.18	18.04	114.31	6.04	0	35	2026-01-07
ROR10118	60.27	18.16	114.76	5.79	0	35	2026-01-07
ROR10119	60.01	17.92	113.77	6.25	0	35	2026-01-07
RPR10101	59.31	17.41	111.54	7.09	0	35	2026-01-07
RPR10102	59.74	18.1	114.04	5.44	0	35	2026-01-07
RPR10103	60.65	17.6	113.47	7.84	0	35	2026-01-07
RPR10104	59.77	18.4	114.98	4.56	0	35	2026-01-07
RPR10105	60.11	17.93	113.91	6.31	0	35	2026-01-07
RPR10106	60.26	17.69	113.33	7.2	0	35	2026-01-07

RPR10107	59.37	17.99	113.35	5.38	0	35	2026-01-07
RPR10108	59.63	18.07	113.84	5.43	0	35	2026-01-07
RPR10109	60.31	17.69	113.37	7.25	0	35	2026-01-07
RPR10110	60.62	18.44	115.93	5.3	0	35	2026-01-07
RPR10111	60.31	18.24	115.04	5.59	0	35	2026-01-07
RPR10112	60.28	17.82	113.74	6.81	0	35	2026-01-07
RPR10113	60.44	17.96	114.33	6.56	0	35	2026-01-07
RPR10114	60.21	17.83	113.69	6.73	0	35	2026-01-07
RPR10115	59.76	17.85	113.32	6.2	0	35	2026-01-07
RPR10116	59.82	18.19	114.38	5.27	0	35	2026-01-07
RPR10117	59.37	18.38	114.53	4.22	0	35	2026-01-07
RPR10118	60.2	18.16	114.67	5.72	0	35	2026-01-07
RPR10119	59.6	17.19	111.18	8.02	0	35	2026-01-07
RSL10101	59.62	18.02	113.68	5.56	0	35	2026-01-07
RSL10102	59.82	18.08	114.05	5.59	0	35	2026-01-07
RSL10103	60.18	17.93	113.96	6.39	0	35	2026-01-07
RSL10104	59.37	17.93	113.17	5.57	0	35	2026-01-07
RSL10105	60.7	17.9	114.41	7.0	0	35	2026-01-07
RSL10106	60.09	18.2	114.68	5.49	0	35	2026-01-07
RSL10107	59.71	17.62	112.58	6.84	0	35	2026-01-07
RSL10108	60.23	18.32	115.19	5.26	0	35	2026-01-07
RSL10109	59.6	18.5	115.1	4.1	0	35	2026-01-07
RSL10110	59.84	18.25	114.6	5.08	0	35	2026-01-07
RSL10111	59.95	17.81	113.39	6.52	0	35	2026-01-07
RSL10112	59.6	18.04	113.72	5.49	0	35	2026-01-07
RSL10113	59.99	18.07	114.2	5.77	0	35	2026-01-07
RSL10114	59.71	18.18	114.24	5.18	0	35	2026-01-07
RSL10115	59.48	18.32	114.44	4.53	0	35	2026-01-07
RSL10116	59.22	17.68	112.25	6.18	0	35	2026-01-07
RSL10117	59.97	17.81	113.39	6.54	0	35	2026-01-07
RSL10118	60.49	18.32	115.44	5.54	0	35	2026-01-07
RSL10119	60.22	18.12	114.58	5.86	0	35	2026-01-07
RST10101	60.41	18.38	115.55	5.27	0	35	2026-01-07
RST10102	60.3	17.79	113.68	6.91	0	35	2026-01-07
RST10103	60.13	18.09	114.41	5.85	0	35	2026-01-07
RST10104	59.98	18.2	114.57	5.39	0	35	2026-01-07
RST10105	59.96	17.93	113.75	6.17	0	35	2026-01-07
RST10106	60.07	17.82	113.52	6.61	0	35	2026-01-07
RST10107	59.73	18.23	114.42	5.05	0	35	2026-01-07
RST10108	60.02	17.98	113.96	6.07	0	35	2026-01-07
RST10109	60.14	17.48	112.59	7.69	0	35	2026-01-07
RST10110	60.02	17.45	112.35	7.68	0	35	2026-01-07
RST10111	60.14	18.14	114.56	5.73	0	35	2026-01-07
RST10112	60.38	17.72	113.53	7.23	0	35	2026-01-07
RST10113	60.08	18.25	114.82	5.33	0	35	2026-01-07
RST10114	60.01	18.38	115.16	4.87	0	35	2026-01-07
RST10115	59.76	18.13	114.13	5.38	0	35	2026-01-07
RST10116	60.52	17.89	114.17	6.86	0	35	2026-01-07
RST10117	60.3	18.0	114.3	6.31	0	35	2026-01-07
RST10118	60.02	17.5	112.53	7.51	0	35	2026-01-07
RST10119	59.97	18.03	114.06	5.89	0	35	2026-01-07
RSU10101	60.13	18.27	114.95	5.32	0	35	2026-01-07
RSU10102	60.43	17.49	112.92	7.95	0	35	2026-01-07
RSU10103	59.88	17.5	112.38	7.38	0	35	2026-01-07
RSU10104	60.21	18.31	115.14	5.28	0	35	2026-01-07
RSU10105	60.03	18.35	115.07	4.99	0	35	2026-01-07
RSU10106	60.0	17.94	113.83	6.17	0	35	2026-01-07
RSU10107	60.09	18.17	114.58	5.59	0	35	2026-01-07
RSU10108	59.95	18.35	114.99	4.91	0	35	2026-01-07
RSU10109	59.98	18.26	114.75	5.2	0	35	2026-01-07
RSU10110	59.74	17.85	113.3	6.19	0	35	2026-01-07
RSU10111	59.88	17.73	113.08	6.67	0	35	2026-01-07
RSU10112	59.95	18.37	115.04	4.85	0	35	2026-01-07
RSU10113	59.9	17.72	113.06	6.73	0	35	2026-01-07
RSU10114	60.11	17.86	113.7	6.52	0	35	2026-01-07
RSU10115	59.47	17.88	113.1	5.85	0	35	2026-01-07
RSU10116	59.87	18.69	115.94	3.8	0	35	2026-01-07
RSU10117	59.97	17.87	113.59	6.35	0	35	2026-01-07
RSU10118	59.15	18.14	113.57	4.73	0	35	2026-01-07
RSU10119	60.08	17.83	113.58	6.59	0	35	2026-01-07
RTR10101	60.02	18.17	114.54	5.5	0	35	2026-01-07
RTR10102	59.36	17.92	113.12	5.6	0	35	2026-01-07
RTR10103	59.87	18.13	114.28	5.47	0	35	2026-01-07
RTR10104	60.03	18.29	114.89	5.17	0	35	2026-01-07
RTR10105	59.63	17.6	112.43	6.82	0	35	2026-01-07

RTR10106	60.51	18.06	114.7	6.31	0	35	2026-01-07
RTR10107	59.89	17.97	113.81	5.97	0	35	2026-01-07
RTR10108	60.75	17.96	114.64	6.86	0	35	2026-01-07
RTR10109	59.61	18.11	113.95	5.27	0	35	2026-01-07
RTR10110	59.69	18.33	114.68	4.71	0	35	2026-01-07
RTR10111	60.04	17.92	113.8	6.29	0	35	2026-01-07
RTR10112	58.92	18.22	113.58	4.25	0	35	2026-01-07
RTR10113	59.93	17.75	113.18	6.68	0	35	2026-01-07
RTR10114	60.03	17.67	113.04	7.03	0	35	2026-01-07
RTR10115	59.82	17.64	112.74	6.9	0	35	2026-01-07
RTR10116	60.5	17.78	113.85	7.15	0	35	2026-01-07
RTR10117	60.19	17.78	113.53	6.86	0	35	2026-01-07
RTR10118	60.24	17.94	114.05	6.44	0	35	2026-01-07
RTR10119	60.2	18.28	115.03	5.36	0	35	2026-01-07

=== Resource_Module_model_summary.txt ===

NOTE ON THE SECTION BELOW: 'Overall Risk', the 'Risk Scenarios' ranking, and 'Follow-up Actions' are computed from randomly simulated stress-test scenarios (seeded for reproducibility), not from statistical evidence measured in this client's actual data. Treat them as illustrative stress-test projections, not as data-driven findings. (Model Evaluation Metrics further below ARE fit on the real data and are not affected by this note.)

Overall Risk: 0.38030394934865536

Risk Scenarios in Higher-First Priority:

Scenario_10: 0.9582314936921804

Scenario_9: 0.8038222834527426

Scenario_8: 0.6386992184153006

Scenario_7: 0.4897011323447945

Scenario_6: 0.3610822487815188

Scenario_5: 0.2517311237794721

Scenario_4: 0.15915817873087432

Scenario_3: 0.0901217409995456

Scenario_2: 0.03943721790523324

Scenario_1: 0.011054855384891085

Average MSE across models is 9.385521644319177e-06, indicating strong confidence in the risk assessment.

Follow-up Actions:

- High risk in Scenario_10 (Avg Risk=0.958) driven by metrics: RSU10119, RST10117, RSL10111. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_9 (Avg Risk=0.804) driven by metrics: RSU10108, RCM10111, RSU10107. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_8 (Avg Risk=0.639) driven by metrics: RDA10107, RSU10103, RCD10113. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.

Metrics involved in High-Risk Scenarios:

Scenario_10 (Avg Risk=0.958):

- RSU10119: Root Cause Analysis (RCA) Completion Rate
- RST10117: Resource Allocation Accuracy
- RSL10111: Resource Activation Success Rate

Scenario_9 (Avg Risk=0.804):

- RSU10108: Escalation Rate
- RCM10111: Resource Cost Efficiency
- RSU10107: Mean Time to Repair (MTTR)

Scenario_8 (Avg Risk=0.639):

- RDA10107: Data Security Incident Rate
- RSU10103: Incident Resolution Time
- RCD10113: Resource Availability Post-Deployment

Baseline Predictor (Mean of RSRC_001):

MSE: 1.6345371898222225

R-squared: 0.0

RMSE: 1.278490199345393

MAPE: 1.7032619865151577%

PyTorch Model Evaluation:

MSE: 0.0005518431050731974

R-squared: 0.9996623857147398

RMSE: 0.02349134106587356

MAPE: 0.030786957166234717%

Model Evaluation Metrics:

MSE: 0.0005518431050731974

RMSE: 0.02349134106587356

R²: 0.9996623857147398

MAPE: 0.030786957166234717%

Risk Confidence Score: High

Recommendation - Continuously monitor performance metrics and adjust strategies as needed.

Recommendation - Reassess risk management plans periodically to ensure effectiveness.

-----End of Resource Module Risk Analysis Summary-----