

rpn_summary_service.txt

TBD2 pipeline output - rendered to PDF

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ACT10102	29.77	9.06	56.96	2.57	0 35		2026-01-07
ACT10103	30.2	9.07	57.41	2.99	0 35		2026-01-07
ACT10104	30.0	9.18	57.55	2.45	0 35		2026-01-07
ACT10105	29.99	9.04	57.12	2.87	0 35		2026-01-07
ACT10107	30.13	9.26	57.92	2.34	0 35		2026-01-07
ACT10108	29.96	8.96	56.82	3.09	0 35		2026-01-07
ACT10109	30.11	9.22	57.78	2.43	0 35		2026-01-07
ACT10111	29.94	8.99	56.92	2.96	0 35		2026-01-07
ACT10112	30.0	9.28	57.83	2.17	0 35		2026-01-07
ACT10114	30.13	9.19	57.69	2.57	0 35		2026-01-07
ACT10115	30.22	9.04	57.35	3.09	0 35		2026-01-07
ACT10117	29.55	9.23	57.23	1.87	0 35		2026-01-07
ACT10118	29.94	9.21	57.56	2.32	0 35		2026-01-07
ACT10119	30.05	9.29	57.91	2.2	0 35		2026-01-07
ACT10121	30.09	9.11	57.41	2.77	0 35		2026-01-07
ACT10122	29.96	9.32	57.91	2.01	0 35		2026-01-07
ACT10124	29.9	9.21	57.52	2.28	0 35		2026-01-07
ACT10125	30.09	9.23	57.78	2.39	0 35		2026-01-07
ACT10127	30.12	9.3	58.03	2.21	0 35		2026-01-07
ACT10129	29.46	8.94	56.27	2.65	0 35		2026-01-07
ALM10102	29.92	9.1	57.23	2.62	0 35		2026-01-07
ALM10103	30.22	8.94	57.03	3.4	0 35		2026-01-07
ALM10104	30.33	9.0	57.32	3.34	0 35		2026-01-07
ALM10105	29.94	8.93	56.71	3.16	0 35		2026-01-07
ALM10107	29.97	8.93	56.75	3.19	0 35		2026-01-07
ALM10108	29.68	9.18	57.23	2.13	0 35		2026-01-07
ALM10109	30.03	9.15	57.47	2.58	0 35		2026-01-07
ALM10111	30.09	9.38	58.25	1.94	0 35		2026-01-07
ALM10112	30.28	9.25	58.04	2.52	0 35		2026-01-07
ALM10113	30.15	9.17	57.65	2.65	0 35		2026-01-07
ALM10114	29.72	8.97	56.63	2.82	0 35		2026-01-07
ALM10116	30.04	9.11	57.38	2.7	0 35		2026-01-07
ALM10117	30.15	9.32	58.1	2.2	0 35		2026-01-07
ALM10119	30.07	8.89	56.75	3.4	0 35		2026-01-07
ALM10120	29.86	9.28	57.71	2.01	0 35		2026-01-07
ALM10122	30.03	9.07	57.24	2.82	0 35		2026-01-07
ALM10123	30.05	9.2	57.64	2.47	0 35		2026-01-07
ALM10125	29.89	9.25	57.64	2.14	0 35		2026-01-07
ALM10126	30.28	8.85	56.83	3.74	0 35		2026-01-07
CLC10102	30.28	9.11	57.63	2.94	0 35		2026-01-07
CLC10103	29.87	9.05	57.03	2.71	0 35		2026-01-07
CLC10104	29.85	9.3	57.75	1.95	0 35		2026-01-07
CLC10106	29.86	9.18	57.4	2.31	0 35		2026-01-07
CLC10107	30.08	9.25	57.81	2.34	0 35		2026-01-07
CLC10108	29.99	8.94	56.8	3.19	0 35		2026-01-07
CLC10110	29.91	9.14	57.34	2.47	0 35		2026-01-07
CLC10111	29.93	9.11	57.25	2.6	0 35		2026-01-07
CLC10112	30.01	9.0	57.01	3.01	0 35		2026-01-07
CLC10114	29.9	9.09	57.19	2.62	0 35		2026-01-07
CLC10115	30.02	9.09	57.29	2.76	0 35		2026-01-07
CLC10116	29.92	9.19	57.5	2.34	0 35		2026-01-07
CLC10117	29.9	8.97	56.82	2.98	0 35		2026-01-07
CLC10119	29.65	9.06	56.83	2.47	0 35		2026-01-07
CLC10120	29.72	9.16	57.2	2.24	0 35		2026-01-07
CLC10121	30.14	9.12	57.49	2.8	0 35		2026-01-07
CLC10123	30.31	9.15	57.76	2.87	0 35		2026-01-07
CLC10124	29.84	9.12	57.2	2.48	0 35		2026-01-07
CLC10125	29.88	8.98	56.83	2.93	0 35		2026-01-07
CLC10126	30.1	9.29	57.95	2.24	0 35		2026-01-07
CLC10127	29.74	9.23	57.43	2.05	0 35		2026-01-07
CLC10128	30.15	9.29	58.03	2.27	0 35		2026-01-07
CLC10129	29.99	9.06	57.19	2.8	0 35		2026-01-07
CPD10102	29.93	9.24	57.66	2.2	0 35		2026-01-07
CPD10103	29.85	9.17	57.35	2.34	0 35		2026-01-07
CPD10104	30.08	9.05	57.24	2.92	0 35		2026-01-07
CPD10105	29.92	9.03	57.0	2.84	0 35		2026-01-07
CPD10106	30.18	9.06	57.37	3.0	0 35		2026-01-07

CPD10107	30.43	8.99	57.4	3.47	0	35	2026-01-07
CPD10108	29.88	9.25	57.64	2.12	0	35	2026-01-07
CPD10109	30.04	9.09	57.31	2.77	0	35	2026-01-07
CPD10110	30.2	8.99	57.17	3.23	0	35	2026-01-07
CPD10112	29.81	9.24	57.53	2.1	0	35	2026-01-07
CPD10113	30.16	9.27	57.96	2.35	0	35	2026-01-07
CPD10114	29.92	9.15	57.36	2.48	0	35	2026-01-07
CPD10116	29.98	9.31	57.92	2.04	0	35	2026-01-07
CPD10117	30.24	9.19	57.82	2.66	0	35	2026-01-07
CPD10119	30.26	9.14	57.69	2.84	0	35	2026-01-07
CPD10120	30.23	9.05	57.37	3.09	0	35	2026-01-07
CPD10122	30.06	9.12	57.42	2.7	0	35	2026-01-07
CPD10123	30.33	9.03	57.41	3.26	0	35	2026-01-07
CPD10124	29.96	9.31	57.9	2.03	0	35	2026-01-07
GMD10102	29.94	9.05	57.08	2.8	0	35	2026-01-07
GMD10103	30.06	9.26	57.83	2.28	0	35	2026-01-07
GMD10104	29.82	9.13	57.22	2.42	0	35	2026-01-07
GMD10105	30.1	9.11	57.43	2.77	0	35	2026-01-07
GMD10107	29.81	9.46	58.2	1.42	0	35	2026-01-07
GMD10108	30.13	8.98	57.08	3.18	0	35	2026-01-07
GMD10109	30.43	9.11	57.75	3.11	0	35	2026-01-07
GMD10110	29.96	9.05	57.11	2.81	0	35	2026-01-07
GMD10111	30.06	9.19	57.64	2.49	0	35	2026-01-07
GMD10112	30.09	9.03	57.18	3.0	0	35	2026-01-07
GMD10114	29.82	9.43	58.11	1.54	0	35	2026-01-07
GMD10115	30.05	9.45	58.39	1.71	0	35	2026-01-07
GMD10117	30.24	8.97	57.16	3.32	0	35	2026-01-07
GMD10118	29.92	9.22	57.58	2.26	0	35	2026-01-07
GMD10120	30.11	8.99	57.09	3.13	0	35	2026-01-07
GMD10121	29.85	9.18	57.37	2.32	0	35	2026-01-07
GMD10123	30.09	9.25	57.84	2.35	0	35	2026-01-07
GMD10124	29.89	9.13	57.29	2.48	0	35	2026-01-07
GMD10126	29.78	9.23	57.46	2.11	0	35	2026-01-07
ORC10102	30.04	9.22	57.69	2.38	0	35	2026-01-07
ORC10103	29.66	8.97	56.59	2.74	0	35	2026-01-07
ORC10104	29.9	9.26	57.67	2.12	0	35	2026-01-07
ORC10105	30.01	9.2	57.6	2.41	0	35	2026-01-07
ORC10107	29.66	9.31	57.58	1.74	0	35	2026-01-07
ORC10108	29.87	9.19	57.43	2.31	0	35	2026-01-07
ORC10109	29.94	9.21	57.57	2.31	0	35	2026-01-07
ORC10110	30.12	9.13	57.52	2.71	0	35	2026-01-07
ORC10112	29.98	9.19	57.56	2.39	0	35	2026-01-07
ORC10113	29.81	9.18	57.37	2.26	0	35	2026-01-07
ORC10115	29.87	9.2	57.48	2.25	0	35	2026-01-07
ORC10116	30.22	9.18	57.77	2.68	0	35	2026-01-07
ORC10117	30.2	9.3	58.11	2.29	0	35	2026-01-07
ORC10118	29.86	8.96	56.73	2.99	0	35	2026-01-07
ORC10120	29.84	9.19	57.41	2.28	0	35	2026-01-07
ORC10121	29.99	9.23	57.68	2.29	0	35	2026-01-07
ORC10123	30.08	9.22	57.75	2.42	0	35	2026-01-07
ORC10124	29.8	9.05	56.95	2.64	0	35	2026-01-07
ORC10126	30.27	9.36	58.34	2.19	0	35	2026-01-07
PFR10102	30.02	9.3	57.92	2.12	0	35	2026-01-07
PFR10103	30.13	9.27	57.93	2.32	0	35	2026-01-07
PFR10104	30.21	9.15	57.65	2.77	0	35	2026-01-07
PFR10105	30.11	9.07	57.32	2.89	0	35	2026-01-07
PFR10107	29.78	9.18	57.32	2.23	0	35	2026-01-07
PFR10108	30.2	9.36	58.27	2.13	0	35	2026-01-07
PFR10109	29.95	9.23	57.63	2.27	0	35	2026-01-07
PFR10110	29.89	9.12	57.26	2.51	0	35	2026-01-07
PFR10111	29.98	9.34	57.99	1.96	0	35	2026-01-07
PFR10113	30.01	9.11	57.34	2.69	0	35	2026-01-07
PFR10114	30.02	8.96	56.9	3.15	0	35	2026-01-07
PFR10115	29.87	9.2	57.47	2.26	0	35	2026-01-07
PFR10116	29.79	8.88	56.43	3.15	0	35	2026-01-07
PFR10118	29.92	8.96	56.81	3.03	0	35	2026-01-07
PFR10119	29.97	9.33	57.97	1.97	0	35	2026-01-07
PFR10121	30.12	9.16	57.61	2.63	0	35	2026-01-07
PFR10122	29.95	9.26	57.73	2.18	0	35	2026-01-07
PFR10123	30.19	9.23	57.89	2.48	0	35	2026-01-07
PFR10125	29.9	8.93	56.71	3.1	0	35	2026-01-07
PRB10102	29.64	9.23	57.33	1.95	0	35	2026-01-07
PRB10103	30.1	9.17	57.61	2.59	0	35	2026-01-07
PRB10104	29.71	9.19	57.29	2.14	0	35	2026-01-07
PRB10106	30.07	9.37	58.16	1.97	0	35	2026-01-07

PRB10107	30.03	9.08	57.26	2.8	0	35	2026-01-07
PRB10108	30.04	9.16	57.51	2.57	0	35	2026-01-07
PRB10109	29.98	9.12	57.35	2.61	0	35	2026-01-07
PRB10111	30.05	9.21	57.68	2.43	0	35	2026-01-07
PRB10112	30.07	9.35	58.12	2.01	0	35	2026-01-07
PRB10113	29.86	9.08	57.1	2.61	0	35	2026-01-07
PRB10115	30.41	8.92	57.18	3.63	0	35	2026-01-07
PRB10116	29.95	9.12	57.32	2.59	0	35	2026-01-07
PRB10118	30.03	9.23	57.72	2.35	0	35	2026-01-07
PRB10119	29.85	9.31	57.79	1.91	0	35	2026-01-07
PRB10120	30.19	9.32	58.17	2.22	0	35	2026-01-07
PRB10122	29.91	9.17	57.4	2.41	0	35	2026-01-07
PRB10124	29.74	9.27	57.55	1.93	0	35	2026-01-07
PRB10125	30.11	9.28	57.94	2.27	0	35	2026-01-07
PRB10126	30.37	9.21	58.0	2.75	0	35	2026-01-07
SAN10102	30.02	9.25	57.77	2.28	0	35	2026-01-07
SAN10103	30.04	9.11	57.38	2.71	0	35	2026-01-07
SAN10104	30.18	9.06	57.37	2.99	0	35	2026-01-07
SAN10105	29.86	9.16	57.34	2.37	0	35	2026-01-07
SAN10106	29.6	9.11	56.91	2.28	0	35	2026-01-07
SAN10108	29.65	9.08	56.88	2.42	0	35	2026-01-07
SAN10109	29.89	9.18	57.44	2.35	0	35	2026-01-07
SAN10110	29.67	9.19	57.25	2.1	0	35	2026-01-07
SAN10111	29.81	9.17	57.33	2.28	0	35	2026-01-07
SAN10113	29.87	9.08	57.11	2.62	0	35	2026-01-07
SAN10114	29.95	9.02	57.02	2.88	0	35	2026-01-07
SAN10115	29.93	8.91	56.66	3.21	0	35	2026-01-07
SAN10116	29.83	9.12	57.2	2.47	0	35	2026-01-07
SAN10118	30.01	9.13	57.4	2.61	0	35	2026-01-07
SAN10119	30.15	9.03	57.23	3.07	0	35	2026-01-07
SAN10120	30.16	9.0	57.15	3.17	0	35	2026-01-07
SAN10122	30.37	9.28	58.21	2.53	0	35	2026-01-07
SAN10123	30.3	9.23	57.98	2.63	0	35	2026-01-07
SAN10125	29.85	9.09	57.11	2.58	0	35	2026-01-07
SCC10102	30.21	9.09	57.49	2.93	0	35	2026-01-07
SCC10103	29.89	9.31	57.82	1.96	0	35	2026-01-07
SCC10104	30.03	9.14	57.44	2.62	0	35	2026-01-07
SCC10106	29.93	9.24	57.64	2.21	0	35	2026-01-07
SCC10107	29.97	9.3	57.87	2.06	0	35	2026-01-07
SCC10108	29.8	9.4	58.01	1.58	0	35	2026-01-07
SCC10110	30.04	8.88	56.68	3.39	0	35	2026-01-07
SCC10111	29.95	9.14	57.37	2.52	0	35	2026-01-07
SCC10113	29.76	9.18	57.29	2.22	0	35	2026-01-07
SCC10114	30.35	9.2	57.95	2.74	0	35	2026-01-07
SCC10115	29.86	9.4	58.06	1.67	0	35	2026-01-07
SCC10117	29.69	9.09	56.95	2.43	0	35	2026-01-07
SCC10118	30.21	9.1	57.51	2.91	0	35	2026-01-07
SCC10119	29.8	9.28	57.64	1.96	0	35	2026-01-07
SCC10121	30.25	9.22	57.92	2.58	0	35	2026-01-07
SCC10122	29.78	9.34	57.79	1.77	0	35	2026-01-07
SCC10124	30.08	9.27	57.89	2.26	0	35	2026-01-07
SCC10125	30.24	9.08	57.47	3.0	0	35	2026-01-07
SCC10127	30.01	9.39	58.18	1.84	0	35	2026-01-07
SCM10102	29.78	9.34	57.82	1.75	0	35	2026-01-07
SCM10103	29.99	8.9	56.69	3.29	0	35	2026-01-07
SCM10104	29.82	9.25	57.59	2.06	0	35	2026-01-07
SCM10105	29.9	8.96	56.77	3.03	0	35	2026-01-07
SCM10106	29.88	9.14	57.29	2.46	0	35	2026-01-07
SCM10108	30.23	9.03	57.31	3.15	0	35	2026-01-07
SCM10109	29.74	8.99	56.7	2.77	0	35	2026-01-07
SCM10110	30.14	9.15	57.59	2.69	0	35	2026-01-07
SCM10111	29.66	9.24	57.4	1.93	0	35	2026-01-07
SCM10113	30.24	9.36	58.31	2.16	0	35	2026-01-07
SCM10114	29.83	9.17	57.33	2.32	0	35	2026-01-07
SCM10116	30.1	9.08	57.32	2.87	0	35	2026-01-07
SCM10117	29.88	9.18	57.41	2.34	0	35	2026-01-07
SCM10119	29.8	9.17	57.32	2.29	0	35	2026-01-07
SCM10120	30.06	9.11	57.38	2.75	0	35	2026-01-07
SCM10122	29.75	9.03	56.83	2.68	0	35	2026-01-07
SCM10123	30.02	9.02	57.09	2.94	0	35	2026-01-07
SCM10124	30.13	9.52	58.69	1.57	0	35	2026-01-07
SCM10125	30.04	8.99	57.01	3.07	0	35	2026-01-07
SCP10102	29.48	9.05	56.62	2.34	0	35	2026-01-07
SCP10103	29.95	9.07	57.17	2.74	0	35	2026-01-07
SCP10104	30.14	9.16	57.64	2.65	0	35	2026-01-07

SCP10105	29.95	8.93	56.72	3.17	0	35	2026-01-07
SCP10106	29.93	9.15	57.39	2.47	0	35	2026-01-07
SCP10108	30.1	9.03	57.19	3.0	0	35	2026-01-07
SCP10109	29.91	9.0	56.9	2.91	0	35	2026-01-07
SCP10111	30.13	9.11	57.48	2.79	0	35	2026-01-07
SCP10112	29.94	9.06	57.11	2.76	0	35	2026-01-07
SCP10114	29.72	9.37	57.83	1.62	0	35	2026-01-07
SCP10115	30.02	8.89	56.69	3.35	0	35	2026-01-07
SCP10117	30.09	9.34	58.12	2.06	0	35	2026-01-07
SCP10118	29.81	9.22	57.46	2.16	0	35	2026-01-07
SCP10120	30.17	9.25	57.92	2.43	0	35	2026-01-07
SCP10121	29.96	9.1	57.25	2.67	0	35	2026-01-07
SCP10122	30.18	9.1	57.49	2.88	0	35	2026-01-07
SCP10124	29.94	9.19	57.52	2.36	0	35	2026-01-07
SCP10125	30.23	9.21	57.86	2.59	0	35	2026-01-07
SCP10127	30.02	9.16	57.51	2.53	0	35	2026-01-07
SPL10102	30.02	9.04	57.12	2.91	0	35	2026-01-07
SPL10103	29.92	9.23	57.62	2.23	0	35	2026-01-07
SPL10104	29.96	9.06	57.15	2.78	0	35	2026-01-07
SPL10106	29.96	9.18	57.51	2.41	0	35	2026-01-07
SPL10107	29.98	9.13	57.36	2.59	0	35	2026-01-07
SPL10108	29.75	9.16	57.24	2.27	0	35	2026-01-07
SPL10109	29.86	9.46	58.24	1.48	0	35	2026-01-07
SPL10111	29.93	8.98	56.88	2.98	0	35	2026-01-07
SPL10112	29.85	9.01	56.88	2.81	0	35	2026-01-07
SPL10113	30.03	9.01	57.06	2.99	0	35	2026-01-07
SPL10115	29.94	9.16	57.41	2.48	0	35	2026-01-07
SPL10116	30.07	8.97	57.0	3.15	0	35	2026-01-07
SPL10117	30.26	9.17	57.78	2.75	0	35	2026-01-07
SPL10119	29.71	9.25	57.47	1.95	0	35	2026-01-07
SPL10120	29.72	9.06	56.89	2.54	0	35	2026-01-07
SPL10121	30.01	8.99	56.99	3.04	0	35	2026-01-07
SPL10123	29.98	9.12	57.35	2.61	0	35	2026-01-07
SPL10124	30.02	8.93	56.81	3.24	0	35	2026-01-07
SPL10125	30.07	8.92	56.83	3.31	0	35	2026-01-07
SPL10127	29.88	9.27	57.69	2.06	0	35	2026-01-07
SSM10102	30.1	9.15	57.55	2.64	0	35	2026-01-07
SSM10103	29.9	9.17	57.41	2.4	0	35	2026-01-07
SSM10104	29.98	9.21	57.59	2.36	0	35	2026-01-07
SSM10105	30.15	9.16	57.62	2.68	0	35	2026-01-07
SSM10106	30.11	9.41	58.35	1.87	0	35	2026-01-07
SSM10108	29.74	9.19	57.31	2.17	0	35	2026-01-07
SSM10109	29.97	9.22	57.63	2.3	0	35	2026-01-07
SSM10110	29.94	9.03	57.02	2.86	0	35	2026-01-07
SSM10111	29.98	9.01	57.02	2.95	0	35	2026-01-07
SSM10112	30.02	9.26	57.8	2.23	0	35	2026-01-07
SSM10114	30.02	9.28	57.86	2.18	0	35	2026-01-07
SSM10115	30.0	9.19	57.58	2.42	0	35	2026-01-07
SSM10117	29.95	8.95	56.8	3.11	0	35	2026-01-07
SSM10118	29.92	8.96	56.82	3.03	0	35	2026-01-07
SSM10120	29.96	9.07	57.18	2.74	0	35	2026-01-07
SSM10121	30.35	8.92	57.1	3.6	0	35	2026-01-07
SSM10122	30.08	9.3	57.98	2.17	0	35	2026-01-07
SSM10124	29.99	9.13	57.4	2.59	0	35	2026-01-07
SSM10125	30.01	9.09	57.28	2.74	0	35	2026-01-07
SST10102	29.89	9.19	57.46	2.31	0	35	2026-01-07
SST10103	29.89	9.31	57.83	1.95	0	35	2026-01-07
SST10104	30.07	9.04	57.19	2.96	0	35	2026-01-07
SST10105	30.16	9.12	57.54	2.79	0	35	2026-01-07
SST10106	29.8	9.15	57.24	2.36	0	35	2026-01-07
SST10108	29.86	9.04	56.97	2.75	0	35	2026-01-07
SST10109	29.97	9.16	57.45	2.49	0	35	2026-01-07
SST10110	30.25	9.27	58.06	2.44	0	35	2026-01-07
SST10111	30.04	9.12	57.39	2.69	0	35	2026-01-07
SST10112	30.16	9.09	57.43	2.89	0	35	2026-01-07
SST10114	30.26	9.28	58.09	2.44	0	35	2026-01-07
SST10115	29.64	9.11	56.98	2.31	0	35	2026-01-07
SST10117	29.91	8.98	56.84	2.98	0	35	2026-01-07
SST10118	29.81	9.26	57.58	2.03	0	35	2026-01-07
SST10119	29.76	9.26	57.55	1.97	0	35	2026-01-07
SST10120	29.93	9.07	57.14	2.72	0	35	2026-01-07
SST10121	30.02	9.11	57.36	2.68	0	35	2026-01-07
SST10123	29.79	9.25	57.55	2.03	0	35	2026-01-07
SST10124	30.02	9.15	57.47	2.56	0	35	2026-01-07
SUP10102	30.08	8.97	56.99	3.18	0	35	2026-01-07

SUP10103	29.9	9.1	57.21	2.6	0	35	2026-01-07
SUP10104	30.03	9.16	57.51	2.55	0	35	2026-01-07
SUP10105	30.24	8.99	57.22	3.26	0	35	2026-01-07
SUP10107	30.21	9.05	57.36	3.06	0	35	2026-01-07
SUP10108	30.0	8.85	56.55	3.44	0	35	2026-01-07
SUP10109	29.85	8.99	56.83	2.87	0	35	2026-01-07
SUP10111	29.96	9.1	57.25	2.66	0	35	2026-01-07
SUP10112	29.76	9.02	56.81	2.7	0	35	2026-01-07
SUP10113	29.97	9.19	57.54	2.41	0	35	2026-01-07
SUP10114	29.93	9.25	57.69	2.17	0	35	2026-01-07
SUP10115	30.18	9.3	58.1	2.27	0	35	2026-01-07
SUP10117	30.24	9.25	57.98	2.5	0	35	2026-01-07
SUP10118	29.84	9.17	57.36	2.32	0	35	2026-01-07
SUP10119	29.78	9.29	57.64	1.91	0	35	2026-01-07
SUP10120	30.25	9.2	57.85	2.64	0	35	2026-01-07
SUP10122	29.78	9.51	58.3	1.26	0	35	2026-01-07
SUP10123	30.07	9.43	58.35	1.79	0	35	2026-01-07
SUP10124	30.28	9.4	58.47	2.09	0	35	2026-01-07
SUP10126	29.99	9.38	58.13	1.85	0	35	2026-01-07
SUP10127	30.01	9.32	57.97	2.04	0	35	2026-01-07
SUP10128	29.92	9.06	57.09	2.74	0	35	2026-01-07