

RPN Summary Report (2026-01-07) - Page 1/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ANO10102	64.21	19.96	124.09	4.32	0	35	2026-01-07
ANO10103	64.07	20.14	124.48	3.67	0	35	2026-01-07
ANO10104	63.69	20.67	125.7	1.68	0	35	2026-01-07
ANO10106	63.8	20.19	124.38	3.22	0	35	2026-01-07
ANO10107	64.33	20.25	125.07	3.59	0	35	2026-01-07
ANO10108	63.97	21.05	127.12	0.82	0	35	2026-01-07
ANO10110	63.78	20.09	124.06	3.5	0	35	2026-01-07
ANO10111	64.65	20.66	126.62	2.68	0	35	2026-01-07
ANO10112	64.18	20.57	125.89	2.47	0	35	2026-01-07
ANO10114	63.64	20.26	124.43	2.85	0	35	2026-01-07
ANO10115	64.69	20.68	126.74	2.65	0	35	2026-01-07
ANO10116	64.11	20.7	126.22	2.01	0	35	2026-01-07
ANO10118	64.41	20.66	126.38	2.44	0	35	2026-01-07
ANO10119	63.88	20.45	125.23	2.54	0	35	2026-01-07
ANO10120	64.37	20.39	125.52	3.21	0	35	2026-01-07
ANO10122	64.18	20.7	126.28	2.08	0	35	2026-01-07
ANO10123	64.46	20.54	126.08	2.84	0	35	2026-01-07
ANO10124	64.19	21.06	127.36	1.01	0	35	2026-01-07
BPT10102	63.23	20.33	124.2	2.25	0	35	2026-01-07
BPT10103	64.14	19.98	124.09	4.18	0	35	2026-01-07
BPT10104	64.23	20.11	124.57	3.9	0	35	2026-01-07
BPT10106	65.13	20.48	126.55	3.7	0	35	2026-01-07
BPT10107	64.05	20.4	125.25	2.86	0	35	2026-01-07
BPT10108	64.24	20.49	125.7	2.78	0	35	2026-01-07
BPT10110	64.1	20.1	124.39	3.81	0	35	2026-01-07
BPT10111	63.98	20.76	126.27	1.69	0	35	2026-01-07
BPT10112	63.33	20.97	126.25	0.41	0	35	2026-01-07
BPT10114	64.13	20.18	124.67	3.6	0	35	2026-01-07
BPT10115	64.62	20.56	126.29	2.94	0	35	2026-01-07
BPT10116	64.7	20.61	126.54	2.86	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 2/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
BPT10118	63.93	20.32	124.88	2.98	0	35	2026-01-07
BPT10119	64.49	20.63	126.37	2.61	0	35	2026-01-07
BPT10120	63.79	20.13	124.19	3.39	0	35	2026-01-07
BPT10122	63.97	20.58	125.69	2.24	0	35	2026-01-07
BPT10123	63.74	20.65	125.69	1.79	0	35	2026-01-07
BPT10124	64.15	20.53	125.73	2.57	0	35	2026-01-07
BPT10126	64.17	20.09	124.44	3.91	0	35	2026-01-07
BPT10127	63.84	20.37	124.95	2.73	0	35	2026-01-07
BPT10128	64.65	20.54	126.28	3.03	0	35	2026-01-07
CMM10102	64.14	20.87	126.76	1.53	0	35	2026-01-07
CMM10103	64.86	20.07	125.08	4.65	0	35	2026-01-07
CMM10104	63.61	20.33	124.59	2.63	0	35	2026-01-07
CMM10106	64.11	20.02	124.17	4.04	0	35	2026-01-07
CMM10107	64.53	20.48	125.97	3.09	0	35	2026-01-07
CMM10108	64.27	20.19	124.85	3.69	0	35	2026-01-07
CMM10110	63.69	20.19	124.26	3.12	0	35	2026-01-07
CMM10111	64.49	20.2	125.1	3.89	0	35	2026-01-07
CMM10112	63.96	20.44	125.29	2.64	0	35	2026-01-07
CMM10114	64.03	20.55	125.67	2.39	0	35	2026-01-07
CMM10115	64.37	19.65	123.31	5.43	0	35	2026-01-07
CMM10116	63.86	20.67	125.86	1.86	0	35	2026-01-07
CMM10118	64.08	20.36	125.17	3.0	0	35	2026-01-07
CMM10119	63.59	20.29	124.46	2.72	0	35	2026-01-07
CMM10120	63.81	20.79	126.19	1.43	0	35	2026-01-07
CMM10122	65.22	20.68	127.26	3.18	0	35	2026-01-07
CMM10123	64.09	20.23	124.77	3.4	0	35	2026-01-07
CMM10124	64.3	20.53	125.9	2.7	0	35	2026-01-07
CNT10102	64.1	21.05	127.24	0.97	0	35	2026-01-07
CNT10103	64.53	20.84	127.04	2.01	0	35	2026-01-07
CNT10104	64.21	20.43	125.51	2.92	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 3/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
CNT10106	63.64	20.28	124.48	2.81	0	35	2026-01-07
CNT10107	63.9	20.26	124.69	3.11	0	35	2026-01-07
CNT10108	63.77	20.68	125.8	1.73	0	35	2026-01-07
CNT10110	63.41	20.57	125.12	1.7	0	35	2026-01-07
CNT10111	64.01	21.06	127.18	0.84	0	35	2026-01-07
CNT10112	63.52	20.11	123.87	3.18	0	35	2026-01-07
CNT10114	64.33	20.83	126.83	1.83	0	35	2026-01-07
CNT10115	63.99	20.13	124.38	3.61	0	35	2026-01-07
CNT10116	63.97	20.7	126.07	1.86	0	35	2026-01-07
CNT10118	64.37	19.77	123.69	5.06	0	35	2026-01-07
CNT10119	64.3	20.26	125.07	3.53	0	35	2026-01-07
CNT10120	63.61	20.03	123.7	3.52	0	35	2026-01-07
CNT10122	64.15	20.69	126.23	2.08	0	35	2026-01-07
CNT10123	63.66	20.66	125.63	1.69	0	35	2026-01-07
CNT10124	64.13	20.3	125.04	3.23	0	35	2026-01-07
CNT10126	63.98	19.88	123.61	4.36	0	35	2026-01-07
CNT10127	62.68	20.59	124.44	0.92	0	35	2026-01-07
CNT10128	63.98	20.84	126.49	1.47	0	35	2026-01-07
DLY10102	64.4	20.41	125.62	3.19	0	35	2026-01-07
DLY10103	64.43	20.28	125.28	3.58	0	35	2026-01-07
DLY10104	63.95	20.33	124.93	2.96	0	35	2026-01-07
DLY10105	64.64	20.26	125.41	3.87	0	35	2026-01-07
DLY10107	64.25	20.7	126.34	2.16	0	35	2026-01-07
DLY10108	64.38	20.63	126.28	2.48	0	35	2026-01-07
DLY10109	63.75	20.67	125.77	1.73	0	35	2026-01-07
DLY10110	63.88	20.44	125.19	2.58	0	35	2026-01-07
DLY10112	63.42	20.05	123.56	3.28	0	35	2026-01-07
DLY10113	64.87	20.19	125.44	4.29	0	35	2026-01-07
DLY10114	63.78	19.87	123.38	4.19	0	35	2026-01-07
DLY10115	64.17	20.83	126.66	1.67	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 4/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
DLY10117	63.99	20.37	125.11	2.87	0	35	2026-01-07
DLY10118	64.24	20.58	125.97	2.51	0	35	2026-01-07
DLY10119	64.39	20.29	125.25	3.52	0	35	2026-01-07
DLY10120	64.37	19.96	124.27	4.48	0	35	2026-01-07
DLY10122	63.85	20.09	124.12	3.58	0	35	2026-01-07
DLY10123	64.09	20.42	125.34	2.84	0	35	2026-01-07
DLY10124	63.63	20.7	125.72	1.54	0	35	2026-01-07
DLY10125	63.73	20.42	124.98	2.47	0	35	2026-01-07
DLY10127	63.99	20.19	124.57	3.42	0	35	2026-01-07
DLY10128	63.86	20.64	125.78	1.93	0	35	2026-01-07
DLY10129	63.71	20.33	124.71	2.72	0	35	2026-01-07
DLY10130	63.74	20.31	124.68	2.8	0	35	2026-01-07
DLY10132	64.24	20.21	124.87	3.6	0	35	2026-01-07
DLY10133	64.01	20.7	126.12	1.91	0	35	2026-01-07
DLY10134	63.78	19.85	123.33	4.23	0	35	2026-01-07
DLY10135	64.23	20.49	125.69	2.77	0	35	2026-01-07
FLO10102	63.52	20.16	124.0	3.05	0	35	2026-01-07
FLO10103	63.4	20.1	123.69	3.1	0	35	2026-01-07
FLO10104	64.78	21.02	127.85	1.71	0	35	2026-01-07
FLO10106	63.9	20.84	126.43	1.38	0	35	2026-01-07
FLO10107	64.22	20.29	125.08	3.36	0	35	2026-01-07
FLO10108	63.95	20.57	125.67	2.23	0	35	2026-01-07
FLO10110	63.53	20.12	123.89	3.17	0	35	2026-01-07
FLO10111	64.16	20.63	126.06	2.27	0	35	2026-01-07
FLO10112	63.98	20.26	124.77	3.18	0	35	2026-01-07
FLO10114	63.92	20.05	124.08	3.76	0	35	2026-01-07
FLO10115	63.9	20.09	124.16	3.63	0	35	2026-01-07
FLO10116	64.58	20.48	126.01	3.15	0	35	2026-01-07
FLO10118	63.86	20.54	125.48	2.23	0	35	2026-01-07
FLO10119	64.0	19.93	123.77	4.22	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 5/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
FLO10120	64.6	20.34	125.63	3.57	0	35	2026-01-07
FLO10122	64.0	20.67	126.01	1.99	0	35	2026-01-07
FLO10123	63.95	19.99	123.9	3.99	0	35	2026-01-07
FLO10124	63.94	20.15	124.39	3.49	0	35	2026-01-07
IDP10102	64.46	20.79	126.82	2.1	0	35	2026-01-07
IDP10103	63.5	20.61	125.32	1.67	0	35	2026-01-07
IDP10105	64.24	20.24	124.97	3.51	0	35	2026-01-07
IDP10106	64.64	20.52	126.21	3.07	0	35	2026-01-07
IDP10107	63.93	20.01	123.95	3.91	0	35	2026-01-07
IDP10109	63.92	21.1	127.23	0.62	0	35	2026-01-07
IDP10110	63.71	20.36	124.77	2.64	0	35	2026-01-07
IDP10111	63.36	19.99	123.34	3.38	0	35	2026-01-07
IDP10113	63.57	20.56	125.25	1.88	0	35	2026-01-07
IDP10114	63.75	20.26	124.53	2.98	0	35	2026-01-07
IDP10115	63.87	20.15	124.31	3.43	0	35	2026-01-07
IDP10117	64.46	20.25	125.21	3.71	0	35	2026-01-07
IDP10118	63.94	20.55	125.58	2.29	0	35	2026-01-07
IDP10119	63.75	20.24	124.47	3.04	0	35	2026-01-07
IDP10121	64.28	20.52	125.85	2.71	0	35	2026-01-07
IDP10122	63.81	20.32	124.77	2.85	0	35	2026-01-07
IDP10123	63.72	20.15	124.17	3.28	0	35	2026-01-07
IDP10125	63.65	20.23	124.34	2.97	0	35	2026-01-07
IDP10126	64.24	20.2	124.84	3.65	0	35	2026-01-07
IDP10127	63.49	20.46	124.88	2.11	0	35	2026-01-07
MDM10102	63.03	20.61	124.87	1.19	0	35	2026-01-07
MDM10103	64.41	19.99	124.37	4.44	0	35	2026-01-07
MDM10104	64.54	20.66	126.53	2.55	0	35	2026-01-07
MDM10106	63.97	20.85	126.5	1.43	0	35	2026-01-07
MDM10107	64.16	20.83	126.65	1.67	0	35	2026-01-07
MDM10108	63.71	20.9	126.4	1.02	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 6/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
MDM10110	64.24	20.72	126.42	2.07	0	35	2026-01-07
MDM10111	64.19	20.1	124.5	3.89	0	35	2026-01-07
MDM10112	63.74	20.61	125.58	1.9	0	35	2026-01-07
MDM10114	64.19	20.32	125.17	3.22	0	35	2026-01-07
MDM10115	63.6	20.73	125.8	1.4	0	35	2026-01-07
MDM10116	64.09	20.45	125.46	2.73	0	35	2026-01-07
MDM10118	64.58	20.39	125.75	3.4	0	35	2026-01-07
MDM10119	64.35	19.76	123.64	5.06	0	35	2026-01-07
MDM10120	63.92	20.26	124.7	3.14	0	35	2026-01-07
MDM10122	64.65	20.5	126.14	3.16	0	35	2026-01-07
MDM10123	64.01	20.35	125.07	2.96	0	35	2026-01-07
MDM10124	64.7	20.46	126.1	3.31	0	35	2026-01-07
MDM10126	64.08	20.39	125.25	2.91	0	35	2026-01-07
MDM10127	63.91	20.37	125.03	2.79	0	35	2026-01-07
MDM10128	64.13	20.14	124.54	3.73	0	35	2026-01-07
PJM10102	64.31	20.3	125.21	3.42	0	35	2026-01-07
PJM10103	63.8	20.05	123.94	3.67	0	35	2026-01-07
PJM10104	63.67	20.18	124.23	3.12	0	35	2026-01-07
PJM10106	63.95	20.27	124.76	3.14	0	35	2026-01-07
PJM10107	63.74	20.5	125.23	2.24	0	35	2026-01-07
PJM10108	63.36	20.45	124.71	2.02	0	35	2026-01-07
PJM10110	64.21	21.21	127.84	0.57	0	35	2026-01-07
PJM10111	64.03	20.92	126.79	1.26	0	35	2026-01-07
PJM10112	64.5	20.27	125.32	3.68	0	35	2026-01-07
PJM10114	63.81	20.05	123.98	3.65	0	35	2026-01-07
PJM10115	64.34	20.25	125.1	3.58	0	35	2026-01-07
PJM10116	64.26	20.11	124.6	3.93	0	35	2026-01-07
PJM10118	63.64	20.2	124.23	3.05	0	35	2026-01-07
PJM10119	63.74	20.46	125.11	2.37	0	35	2026-01-07
PJM10120	63.99	20.02	124.04	3.94	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 7/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
PJM10122	64.04	20.73	126.25	1.84	0	35	2026-01-07
PJM10123	63.82	20.75	126.06	1.58	0	35	2026-01-07
PJM10124	63.58	20.47	124.99	2.16	0	35	2026-01-07
PTY10102	64.31	20.23	124.99	3.62	0	35	2026-01-07
PTY10103	63.85	20.1	124.14	3.55	0	35	2026-01-07
PTY10104	64.02	20.52	125.58	2.47	0	35	2026-01-07
PTY10106	64.09	20.86	126.68	1.5	0	35	2026-01-07
PTY10107	64.65	20.71	126.79	2.51	0	35	2026-01-07
PTY10108	64.04	20.3	124.94	3.15	0	35	2026-01-07
PTY10110	63.47	20.52	125.03	1.91	0	35	2026-01-07
PTY10111	63.55	20.46	124.95	2.16	0	35	2026-01-07
PTY10112	63.84	20.39	124.99	2.68	0	35	2026-01-07
PTY10114	63.64	20.61	125.48	1.8	0	35	2026-01-07
PTY10115	63.96	20.98	126.91	1.01	0	35	2026-01-07
PTY10116	63.82	20.65	125.77	1.88	0	35	2026-01-07
PTY10118	64.36	21.11	127.71	1.02	0	35	2026-01-07
PTY10119	64.18	20.2	124.78	3.59	0	35	2026-01-07
PTY10120	64.24	20.52	125.81	2.67	0	35	2026-01-07
PTY10122	63.86	20.87	126.45	1.26	0	35	2026-01-07
PTY10123	64.53	20.41	125.76	3.29	0	35	2026-01-07
PTY10124	63.91	20.4	125.12	2.7	0	35	2026-01-07
PTY10126	63.57	20.13	123.96	3.18	0	35	2026-01-07
PTY10127	64.23	20.42	125.49	2.97	0	35	2026-01-07
PTY10128	64.08	20.35	125.13	3.03	0	35	2026-01-07
PVD10102	64.0	20.33	125.0	3.0	0	35	2026-01-07
PVD10103	63.64	20.62	125.52	1.77	0	35	2026-01-07
PVD10104	64.34	19.58	123.08	5.6	0	35	2026-01-07
PVD10106	63.89	20.37	125.0	2.78	0	35	2026-01-07
PVD10108	63.78	20.27	124.59	2.96	0	35	2026-01-07
PVD10110	64.46	20.49	125.93	3.0	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 8/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
PVD10111	63.94	20.42	125.18	2.69	0	35	2026-01-07
PVD10113	64.03	20.52	125.58	2.47	0	35	2026-01-07
PVD10114	63.53	20.58	125.25	1.8	0	35	2026-01-07
PVD10115	63.67	20.16	124.13	3.2	0	35	2026-01-07
PVD10117	64.12	20.24	124.84	3.4	0	35	2026-01-07
PVD10118	63.6	20.64	125.53	1.68	0	35	2026-01-07
PVD10120	64.17	20.7	126.28	2.06	0	35	2026-01-07
PVD10121	64.59	20.34	125.59	3.58	0	35	2026-01-07
PVM10102	63.83	20.34	124.84	2.82	0	35	2026-01-07
PVM10103	63.86	20.3	124.77	2.95	0	35	2026-01-07
PVM10104	63.52	20.42	124.78	2.27	0	35	2026-01-07
PVM10106	64.1	20.41	125.34	2.85	0	35	2026-01-07
PVM10107	64.31	20.47	125.72	2.9	0	35	2026-01-07
PVM10108	64.25	20.19	124.83	3.67	0	35	2026-01-07
PVM10110	64.16	20.23	124.83	3.48	0	35	2026-01-07
PVM10111	63.99	20.55	125.65	2.34	0	35	2026-01-07
PVM10113	63.66	20.12	124.0	3.31	0	35	2026-01-07
PVM10114	64.66	20.18	125.2	4.12	0	35	2026-01-07
PVM10116	63.75	20.52	125.32	2.18	0	35	2026-01-07
PVM10117	64.17	20.02	124.22	4.12	0	35	2026-01-07
PVM10118	63.78	20.14	124.19	3.36	0	35	2026-01-07
PVM10120	64.11	20.61	125.95	2.28	0	35	2026-01-07
PVM10121	64.38	20.32	125.34	3.42	0	35	2026-01-07
PVM10122	64.47	20.32	125.42	3.52	0	35	2026-01-07
PVM10124	63.97	19.89	123.64	4.29	0	35	2026-01-07
PVM10125	64.05	20.28	124.9	3.19	0	35	2026-01-07
PVM10126	64.01	20.78	126.35	1.68	0	35	2026-01-07
PVM10128	63.69	20.36	124.78	2.61	0	35	2026-01-07
PVM10129	63.78	20.32	124.73	2.82	0	35	2026-01-07
PVM10130	64.01	20.34	125.03	2.99	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 9/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
PVM10132	63.89	20.1	124.2	3.59	0	35	2026-01-07
PVM10133	64.03	20.53	125.61	2.45	0	35	2026-01-07
PVM10134	64.67	20.07	124.88	4.46	0	35	2026-01-07
SYA10102	64.0	20.55	125.66	2.34	0	35	2026-01-07
SYA10103	64.32	20.38	125.46	3.18	0	35	2026-01-07
SYA10104	63.78	20.51	125.31	2.25	0	35	2026-01-07
SYA10105	64.04	20.34	125.06	3.02	0	35	2026-01-07
SYA10107	63.91	19.93	123.7	4.11	0	35	2026-01-07
SYA10108	64.11	20.27	124.92	3.3	0	35	2026-01-07
SYA10109	63.46	20.02	123.51	3.41	0	35	2026-01-07
SYA10110	64.59	20.24	125.33	3.86	0	35	2026-01-07
SYA10112	63.76	20.18	124.31	3.21	0	35	2026-01-07
SYA10113	64.29	20.88	126.91	1.66	0	35	2026-01-07
SYA10114	64.07	20.39	125.23	2.91	0	35	2026-01-07
SYA10115	64.29	20.6	126.09	2.48	0	35	2026-01-07
SYA10117	63.71	20.87	126.32	1.09	0	35	2026-01-07
SYA10118	63.68	20.66	125.64	1.71	0	35	2026-01-07
SYA10119	64.12	20.97	127.03	1.22	0	35	2026-01-07
SYA10121	63.74	20.41	124.98	2.49	0	35	2026-01-07
SYA10122	63.15	20.1	123.45	2.86	0	35	2026-01-07
SYA10123	64.14	20.29	125.02	3.27	0	35	2026-01-07
SYA10125	63.73	20.45	125.07	2.39	0	35	2026-01-07
SYA10126	63.73	19.98	123.68	3.79	0	35	2026-01-07
SYA10127	63.64	20.2	124.25	3.04	0	35	2026-01-07
SYA10129	63.83	20.22	124.49	3.17	0	35	2026-01-07
SYA10130	63.72	20.26	124.5	2.94	0	35	2026-01-07
SYA10131	63.98	20.14	124.4	3.56	0	35	2026-01-07
TCH10102	63.78	20.24	124.49	3.07	0	35	2026-01-07
TCH10103	64.16	20.75	126.42	1.91	0	35	2026-01-07
TCH10104	63.33	20.06	123.5	3.16	0	35	2026-01-07

RPN Summary Report (2026-01-07) - Page 10/10

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
TCH10106	64.34	20.03	124.44	4.25	0	35	2026-01-07
TCH10107	63.9	19.92	123.67	4.13	0	35	2026-01-07
TCH10108	64.0	20.47	125.41	2.6	0	35	2026-01-07
TCH10110	63.71	20.15	124.15	3.27	0	35	2026-01-07
TCH10111	63.95	20.29	124.83	3.08	0	35	2026-01-07
TCH10112	64.44	20.54	126.05	2.83	0	35	2026-01-07
TCH10114	64.13	20.65	126.08	2.18	0	35	2026-01-07
TCH10115	64.03	20.77	126.34	1.73	0	35	2026-01-07
TCH10116	64.52	20.63	126.41	2.63	0	35	2026-01-07
TCH10118	63.31	19.64	122.23	4.39	0	35	2026-01-07
TCH10119	64.45	20.56	126.12	2.77	0	35	2026-01-07
TCH10120	64.36	20.73	126.54	2.18	0	35	2026-01-07
TCH10122	64.06	20.26	124.83	3.29	0	35	2026-01-07
TCH10123	64.33	19.88	123.98	4.69	0	35	2026-01-07
TCH10124	64.15	20.39	125.32	2.98	0	35	2026-01-07
TCH10126	63.82	20.42	125.08	2.56	0	35	2026-01-07
TCH10127	64.01	20.46	125.38	2.64	0	35	2026-01-07
TCH10128	63.68	20.57	125.39	1.96	0	35	2026-01-07