

MASTER_CONSOLIDATED_REPORT.txt

TBD2 pipeline output - rendered to PDF

MASTER REPORT: Shared Module Unified Report

Total sections: 8

=== low_performing_entities_report_shared.txt ===

Low-Performing Metrics

S.No,Metric Id,Metric Name,Metric Value

1,	CNT10127,	Innovation in Content Management,	62.68
2,	MDM10102,	Data Accuracy,	63.031666666666666
3,	SYA10122,	Maintenance Task Completion Rate,	63.150333333333336
4,	BPT10102,	Data Accuracy,	63.225666666666667
5,	TCH10118,	Technology Lifecycle Management Efficiency,	63.310666666666667
6,	BPT10112,	Data Encryption Rate,	63.331333333333333
7,	TCH10104,	Time to Market for New Technologies,	63.332
8,	IDP10111,	Access Control Policy Updates,	63.360333333333334
9,	PJM10108,	Budget Adherence,	63.363333333333334
10,	FLO10103,	Average Detection Time,	63.397

Low-Performing Groups

S.No,Group Id,Group Name,Group Value

1,	CNT10125,	7. Continuous Improvement,	63.54732
2,	PTY10109,	3. Data Security,	63.621110000000001
3,	CNT10109,	3. Content Security,	63.648309999999995
4,	IDP10108,	3. Access Control,	63.6635
5,	SYA10120,	5. Maintenance and Support,	63.67659333333332
6,	PJM10105,	2. Project Execution,	63.681920000000005
7,	SYA10124,	6. Security and Compliance,	63.701346666666666
8,	IDP10112,	4. User Authentication,	63.729276666666664
9,	PVM10101,	1. Privacy Policy Enforcement,	63.73848
10,	PVD10112,	5. Stakeholder Feedback,	63.740619999999999

Low-Performing Sub-Modules

S.No,	Sub-Module Id,	Sub-Module Name,	Sub-Module Value
1,	SYA10000,	Systems and Applications Management,	63.88716
2,	IDP10000,	Identification and Permission Management,	63.91775
3,	CNT10000,	Content Management,	63.91783000000001
4,	PJM10000,	Project Management,	63.93353666666666
5,	PVD10000,	Privacy Development,	63.97732333333333
6,	PTY10000,	Party Information Management,	64.00955666666665
7,	FLO10000,	Fallout Management,	64.01034666666666
8,	TCH10000,	Technology Management,	64.02235333333333
9,	PVM10000,	Privacy Management,	64.04889
10,	DLY10000,	Data Analytics,	64.06315333333335
Overall Module Average,SHRD_001,64.02			

=== M_G_SM_correlation_report_shared.txt ===

Correlation Report (top pairs by |correlation|; full matrices are still used internally for CHAID risk binning - see chaid_risk_segmentation_report)

Metrics Correlation Summary

Total pairs examined: 41328
Pairs with |correlation| >= 0.5: 0
Mean |correlation|: 0.0146

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

CMM10103	Data Transmission Quality	SYA10104	Mean Time to Repair (MTTR)	-0.0806
CMM10108	Mean Time to Repair (MTTR)	BPT10124	Net Promoter Score (NPS)	0.0755
IDP10126	Innovation in Identification and Permission Management	DLY10134	User Feedback on Reports	0.0735
CNT10104	Content Consistency	DLY10107	Insight-to-Action Ratio	0.0733
PTY10127	Innovation in Data Management	DLY10115	Frequency of Analytics Tool Usage	-0.0732
PVM10110	Training Completion Rate	ANO10118	Stakeholder Satisfaction Score	0.0698
MDM10120	Policy Update Frequency	IDP10123	Net Promoter Score (NPS)	0.0685
SYA10123	Support Ticket Resolution Time	DLY10123	Return on Analytics Investment (ROAI)	-0.0677
ANO10107	Diagnosis Time	BPT10123	Feedback Implementation Rate	0.0666
PVM10110	Training Completion Rate	CMM10115	Resource Utilization Rate	-0.0661
PTY10123	Feedback Implementation Rate	CMM10118	Stakeholder Satisfaction Score	0.0658
TCH10107	Technology Portfolio ROI	TCH10118	Technology Lifecycle Management Efficiency	0.0658
DLY10102	Data Accuracy Rate	DLY10113	Self-Service Analytics Utilization	0.0655

PVM10120 | Breach Detection Time | FLO10106 | Investigation Time | 0.0655
PTY10115 | Data Integration Success Rate | PTY10122 | Stakeholder Satisfaction Score | 0.0652
PVD10103 | Policy Coverage | IDP10119 | Monitoring Response Time | 0.0649
CMM10116 | Cost per Communication Unit | PJM10123 | Feedback Implementation Rate | -0.0649
CMM10107 | Downtime Incidents | DLY10119 | Data Loading Time | -0.0641
PTY10127 | Innovation in Data Management | CNT10107 | Content Entry Error Rate | 0.0639
IDP10127 | Policy Update Frequency | BPT10126 | Process Improvement Rate | 0.0638
CMM10104 | Network Latency | IDP10114 | Authentication Failure Rate | 0.0636
ANO10104 | False Positive Rate | TCH10108 | Percentage of Projects Aligned with Business Goals | 0.0636
PTY10102 | Data Accuracy | ANO10104 | False Positive Rate | -0.0634
PVD10110 | Policy Review Frequency | MDM10104 | Data Consistency | 0.0630
ANO10112 | Reoccurrence Rate | BPT10110 | Access Control Compliance | -0.0630
ANO10107 | Diagnosis Time | SYA10108 | Resource Utilization Rate | -0.0630
CMM10102 | Call Quality Score | PJM10118 | Risk Identification Rate | 0.0629
CNT10123 | Feedback Implementation Rate | FLO10119 | Feedback Implementation Rate | 0.0629
PVD10102 | Policy Development Time | ANO10123 | Innovation in Anomaly Management | -0.0629
PVM10124 | Third-Party Compliance Rate | SYA10125 | Security Incident Frequency | -0.0628
PVM10121 | Breach Notification Time | PTY10106 | Data Update Frequency | -0.0628
CNT10103 | Content Completeness | SYA10130 | Process Improvement Initiatives Implemented | -0.0623
ANO10108 | Root Cause Identification Rate | CNT10114 | Content Usage Rate | -0.0622
PVM10120 | Breach Detection Time | PJM10124 | Net Promoter Score (NPS) | 0.0620
SYA10112 | Incident Resolution Rate | DLY10104 | Data Consistency Score | 0.0618
FLO10104 | False Positive Rate | DLY10120 | Analytics Throughput | 0.0617
PTY10110 | Access Control Compliance | DLY10123 | Return on Analytics Investment (ROI) | 0.0617
ANO10124 | Policy Update Frequency | TCH10112 | Technology Risk Assessment Frequency | -0.0614
PTY10126 | Process Improvement Rate | CNT10124 | Net Promoter Score (NPS) | -0.0611
PVM10128 | Policy Update Frequency | DLY10122 | Business Decisions Influenced | 0.0611
PVD10120 | Budget Utilization for Policy Development | SYA10105 | ■Total time systems are non-operational | 0.0610
PVM10133 | Stakeholder Feedback Implementation Rate | PJM10112 | Change Request Handling Time | -0.0610
PVM10114 | Implementation of Recommendations | CNT10118 | Compliance Rate | 0.0610
PTY10106 | Data Update Frequency | BPT10110 | Access Control Compliance | 0.0609
MDM10108 | Data Validation Success Rate | TCH10114 | Total Cost of Ownership (TCO) Reduction | 0.0608
SYA10119 | Application Usability Rating | DLY10125 | Cost Savings from Analytics Insights | 0.0608
DLY10107 | Insight-to-Action Ratio | DLY10129 | Regulatory Compliance Score | 0.0608
PTY10119 | Audit Findings Resolution Time | CMM10123 | Innovation in Communication | -0.0607
PTY10116 | Data Accessibility Score | TCH10122 | Vendor Performance Score | -0.0607
SYA10109 | ■Degree of resource capacity being utilized | SYA10123 | Support Ticket Resolution Time | 0.0607
PTY10103 | Data Completeness | MDM10103 | Data Completeness | -0.0606
ANO10110 | Resolution Rate | MDM10127 | Innovation in Data Management | 0.0605

PTY10106 | Data Update Frequency | BPT10124 | Net Promoter Score (NPS) | -0.0603
TCH10124 | Vendor SLA Compliance | SYA10103 | Mean Time Between Failures (MTBF) | -0.0603
CMM10124 | Policy Update Frequency | DLY10105 | Data Error Rate | 0.0602
PTY10107 | Data Entry Error Rate | BPT10128 | Policy Update Frequency | 0.0601
MDM10102 | Data Accuracy | FLO10114 | Prevention Rate | 0.0597
ANO10122 | Process Improvement Rate | IDP10103 | False Identification Rate | 0.0595
PVM10124 | Third-Party Compliance Rate | CNT10110 | Access Control Compliance | -0.0594
PVM10132 | Stakeholder Satisfaction Score | CNT10119 | Audit Findings Resolution Time | 0.0593
ANO10107 | Diagnosis Time | FLO10124 | Policy Update Frequency | 0.0593
PTY10107 | Data Entry Error Rate | BPT10115 | Data Integration Success Rate | -0.0591
PVM10108 | Audit Findings Resolution Time | BPT10127 | Innovation in Data Management | 0.0591
CNT10126 | Process Improvement Rate | PJM10114 | Quality Control Compliance | -0.0590
PVM10125 | Third-Party Audit Findings | PTY10122 | Stakeholder Satisfaction Score | -0.0589
ANO10104 | False Positive Rate | PJM10104 | Stakeholder Engagement in Planning | 0.0588
CNT10120 | Policy Update Frequency | CNT10127 | Innovation in Content Management | 0.0584
SYA10126 | Compliance Audit Pass Rate | DLY10102 | Data Accuracy Rate | 0.0582
PVM10134 | Net Promoter Score (NPS) | TCH10119 | Percentage of Assets within Supported Lifecycle | -0.0581
IDP10109 | Access Control Compliance | BPT10123 | Feedback Implementation Rate | 0.0580
PVD10103 | Policy Coverage | SYA10121 | Backup and Recovery Success Rate | -0.0580
CMM10115 | Resource Utilization Rate | MDM10118 | Compliance Rate | 0.0579
FLO10102 | Issue Detection Rate | TCH10102 | Technology Innovation Rate | 0.0579
ANO10108 | Root Cause Identification Rate | SYA10129 | Performance Improvement Rate | -0.0578
PVM10121 | Breach Notification Time | TCH10115 | Technology Cost Savings Achieved | 0.0578
PJM10111 | Issue Resolution Time | BPT10106 | Data Update Frequency | -0.0577
MDM10111 | Data Breach Incidents | MDM10124 | Net Promoter Score (NPS) | 0.0574
CNT10119 | Audit Findings Resolution Time | PJM10122 | Stakeholder Satisfaction Score | -0.0574
PJM10111 | Issue Resolution Time | IDP10103 | False Identification Rate | 0.0574
ANO10102 | Detection Rate | CNT10119 | Audit Findings Resolution Time | -0.0573
PJM10112 | Change Request Handling Time | DLY10128 | Data Privacy Incident Rate | -0.0573
PVM10128 | Policy Update Frequency | PJM10102 | Project Plan Accuracy | 0.0572
IDP10115 | Authentication Method Diversity | SYA10109 | ■Degree of resource capacity being utilized | 0.0572
PVM10118 | Request Satisfaction Score | CNT10118 | Compliance Rate | -0.0572
MDM10118 | Compliance Rate | BPT10128 | Policy Update Frequency | -0.0572
FLO10111 | Average Resolution Time | SYA10121 | Backup and Recovery Success Rate | -0.0571
PJM10115 | Defect Rate | PJM10119 | Risk Mitigation Effectiveness | 0.0570
ANO10104 | False Positive Rate | CMM10116 | Cost per Communication Unit | 0.0569
ANO10102 | Detection Rate | BPT10108 | Data Validation Success Rate | 0.0567
PVD10117 | Benchmarking Performance | DLY10127 | Data Governance Compliance Rate | 0.0566
CNT10118 | Compliance Rate | FLO10118 | Stakeholder Satisfaction Score | 0.0565
CMM10112 | Access Control Compliance | MDM10123 | Feedback Implementation Rate | -0.0565

CNT10110 | Access Control Compliance | FLO10107 | Investigation Accuracy | -0.0564
MDM10127 | Innovation in Data Management | PJM10122 | Stakeholder Satisfaction Score | -0.0564
ANO10112 | Reoccurrence Rate | CMM10116 | Cost per Communication Unit | 0.0563
MDM10108 | Data Validation Success Rate | SYA10117 | User Satisfaction Score (USS) | 0.0562
TCH10116 | Budget Variance | DLY10103 | Data Completeness | 0.0562
ANO10103 | Detection Time | FLO10110 | Resolution Rate | 0.0559
PVM10125 | Third-Party Audit Findings | CNT10106 | Content Update Frequency | -0.0559
PVM10113 | Privacy Impact Assessment Accuracy | TCH10111 | Compliance with Technology Standards | 0.0557
IDP10113 | Authentication Success Rate | SYA10104 | Mean Time to Repair (MTTR) | -0.0557
DLY10109 | Number of Insights Generated | DLY10110 | Analytics Project Success Rate | 0.0556
PVM10107 | Audit Coverage | PVM10117 | Request Completion Rate | 0.0556
IDP10103 | False Identification Rate | DLY10135 | Time to Deliver Reports | -0.0555
PVD10103 | Policy Coverage | DLY10109 | Number of Insights Generated | -0.0554
CMM10107 | Downtime Incidents | FLO10120 | Net Promoter Score (NPS) | -0.0552
PVD10117 | Benchmarking Performance | ANO10102 | Detection Rate | -0.0552
ANO10115 | Preventive Actions Implemented | SYA10102 | System Uptime Percentage | -0.0552
BPT10127 | Innovation in Data Management | DLY10109 | Number of Insights Generated | 0.0551
PJM10107 | Resource Utilization Rate | FLO10102 | Issue Detection Rate | -0.0551
TCH10103 | Technology Adoption Rate | TCH10108 | Percentage of Projects Aligned with Business Goals | -0.0551
PVM10120 | Breach Detection Time | PVM10124 | Third-Party Compliance Rate | -0.0549
CMM10103 | Data Transmission Quality | CMM10107 | Downtime Incidents | -0.0548
PTY10114 | Data Usage Rate | FLO10108 | Root Cause Identification Rate | -0.0548
BPT10119 | Audit Findings Resolution Time | TCH10102 | Technology Innovation Rate | -0.0548
CNT10107 | Content Entry Error Rate | PJM10108 | Budget Adherence | -0.0547
PTY10112 | Data Encryption Rate | CNT10124 | Net Promoter Score (NPS) | -0.0547
ANO10102 | Detection Rate | CMM10115 | Resource Utilization Rate | 0.0547
CNT10112 | Content Encryption Rate | BPT10120 | Policy Update Frequency | 0.0547
CNT10126 | Process Improvement Rate | CNT10127 | Innovation in Content Management | -0.0546
PVD10106 | Employee Knowledge Score | PVM10110 | Training Completion Rate | 0.0546
DLY10118 | Query Response Time | DLY10122 | Business Decisions Influenced | 0.0545
BPT10110 | Access Control Compliance | TCH10124 | Vendor SLA Compliance | 0.0545
PVM10133 | Stakeholder Feedback Implementation Rate | DLY10134 | User Feedback on Reports | -0.0545
CNT10103 | Content Completeness | DLY10112 | Analytics Adoption Rate | -0.0544
ANO10118 | Stakeholder Satisfaction Score | BPT10124 | Net Promoter Score (NPS) | 0.0544
PVM10108 | Audit Findings Resolution Time | IDP10127 | Policy Update Frequency | 0.0544
SYA10115 | Problem Resolution Time | DLY10104 | Data Consistency Score | 0.0544
PTY10116 | Data Accessibility Score | IDP10102 | Identification Accuracy Rate | -0.0543
MDM10115 | Data Integration Success Rate | TCH10114 | Total Cost of Ownership (TCO) Reduction | -0.0543
PTY10108 | Data Validation Success Rate | TCH10126 | Technology User Satisfaction Score | -0.0543
CMM10116 | Cost per Communication Unit | CNT10116 | Content Accessibility Score | 0.0543

IDP10109 | Access Control Compliance | FLO10120 | Net Promoter Score (NPS) | -0.0542
CNT10104 | Content Consistency | PJM10108 | Budget Adherence | -0.0542
CMM10103 | Data Transmission Quality | CNT10126 | Process Improvement Rate | 0.0541
PTY10120 | Policy Update Frequency | CNT10118 | Compliance Rate | 0.0541
PVD10120 | Budget Utilization for Policy Development | PTY10107 | Data Entry Error Rate | 0.0540
ANO10104 | False Positive Rate | FLO10123 | Innovation in Fallout Management | 0.0540
CMM10110 | Security Incident Rate | IDP10125 | Process Improvement Rate | 0.0540
PTY10116 | Data Accessibility Score | TCH10118 | Technology Lifecycle Management Efficiency | -0.0539
IDP10123 | Net Promoter Score (NPS) | TCH10104 | Time to Market for New Technologies | 0.0539
PVM10126 | Third-Party Data Protection Agreements | TCH10103 | Technology Adoption Rate | 0.0538
ANO10114 | Prevention Rate | SYA10130 | Process Improvement Initiatives Implemented | 0.0537
PVM10110 | Training Completion Rate | ANO10112 | Reoccurrence Rate | 0.0537
FLO10115 | Preventive Actions Implemented | SYA10107 | Application Response Time | -0.0536
MDM10120 | Policy Update Frequency | DLY10108 | Predictive Model Accuracy | -0.0536
PTY10118 | Compliance Rate | DLY10134 | User Feedback on Reports | 0.0536
SYA10108 | Resource Utilization Rate | SYA10109 | Degree of resource capacity being utilized | -0.0536
CMM10124 | Policy Update Frequency | SYA10131 | Training Completion Rate for IT Staff | -0.0536
PVD10108 | Number of Privacy Impact Assessments Conducted | SYA10125 | Security Incident Frequency | 0.0536

Groups Correlation Summary

Total pairs examined: 4560

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0146

No pairs met the threshold - showing top 150 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

CMM10121 | 6. Continuous Improvement | MDM10121 | 6. Stakeholder Satisfaction | -0.0783
IDP10108 | 3. Access Control | BPT10109 | 3. Data Security | 0.0698
PVM10112 | 4. Privacy Impact Assessments | CNT10117 | 5. Content Governance | 0.0644
PVD10119 | 7. Resource Allocation | SYA10101 | 1. Reliability and Availability | 0.0631
CNT10109 | 3. Content Security | MDM10101 | 1. Data Quality | -0.0624
PVM10109 | 3. Privacy Training and Awareness | PTY10109 | 3. Data Security | 0.0606
PVD10116 | 6. Compliance with Best Practices | TCH10105 | 2. Strategic Alignment | -0.0606
PJM10109 | 3. Project Monitoring and Control | SYA10124 | 6. Security and Compliance | 0.0593
PJM10117 | 5. Project Risk Management | BPT10113 | 4. Data Utilization | -0.0582
PVD10119 | 7. Resource Allocation | DLY10131 | 7. Visualization and Communication | 0.0581
PVD10112 | 5. Stakeholder Feedback | IDP10104 | 2. Permission Management | 0.0575
MDM10121 | 6. Stakeholder Satisfaction | FLO10121 | 6. Continuous Improvement | 0.0562
CNT10101 | 1. Content Quality | DLY10111 | 3. Adoption and Utilization | -0.0562
SYA10106 | 2. Performance | SYA10124 | 6. Security and Compliance | -0.0560
PJM10105 | 2. Project Execution | IDP10116 | 5. User Activity Monitoring | 0.0549

PJM10113 | 4. Project Quality | DLY10121 | 5. Impact on Decision-Making | -0.0543
CMM10109 | 3. Communication Security | IDP10124 | 7. Continuous Improvement | 0.0539
TCH10109 | 3. Risk and Compliance | TCH10113 | 4. Cost Management | 0.0529
PVD10101 | 1. Privacy Policy Development | ANO10101 | 1. Anomaly Detection | 0.0529
TCH10109 | 3. Risk and Compliance | DLY10126 | 6. Governance and Compliance | 0.0526
ANO10121 | 6. Continuous Improvement | BPT10125 | 7. Continuous Improvement | -0.0525
PTY10109 | 3. Data Security | CNT10113 | 4. Content Utilization | -0.0522
PVD10112 | 5. Stakeholder Feedback | FLO10105 | 2. Issue Investigation | -0.0520
PVD10105 | 2. Privacy Training and Awareness | CMM10117 | 5. Stakeholder Satisfaction | -0.0517
PTY10125 | 7. Continuous Improvement | SYA10101 | 1. Reliability and Availability | 0.0516
ANO10117 | 5. Stakeholder Satisfaction | CMM10121 | 6. Continuous Improvement | -0.0512
PVM10101 | 1. Privacy Policy Enforcement | BPT10125 | 7. Continuous Improvement | -0.0509
TCH10113 | 4. Cost Management | DLY10101 | 1. Data Quality | 0.0508
ANO10121 | 6. Continuous Improvement | CMM10113 | 4. Communication Efficiency | 0.0506
SYA10124 | 6. Security and Compliance | DLY10111 | 3. Adoption and Utilization | 0.0504
PVM10115 | 5. Data Subject Requests | PTY10121 | 6. Stakeholder Satisfaction | -0.0500
PVD10105 | 2. Privacy Training and Awareness | CNT10125 | 7. Continuous Improvement | -0.0499
ANO10121 | 6. Continuous Improvement | BPT10113 | 4. Data Utilization | 0.0497
PVD10112 | 5. Stakeholder Feedback | PVM10127 | 8. Continuous Improvement | -0.0490
CMM10101 | 1. Communication Quality | DLY10116 | 4. Processing Efficiency | -0.0489
PJM10109 | 3. Project Monitoring and Control | DLY10126 | 6. Governance and Compliance | -0.0489
ANO10121 | 6. Continuous Improvement | SYA10128 | 7. Continuous Improvement | 0.0487
PVM10115 | 5. Data Subject Requests | SYA10111 | 3. Incident and Problem Management | -0.0487
PVM10127 | 8. Continuous Improvement | PJM10101 | 1. Project Planning | 0.0486
IDP10112 | 4. User Authentication | FLO10121 | 6. Continuous Improvement | -0.0483
TCH10105 | 2. Strategic Alignment | DLY10126 | 6. Governance and Compliance | 0.0481
IDP10120 | 6. Stakeholder Satisfaction | DLY10106 | 2. Analytical Effectiveness | -0.0479
CMM10109 | 3. Communication Security | CNT10113 | 4. Content Utilization | 0.0478
IDP10116 | 5. User Activity Monitoring | BPT10109 | 3. Data Security | -0.0475
PVM10123 | 7. Third-Party Compliance | MDM10113 | 4. Data Utilization | -0.0472
DLY10121 | 5. Impact on Decision-Making | DLY10131 | 7. Visualization and Communication | -0.0471
BPT10109 | 3. Data Security | DLY10101 | 1. Data Quality | 0.0471
PVM10109 | 3. Privacy Training and Awareness | PJM10105 | 2. Project Execution | -0.0470
PTY10101 | 1. Data Quality | SYA10116 | 4. User Experience | 0.0468
PVM10131 | 9. Stakeholder Satisfaction | CNT10117 | 5. Content Governance | 0.0468
PVM10131 | 9. Stakeholder Satisfaction | FLO10117 | 5. Stakeholder Satisfaction | -0.0464
PVM10112 | 4. Privacy Impact Assessments | IDP10124 | 7. Continuous Improvement | -0.0464
PTY10101 | 1. Data Quality | PJM10101 | 1. Project Planning | -0.0464
PVM10105 | 2. Privacy Audit and Monitoring | PVM10131 | 9. Stakeholder Satisfaction | -0.0464
CNT10113 | 4. Content Utilization | FLO10109 | 3. Issue Resolution | 0.0461

IDP10124 | 7. Continuous Improvement | BPT10101 | 1. Data Quality | 0.0461
TCH10117 | 5. Lifecycle Management | DLY10126 | 6. Governance and Compliance | -0.0460
CMM10109 | 3. Communication Security | SYA10124 | 6. Security and Compliance | -0.0459
PVM10109 | 3. Privacy Training and Awareness | TCH10109 | 3. Risk and Compliance | 0.0458
SYA10124 | 6. Security and Compliance | DLY10101 | 1. Data Quality | 0.0458
PTY10101 | 1. Data Quality | BPT10101 | 1. Data Quality | 0.0458
CMM10109 | 3. Communication Security | TCH10117 | 5. Lifecycle Management | 0.0454
CMM10117 | 5. Stakeholder Satisfaction | MDM10125 | 7. Continuous Improvement | -0.0454
CMM10113 | 4. Communication Efficiency | IDP10112 | 4. User Authentication | -0.0454
ANO10101 | 1. Anomaly Detection | MDM10109 | 3. Data Security | -0.0453
BPT10109 | 3. Data Security | DLY10111 | 3. Adoption and Utilization | 0.0453
CMM10105 | 2. Communication Reliability | DLY10126 | 6. Governance and Compliance | -0.0453
CMM10121 | 6. Continuous Improvement | PJM10121 | 6. Stakeholder Satisfaction | -0.0453
CNT10109 | 3. Content Security | MDM10117 | 5. Data Governance | 0.0451
PVD10116 | 6. Compliance with Best Practices | FLO10113 | 4. Issue Prevention | 0.0450
PTY10105 | 2. Data Management | PTY10117 | 5. Data Governance | -0.0449
CMM10101 | 1. Communication Quality | CMM10105 | 2. Communication Reliability | -0.0449
CMM10121 | 6. Continuous Improvement | DLY10101 | 1. Data Quality | 0.0447
CNT10117 | 5. Content Governance | DLY10121 | 5. Impact on Decision-Making | -0.0446
MDM10113 | 4. Data Utilization | DLY10101 | 1. Data Quality | 0.0444
CNT10101 | 1. Content Quality | TCH10109 | 3. Risk and Compliance | 0.0442
PTY10117 | 5. Data Governance | CNT10117 | 5. Content Governance | 0.0439
PVM10123 | 7. Third-Party Compliance | CNT10113 | 4. Content Utilization | 0.0439
CNT10101 | 1. Content Quality | SYA10111 | 3. Incident and Problem Management | -0.0439
IDP10112 | 4. User Authentication | SYA10101 | 1. Reliability and Availability | -0.0435
SYA10111 | 3. Incident and Problem Management | DLY10116 | 4. Processing Efficiency | 0.0435
CNT10125 | 7. Continuous Improvement | IDP10116 | 5. User Activity Monitoring | 0.0435
ANO10101 | 1. Anomaly Detection | ANO10117 | 5. Stakeholder Satisfaction | 0.0434
PVM10115 | 5. Data Subject Requests | PJM10121 | 6. Stakeholder Satisfaction | -0.0433
PVM10109 | 3. Privacy Training and Awareness | CMM10113 | 4. Communication Efficiency | -0.0431
PTY10125 | 7. Continuous Improvement | CNT10109 | 3. Content Security | 0.0430
PVD10101 | 1. Privacy Policy Development | BPT10113 | 4. Data Utilization | 0.0430
PTY10105 | 2. Data Management | SYA10128 | 7. Continuous Improvement | -0.0429
MDM10121 | 6. Stakeholder Satisfaction | DLY10131 | 7. Visualization and Communication | 0.0428
CMM10105 | 2. Communication Reliability | BPT10121 | 6. Stakeholder Satisfaction | 0.0428
PVM10123 | 7. Third-Party Compliance | IDP10116 | 5. User Activity Monitoring | 0.0427
ANO10121 | 6. Continuous Improvement | CMM10101 | 1. Communication Quality | 0.0427
PVD10107 | 3. Privacy Impact Assessments | ANO10121 | 6. Continuous Improvement | 0.0426
FLO10109 | 3. Issue Resolution | DLY10126 | 6. Governance and Compliance | 0.0426
SYA10111 | 3. Incident and Problem Management | DLY10106 | 2. Analytical Effectiveness | 0.0425

PVM10112 | 4. Privacy Impact Assessments | PJM10121 | 6. Stakeholder Satisfaction | -0.0425
CNT10105 | 2. Content Management | BPT10117 | 5. Data Governance | 0.0424
PVM10119 | 6. Privacy Breach Management | PJM10121 | 6. Stakeholder Satisfaction | 0.0423
BPT10113 | 4. Data Utilization | SYA10106 | 2. Performance | 0.0423
ANO10109 | 3. Anomaly Resolution | FLO10101 | 1. Issue Identification | 0.0423
PVM10101 | 1. Privacy Policy Enforcement | ANO10105 | 2. Anomaly Diagnosis | 0.0423
FLO10105 | 2. Issue Investigation | DLY10126 | 6. Governance and Compliance | -0.0420
CMM10101 | 1. Communication Quality | SYA10101 | 1. Reliability and Availability | -0.0419
MDM10105 | 2. Data Management | DLY10131 | 7. Visualization and Communication | 0.0419
PVM10105 | 2. Privacy Audit and Monitoring | CMM10121 | 6. Continuous Improvement | 0.0419
CMM10105 | 2. Communication Reliability | BPT10101 | 1. Data Quality | -0.0418
CNT10105 | 2. Content Management | SYA10128 | 7. Continuous Improvement | -0.0418
CMM10113 | 4. Communication Efficiency | CNT10101 | 1. Content Quality | -0.0415
PJM10105 | 2. Project Execution | PJM10113 | 4. Project Quality | -0.0415
PVD10105 | 2. Privacy Training and Awareness | TCH10113 | 4. Cost Management | -0.0414
PTY10113 | 4. Data Utilization | SYA10124 | 6. Security and Compliance | 0.0413
PVM10123 | 7. Third-Party Compliance | SYA10106 | 2. Performance | -0.0413
MDM10117 | 5. Data Governance | DLY10101 | 1. Data Quality | -0.0413
PJM10101 | 1. Project Planning | FLO10109 | 3. Issue Resolution | 0.0412
PVM10112 | 4. Privacy Impact Assessments | BPT10121 | 6. Stakeholder Satisfaction | 0.0412
PVD10116 | 6. Compliance with Best Practices | TCH10101 | 1. Innovation and Growth | -0.0411
MDM10113 | 4. Data Utilization | TCH10113 | 4. Cost Management | -0.0410
FLO10117 | 5. Stakeholder Satisfaction | TCH10101 | 1. Innovation and Growth | 0.0409
PVM10109 | 3. Privacy Training and Awareness | PVM10123 | 7. Third-Party Compliance | -0.0409
IDP10124 | 7. Continuous Improvement | BPT10125 | 7. Continuous Improvement | 0.0409
CMM10117 | 5. Stakeholder Satisfaction | TCH10113 | 4. Cost Management | 0.0408
PVM10101 | 1. Privacy Policy Enforcement | ANO10117 | 5. Stakeholder Satisfaction | 0.0408
PVD10105 | 2. Privacy Training and Awareness | BPT10117 | 5. Data Governance | 0.0408
MDM10121 | 6. Stakeholder Satisfaction | PJM10113 | 4. Project Quality | 0.0407
PTY10105 | 2. Data Management | CNT10121 | 6. Stakeholder Satisfaction | -0.0407
PJM10109 | 3. Project Monitoring and Control | BPT10117 | 5. Data Governance | -0.0406
IDP10104 | 2. Permission Management | SYA10106 | 2. Performance | 0.0405
MDM10113 | 4. Data Utilization | MDM10117 | 5. Data Governance | 0.0405
PVD10112 | 5. Stakeholder Feedback | ANO10113 | 4. Anomaly Prevention | 0.0405
PVD10101 | 1. Privacy Policy Development | SYA10120 | 5. Maintenance and Support | -0.0405
PJM10121 | 6. Stakeholder Satisfaction | BPT10101 | 1. Data Quality | -0.0404
CMM10113 | 4. Communication Efficiency | MDM10121 | 6. Stakeholder Satisfaction | 0.0404
CNT10113 | 4. Content Utilization | BPT10105 | 2. Data Management | -0.0403
PTY10121 | 6. Stakeholder Satisfaction | FLO10113 | 4. Issue Prevention | 0.0403
PTY10113 | 4. Data Utilization | PJM10117 | 5. Project Risk Management | 0.0402

MDM10121 | 6. Stakeholder Satisfaction | FLO10105 | 2. Issue Investigation | 0.0402
PVD10112 | 5. Stakeholder Feedback | PJM10109 | 3. Project Monitoring and Control | 0.0401
PVD10119 | 7. Resource Allocation | CMM10113 | 4. Communication Efficiency | -0.0401
PVD10109 | 4. Policy Review and Update | CMM10101 | 1. Communication Quality | 0.0400
PVD10112 | 5. Stakeholder Feedback | IDP10124 | 7. Continuous Improvement | -0.0400
PJM10117 | 5. Project Risk Management | DLY10121 | 5. Impact on Decision-Making | -0.0400
PVM10115 | 5. Data Subject Requests | TCH10105 | 2. Strategic Alignment | -0.0399
MDM10117 | 5. Data Governance | FLO10105 | 2. Issue Investigation | 0.0398
PVD10112 | 5. Stakeholder Feedback | ANO10109 | 3. Anomaly Resolution | 0.0398
IDP10101 | 1. Identification Accuracy | FLO10105 | 2. Issue Investigation | -0.0398
CMM10117 | 5. Stakeholder Satisfaction | MDM10109 | 3. Data Security | -0.0396
PVM10105 | 2. Privacy Audit and Monitoring | TCH10125 | 7. User and Stakeholder Satisfaction | -0.0395
IDP10108 | 3. Access Control | IDP10124 | 7. Continuous Improvement | 0.0393
MDM10109 | 3. Data Security | BPT10113 | 4. Data Utilization | -0.0392
CNT10121 | 6. Stakeholder Satisfaction | TCH10121 | 6. Vendor and Partner Management | 0.0392

Sub_Modules Correlation Summary

Total pairs examined: 91

Pairs with |correlation| >= 0.5: 0

Mean |correlation|: 0.0145

No pairs met the threshold - showing top 91 by |correlation| anyway:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation

MDM10000 | Master Data Management | DLY10000 | Data Analytics | 0.0484
PJM10000 | Project Management | IDP10000 | Identification and Permission Management | 0.0449
PTY10000 | Party Information Management | IDP10000 | Identification and Permission Management | -0.0435
IDP10000 | Identification and Permission Management | BPT10000 | Party Management | 0.0429
CMM10000 | Communications | FLO10000 | Fallout Management | -0.0390
PVM10000 | Privacy Management | BPT10000 | Party Management | 0.0358
PJM10000 | Project Management | DLY10000 | Data Analytics | -0.0340
CNT10000 | Content Management | MDM10000 | Master Data Management | 0.0316
BPT10000 | Party Management | DLY10000 | Data Analytics | 0.0311
PVD10000 | Privacy Development | SYA10000 | Systems and Applications Management | 0.0296
IDP10000 | Identification and Permission Management | FLO10000 | Fallout Management | -0.0291
ANO10000 | Anomaly Management | TCH10000 | Technology Management | -0.0275
PJM10000 | Project Management | BPT10000 | Party Management | -0.0270
PJM10000 | Project Management | FLO10000 | Fallout Management | 0.0253
ANO10000 | Anomaly Management | CMM10000 | Communications | 0.0250
ANO10000 | Anomaly Management | IDP10000 | Identification and Permission Management | 0.0247
PTY10000 | Party Information Management | FLO10000 | Fallout Management | -0.0236
PVD10000 | Privacy Development | PTY10000 | Party Information Management | -0.0231

PVD10000 | Privacy Development | DLY10000 | Data Analytics | 0.0208
PTY10000 | Party Information Management | PJM10000 | Project Management | 0.0207
CMM10000 | Communications | SYA10000 | Systems and Applications Management | -0.0204
PVD10000 | Privacy Development | BPT10000 | Party Management | -0.0194
PVD10000 | Privacy Development | TCH10000 | Technology Management | -0.0192
FLO10000 | Fallout Management | TCH10000 | Technology Management | 0.0186
ANO10000 | Anomaly Management | FLO10000 | Fallout Management | 0.0178
PTY10000 | Party Information Management | TCH10000 | Technology Management | -0.0177
PVD10000 | Privacy Development | MDM10000 | Master Data Management | 0.0176
PTY10000 | Party Information Management | SYA10000 | Systems and Applications Management | 0.0171
PJM10000 | Project Management | SYA10000 | Systems and Applications Management | 0.0169
CNT10000 | Content Management | TCH10000 | Technology Management | 0.0165
MDM10000 | Master Data Management | FLO10000 | Fallout Management | 0.0162
PTY10000 | Party Information Management | BPT10000 | Party Management | 0.0162
TCH10000 | Technology Management | SYA10000 | Systems and Applications Management | -0.0159
CNT10000 | Content Management | IDP10000 | Identification and Permission Management | 0.0157
TCH10000 | Technology Management | DLY10000 | Data Analytics | -0.0152
CMM10000 | Communications | MDM10000 | Master Data Management | -0.0151
PVD10000 | Privacy Development | PJM10000 | Project Management | -0.0145
PVM10000 | Privacy Management | ANO10000 | Anomaly Management | 0.0144
CMM10000 | Communications | IDP10000 | Identification and Permission Management | -0.0143
PVM10000 | Privacy Management | DLY10000 | Data Analytics | 0.0139
IDP10000 | Identification and Permission Management | SYA10000 | Systems and Applications Management | 0.0137
ANO10000 | Anomaly Management | PJM10000 | Project Management | -0.0135
BPT10000 | Party Management | TCH10000 | Technology Management | -0.0132
PVD10000 | Privacy Development | IDP10000 | Identification and Permission Management | 0.0125
PVM10000 | Privacy Management | CMM10000 | Communications | 0.0121
IDP10000 | Identification and Permission Management | DLY10000 | Data Analytics | -0.0120
PVD10000 | Privacy Development | FLO10000 | Fallout Management | -0.0119
ANO10000 | Anomaly Management | MDM10000 | Master Data Management | 0.0117
MDM10000 | Master Data Management | SYA10000 | Systems and Applications Management | -0.0115
PVM10000 | Privacy Management | IDP10000 | Identification and Permission Management | -0.0114
PVM10000 | Privacy Management | CNT10000 | Content Management | 0.0114
FLO10000 | Fallout Management | DLY10000 | Data Analytics | 0.0108
CMM10000 | Communications | CNT10000 | Content Management | -0.0101
CNT10000 | Content Management | SYA10000 | Systems and Applications Management | -0.0101
IDP10000 | Identification and Permission Management | TCH10000 | Technology Management | -0.0099
FLO10000 | Fallout Management | BPT10000 | Party Management | -0.0098
MDM10000 | Master Data Management | BPT10000 | Party Management | -0.0098

PVM10000 | Privacy Management | PJM10000 | Project Management | -0.0096
PVD10000 | Privacy Development | CMM10000 | Communications | -0.0093
ANO10000 | Anomaly Management | CNT10000 | Content Management | -0.0092
CMM10000 | Communications | TCH10000 | Technology Management | -0.0089
CMM10000 | Communications | BPT10000 | Party Management | 0.0085
PTY10000 | Party Information Management | CNT10000 | Content Management | -0.0083
CNT10000 | Content Management | BPT10000 | Party Management | -0.0077
MDM10000 | Master Data Management | PJM10000 | Project Management | 0.0073
PVD10000 | Privacy Development | ANO10000 | Anomaly Management | 0.0066
PJM10000 | Project Management | TCH10000 | Technology Management | -0.0065
CNT10000 | Content Management | PJM10000 | Project Management | -0.0062
MDM10000 | Master Data Management | TCH10000 | Technology Management | 0.0061
PTY10000 | Party Information Management | ANO10000 | Anomaly Management | -0.0060
PTY10000 | Party Information Management | DLY10000 | Data Analytics | 0.0060
ANO10000 | Anomaly Management | DLY10000 | Data Analytics | -0.0056
PVM10000 | Privacy Management | FLO10000 | Fallout Management | 0.0052
PTY10000 | Party Information Management | CMM10000 | Communications | 0.0052
FLO10000 | Fallout Management | SYA10000 | Systems and Applications Management | -0.0049
MDM10000 | Master Data Management | IDP10000 | Identification and Permission Management | -0.0049
PVM10000 | Privacy Management | PTY10000 | Party Information Management | -0.0046
CNT10000 | Content Management | DLY10000 | Data Analytics | -0.0043
PVM10000 | Privacy Management | TCH10000 | Technology Management | 0.0042
PVM10000 | Privacy Management | SYA10000 | Systems and Applications Management | 0.0035
CMM10000 | Communications | DLY10000 | Data Analytics | -0.0027
PTY10000 | Party Information Management | MDM10000 | Master Data Management | 0.0027
PVD10000 | Privacy Development | PVM10000 | Privacy Management | 0.0026
BPT10000 | Party Management | SYA10000 | Systems and Applications Management | -0.0026
CNT10000 | Content Management | FLO10000 | Fallout Management | -0.0024
ANO10000 | Anomaly Management | SYA10000 | Systems and Applications Management | 0.0022
ANO10000 | Anomaly Management | BPT10000 | Party Management | 0.0020
CMM10000 | Communications | PJM10000 | Project Management | 0.0013
PVM10000 | Privacy Management | MDM10000 | Master Data Management | -0.0004
SYA10000 | Systems and Applications Management | DLY10000 | Data Analytics | -0.0003
PVD10000 | Privacy Development | CNT10000 | Content Management | 0.0002

=== chaid_risk_segmentation_report_shared.txt ===

CHAID Risk Segmentation Report

Generated on: 2026-09-20 14:51:14

CHAID Tree Summary:

[[{MetricID: 101, MetricName: "Policy Development Time", RiskLevel: "Critical", Trend: "Increasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 102, MetricName: "Policy Coverage", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 103, MetricName: "Stakeholder Engagement in Policy Development", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 106, MetricName: "Employee Knowledge Score", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 108, MetricName: "Number of Privacy Impact Assessments Conducted", RiskLevel: "Critical", Trend: "Decreasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 110, MetricName: "Policy Review Frequency", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 111, MetricName: "Policy Revision Accuracy", RiskLevel: "Critical", Trend: "Decreasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 113, MetricName: "Feedback Collection Rate", RiskLevel: "High", Trend: "Increasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 114, MetricName: "Feedback Implementation Rate", RiskLevel: "Critical", Trend: "Increasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 115, MetricName: "Stakeholder Satisfaction with Policy Development", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 117, MetricName: "Benchmarking Performance", RiskLevel: "High", Trend: "Increasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 118, MetricName: "Adoption of Emerging Best Practices", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 120, MetricName: "Budget Utilization for Policy Development", RiskLevel: "High", Trend: "Increasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 121, MetricName: "Resource Allocation Efficiency", RiskLevel: "Critical", Trend: "Decreasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 201, MetricName: "Policy Enforcement Rate", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 203, MetricName: "Policy Violation Incidents", RiskLevel: "Critical", Trend: "Stable", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 204, MetricName: "Policy Violation Resolution Time", RiskLevel: "Critical", Trend: "Increasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 206, MetricName: "Audit Compliance Rate", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 207, MetricName: "Audit Coverage", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 208, MetricName: "Audit Findings Resolution Time", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 210, MetricName: "Training Completion Rate", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 211, MetricName: "Awareness Campaign Effectiveness", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 213, MetricName: "Privacy Impact Assessment Accuracy", RiskLevel: "High", Trend: "Increasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 214, MetricName: "Implementation of Recommendations", RiskLevel: "Critical", Trend: "Increasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 216, MetricName: "Request Handling Time", RiskLevel: "Critical", Trend: "Decreasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 217, MetricName: "Request Completion Rate", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 218, MetricName: "Request Satisfaction Score", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 220, MetricName: "Breach Detection Time", RiskLevel: "High", Trend: "Increasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 221, MetricName: "Breach Notification Time", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 222, MetricName: "Breach Resolution Time", RiskLevel: "Critical", Trend: "Increasing", Repetition: "Irregular", AvgCorrelation: 0.2, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 163.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 224, MetricName: "Third-Party Compliance Rate", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 225, MetricName: "Third-Party Audit Findings", RiskLevel: "High", Trend: "Increasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 226, MetricName: "Third-Party Data Protection Agreements", RiskLevel: "High", Trend: "Stable", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}, {MetricID: 228, MetricName: "Policy Update Frequency", RiskLevel: "High", Trend: "Decreasing", Repetition: "Repetitive", AvgCorrelation: 0.1, InconsistencyLevel: "Very High", Score: 125.0, HighScore: 0.0, LowScore: 0.0, Groups: ["Irregular", "Repetitive"]}]]

High-Risk Metrics Summary (Critical + High):

Metric ID	Metric Name	Risk Level	Trend	Repetition	Avg Correlation	Inconsistency Level
PVD10102	Policy Development Time	Critical	Increasing	Irregular	Low	Very High
PVD10103	Policy Coverage	High	Decreasing	Repetitive	Low	Very High
PVD10104	Stakeholder Engagement in Policy Development	High	Decreasing	Repetitive	Low	Very High
PVD10106	Employee Knowledge Score	High	Decreasing	Repetitive	Low	Very High
PVD10108	Number of Privacy Impact Assessments Conducted	Critical	Decreasing	Irregular	Low	Very High
PVD10110	Policy Review Frequency	High	Stable	Repetitive	Low	Very High
PVD10111	Policy Revision Accuracy	Critical	Decreasing	Irregular	Low	Very High
PVD10113	Feedback Collection Rate	High	Increasing	Repetitive	Low	Very High
PVD10114	Feedback Implementation Rate	Critical	Increasing	Irregular	Low	Very High
PVD10115	Stakeholder Satisfaction with Policy Development	High	Decreasing	Repetitive	Low	Very High
PVD10117	Benchmarking Performance	High	Increasing	Repetitive	Low	Very High
PVD10118	Adoption of Emerging Best Practices	High	Decreasing	Repetitive	Low	Very High
PVD10120	Budget Utilization for Policy Development	High	Increasing	Repetitive	Low	Very High
PVD10121	Resource Allocation Efficiency	Critical	Decreasing	Irregular	Low	Very High
PVM10102	Policy Enforcement Rate	High	Stable	Repetitive	Low	Very High
PVM10103	Policy Violation Incidents	Critical	Stable	Irregular	Low	Very High
PVM10104	Policy Violation Resolution Time	Critical	Increasing	Irregular	Low	Very High
PVM10106	Audit Compliance Rate	High	Stable	Repetitive	Low	Very High
PVM10107	Audit Coverage	High	Decreasing	Repetitive	Low	Very High
PVM10108	Audit Findings Resolution Time	High	Stable	Repetitive	Low	Very High
PVM10110	Training Completion Rate	High	Stable	Repetitive	Low	Very High
PVM10111	Awareness Campaign Effectiveness	High	Stable	Repetitive	Low	Very High
PVM10113	Privacy Impact Assessment Accuracy	High	Increasing	Repetitive	Low	Very High
PVM10114	Implementation of Recommendations	Critical	Increasing	Irregular	Low	Very High
PVM10116	Request Handling Time	Critical	Decreasing	Irregular	Low	Very High
PVM10117	Request Completion Rate	High	Stable	Repetitive	Low	Very High
PVM10118	Request Satisfaction Score	High	Stable	Repetitive	Low	Very High
PVM10120	Breach Detection Time	High	Increasing	Repetitive	Low	Very High
PVM10121	Breach Notification Time	High	Stable	Repetitive	Low	Very High
PVM10122	Breach Resolution Time	Critical	Increasing	Irregular	Low	Very High
PVM10124	Third-Party Compliance Rate	High	Decreasing	Repetitive	Low	Very High
PVM10125	Third-Party Audit Findings	High	Increasing	Repetitive	Low	Very High
PVM10126	Third-Party Data Protection Agreements	High	Stable	Repetitive	Low	Very High
PVM10128	Policy Update Frequency	High	Decreasing	Repetitive	Low	Very High

PVM10129 | Process Improvement Rate | Critical | Increasing | Irregular | Low | Very High
PVM10130 | Innovation in Privacy Management | Critical | Stable | Irregular | Low | Very High
PVM10132 | Stakeholder Satisfaction Score | High | Increasing | Repetitive | Low | Very High
PVM10133 | Stakeholder Feedback Implementation Rate | High | Stable | Repetitive | Low | Very High
PVM10134 | Net Promoter Score (NPS) | High | Increasing | Repetitive | Low | Very High
PTY10102 | Data Accuracy | High | Decreasing | Repetitive | Low | Very High
PTY10103 | Data Completeness | Critical | Stable | Irregular | Low | Very High
PTY10104 | Data Consistency | High | Increasing | Repetitive | Low | Very High
PTY10106 | Data Update Frequency | Critical | Decreasing | Irregular | Low | Very High
PTY10107 | Data Entry Error Rate | High | Decreasing | Repetitive | Low | Very High
PTY10108 | Data Validation Success Rate | Critical | Decreasing | Irregular | Low | Very High
PTY10110 | Access Control Compliance | High | Decreasing | Repetitive | Low | Very High
PTY10111 | Data Breach Incidents | High | Stable | Repetitive | Low | Very High
PTY10112 | Data Encryption Rate | Critical | Decreasing | Irregular | Low | Very High
PTY10114 | Data Usage Rate | High | Increasing | Repetitive | Low | Very High
PTY10115 | Data Integration Success Rate | High | Decreasing | Repetitive | Low | Very High
PTY10116 | Data Accessibility Score | High | Stable | Repetitive | Low | Very High
PTY10118 | Compliance Rate | High | Decreasing | Repetitive | Low | Very High
PTY10119 | Audit Findings Resolution Time | High | Decreasing | Repetitive | Low | Very High
PTY10120 | Policy Update Frequency | Critical | Decreasing | Irregular | Low | Very High
PTY10122 | Stakeholder Satisfaction Score | High | Decreasing | Repetitive | Low | Very High
PTY10123 | Feedback Implementation Rate | High | Decreasing | Repetitive | Low | Very High
PTY10124 | Net Promoter Score (NPS) | High | Stable | Repetitive | Low | Very High
PTY10126 | Process Improvement Rate | High | Increasing | Repetitive | Low | Very High
PTY10127 | Innovation in Data Management | Critical | Decreasing | Irregular | Low | Very High
PTY10128 | Policy Update Frequency | High | Stable | Repetitive | Low | Very High
ANO10102 | Detection Rate | High | Stable | Repetitive | Low | Very High
ANO10103 | Detection Time | High | Stable | Repetitive | Low | Very High
ANO10104 | False Positive Rate | Critical | Decreasing | Irregular | Low | Very High
ANO10106 | Diagnosis Accuracy | Critical | Increasing | Irregular | Low | Very High
ANO10107 | Diagnosis Time | Critical | Increasing | Irregular | Low | Very High
ANO10108 | Root Cause Identification Rate | High | Stable | Repetitive | Low | Very High
ANO10110 | Resolution Rate | Critical | Decreasing | Irregular | Low | Very High
ANO10111 | Resolution Time | Critical | Decreasing | Irregular | Low | Very High
ANO10112 | Reoccurrence Rate | High | Increasing | Repetitive | Low | Very High
ANO10114 | Prevention Rate | High | Increasing | Repetitive | Low | Very High
ANO10115 | Preventive Actions Implemented | Critical | Stable | Irregular | Low | Very High
ANO10116 | Prevention Effectiveness | Critical | Decreasing | Irregular | Low | Very High
ANO10118 | Stakeholder Satisfaction Score | High | Decreasing | Repetitive | Low | Very High
ANO10119 | Feedback Implementation Rate | Critical | Stable | Irregular | Low | Very High

ANO10120 | Net Promoter Score (NPS) | High | Stable | Repetitive | Low | Very High
ANO10122 | Process Improvement Rate | High | Increasing | Repetitive | Low | Very High
ANO10123 | Innovation in Anomaly Management | High | Increasing | Repetitive | Low | Very High
ANO10124 | Policy Update Frequency | High | Increasing | Repetitive | Low | Very High
CMM10102 | Call Quality Score | High | Increasing | Repetitive | Low | Very High
CMM10103 | Data Transmission Quality | High | Decreasing | Repetitive | Low | Very High
CMM10104 | Network Latency | Critical | Increasing | Irregular | Low | Very High
CMM10106 | Uptime Percentage | High | Stable | Repetitive | Low | Very High
CMM10107 | Downtime Incidents | High | Stable | Repetitive | Low | Very High
CMM10108 | Mean Time to Repair (MTTR) | High | Decreasing | Repetitive | Low | Very High
CMM10110 | Security Incident Rate | Critical | Increasing | Irregular | Low | Very High
CMM10111 | Encryption Rate | High | Stable | Repetitive | Low | Very High
CMM10112 | Access Control Compliance | High | Decreasing | Repetitive | Low | Very High
CMM10114 | Bandwidth Utilization | High | Decreasing | Repetitive | Low | Very High
CMM10115 | Resource Utilization Rate | High | Decreasing | Repetitive | Low | Very High
CMM10116 | Cost per Communication Unit | Critical | Increasing | Irregular | Low | Very High
CMM10118 | Stakeholder Satisfaction Score | High | Increasing | Repetitive | Low | Very High
CMM10119 | Feedback Implementation Rate | High | Decreasing | Repetitive | Low | Very High
CMM10120 | Net Promoter Score (NPS) | Critical | Increasing | Irregular | Low | Very High
CMM10122 | Process Improvement Rate | High | Stable | Repetitive | Low | Very High
CMM10123 | Innovation in Communication | High | Increasing | Repetitive | Low | Very High
CMM10124 | Policy Update Frequency | Critical | Decreasing | Irregular | Low | Very High
CNT10102 | Content Accuracy | Critical | Decreasing | Irregular | Low | Very High
CNT10103 | Content Completeness | High | Increasing | Repetitive | Low | Very High
CNT10104 | Content Consistency | Critical | Stable | Irregular | Low | Very High
CNT10106 | Content Update Frequency | Critical | Stable | Irregular | Low | Very High
CNT10107 | Content Entry Error Rate | Critical | Decreasing | Irregular | Low | Very High
CNT10108 | Content Validation Success Rate | High | Increasing | Repetitive | Low | Very High
CNT10110 | Access Control Compliance | High | Increasing | Repetitive | Low | Very High
CNT10111 | Content Breach Incidents | High | Stable | Repetitive | Low | Very High
CNT10112 | Content Encryption Rate | High | Stable | Repetitive | Low | Very High
CNT10114 | Content Usage Rate | High | Increasing | Repetitive | Low | Very High
CNT10115 | Content Integration Success Rate | High | Increasing | Repetitive | Low | Very High
CNT10116 | Content Accessibility Score | Critical | Increasing | Irregular | Low | Very High
CNT10118 | Compliance Rate | High | Stable | Repetitive | Low | Very High
CNT10119 | Audit Findings Resolution Time | High | Increasing | Repetitive | Low | Very High
CNT10120 | Policy Update Frequency | High | Stable | Repetitive | Low | Very High
CNT10122 | Stakeholder Satisfaction Score | High | Increasing | Repetitive | Low | Very High
CNT10123 | Feedback Implementation Rate | High | Stable | Repetitive | Low | Very High
CNT10124 | Net Promoter Score (NPS) | High | Stable | Repetitive | Low | Very High

CNT10126 | Process Improvement Rate | High | Increasing | Repetitive | Low | Very High
CNT10127 | Innovation in Content Management | Critical | Stable | Irregular | Low | Very High
CNT10128 | Policy Update Frequency | High | Decreasing | Repetitive | Low | Very High
MDM10102 | Data Accuracy | High | Decreasing | Repetitive | Low | Very High
MDM10103 | Data Completeness | Critical | Stable | Irregular | Low | Very High
MDM10104 | Data Consistency | Critical | Increasing | Irregular | Low | Very High
MDM10106 | Data Update Frequency | Critical | Stable | Irregular | Low | Very High
MDM10107 | Data Entry Error Rate | High | Decreasing | Repetitive | Low | Very High
MDM10108 | Data Validation Success Rate | High | Stable | Repetitive | Low | Very High
MDM10110 | Access Control Compliance | Critical | Increasing | Irregular | Low | Very High
MDM10111 | Data Breach Incidents | High | Decreasing | Repetitive | Low | Very High
MDM10112 | Data Encryption Rate | Critical | Increasing | Irregular | Low | Very High
MDM10114 | Data Usage Rate | High | Increasing | Repetitive | Low | Very High
MDM10115 | Data Integration Success Rate | Critical | Increasing | Irregular | Low | Very High
MDM10116 | Data Accessibility Score | Critical | Stable | Irregular | Low | Very High
MDM10118 | Compliance Rate | High | Stable | Repetitive | Low | Very High
MDM10119 | Audit Findings Resolution Time | High | Stable | Repetitive | Low | Very High
MDM10120 | Policy Update Frequency | High | Increasing | Repetitive | Low | Very High
MDM10122 | Stakeholder Satisfaction Score | Critical | Increasing | Irregular | Low | Very High
MDM10123 | Feedback Implementation Rate | Critical | Stable | Irregular | Low | Very High
MDM10124 | Net Promoter Score (NPS) | Critical | Increasing | Irregular | Low | Very High
MDM10126 | Process Improvement Rate | Critical | Increasing | Irregular | Low | Very High
MDM10127 | Innovation in Data Management | Critical | Increasing | Irregular | Low | Very High
MDM10128 | Policy Update Frequency | High | Increasing | Repetitive | Low | Very High
PJM10102 | Project Plan Accuracy | High | Increasing | Repetitive | Low | Very High
PJM10103 | Plan Development Time | High | Increasing | Repetitive | Low | Very High
PJM10104 | Stakeholder Engagement in Planning | Critical | Decreasing | Irregular | Low | Very High
PJM10106 | Task Completion Rate | High | Increasing | Repetitive | Low | Very High
PJM10107 | Resource Utilization Rate | High | Stable | Repetitive | Low | Very High
PJM10108 | Budget Adherence | High | Stable | Repetitive | Low | Very High
PJM10110 | Progress Tracking Accuracy | Critical | Increasing | Irregular | Low | Very High
PJM10111 | Issue Resolution Time | Critical | Increasing | Irregular | Low | Very High
PJM10112 | Change Request Handling Time | Critical | Stable | Irregular | Low | Very High
PJM10114 | Quality Control Compliance | High | Increasing | Repetitive | Low | Very High
PJM10115 | Defect Rate | Critical | Decreasing | Irregular | Low | Very High
PJM10116 | Quality Assurance Activities | High | Decreasing | Repetitive | Low | Very High
PJM10118 | Risk Identification Rate | High | Stable | Repetitive | Low | Very High
PJM10119 | Risk Mitigation Effectiveness | High | Decreasing | Repetitive | Low | Very High
PJM10120 | Risk Response Time | Critical | Increasing | Irregular | Low | Very High
PJM10122 | Stakeholder Satisfaction Score | High | Decreasing | Repetitive | Low | Very High

PJM10123 | Feedback Implementation Rate | High | Decreasing | Repetitive | Low | Very High
PJM10124 | Net Promoter Score (NPS) | Critical | Increasing | Irregular | Low | Very High
IDP10102 | Identification Accuracy Rate | Critical | Stable | Irregular | Low | Very High
IDP10103 | False Identification Rate | Critical | Increasing | Irregular | Low | Very High
IDP10105 | Permission Grant Accuracy | Critical | Decreasing | Irregular | Low | Very High
IDP10106 | Permission Revocation Accuracy | Critical | Increasing | Irregular | Low | Very High
IDP10107 | Permission Change Time | High | Stable | Repetitive | Low | Very High
IDP10109 | Access Control Compliance | High | Increasing | Repetitive | Low | Very High
IDP10110 | Unauthorized Access Attempts | High | Stable | Repetitive | Low | Very High
IDP10111 | Access Control Policy Updates | High | Increasing | Repetitive | Low | Very High
IDP10113 | Authentication Success Rate | Critical | Stable | Irregular | Low | Very High
IDP10114 | Authentication Failure Rate | Critical | Increasing | Irregular | Low | Very High
IDP10115 | Authentication Method Diversity | Critical | Increasing | Irregular | Low | Very High
IDP10117 | Activity Monitoring Coverage | High | Increasing | Repetitive | Low | Very High
IDP10118 | Anomaly Detection Rate | Critical | Increasing | Irregular | Low | Very High
IDP10119 | Monitoring Response Time | High | Stable | Repetitive | Low | Very High
IDP10121 | Stakeholder Satisfaction Score | Critical | Stable | Irregular | Low | Very High
IDP10122 | Feedback Implementation Rate | High | Increasing | Repetitive | Low | Very High
IDP10123 | Net Promoter Score (NPS) | Critical | Increasing | Irregular | Low | Very High
IDP10125 | Process Improvement Rate | Critical | Decreasing | Irregular | Low | Very High
IDP10126 | Innovation in Identification and Permission Management | High | Increasing | Repetitive | Low | Very High
IDP10127 | Policy Update Frequency | Critical | Increasing | Irregular | Low | Very High
FLO10102 | Issue Detection Rate | Critical | Stable | Irregular | Low | Very High
FLO10103 | Average Detection Time | Critical | Stable | Irregular | Low | Very High
FLO10104 | False Positive Rate | High | Stable | Repetitive | Low | Very High
FLO10106 | Investigation Time | High | Increasing | Repetitive | Low | Very High
FLO10107 | Investigation Accuracy | Critical | Stable | Irregular | Low | Very High
FLO10108 | Root Cause Identification Rate | Critical | Stable | Irregular | Low | Very High
FLO10110 | Resolution Rate | High | Decreasing | Repetitive | Low | Very High
FLO10111 | Average Resolution Time | Critical | Increasing | Irregular | Low | Very High
FLO10112 | Reoccurrence Rate | High | Increasing | Repetitive | Low | Very High
FLO10114 | Prevention Rate | Critical | Increasing | Irregular | Low | Very High
FLO10115 | Preventive Actions Implemented | High | Stable | Repetitive | Low | Very High
FLO10116 | Prevention Effectiveness | Critical | Decreasing | Irregular | Low | Very High
FLO10118 | Stakeholder Satisfaction Score | Critical | Increasing | Irregular | Low | Very High
FLO10119 | Feedback Implementation Rate | High | Stable | Repetitive | Low | Very High
FLO10120 | Net Promoter Score (NPS) | High | Stable | Repetitive | Low | Very High
FLO10122 | Process Improvement Rate | Critical | Stable | Irregular | Low | Very High
FLO10123 | Innovation in Fallout Management | Critical | Decreasing | Irregular | Low | Very High

FLO10124 | Policy Update Frequency | High | Decreasing | Repetitive | Low | Very High
BPT10102 | Data Accuracy | Critical | Decreasing | Irregular | Low | Very High
BPT10103 | Data Completeness | High | Decreasing | Repetitive | Low | Very High
BPT10104 | Data Consistency | High | Increasing | Repetitive | Low | Very High
BPT10106 | Data Update Frequency | Critical | Increasing | Irregular | Low | Very High
BPT10107 | Data Entry Error Rate | Critical | Increasing | Irregular | Low | Very High
BPT10108 | Data Validation Success Rate | Critical | Stable | Irregular | Low | Very High
BPT10110 | Access Control Compliance | High | Increasing | Repetitive | Low | Very High
BPT10111 | Data Breach Incidents | Critical | Stable | Irregular | Low | Very High
BPT10112 | Data Encryption Rate | High | Stable | Repetitive | Low | Very High
BPT10114 | Data Usage Rate | High | Stable | Repetitive | Low | Very High
BPT10115 | Data Integration Success Rate | Critical | Increasing | Irregular | Low | Very High
BPT10116 | Data Accessibility Score | High | Increasing | Repetitive | Low | Very High
BPT10118 | Compliance Rate | High | Decreasing | Repetitive | Low | Very High
BPT10119 | Audit Findings Resolution Time | Critical | Increasing | Irregular | Low | Very High
BPT10120 | Policy Update Frequency | High | Increasing | Repetitive | Low | Very High
BPT10122 | Stakeholder Satisfaction Score | Critical | Stable | Irregular | Low | Very High
BPT10123 | Feedback Implementation Rate | High | Stable | Repetitive | Low | Very High
BPT10124 | Net Promoter Score (NPS) | High | Stable | Repetitive | Low | Very High
BPT10126 | Process Improvement Rate | Critical | Increasing | Irregular | Low | Very High
BPT10127 | Innovation in Data Management | High | Stable | Repetitive | Low | Very High
BPT10128 | Policy Update Frequency | High | Increasing | Repetitive | Low | Very High
TCH10102 | Technology Innovation Rate | Critical | Stable | Irregular | Low | Very High
TCH10103 | Technology Adoption Rate | Critical | Decreasing | Irregular | Low | Very High
TCH10104 | Time to Market for New Technologies | Critical | Stable | Irregular | Low | Very High
TCH10106 | Strategic Alignment Score | Critical | Stable | Irregular | Low | Very High
TCH10107 | Technology Portfolio ROI | High | Stable | Repetitive | Low | Very High
TCH10108 | Percentage of Projects Aligned with Business Goals | High | Stable | Repetitive | Low | Very High
TCH10110 | Risk Mitigation Index | High | Stable | Repetitive | Low | Very High
TCH10111 | Compliance with Technology Standards | High | Stable | Repetitive | Low | Very High
TCH10112 | Technology Risk Assessment Frequency | High | Increasing | Repetitive | Low | Very High
TCH10114 | Total Cost of Ownership (TCO) Reduction | High | Increasing | Repetitive | Low | Very High
TCH10115 | Technology Cost Savings Achieved | Critical | Decreasing | Irregular | Low | Very High
TCH10116 | Budget Variance | Critical | Decreasing | Irregular | Low | Very High
TCH10118 | Technology Lifecycle Management Efficiency | High | Decreasing | Repetitive | Low | Very High
TCH10119 | Percentage of Assets within Supported Lifecycle | Critical | Increasing | Irregular | Low | Very High
TCH10120 | Asset Retirement Rate | Critical | Decreasing | Irregular | Low | Very High
TCH10122 | Vendor Performance Score | High | Increasing | Repetitive | Low | Very High
TCH10123 | Supplier Contract Compliance Rate | High | Increasing | Repetitive | Low | Very High
TCH10124 | Vendor SLA Compliance | Critical | Decreasing | Irregular | Low | Very High

TCH10126 | Technology User Satisfaction Score | Critical | Stable | Irregular | Low | Very High
TCH10127 | Stakeholder Engagement Level | High | Decreasing | Repetitive | Low | Very High
TCH10128 | Feedback Implementation Rate | High | Increasing | Repetitive | Low | Very High
SYA10102 | System Uptime Percentage | High | Stable | Repetitive | Low | Very High
SYA10103 | Mean Time Between Failures (MTBF) | Critical | Decreasing | Irregular | Low | Very High
SYA10104 | Mean Time to Repair (MTTR) | High | Decreasing | Repetitive | Low | Very High
SYA10105 | ■Total time systems are non-operational | High | Increasing | Repetitive | Low | Very High
SYA10107 | Application Response Time | Critical | Increasing | Irregular | Low | Very High
SYA10108 | Resource Utilization Rate | Critical | Stable | Irregular | Low | Very High
SYA10109 | ■Degree of resource capacity being utilized | Critical | Increasing | Irregular | Low | Very High
SYA10110 | Performance Efficiency | High | Increasing | Repetitive | Low | Very High
SYA10112 | Incident Resolution Rate | Critical | Stable | Irregular | Low | Very High
SYA10113 | Incident Response Time | High | Decreasing | Repetitive | Low | Very High
SYA10114 | Change Success Rate | High | Stable | Repetitive | Low | Very High
SYA10115 | Problem Resolution Time | High | Decreasing | Repetitive | Low | Very High
SYA10117 | User Satisfaction Score (USS) | Critical | Increasing | Irregular | Low | Very High
SYA10118 | Number of User Complaints | Critical | Increasing | Irregular | Low | Very High
SYA10119 | Application Usability Rating | High | Stable | Repetitive | Low | Very High
SYA10121 | Backup and Recovery Success Rate | High | Stable | Repetitive | Low | Very High
SYA10122 | Maintenance Task Completion Rate | Critical | Increasing | Irregular | Low | Very High
SYA10123 | Support Ticket Resolution Time | High | Increasing | Repetitive | Low | Very High
SYA10125 | Security Incident Frequency | Critical | Stable | Irregular | Low | Very High
SYA10126 | Compliance Audit Pass Rate | High | Decreasing | Repetitive | Low | Very High
SYA10127 | Vulnerability Remediation Time | Critical | Stable | Irregular | Low | Very High
SYA10129 | Performance Improvement Rate | Critical | Stable | Irregular | Low | Very High
SYA10130 | Process Improvement Initiatives Implemented | High | Increasing | Repetitive | Low | Very High
SYA10131 | Training Completion Rate for IT Staff | Critical | Stable | Irregular | Low | Very High
DLY10102 | Data Accuracy Rate | High | Stable | Repetitive | Low | Very High
DLY10103 | Data Completeness | High | Decreasing | Repetitive | Low | Very High
DLY10104 | Data Consistency Score | Critical | Stable | Irregular | Low | Very High
DLY10105 | Data Error Rate | Critical | Increasing | Irregular | Low | Very High
DLY10107 | Insight-to-Action Ratio | Critical | Decreasing | Irregular | Low | Very High
DLY10108 | Predictive Model Accuracy | Critical | Decreasing | Irregular | Low | Very High
DLY10109 | Number of Insights Generated | High | Increasing | Repetitive | Low | Very High
DLY10110 | Analytics Project Success Rate | High | Stable | Repetitive | Low | Very High
DLY10112 | Analytics Adoption Rate | High | Increasing | Repetitive | Low | Very High
DLY10113 | Self-Service Analytics Utilization | Critical | Increasing | Irregular | Low | Very High
DLY10114 | Number of Active Analytics Users | High | Stable | Repetitive | Low | Very High
DLY10115 | Frequency of Analytics Tool Usage | Critical | Increasing | Irregular | Low | Very High
DLY10117 | Data Processing Speed | Critical | Increasing | Irregular | Low | Very High

DLY10118	Query Response Time	Critical	Decreasing	Irregular	Low	Very High
DLY10119	Data Loading Time	Critical	Increasing	Irregular	Low	Very High
DLY10120	Analytics Throughput	High	Decreasing	Repetitive	Low	Very High
DLY10122	Business Decisions Influenced	High	Stable	Repetitive	Low	Very High
DLY10123	Return on Analytics Investment (ROAI)	Critical	Decreasing	Irregular	Low	Very High
DLY10124	Revenue Growth Attributable to Analytics	High	Increasing	Repetitive	Low	Very High
DLY10125	Cost Savings from Analytics Insights	High	Decreasing	Repetitive	Low	Very High
DLY10127	Data Governance Compliance Rate	Critical	Stable	Irregular	Low	Very High
DLY10128	Data Privacy Incident Rate	High	Increasing	Repetitive	Low	Very High
DLY10129	Regulatory Compliance Score	Critical	Stable	Irregular	Low	Very High
DLY10130	Data Access Violation Incidents	Critical	Stable	Irregular	Low	Very High
DLY10132	Data Visualization Effectiveness Score	Critical	Decreasing	Irregular	Low	Very High
DLY10133	Number of Dashboards Created	Critical	Decreasing	Irregular	Low	Very High
DLY10134	User Feedback on Reports	Critical	Increasing	Irregular	Low	Very High
DLY10135	Time to Deliver Reports	High	Stable	Repetitive	Low	Very High

=== inconsistencies_report_shared.txt ===

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:50:43

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

41328 pair(s) found; showing top 30 by percentage:

Metric 1 ID	Metric 1 Name	Metric 2 ID	Metric 2 Name	Correlation	Count	Percentage	Over Points
-------------	---------------	-------------	---------------	-------------	-------	------------	-------------

BPT10111	Data Breach Incidents	DLY10114	Number of Active Analytics Users	0.03	902	30.07%	3000
PVM10133	Stakeholder Feedback Implementation Rate	BPT10115	Data Integration Success Rate	0.04	901	30.03%	3000
PVM10111	Awareness Campaign Effectiveness	CNT10115	Content Integration Success Rate	0.02	899	29.97%	3000
MDM10104	Data Consistency	IDP10113	Authentication Success Rate	0.02	898	29.93%	3000
CNT10128	Policy Update Frequency	BPT10115	Data Integration Success Rate	0.03	897	29.90%	3000
MDM10107	Data Entry Error Rate	MDM10120	Policy Update Frequency	0.05	895	29.83%	3000
BPT10111	Data Breach Incidents	DLY10102	Data Accuracy Rate	0.05	895	29.83%	3000
MDM10123	Feedback Implementation Rate	FLO10108	Root Cause Identification Rate	0.04	894	29.80%	3000
PVM10133	Stakeholder Feedback Implementation Rate	ANO10111	Resolution Time	0.05	892	29.73%	3000
MDM10107	Data Entry Error Rate	DLY10108	Predictive Model Accuracy	0.04	892	29.73%	3000
CMM10106	Uptime Percentage	FLO10110	Resolution Rate	0.04	888	29.60%	3000

FLO10103 | Average Detection Time | DLY10134 | User Feedback on Reports | 0.04 | 888 | 29.60% | 3000

ANO10115 | Preventive Actions Implemented | IDP10123 | Net Promoter Score (NPS) | 0.05 | 887 | 29.57% | 3000

CNT10106 | Content Update Frequency | PJM10116 | Quality Assurance Activities | 0.03 | 887 | 29.57% | 3000

DLY10112 | Analytics Adoption Rate | DLY10127 | Data Governance Compliance Rate | 0.03 | 887 | 29.57% | 3000

PVD10118 | Adoption of Emerging Best Practices | FLO10112 | Reoccurrence Rate | 0.02 | 886 | 29.53% | 3000

ANO10122 | Process Improvement Rate | DLY10120 | Analytics Throughput | 0.04 | 886 | 29.53% | 3000

CMM10112 | Access Control Compliance | CMM10119 | Feedback Implementation Rate | 0.03 | 886 | 29.53% | 3000

CNT10120 | Policy Update Frequency | CNT10127 | Innovation in Content Management | 0.06 | 886 | 29.53% | 3000

SYA10105 | ■Total time systems are non-operational | DLY10110 | Analytics Project Success Rate | 0.03 | 885 | 29.50% | 3000

PTY10112 | Data Encryption Rate | CNT10118 | Compliance Rate | 0.03 | 884 | 29.47% | 3000

BPT10111 | Data Breach Incidents | TCH10108 | Percentage of Projects Aligned with Business Goals | 0.00 | 884 | 29.47% | 3000

PVD10110 | Policy Review Frequency | CMM10106 | Uptime Percentage | 0.04 | 883 | 29.43% | 3000

PVD10115 | Stakeholder Satisfaction with Policy Development | DLY10104 | Data Consistency Score | 0.03 | 883 | 29.43% | 3000

PTY10119 | Audit Findings Resolution Time | CMM10112 | Access Control Compliance | 0.04 | 883 | 29.43% | 3000

PTY10122 | Stakeholder Satisfaction Score | CNT10115 | Content Integration Success Rate | 0.04 | 883 | 29.43% | 3000

ANO10104 | False Positive Rate | FLO10104 | False Positive Rate | 0.04 | 883 | 29.43% | 3000

ANO10119 | Feedback Implementation Rate | CNT10119 | Audit Findings Resolution Time | 0.03 | 883 | 29.43% | 3000

ANO10120 | Net Promoter Score (NPS) | DLY10113 | Self-Service Analytics Utilization | 0.05 | 883 | 29.43% | 3000

CMM10123 | Innovation in Communication | TCH10102 | Technology Innovation Rate | 0.03 | 883 | 29.43% | 3000

Groups Dependent Inconsistencies:

None found.

Groups Independent Inconsistencies:

4560 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

PVD10112 | PVD10112 | PJM10109 | PJM10109 | 0.04 | 898 | 29.93% | 3000

PVM10105 | PVM10105 | SYA10128 | SYA10128 | 0.01 | 898 | 29.93% | 3000

PVM10101 | PVM10101 | TCH10105 | TCH10105 | 0.02 | 893 | 29.77% | 3000

PJM10113 | PJM10113 | FLO10109 | FLO10109 | -0.01 | 891 | 29.70% | 3000

PJM10109 | PJM10109 | TCH10121 | TCH10121 | 0.01 | 887 | 29.57% | 3000

PVM10131 | PVM10131 | CNT10125 | CNT10125 | 0.02 | 886 | 29.53% | 3000

BPT10113 | BPT10113 | TCH10121 | TCH10121 | 0.01 | 885 | 29.50% | 3000

SYA10111 | SYA10111 | DLY10106 | DLY10106 | 0.04 | 884 | 29.47% | 3000

PVD10109 | PVD10109 | TCH10117 | TCH10117 | 0.03 | 882 | 29.40% | 3000

PJM10109 | PJM10109 | DLY10111 | DLY10111 | -0.00 | 882 | 29.40% | 3000
TCH10121 | TCH10121 | DLY10101 | DLY10101 | 0.02 | 881 | 29.37% | 3000
PVM10131 | PVM10131 | CNT10113 | CNT10113 | 0.00 | 880 | 29.33% | 3000
PVM10112 | PVM10112 | CNT10117 | CNT10117 | 0.06 | 878 | 29.27% | 3000
PVD10109 | PVD10109 | CMM10105 | CMM10105 | 0.01 | 877 | 29.23% | 3000
PTY10117 | PTY10117 | CMM10113 | CMM10113 | 0.01 | 877 | 29.23% | 3000
CMM10109 | CMM10109 | IDP10112 | IDP10112 | 0.03 | 877 | 29.23% | 3000
PTY10101 | PTY10101 | CMM10109 | CMM10109 | 0.04 | 875 | 29.17% | 3000
CNT10109 | CNT10109 | FLO10121 | FLO10121 | 0.01 | 875 | 29.17% | 3000
PJM10113 | PJM10113 | FLO10121 | FLO10121 | -0.00 | 874 | 29.13% | 3000
PVD10112 | PVD10112 | SYA10120 | SYA10120 | 0.01 | 873 | 29.10% | 3000
PVM10105 | PVM10105 | DLY10116 | DLY10116 | 0.01 | 873 | 29.10% | 3000
ANO10117 | ANO10117 | CNT10101 | CNT10101 | 0.02 | 873 | 29.10% | 3000
FLO10109 | FLO10109 | DLY10126 | DLY10126 | 0.04 | 873 | 29.10% | 3000
TCH10117 | TCH10117 | DLY10116 | DLY10116 | 0.02 | 873 | 29.10% | 3000
PTY10101 | PTY10101 | FLO10109 | FLO10109 | 0.01 | 872 | 29.07% | 3000
CNT10105 | CNT10105 | BPT10125 | BPT10125 | 0.00 | 872 | 29.07% | 3000
PTY10117 | PTY10117 | CNT10101 | CNT10101 | -0.01 | 871 | 29.03% | 3000
PVM10115 | PVM10115 | TCH10117 | TCH10117 | 0.03 | 870 | 29.00% | 3000
PVM10127 | PVM10127 | CNT10121 | CNT10121 | 0.03 | 870 | 29.00% | 3000
PTY10109 | PTY10109 | ANO10121 | ANO10121 | -0.02 | 870 | 29.00% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

91 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

PVM10000 | PVM10000 | BPT10000 | BPT10000 | 0.04 | 873 | 29.10% | 3000
ANO10000 | ANO10000 | FLO10000 | FLO10000 | 0.02 | 873 | 29.10% | 3000
PVD10000 | PVD10000 | SYA10000 | SYA10000 | 0.03 | 869 | 28.97% | 3000
MDM10000 | MDM10000 | FLO10000 | FLO10000 | 0.02 | 869 | 28.97% | 3000
FLO10000 | FLO10000 | BPT10000 | BPT10000 | -0.01 | 868 | 28.93% | 3000
BPT10000 | BPT10000 | DLY10000 | DLY10000 | 0.03 | 868 | 28.93% | 3000
CNT10000 | CNT10000 | FLO10000 | FLO10000 | -0.00 | 863 | 28.77% | 3000
IDP10000 | IDP10000 | BPT10000 | BPT10000 | 0.04 | 858 | 28.60% | 3000
ANO10000 | ANO10000 | BPT10000 | BPT10000 | 0.00 | 857 | 28.57% | 3000
PJM10000 | PJM10000 | IDP10000 | IDP10000 | 0.04 | 857 | 28.57% | 3000
PVM10000 | PVM10000 | MDM10000 | MDM10000 | -0.00 | 855 | 28.50% | 3000
IDP10000 | IDP10000 | FLO10000 | FLO10000 | -0.03 | 853 | 28.43% | 3000
PVD10000 | PVD10000 | PTY10000 | PTY10000 | -0.02 | 852 | 28.40% | 3000

FLO10000 | FLO10000 | TCH10000 | TCH10000 | 0.02 | 852 | 28.40% | 3000
PVM10000 | PVM10000 | TCH10000 | TCH10000 | 0.00 | 850 | 28.33% | 3000
TCH10000 | TCH10000 | DLY10000 | DLY10000 | -0.02 | 850 | 28.33% | 3000
BPT10000 | BPT10000 | SYA10000 | SYA10000 | -0.00 | 849 | 28.30% | 3000
CNT10000 | CNT10000 | MDM10000 | MDM10000 | 0.03 | 848 | 28.27% | 3000
PTY10000 | PTY10000 | BPT10000 | BPT10000 | 0.02 | 847 | 28.23% | 3000
CMM10000 | CMM10000 | PJM10000 | PJM10000 | 0.00 | 844 | 28.13% | 3000
PVD10000 | PVD10000 | MDM10000 | MDM10000 | 0.02 | 843 | 28.10% | 3000
PTY10000 | PTY10000 | CMM10000 | CMM10000 | 0.01 | 842 | 28.07% | 3000
MDM10000 | MDM10000 | PJM10000 | PJM10000 | 0.01 | 842 | 28.07% | 3000
PJM10000 | PJM10000 | FLO10000 | FLO10000 | 0.03 | 842 | 28.07% | 3000
PVD10000 | PVD10000 | CMM10000 | CMM10000 | -0.01 | 837 | 27.90% | 3000
PVD10000 | PVD10000 | PJM10000 | PJM10000 | -0.01 | 836 | 27.87% | 3000
CMM10000 | CMM10000 | CNT10000 | CNT10000 | -0.01 | 835 | 27.83% | 3000
PTY10000 | PTY10000 | ANO10000 | ANO10000 | -0.01 | 832 | 27.73% | 3000
IDP10000 | IDP10000 | DLY10000 | DLY10000 | -0.01 | 832 | 27.73% | 3000
PVD10000 | PVD10000 | TCH10000 | TCH10000 | -0.02 | 831 | 27.70% | 3000

=== trends_and_repetitions_report_shared.txt ===

Metrics Trends:

PVD10102: Increasing
PVD10103: Decreasing
PVD10104: Decreasing
PVD10106: Decreasing
PVD10108: Decreasing
PVD10110: Stable
PVD10111: Decreasing
PVD10113: Increasing
PVD10114: Increasing
PVD10115: Decreasing
PVD10117: Increasing
PVD10118: Decreasing
PVD10120: Increasing
PVD10121: Decreasing
PVM10102: Stable
PVM10103: Stable
PVM10104: Increasing
PVM10106: Stable
PVM10107: Decreasing

PVM10108: Stable
PVM10110: Stable
PVM10111: Stable
PVM10113: Increasing
PVM10114: Increasing
PVM10116: Decreasing
PVM10117: Stable
PVM10118: Stable
PVM10120: Increasing
PVM10121: Stable
PVM10122: Increasing
PVM10124: Decreasing
PVM10125: Increasing
PVM10126: Stable
PVM10128: Decreasing
PVM10129: Increasing
PVM10130: Stable
PVM10132: Increasing
PVM10133: Stable
PVM10134: Increasing
PTY10102: Decreasing
PTY10103: Stable
PTY10104: Increasing
PTY10106: Decreasing
PTY10107: Decreasing
PTY10108: Decreasing
PTY10110: Decreasing
PTY10111: Stable
PTY10112: Decreasing
PTY10114: Increasing
PTY10115: Decreasing
PTY10116: Stable
PTY10118: Decreasing
PTY10119: Decreasing
PTY10120: Decreasing
PTY10122: Decreasing
PTY10123: Decreasing
PTY10124: Stable
PTY10126: Increasing
PTY10127: Decreasing

PTY10128: Stable
ANO10102: Stable
ANO10103: Stable
ANO10104: Decreasing
ANO10106: Increasing
ANO10107: Increasing
ANO10108: Stable
ANO10110: Decreasing
ANO10111: Decreasing
ANO10112: Increasing
ANO10114: Increasing
ANO10115: Stable
ANO10116: Decreasing
ANO10118: Decreasing
ANO10119: Stable
ANO10120: Stable
ANO10122: Increasing
ANO10123: Increasing
ANO10124: Increasing
CMM10102: Increasing
CMM10103: Decreasing
CMM10104: Increasing
CMM10106: Stable
CMM10107: Stable
CMM10108: Decreasing
CMM10110: Increasing
CMM10111: Stable
CMM10112: Decreasing
CMM10114: Decreasing
CMM10115: Decreasing
CMM10116: Increasing
CMM10118: Increasing
CMM10119: Decreasing
CMM10120: Increasing
CMM10122: Stable
CMM10123: Increasing
CMM10124: Decreasing
CNT10102: Decreasing
CNT10103: Increasing
CNT10104: Stable

CNT10106: Stable
CNT10107: Decreasing
CNT10108: Increasing
CNT10110: Increasing
CNT10111: Stable
CNT10112: Stable
CNT10114: Increasing
CNT10115: Increasing
CNT10116: Increasing
CNT10118: Stable
CNT10119: Increasing
CNT10120: Stable
CNT10122: Increasing
CNT10123: Stable
CNT10124: Stable
CNT10126: Increasing
CNT10127: Stable
CNT10128: Decreasing
MDM10102: Decreasing
MDM10103: Stable
MDM10104: Increasing
MDM10106: Stable
MDM10107: Decreasing
MDM10108: Stable
MDM10110: Increasing
MDM10111: Decreasing
MDM10112: Increasing
MDM10114: Increasing
MDM10115: Increasing
MDM10116: Stable
MDM10118: Stable
MDM10119: Stable
MDM10120: Increasing
MDM10122: Increasing
MDM10123: Stable
MDM10124: Increasing
MDM10126: Increasing
MDM10127: Increasing
MDM10128: Increasing
PJM10102: Increasing

PJM10103: Increasing
PJM10104: Decreasing
PJM10106: Increasing
PJM10107: Stable
PJM10108: Stable
PJM10110: Increasing
PJM10111: Increasing
PJM10112: Stable
PJM10114: Increasing
PJM10115: Decreasing
PJM10116: Decreasing
PJM10118: Stable
PJM10119: Decreasing
PJM10120: Increasing
PJM10122: Decreasing
PJM10123: Decreasing
PJM10124: Increasing
IDP10102: Stable
IDP10103: Increasing
IDP10105: Decreasing
IDP10106: Increasing
IDP10107: Stable
IDP10109: Increasing
IDP10110: Stable
IDP10111: Increasing
IDP10113: Stable
IDP10114: Increasing
IDP10115: Increasing
IDP10117: Increasing
IDP10118: Increasing
IDP10119: Stable
IDP10121: Stable
IDP10122: Increasing
IDP10123: Increasing
IDP10125: Decreasing
IDP10126: Increasing
IDP10127: Increasing
FLO10102: Stable
FLO10103: Stable
FLO10104: Stable

FLO10106: Increasing
FLO10107: Stable
FLO10108: Stable
FLO10110: Decreasing
FLO10111: Increasing
FLO10112: Increasing
FLO10114: Increasing
FLO10115: Stable
FLO10116: Decreasing
FLO10118: Increasing
FLO10119: Stable
FLO10120: Stable
FLO10122: Stable
FLO10123: Decreasing
FLO10124: Decreasing
BPT10102: Decreasing
BPT10103: Decreasing
BPT10104: Increasing
BPT10106: Increasing
BPT10107: Increasing
BPT10108: Stable
BPT10110: Increasing
BPT10111: Stable
BPT10112: Stable
BPT10114: Stable
BPT10115: Increasing
BPT10116: Increasing
BPT10118: Decreasing
BPT10119: Increasing
BPT10120: Increasing
BPT10122: Stable
BPT10123: Stable
BPT10124: Stable
BPT10126: Increasing
BPT10127: Stable
BPT10128: Increasing
TCH10102: Stable
TCH10103: Decreasing
TCH10104: Stable
TCH10106: Stable

TCH10107: Stable
TCH10108: Stable
TCH10110: Stable
TCH10111: Stable
TCH10112: Increasing
TCH10114: Increasing
TCH10115: Decreasing
TCH10116: Decreasing
TCH10118: Decreasing
TCH10119: Increasing
TCH10120: Decreasing
TCH10122: Increasing
TCH10123: Increasing
TCH10124: Decreasing
TCH10126: Stable
TCH10127: Decreasing
TCH10128: Increasing
SYA10102: Stable
SYA10103: Decreasing
SYA10104: Decreasing
SYA10105: Increasing
SYA10107: Increasing
SYA10108: Stable
SYA10109: Increasing
SYA10110: Increasing
SYA10112: Stable
SYA10113: Decreasing
SYA10114: Stable
SYA10115: Decreasing
SYA10117: Increasing
SYA10118: Increasing
SYA10119: Stable
SYA10121: Stable
SYA10122: Increasing
SYA10123: Increasing
SYA10125: Stable
SYA10126: Decreasing
SYA10127: Stable
SYA10129: Stable
SYA10130: Increasing

SYA10131: Stable
DLY10102: Stable
DLY10103: Decreasing
DLY10104: Stable
DLY10105: Increasing
DLY10107: Decreasing
DLY10108: Decreasing
DLY10109: Increasing
DLY10110: Stable
DLY10112: Increasing
DLY10113: Increasing
DLY10114: Stable
DLY10115: Increasing
DLY10117: Increasing
DLY10118: Decreasing
DLY10119: Increasing
DLY10120: Decreasing
DLY10122: Stable
DLY10123: Decreasing
DLY10124: Increasing
DLY10125: Decreasing
DLY10127: Stable
DLY10128: Increasing
DLY10129: Stable
DLY10130: Stable
DLY10132: Decreasing
DLY10133: Decreasing
DLY10134: Increasing
DLY10135: Stable

Metrics Repetitions (Fourier Analysis):

PVD10102: No clear repetition (potential instability)
PVD10103: Dominant period: 2.18 units (repetitive)
PVD10104: Dominant period: 6.93 units (repetitive)
PVD10106: Dominant period: 6.24 units (repetitive)
PVD10108: No clear repetition (potential instability)
PVD10110: Dominant period: 2.17 units (repetitive)
PVD10111: No clear repetition (potential instability)
PVD10113: Dominant period: 21.90 units (repetitive)
PVD10114: No clear repetition (potential instability)

PVD10115: Dominant period: 6.51 units (repetitive)
PVD10117: Dominant period: 3.06 units (repetitive)
PVD10118: Dominant period: 14.49 units (repetitive)
PVD10120: Dominant period: 3.39 units (repetitive)
PVD10121: No clear repetition (potential instability)
PVM10102: Dominant period: 2.30 units (repetitive)
PVM10103: No clear repetition (potential instability)
PVM10104: No clear repetition (potential instability)
PVM10106: Dominant period: 130.43 units (repetitive)
PVM10107: Dominant period: 6.61 units (repetitive)
PVM10108: Dominant period: 9.77 units (repetitive)
PVM10110: Dominant period: 15.00 units (repetitive)
PVM10111: Dominant period: 2.26 units (repetitive)
PVM10113: Dominant period: 18.87 units (repetitive)
PVM10114: No clear repetition (potential instability)
PVM10116: No clear repetition (potential instability)
PVM10117: Dominant period: 11.49 units (repetitive)
PVM10118: Dominant period: 5.15 units (repetitive)
PVM10120: Dominant period: 2.48 units (repetitive)
PVM10121: Dominant period: 4.99 units (repetitive)
PVM10122: No clear repetition (potential instability)
PVM10124: Dominant period: 2.76 units (repetitive)
PVM10125: Dominant period: 3.23 units (repetitive)
PVM10126: Dominant period: 3.42 units (repetitive)
PVM10128: Dominant period: 2.72 units (repetitive)
PVM10129: No clear repetition (potential instability)
PVM10130: No clear repetition (potential instability)
PVM10132: Dominant period: 11.90 units (repetitive)
PVM10133: Dominant period: 5.12 units (repetitive)
PVM10134: Dominant period: 11.24 units (repetitive)
PTY10102: Dominant period: 3.59 units (repetitive)
PTY10103: No clear repetition (potential instability)
PTY10104: Dominant period: 30.30 units (repetitive)
PTY10106: No clear repetition (potential instability)
PTY10107: Dominant period: 3.38 units (repetitive)
PTY10108: No clear repetition (potential instability)
PTY10110: Dominant period: 2.01 units (repetitive)
PTY10111: Dominant period: 4.15 units (repetitive)
PTY10112: No clear repetition (potential instability)
PTY10114: Dominant period: 15.15 units (repetitive)

PTY10115: Dominant period: 20.27 units (repetitive)
PTY10116: Dominant period: 3.92 units (repetitive)
PTY10118: Dominant period: 3.09 units (repetitive)
PTY10119: Dominant period: 29.70 units (repetitive)
PTY10120: No clear repetition (potential instability)
PTY10122: Dominant period: 13.57 units (repetitive)
PTY10123: Dominant period: 3.93 units (repetitive)
PTY10124: Dominant period: 4.98 units (repetitive)
PTY10126: Dominant period: 32.97 units (repetitive)
PTY10127: No clear repetition (potential instability)
PTY10128: Dominant period: 8.02 units (repetitive)
ANO10102: Dominant period: 2.04 units (repetitive)
ANO10103: Dominant period: 6.00 units (repetitive)
ANO10104: No clear repetition (potential instability)
ANO10106: No clear repetition (potential instability)
ANO10107: No clear repetition (potential instability)
ANO10108: Dominant period: 3.53 units (repetitive)
ANO10110: No clear repetition (potential instability)
ANO10111: No clear repetition (potential instability)
ANO10112: Dominant period: 6.86 units (repetitive)
ANO10114: Dominant period: 2.76 units (repetitive)
ANO10115: No clear repetition (potential instability)
ANO10116: No clear repetition (potential instability)
ANO10118: Dominant period: 9.58 units (repetitive)
ANO10119: No clear repetition (potential instability)
ANO10120: Dominant period: 11.07 units (repetitive)
ANO10122: Dominant period: 6.16 units (repetitive)
ANO10123: Dominant period: 6.77 units (repetitive)
ANO10124: Dominant period: 3.67 units (repetitive)
CMM10102: Dominant period: 16.13 units (repetitive)
CMM10103: Dominant period: 49.18 units (repetitive)
CMM10104: No clear repetition (potential instability)
CMM10106: Dominant period: 27.52 units (repetitive)
CMM10107: Dominant period: 10.07 units (repetitive)
CMM10108: Dominant period: 4.62 units (repetitive)
CMM10110: No clear repetition (potential instability)
CMM10111: Dominant period: 2.12 units (repetitive)
CMM10112: Dominant period: 2.67 units (repetitive)
CMM10114: Dominant period: 23.44 units (repetitive)
CMM10115: Dominant period: 5.39 units (repetitive)

CMM10116: No clear repetition (potential instability)
CMM10118: Dominant period: 2.79 units (repetitive)
CMM10119: Dominant period: 11.11 units (repetitive)
CMM10120: No clear repetition (potential instability)
CMM10122: Dominant period: 17.14 units (repetitive)
CMM10123: Dominant period: 21.74 units (repetitive)
CMM10124: No clear repetition (potential instability)
CNT10102: No clear repetition (potential instability)
CNT10103: Dominant period: 100.00 units (repetitive)
CNT10104: No clear repetition (potential instability)
CNT10106: No clear repetition (potential instability)
CNT10107: No clear repetition (potential instability)
CNT10108: Dominant period: 187.50 units (repetitive)
CNT10110: Dominant period: 6.49 units (repetitive)
CNT10111: Dominant period: 3.13 units (repetitive)
CNT10112: Dominant period: 6.79 units (repetitive)
CNT10114: Dominant period: 12.55 units (repetitive)
CNT10115: Dominant period: 4.72 units (repetitive)
CNT10116: No clear repetition (potential instability)
CNT10118: Dominant period: 3.25 units (repetitive)
CNT10119: Dominant period: 5.67 units (repetitive)
CNT10120: Dominant period: 12.71 units (repetitive)
CNT10122: Dominant period: 7.33 units (repetitive)
CNT10123: Dominant period: 9.55 units (repetitive)
CNT10124: Dominant period: 75.00 units (repetitive)
CNT10126: Dominant period: 2.53 units (repetitive)
CNT10127: No clear repetition (potential instability)
CNT10128: Dominant period: 3.85 units (repetitive)
MDM10102: Dominant period: 3.27 units (repetitive)
MDM10103: No clear repetition (potential instability)
MDM10104: No clear repetition (potential instability)
MDM10106: No clear repetition (potential instability)
MDM10107: Dominant period: 2.17 units (repetitive)
MDM10108: Dominant period: 2.28 units (repetitive)
MDM10110: No clear repetition (potential instability)
MDM10111: Dominant period: 10.95 units (repetitive)
MDM10112: No clear repetition (potential instability)
MDM10114: Dominant period: 11.36 units (repetitive)
MDM10115: No clear repetition (potential instability)
MDM10116: No clear repetition (potential instability)

MDM10118: Dominant period: 9.23 units (repetitive)
MDM10119: Dominant period: 2.73 units (repetitive)
MDM10120: Dominant period: 6.71 units (repetitive)
MDM10122: No clear repetition (potential instability)
MDM10123: No clear repetition (potential instability)
MDM10124: No clear repetition (potential instability)
MDM10126: No clear repetition (potential instability)
MDM10127: No clear repetition (potential instability)
MDM10128: Dominant period: 9.01 units (repetitive)
PJM10102: Dominant period: 6.55 units (repetitive)
PJM10103: Dominant period: 23.44 units (repetitive)
PJM10104: No clear repetition (potential instability)
PJM10106: Dominant period: 2.19 units (repetitive)
PJM10107: Dominant period: 10.99 units (repetitive)
PJM10108: Dominant period: 2.65 units (repetitive)
PJM10110: No clear repetition (potential instability)
PJM10111: No clear repetition (potential instability)
PJM10112: No clear repetition (potential instability)
PJM10114: Dominant period: 5.67 units (repetitive)
PJM10115: No clear repetition (potential instability)
PJM10116: Dominant period: 2.90 units (repetitive)
PJM10118: Dominant period: 9.06 units (repetitive)
PJM10119: Dominant period: 2.28 units (repetitive)
PJM10120: No clear repetition (potential instability)
PJM10122: Dominant period: 11.07 units (repetitive)
PJM10123: Dominant period: 103.45 units (repetitive)
PJM10124: No clear repetition (potential instability)
IDP10102: No clear repetition (potential instability)
IDP10103: No clear repetition (potential instability)
IDP10105: No clear repetition (potential instability)
IDP10106: No clear repetition (potential instability)
IDP10107: Dominant period: 3.56 units (repetitive)
IDP10109: Dominant period: 7.50 units (repetitive)
IDP10110: Dominant period: 4.18 units (repetitive)
IDP10111: Dominant period: 4.62 units (repetitive)
IDP10113: No clear repetition (potential instability)
IDP10114: No clear repetition (potential instability)
IDP10115: No clear repetition (potential instability)
IDP10117: Dominant period: 4.16 units (repetitive)
IDP10118: No clear repetition (potential instability)

IDP10119: Dominant period: 4.45 units (repetitive)
IDP10121: No clear repetition (potential instability)
IDP10122: Dominant period: 3.82 units (repetitive)
IDP10123: No clear repetition (potential instability)
IDP10125: No clear repetition (potential instability)
IDP10126: Dominant period: 2.01 units (repetitive)
IDP10127: No clear repetition (potential instability)
FLO10102: No clear repetition (potential instability)
FLO10103: No clear repetition (potential instability)
FLO10104: Dominant period: 2.50 units (repetitive)
FLO10106: Dominant period: 5.16 units (repetitive)
FLO10107: No clear repetition (potential instability)
FLO10108: No clear repetition (potential instability)
FLO10110: Dominant period: 3.85 units (repetitive)
FLO10111: No clear repetition (potential instability)
FLO10112: Dominant period: 11.76 units (repetitive)
FLO10114: No clear repetition (potential instability)
FLO10115: Dominant period: 2.74 units (repetitive)
FLO10116: No clear repetition (potential instability)
FLO10118: No clear repetition (potential instability)
FLO10119: Dominant period: 142.86 units (repetitive)
FLO10120: Dominant period: 2.05 units (repetitive)
FLO10122: No clear repetition (potential instability)
FLO10123: No clear repetition (potential instability)
FLO10124: Dominant period: 136.36 units (repetitive)
BPT10102: No clear repetition (potential instability)
BPT10103: Dominant period: 4.59 units (repetitive)
BPT10104: Dominant period: 2.09 units (repetitive)
BPT10106: No clear repetition (potential instability)
BPT10107: No clear repetition (potential instability)
BPT10108: No clear repetition (potential instability)
BPT10110: Dominant period: 26.09 units (repetitive)
BPT10111: No clear repetition (potential instability)
BPT10112: Dominant period: 40.00 units (repetitive)
BPT10114: Dominant period: 2.39 units (repetitive)
BPT10115: No clear repetition (potential instability)
BPT10116: Dominant period: 10.42 units (repetitive)
BPT10118: Dominant period: 3.63 units (repetitive)
BPT10119: No clear repetition (potential instability)
BPT10120: Dominant period: 2.99 units (repetitive)

BPT10122: No clear repetition (potential instability)
BPT10123: Dominant period: 2.56 units (repetitive)
BPT10124: Dominant period: 4.99 units (repetitive)
BPT10126: No clear repetition (potential instability)
BPT10127: Dominant period: 4.16 units (repetitive)
BPT10128: Dominant period: 4.12 units (repetitive)
TCH10102: No clear repetition (potential instability)
TCH10103: No clear repetition (potential instability)
TCH10104: No clear repetition (potential instability)
TCH10106: No clear repetition (potential instability)
TCH10107: Dominant period: 2.51 units (repetitive)
TCH10108: Dominant period: 2.65 units (repetitive)
TCH10110: Dominant period: 2.19 units (repetitive)
TCH10111: Dominant period: 22.39 units (repetitive)
TCH10112: Dominant period: 2.07 units (repetitive)
TCH10114: Dominant period: 3.08 units (repetitive)
TCH10115: No clear repetition (potential instability)
TCH10116: No clear repetition (potential instability)
TCH10118: Dominant period: 2.40 units (repetitive)
TCH10119: No clear repetition (potential instability)
TCH10120: No clear repetition (potential instability)
TCH10122: Dominant period: 5.30 units (repetitive)
TCH10123: Dominant period: 2.88 units (repetitive)
TCH10124: No clear repetition (potential instability)
TCH10126: No clear repetition (potential instability)
TCH10127: Dominant period: 12.10 units (repetitive)
TCH10128: Dominant period: 2.91 units (repetitive)
SYA10102: Dominant period: 44.78 units (repetitive)
SYA10103: No clear repetition (potential instability)
SYA10104: Dominant period: 2.79 units (repetitive)
SYA10105: Dominant period: 3.70 units (repetitive)
SYA10107: No clear repetition (potential instability)
SYA10108: No clear repetition (potential instability)
SYA10109: No clear repetition (potential instability)
SYA10110: Dominant period: 2.10 units (repetitive)
SYA10112: No clear repetition (potential instability)
SYA10113: Dominant period: 7.35 units (repetitive)
SYA10114: Dominant period: 3.19 units (repetitive)
SYA10115: Dominant period: 8.22 units (repetitive)
SYA10117: No clear repetition (potential instability)

SYA10118: No clear repetition (potential instability)
SYA10119: Dominant period: 2.44 units (repetitive)
SYA10121: Dominant period: 2.03 units (repetitive)
SYA10122: No clear repetition (potential instability)
SYA10123: Dominant period: 2.89 units (repetitive)
SYA10125: No clear repetition (potential instability)
SYA10126: Dominant period: 88.24 units (repetitive)
SYA10127: No clear repetition (potential instability)
SYA10129: No clear repetition (potential instability)
SYA10130: Dominant period: 6.52 units (repetitive)
SYA10131: No clear repetition (potential instability)
DLY10102: Dominant period: 10.20 units (repetitive)
DLY10103: Dominant period: 2.66 units (repetitive)
DLY10104: No clear repetition (potential instability)
DLY10105: No clear repetition (potential instability)
DLY10107: No clear repetition (potential instability)
DLY10108: No clear repetition (potential instability)
DLY10109: Dominant period: 4.71 units (repetitive)
DLY10110: Dominant period: 3.82 units (repetitive)
DLY10112: Dominant period: 2.04 units (repetitive)
DLY10113: No clear repetition (potential instability)
DLY10114: Dominant period: 8.62 units (repetitive)
DLY10115: No clear repetition (potential instability)
DLY10117: No clear repetition (potential instability)
DLY10118: No clear repetition (potential instability)
DLY10119: No clear repetition (potential instability)
DLY10120: Dominant period: 4.16 units (repetitive)
DLY10122: Dominant period: 9.55 units (repetitive)
DLY10123: No clear repetition (potential instability)
DLY10124: Dominant period: 2.17 units (repetitive)
DLY10125: Dominant period: 2.54 units (repetitive)
DLY10127: No clear repetition (potential instability)
DLY10128: Dominant period: 23.81 units (repetitive)
DLY10129: No clear repetition (potential instability)
DLY10130: No clear repetition (potential instability)
DLY10132: No clear repetition (potential instability)
DLY10133: No clear repetition (potential instability)
DLY10134: No clear repetition (potential instability)
DLY10135: Dominant period: 4.68 units (repetitive)

Groups Trends:

PVD10101: Decreasing

PVD10105: Decreasing

PVD10107: Decreasing

PVD10109: Stable

PVD10112: Stable

PVD10116: Stable

PVD10119: Stable

PVM10101: Increasing

PVM10105: Decreasing

PVM10109: Stable

PVM10112: Increasing

PVM10115: Decreasing

PVM10119: Increasing

PVM10123: Stable

PVM10127: Stable

PVM10131: Increasing

PTY10101: Stable

PTY10105: Decreasing

PTY10109: Decreasing

PTY10113: Stable

PTY10117: Decreasing

PTY10121: Decreasing

PTY10125: Stable

ANO10101: Decreasing

ANO10105: Increasing

ANO10109: Stable

ANO10113: Stable

ANO10117: Stable

ANO10121: Increasing

CMM10101: Stable

CMM10105: Decreasing

CMM10109: Stable

CMM10113: Decreasing

CMM10117: Increasing

CMM10121: Increasing

CNT10101: Stable

CNT10105: Stable

CNT10109: Increasing

CNT10113: Increasing

CNT10117: Stable
CNT10121: Increasing
CNT10125: Stable
MDM10101: Stable
MDM10105: Decreasing
MDM10109: Increasing
MDM10113: Increasing
MDM10117: Increasing
MDM10121: Increasing
MDM10125: Increasing
PJM10101: Increasing
PJM10105: Increasing
PJM10109: Increasing
PJM10113: Decreasing
PJM10117: Stable
PJM10121: Decreasing
IDP10101: Stable
IDP10104: Stable
IDP10108: Increasing
IDP10112: Increasing
IDP10116: Increasing
IDP10120: Increasing
IDP10124: Stable
FLO10101: Decreasing
FLO10105: Increasing
FLO10109: Increasing
FLO10113: Stable
FLO10117: Stable
FLO10121: Decreasing
BPT10101: Decreasing
BPT10105: Increasing
BPT10109: Increasing
BPT10113: Increasing
BPT10117: Increasing
BPT10121: Stable
BPT10125: Increasing
TCH10101: Stable
TCH10105: Stable
TCH10109: Increasing
TCH10113: Stable

TCH10117: Decreasing
TCH10121: Increasing
TCH10125: Stable
SYA10101: Stable
SYA10106: Increasing
SYA10111: Decreasing
SYA10116: Increasing
SYA10120: Increasing
SYA10124: Decreasing
SYA10128: Increasing
DLY10101: Decreasing
DLY10106: Decreasing
DLY10111: Increasing
DLY10116: Stable
DLY10121: Stable
DLY10126: Increasing
DLY10131: Decreasing

Groups Repetitions (Fourier Analysis):

PVD10101: Dominant period: 157.89 units (repetitive)
PVD10105: Dominant period: 6.24 units (repetitive)
PVD10107: No clear repetition (potential instability)
PVD10109: Dominant period: 2.03 units (repetitive)
PVD10112: No clear repetition (potential instability)
PVD10116: Dominant period: 14.49 units (repetitive)
PVD10119: Dominant period: 24.00 units (repetitive)
PVM10101: No clear repetition (potential instability)
PVM10105: No clear repetition (potential instability)
PVM10109: Dominant period: 2.54 units (repetitive)
PVM10112: No clear repetition (potential instability)
PVM10115: Dominant period: 3.68 units (repetitive)
PVM10119: No clear repetition (potential instability)
PVM10123: Dominant period: 88.24 units (repetitive)
PVM10127: No clear repetition (potential instability)
PVM10131: Dominant period: 18.40 units (repetitive)
PTY10101: No clear repetition (potential instability)
PTY10105: No clear repetition (potential instability)
PTY10109: Dominant period: 4.15 units (repetitive)
PTY10113: No clear repetition (potential instability)
PTY10117: No clear repetition (potential instability)

PTY10121: Dominant period: 23.26 units (repetitive)
PTY10125: Dominant period: 2.10 units (repetitive)
ANO10101: No clear repetition (potential instability)
ANO10105: No clear repetition (potential instability)
ANO10109: Dominant period: 2.20 units (repetitive)
ANO10113: No clear repetition (potential instability)
ANO10117: No clear repetition (potential instability)
ANO10121: Dominant period: 3.48 units (repetitive)
CMM10101: Dominant period: 2.88 units (repetitive)
CMM10105: Dominant period: 2.98 units (repetitive)
CMM10109: No clear repetition (potential instability)
CMM10113: Dominant period: 2.72 units (repetitive)
CMM10117: Dominant period: 5.24 units (repetitive)
CMM10121: Dominant period: 15.46 units (repetitive)
CNT10101: No clear repetition (potential instability)
CNT10105: Dominant period: 2.37 units (repetitive)
CNT10109: Dominant period: 16.39 units (repetitive)
CNT10113: Dominant period: 4.86 units (repetitive)
CNT10117: No clear repetition (potential instability)
CNT10121: Dominant period: 3.59 units (repetitive)
CNT10125: No clear repetition (potential instability)
MDM10101: No clear repetition (potential instability)
MDM10105: Dominant period: 3.13 units (repetitive)
MDM10109: No clear repetition (potential instability)
MDM10113: No clear repetition (potential instability)
MDM10117: Dominant period: 3.39 units (repetitive)
MDM10121: No clear repetition (potential instability)
MDM10125: Dominant period: 9.01 units (repetitive)
PJM10101: Dominant period: 12.61 units (repetitive)
PJM10105: Dominant period: 17.05 units (repetitive)
PJM10109: Dominant period: 2.98 units (repetitive)
PJM10113: Dominant period: 16.76 units (repetitive)
PJM10117: Dominant period: 3.77 units (repetitive)
PJM10121: Dominant period: 5.15 units (repetitive)
IDP10101: No clear repetition (potential instability)
IDP10104: Dominant period: 23.08 units (repetitive)
IDP10108: No clear repetition (potential instability)
IDP10112: No clear repetition (potential instability)
IDP10116: Dominant period: 8.26 units (repetitive)
IDP10120: Dominant period: 8.50 units (repetitive)

IDP10124: Dominant period: 3.02 units (repetitive)
FLO10101: No clear repetition (potential instability)
FLO10105: Dominant period: 3.86 units (repetitive)
FLO10109: No clear repetition (potential instability)
FLO10113: Dominant period: 18.18 units (repetitive)
FLO10117: Dominant period: 47.62 units (repetitive)
FLO10121: No clear repetition (potential instability)
BPT10101: Dominant period: 4.29 units (repetitive)
BPT10105: No clear repetition (potential instability)
BPT10109: Dominant period: 20.13 units (repetitive)
BPT10113: No clear repetition (potential instability)
BPT10117: No clear repetition (potential instability)
BPT10121: Dominant period: 11.63 units (repetitive)
BPT10125: Dominant period: 3.76 units (repetitive)
TCH10101: No clear repetition (potential instability)
TCH10105: Dominant period: 2.48 units (repetitive)
TCH10109: No clear repetition (potential instability)
TCH10113: Dominant period: 2.23 units (repetitive)
TCH10117: No clear repetition (potential instability)
TCH10121: Dominant period: 5.40 units (repetitive)
TCH10125: No clear repetition (potential instability)
SYA10101: Dominant period: 5.65 units (repetitive)
SYA10106: No clear repetition (potential instability)
SYA10111: No clear repetition (potential instability)
SYA10116: Dominant period: 2.49 units (repetitive)
SYA10120: No clear repetition (potential instability)
SYA10124: Dominant period: 2.46 units (repetitive)
SYA10128: No clear repetition (potential instability)
DLY10101: Dominant period: 3.05 units (repetitive)
DLY10106: Dominant period: 6.91 units (repetitive)
DLY10111: No clear repetition (potential instability)
DLY10116: No clear repetition (potential instability)
DLY10121: No clear repetition (potential instability)
DLY10126: Dominant period: 15.96 units (repetitive)
DLY10131: No clear repetition (potential instability)

Sub_Modules Trends:

PVD10000: Decreasing

PVM10000: Increasing

PTY10000: Decreasing

ANO10000: Stable
 CMM10000: Stable
 CNT10000: Increasing
 MDM10000: Increasing
 PJM10000: Increasing
 IDP10000: Increasing
 FLO10000: Stable
 BPT10000: Increasing
 TCH10000: Stable
 SYA10000: Increasing
 DLY10000: Stable

Sub_Modules Repetitions (Fourier Analysis):

PVD10000: No clear repetition (potential instability)
 PVM10000: Dominant period: 13.04 units (repetitive)
 PTY10000: No clear repetition (potential instability)
 ANO10000: No clear repetition (potential instability)
 CMM10000: Dominant period: 2.04 units (repetitive)
 CNT10000: Dominant period: 2.55 units (repetitive)
 MDM10000: Dominant period: 4.58 units (repetitive)
 PJM10000: No clear repetition (potential instability)
 IDP10000: No clear repetition (potential instability)
 FLO10000: Dominant period: 2.68 units (repetitive)
 BPT10000: No clear repetition (potential instability)
 TCH10000: Dominant period: 3.69 units (repetitive)
 SYA10000: No clear repetition (potential instability)
 DLY10000: No clear repetition (potential instability)

=== metrics_summary_shared.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
ANO10102	64.21	19.96	124.09	4.32	0	35	2026-01-07
ANO10103	64.07	20.14	124.48	3.67	0	35	2026-01-07
ANO10104	63.69	20.67	125.7	1.68	0	35	2026-01-07
ANO10106	63.8	20.19	124.38	3.22	0	35	2026-01-07
ANO10107	64.33	20.25	125.07	3.59	0	35	2026-01-07
ANO10108	63.97	21.05	127.12	0.82	0	35	2026-01-07
ANO10110	63.78	20.09	124.06	3.5	0	35	2026-01-07
ANO10111	64.65	20.66	126.62	2.68	0	35	2026-01-07
ANO10112	64.18	20.57	125.89	2.47	0	35	2026-01-07
ANO10114	63.64	20.26	124.43	2.85	0	35	2026-01-07
ANO10115	64.69	20.68	126.74	2.65	0	35	2026-01-07
ANO10116	64.11	20.7	126.22	2.01	0	35	2026-01-07
ANO10118	64.41	20.66	126.38	2.44	0	35	2026-01-07
ANO10119	63.88	20.45	125.23	2.54	0	35	2026-01-07
ANO10120	64.37	20.39	125.52	3.21	0	35	2026-01-07
ANO10122	64.18	20.7	126.28	2.08	0	35	2026-01-07
ANO10123	64.46	20.54	126.08	2.84	0	35	2026-01-07
ANO10124	64.19	21.06	127.36	1.01	0	35	2026-01-07
BPT10102	63.23	20.33	124.2	2.25	0	35	2026-01-07
BPT10103	64.14	19.98	124.09	4.18	0	35	2026-01-07

BPT10104	64.23	20.11	124.57	3.9	0	35	2026-01-07
BPT10106	65.13	20.48	126.55	3.7	0	35	2026-01-07
BPT10107	64.05	20.4	125.25	2.86	0	35	2026-01-07
BPT10108	64.24	20.49	125.7	2.78	0	35	2026-01-07
BPT10110	64.1	20.1	124.39	3.81	0	35	2026-01-07
BPT10111	63.98	20.76	126.27	1.69	0	35	2026-01-07
BPT10112	63.33	20.97	126.25	0.41	0	35	2026-01-07
BPT10114	64.13	20.18	124.67	3.6	0	35	2026-01-07
BPT10115	64.62	20.56	126.29	2.94	0	35	2026-01-07
BPT10116	64.7	20.61	126.54	2.86	0	35	2026-01-07
BPT10118	63.93	20.32	124.88	2.98	0	35	2026-01-07
BPT10119	64.49	20.63	126.37	2.61	0	35	2026-01-07
BPT10120	63.79	20.13	124.19	3.39	0	35	2026-01-07
BPT10122	63.97	20.58	125.69	2.24	0	35	2026-01-07
BPT10123	63.74	20.65	125.69	1.79	0	35	2026-01-07
BPT10124	64.15	20.53	125.73	2.57	0	35	2026-01-07
BPT10126	64.17	20.09	124.44	3.91	0	35	2026-01-07
BPT10127	63.84	20.37	124.95	2.73	0	35	2026-01-07
BPT10128	64.65	20.54	126.28	3.03	0	35	2026-01-07
CMM10102	64.14	20.87	126.76	1.53	0	35	2026-01-07
CMM10103	64.86	20.07	125.08	4.65	0	35	2026-01-07
CMM10104	63.61	20.33	124.59	2.63	0	35	2026-01-07
CMM10106	64.11	20.02	124.17	4.04	0	35	2026-01-07
CMM10107	64.53	20.48	125.97	3.09	0	35	2026-01-07
CMM10108	64.27	20.19	124.85	3.69	0	35	2026-01-07
CMM10110	63.69	20.19	124.26	3.12	0	35	2026-01-07
CMM10111	64.49	20.2	125.1	3.89	0	35	2026-01-07
CMM10112	63.96	20.44	125.29	2.64	0	35	2026-01-07
CMM10114	64.03	20.55	125.67	2.39	0	35	2026-01-07
CMM10115	64.37	19.65	123.31	5.43	0	35	2026-01-07
CMM10116	63.86	20.67	125.86	1.86	0	35	2026-01-07
CMM10118	64.08	20.36	125.17	3.0	0	35	2026-01-07
CMM10119	63.59	20.29	124.46	2.72	0	35	2026-01-07
CMM10120	63.81	20.79	126.19	1.43	0	35	2026-01-07
CMM10122	65.22	20.68	127.26	3.18	0	35	2026-01-07
CMM10123	64.09	20.23	124.77	3.4	0	35	2026-01-07
CMM10124	64.3	20.53	125.9	2.7	0	35	2026-01-07
CNT10102	64.1	21.05	127.24	0.97	0	35	2026-01-07
CNT10103	64.53	20.84	127.04	2.01	0	35	2026-01-07
CNT10104	64.21	20.43	125.51	2.92	0	35	2026-01-07
CNT10106	63.64	20.28	124.48	2.81	0	35	2026-01-07
CNT10107	63.9	20.26	124.69	3.11	0	35	2026-01-07
CNT10108	63.77	20.68	125.8	1.73	0	35	2026-01-07
CNT10110	63.41	20.57	125.12	1.7	0	35	2026-01-07
CNT10111	64.01	21.06	127.18	0.84	0	35	2026-01-07
CNT10112	63.52	20.11	123.87	3.18	0	35	2026-01-07
CNT10114	64.33	20.83	126.83	1.83	0	35	2026-01-07
CNT10115	63.99	20.13	124.38	3.61	0	35	2026-01-07
CNT10116	63.97	20.7	126.07	1.86	0	35	2026-01-07
CNT10118	64.37	19.77	123.69	5.06	0	35	2026-01-07
CNT10119	64.3	20.26	125.07	3.53	0	35	2026-01-07
CNT10120	63.61	20.03	123.7	3.52	0	35	2026-01-07
CNT10122	64.15	20.69	126.23	2.08	0	35	2026-01-07
CNT10123	63.66	20.66	125.63	1.69	0	35	2026-01-07
CNT10124	64.13	20.3	125.04	3.23	0	35	2026-01-07
CNT10126	63.98	19.88	123.61	4.36	0	35	2026-01-07
CNT10127	62.68	20.59	124.44	0.92	0	35	2026-01-07
CNT10128	63.98	20.84	126.49	1.47	0	35	2026-01-07
DLY10102	64.4	20.41	125.62	3.19	0	35	2026-01-07
DLY10103	64.43	20.28	125.28	3.58	0	35	2026-01-07
DLY10104	63.95	20.33	124.93	2.96	0	35	2026-01-07
DLY10105	64.64	20.26	125.41	3.87	0	35	2026-01-07
DLY10107	64.25	20.7	126.34	2.16	0	35	2026-01-07
DLY10108	64.38	20.63	126.28	2.48	0	35	2026-01-07
DLY10109	63.75	20.67	125.77	1.73	0	35	2026-01-07
DLY10110	63.88	20.44	125.19	2.58	0	35	2026-01-07
DLY10112	63.42	20.05	123.56	3.28	0	35	2026-01-07
DLY10113	64.87	20.19	125.44	4.29	0	35	2026-01-07
DLY10114	63.78	19.87	123.38	4.19	0	35	2026-01-07
DLY10115	64.17	20.83	126.66	1.67	0	35	2026-01-07
DLY10117	63.99	20.37	125.11	2.87	0	35	2026-01-07
DLY10118	64.24	20.58	125.97	2.51	0	35	2026-01-07
DLY10119	64.39	20.29	125.25	3.52	0	35	2026-01-07
DLY10120	64.37	19.96	124.27	4.48	0	35	2026-01-07
DLY10122	63.85	20.09	124.12	3.58	0	35	2026-01-07

DLY10123	64.09	20.42	125.34	2.84	0	35	2026-01-07
DLY10124	63.63	20.7	125.72	1.54	0	35	2026-01-07
DLY10125	63.73	20.42	124.98	2.47	0	35	2026-01-07
DLY10127	63.99	20.19	124.57	3.42	0	35	2026-01-07
DLY10128	63.86	20.64	125.78	1.93	0	35	2026-01-07
DLY10129	63.71	20.33	124.71	2.72	0	35	2026-01-07
DLY10130	63.74	20.31	124.68	2.8	0	35	2026-01-07
DLY10132	64.24	20.21	124.87	3.6	0	35	2026-01-07
DLY10133	64.01	20.7	126.12	1.91	0	35	2026-01-07
DLY10134	63.78	19.85	123.33	4.23	0	35	2026-01-07
DLY10135	64.23	20.49	125.69	2.77	0	35	2026-01-07
FL010102	63.52	20.16	124.0	3.05	0	35	2026-01-07
FL010103	63.4	20.1	123.69	3.1	0	35	2026-01-07
FL010104	64.78	21.02	127.85	1.71	0	35	2026-01-07
FL010106	63.9	20.84	126.43	1.38	0	35	2026-01-07
FL010107	64.22	20.29	125.08	3.36	0	35	2026-01-07
FL010108	63.95	20.57	125.67	2.23	0	35	2026-01-07
FL010110	63.53	20.12	123.89	3.17	0	35	2026-01-07
FL010111	64.16	20.63	126.06	2.27	0	35	2026-01-07
FL010112	63.98	20.26	124.77	3.18	0	35	2026-01-07
FL010114	63.92	20.05	124.08	3.76	0	35	2026-01-07
FL010115	63.9	20.09	124.16	3.63	0	35	2026-01-07
FL010116	64.58	20.48	126.01	3.15	0	35	2026-01-07
FL010118	63.86	20.54	125.48	2.23	0	35	2026-01-07
FL010119	64.0	19.93	123.77	4.22	0	35	2026-01-07
FL010120	64.6	20.34	125.63	3.57	0	35	2026-01-07
FL010122	64.0	20.67	126.01	1.99	0	35	2026-01-07
FL010123	63.95	19.99	123.9	3.99	0	35	2026-01-07
FL010124	63.94	20.15	124.39	3.49	0	35	2026-01-07
IDP10102	64.46	20.79	126.82	2.1	0	35	2026-01-07
IDP10103	63.5	20.61	125.32	1.67	0	35	2026-01-07
IDP10105	64.24	20.24	124.97	3.51	0	35	2026-01-07
IDP10106	64.64	20.52	126.21	3.07	0	35	2026-01-07
IDP10107	63.93	20.01	123.95	3.91	0	35	2026-01-07
IDP10109	63.92	21.1	127.23	0.62	0	35	2026-01-07
IDP10110	63.71	20.36	124.77	2.64	0	35	2026-01-07
IDP10111	63.36	19.99	123.34	3.38	0	35	2026-01-07
IDP10113	63.57	20.56	125.25	1.88	0	35	2026-01-07
IDP10114	63.75	20.26	124.53	2.98	0	35	2026-01-07
IDP10115	63.87	20.15	124.31	3.43	0	35	2026-01-07
IDP10117	64.46	20.25	125.21	3.71	0	35	2026-01-07
IDP10118	63.94	20.55	125.58	2.29	0	35	2026-01-07
IDP10119	63.75	20.24	124.47	3.04	0	35	2026-01-07
IDP10121	64.28	20.52	125.85	2.71	0	35	2026-01-07
IDP10122	63.81	20.32	124.77	2.85	0	35	2026-01-07
IDP10123	63.72	20.15	124.17	3.28	0	35	2026-01-07
IDP10125	63.65	20.23	124.34	2.97	0	35	2026-01-07
IDP10126	64.24	20.2	124.84	3.65	0	35	2026-01-07
IDP10127	63.49	20.46	124.88	2.11	0	35	2026-01-07
MDM10102	63.03	20.61	124.87	1.19	0	35	2026-01-07
MDM10103	64.41	19.99	124.37	4.44	0	35	2026-01-07
MDM10104	64.54	20.66	126.53	2.55	0	35	2026-01-07
MDM10106	63.97	20.85	126.5	1.43	0	35	2026-01-07
MDM10107	64.16	20.83	126.65	1.67	0	35	2026-01-07
MDM10108	63.71	20.9	126.4	1.02	0	35	2026-01-07
MDM10110	64.24	20.72	126.42	2.07	0	35	2026-01-07
MDM10111	64.19	20.1	124.5	3.89	0	35	2026-01-07
MDM10112	63.74	20.61	125.58	1.9	0	35	2026-01-07
MDM10114	64.19	20.32	125.17	3.22	0	35	2026-01-07
MDM10115	63.6	20.73	125.8	1.4	0	35	2026-01-07
MDM10116	64.09	20.45	125.46	2.73	0	35	2026-01-07
MDM10118	64.58	20.39	125.75	3.4	0	35	2026-01-07
MDM10119	64.35	19.76	123.64	5.06	0	35	2026-01-07
MDM10120	63.92	20.26	124.7	3.14	0	35	2026-01-07
MDM10122	64.65	20.5	126.14	3.16	0	35	2026-01-07
MDM10123	64.01	20.35	125.07	2.96	0	35	2026-01-07
MDM10124	64.7	20.46	126.1	3.31	0	35	2026-01-07
MDM10126	64.08	20.39	125.25	2.91	0	35	2026-01-07
MDM10127	63.91	20.37	125.03	2.79	0	35	2026-01-07
MDM10128	64.13	20.14	124.54	3.73	0	35	2026-01-07
PJM10102	64.31	20.3	125.21	3.42	0	35	2026-01-07
PJM10103	63.8	20.05	123.94	3.67	0	35	2026-01-07
PJM10104	63.67	20.18	124.23	3.12	0	35	2026-01-07
PJM10106	63.95	20.27	124.76	3.14	0	35	2026-01-07
PJM10107	63.74	20.5	125.23	2.24	0	35	2026-01-07

PJM10108	63.36	20.45	124.71	2.02	0	35	2026-01-07
PJM10110	64.21	21.21	127.84	0.57	0	35	2026-01-07
PJM10111	64.03	20.92	126.79	1.26	0	35	2026-01-07
PJM10112	64.5	20.27	125.32	3.68	0	35	2026-01-07
PJM10114	63.81	20.05	123.98	3.65	0	35	2026-01-07
PJM10115	64.34	20.25	125.1	3.58	0	35	2026-01-07
PJM10116	64.26	20.11	124.6	3.93	0	35	2026-01-07
PJM10118	63.64	20.2	124.23	3.05	0	35	2026-01-07
PJM10119	63.74	20.46	125.11	2.37	0	35	2026-01-07
PJM10120	63.99	20.02	124.04	3.94	0	35	2026-01-07
PJM10122	64.04	20.73	126.25	1.84	0	35	2026-01-07
PJM10123	63.82	20.75	126.06	1.58	0	35	2026-01-07
PJM10124	63.58	20.47	124.99	2.16	0	35	2026-01-07
PTY10102	64.31	20.23	124.99	3.62	0	35	2026-01-07
PTY10103	63.85	20.1	124.14	3.55	0	35	2026-01-07
PTY10104	64.02	20.52	125.58	2.47	0	35	2026-01-07
PTY10106	64.09	20.86	126.68	1.5	0	35	2026-01-07
PTY10107	64.65	20.71	126.79	2.51	0	35	2026-01-07
PTY10108	64.04	20.3	124.94	3.15	0	35	2026-01-07
PTY10110	63.47	20.52	125.03	1.91	0	35	2026-01-07
PTY10111	63.55	20.46	124.95	2.16	0	35	2026-01-07
PTY10112	63.84	20.39	124.99	2.68	0	35	2026-01-07
PTY10114	63.64	20.61	125.48	1.8	0	35	2026-01-07
PTY10115	63.96	20.98	126.91	1.01	0	35	2026-01-07
PTY10116	63.82	20.65	125.77	1.88	0	35	2026-01-07
PTY10118	64.36	21.11	127.71	1.02	0	35	2026-01-07
PTY10119	64.18	20.2	124.78	3.59	0	35	2026-01-07
PTY10120	64.24	20.52	125.81	2.67	0	35	2026-01-07
PTY10122	63.86	20.87	126.45	1.26	0	35	2026-01-07
PTY10123	64.53	20.41	125.76	3.29	0	35	2026-01-07
PTY10124	63.91	20.4	125.12	2.7	0	35	2026-01-07
PTY10126	63.57	20.13	123.96	3.18	0	35	2026-01-07
PTY10127	64.23	20.42	125.49	2.97	0	35	2026-01-07
PTY10128	64.08	20.35	125.13	3.03	0	35	2026-01-07
PVD10102	64.0	20.33	125.0	3.0	0	35	2026-01-07
PVD10103	63.64	20.62	125.52	1.77	0	35	2026-01-07
PVD10104	64.34	19.58	123.08	5.6	0	35	2026-01-07
PVD10106	63.89	20.37	125.0	2.78	0	35	2026-01-07
PVD10108	63.78	20.27	124.59	2.96	0	35	2026-01-07
PVD10110	64.46	20.49	125.93	3.0	0	35	2026-01-07
PVD10111	63.94	20.42	125.18	2.69	0	35	2026-01-07
PVD10113	64.03	20.52	125.58	2.47	0	35	2026-01-07
PVD10114	63.53	20.58	125.25	1.8	0	35	2026-01-07
PVD10115	63.67	20.16	124.13	3.2	0	35	2026-01-07
PVD10117	64.12	20.24	124.84	3.4	0	35	2026-01-07
PVD10118	63.6	20.64	125.53	1.68	0	35	2026-01-07
PVD10120	64.17	20.7	126.28	2.06	0	35	2026-01-07
PVD10121	64.59	20.34	125.59	3.58	0	35	2026-01-07
PVM10102	63.83	20.34	124.84	2.82	0	35	2026-01-07
PVM10103	63.86	20.3	124.77	2.95	0	35	2026-01-07
PVM10104	63.52	20.42	124.78	2.27	0	35	2026-01-07
PVM10106	64.1	20.41	125.34	2.85	0	35	2026-01-07
PVM10107	64.31	20.47	125.72	2.9	0	35	2026-01-07
PVM10108	64.25	20.19	124.83	3.67	0	35	2026-01-07
PVM10110	64.16	20.23	124.83	3.48	0	35	2026-01-07
PVM10111	63.99	20.55	125.65	2.34	0	35	2026-01-07
PVM10113	63.66	20.12	124.0	3.31	0	35	2026-01-07
PVM10114	64.66	20.18	125.2	4.12	0	35	2026-01-07
PVM10116	63.75	20.52	125.32	2.18	0	35	2026-01-07
PVM10117	64.17	20.02	124.22	4.12	0	35	2026-01-07
PVM10118	63.78	20.14	124.19	3.36	0	35	2026-01-07
PVM10120	64.11	20.61	125.95	2.28	0	35	2026-01-07
PVM10121	64.38	20.32	125.34	3.42	0	35	2026-01-07
PVM10122	64.47	20.32	125.42	3.52	0	35	2026-01-07
PVM10124	63.97	19.89	123.64	4.29	0	35	2026-01-07
PVM10125	64.05	20.28	124.9	3.19	0	35	2026-01-07
PVM10126	64.01	20.78	126.35	1.68	0	35	2026-01-07
PVM10128	63.69	20.36	124.78	2.61	0	35	2026-01-07
PVM10129	63.78	20.32	124.73	2.82	0	35	2026-01-07
PVM10130	64.01	20.34	125.03	2.99	0	35	2026-01-07
PVM10132	63.89	20.1	124.2	3.59	0	35	2026-01-07
PVM10133	64.03	20.53	125.61	2.45	0	35	2026-01-07
PVM10134	64.67	20.07	124.88	4.46	0	35	2026-01-07
SYA10102	64.0	20.55	125.66	2.34	0	35	2026-01-07
SYA10103	64.32	20.38	125.46	3.18	0	35	2026-01-07

SYA10104	63.78	20.51	125.31	2.25	0	35	2026-01-07
SYA10105	64.04	20.34	125.06	3.02	0	35	2026-01-07
SYA10107	63.91	19.93	123.7	4.11	0	35	2026-01-07
SYA10108	64.11	20.27	124.92	3.3	0	35	2026-01-07
SYA10109	63.46	20.02	123.51	3.41	0	35	2026-01-07
SYA10110	64.59	20.24	125.33	3.86	0	35	2026-01-07
SYA10112	63.76	20.18	124.31	3.21	0	35	2026-01-07
SYA10113	64.29	20.88	126.91	1.66	0	35	2026-01-07
SYA10114	64.07	20.39	125.23	2.91	0	35	2026-01-07
SYA10115	64.29	20.6	126.09	2.48	0	35	2026-01-07
SYA10117	63.71	20.87	126.32	1.09	0	35	2026-01-07
SYA10118	63.68	20.66	125.64	1.71	0	35	2026-01-07
SYA10119	64.12	20.97	127.03	1.22	0	35	2026-01-07
SYA10121	63.74	20.41	124.98	2.49	0	35	2026-01-07
SYA10122	63.15	20.1	123.45	2.86	0	35	2026-01-07
SYA10123	64.14	20.29	125.02	3.27	0	35	2026-01-07
SYA10125	63.73	20.45	125.07	2.39	0	35	2026-01-07
SYA10126	63.73	19.98	123.68	3.79	0	35	2026-01-07
SYA10127	63.64	20.2	124.25	3.04	0	35	2026-01-07
SYA10129	63.83	20.22	124.49	3.17	0	35	2026-01-07
SYA10130	63.72	20.26	124.5	2.94	0	35	2026-01-07
SYA10131	63.98	20.14	124.4	3.56	0	35	2026-01-07
TCH10102	63.78	20.24	124.49	3.07	0	35	2026-01-07
TCH10103	64.16	20.75	126.42	1.91	0	35	2026-01-07
TCH10104	63.33	20.06	123.5	3.16	0	35	2026-01-07
TCH10106	64.34	20.03	124.44	4.25	0	35	2026-01-07
TCH10107	63.9	19.92	123.67	4.13	0	35	2026-01-07
TCH10108	64.0	20.47	125.41	2.6	0	35	2026-01-07
TCH10110	63.71	20.15	124.15	3.27	0	35	2026-01-07
TCH10111	63.95	20.29	124.83	3.08	0	35	2026-01-07
TCH10112	64.44	20.54	126.05	2.83	0	35	2026-01-07
TCH10114	64.13	20.65	126.08	2.18	0	35	2026-01-07
TCH10115	64.03	20.77	126.34	1.73	0	35	2026-01-07
TCH10116	64.52	20.63	126.41	2.63	0	35	2026-01-07
TCH10118	63.31	19.64	122.23	4.39	0	35	2026-01-07
TCH10119	64.45	20.56	126.12	2.77	0	35	2026-01-07
TCH10120	64.36	20.73	126.54	2.18	0	35	2026-01-07
TCH10122	64.06	20.26	124.83	3.29	0	35	2026-01-07
TCH10123	64.33	19.88	123.98	4.69	0	35	2026-01-07
TCH10124	64.15	20.39	125.32	2.98	0	35	2026-01-07
TCH10126	63.82	20.42	125.08	2.56	0	35	2026-01-07
TCH10127	64.01	20.46	125.38	2.64	0	35	2026-01-07
TCH10128	63.68	20.57	125.39	1.96	0	35	2026-01-07

=== rp_n_summary_shared.txt ===

metric_id	mean	sigma	UCL	LCL	signals	RPN	analysis_date
AN010102	64.21	19.96	124.09	4.32	0	35	2026-01-07
AN010103	64.07	20.14	124.48	3.67	0	35	2026-01-07
AN010104	63.69	20.67	125.7	1.68	0	35	2026-01-07
AN010106	63.8	20.19	124.38	3.22	0	35	2026-01-07
AN010107	64.33	20.25	125.07	3.59	0	35	2026-01-07
AN010108	63.97	21.05	127.12	0.82	0	35	2026-01-07
AN010110	63.78	20.09	124.06	3.5	0	35	2026-01-07
AN010111	64.65	20.66	126.62	2.68	0	35	2026-01-07
AN010112	64.18	20.57	125.89	2.47	0	35	2026-01-07
AN010114	63.64	20.26	124.43	2.85	0	35	2026-01-07
AN010115	64.69	20.68	126.74	2.65	0	35	2026-01-07
AN010116	64.11	20.7	126.22	2.01	0	35	2026-01-07
AN010118	64.41	20.66	126.38	2.44	0	35	2026-01-07
AN010119	63.88	20.45	125.23	2.54	0	35	2026-01-07
AN010120	64.37	20.39	125.52	3.21	0	35	2026-01-07
AN010122	64.18	20.7	126.28	2.08	0	35	2026-01-07
AN010123	64.46	20.54	126.08	2.84	0	35	2026-01-07
AN010124	64.19	21.06	127.36	1.01	0	35	2026-01-07
BPT10102	63.23	20.33	124.2	2.25	0	35	2026-01-07
BPT10103	64.14	19.98	124.09	4.18	0	35	2026-01-07
BPT10104	64.23	20.11	124.57	3.9	0	35	2026-01-07
BPT10106	65.13	20.48	126.55	3.7	0	35	2026-01-07
BPT10107	64.05	20.4	125.25	2.86	0	35	2026-01-07
BPT10108	64.24	20.49	125.7	2.78	0	35	2026-01-07
BPT10110	64.1	20.1	124.39	3.81	0	35	2026-01-07
BPT10111	63.98	20.76	126.27	1.69	0	35	2026-01-07

BPT10112	63.33	20.97	126.25	0.41	0	35	2026-01-07
BPT10114	64.13	20.18	124.67	3.6	0	35	2026-01-07
BPT10115	64.62	20.56	126.29	2.94	0	35	2026-01-07
BPT10116	64.7	20.61	126.54	2.86	0	35	2026-01-07
BPT10118	63.93	20.32	124.88	2.98	0	35	2026-01-07
BPT10119	64.49	20.63	126.37	2.61	0	35	2026-01-07
BPT10120	63.79	20.13	124.19	3.39	0	35	2026-01-07
BPT10122	63.97	20.58	125.69	2.24	0	35	2026-01-07
BPT10123	63.74	20.65	125.69	1.79	0	35	2026-01-07
BPT10124	64.15	20.53	125.73	2.57	0	35	2026-01-07
BPT10126	64.17	20.09	124.44	3.91	0	35	2026-01-07
BPT10127	63.84	20.37	124.95	2.73	0	35	2026-01-07
BPT10128	64.65	20.54	126.28	3.03	0	35	2026-01-07
CMM10102	64.14	20.87	126.76	1.53	0	35	2026-01-07
CMM10103	64.86	20.07	125.08	4.65	0	35	2026-01-07
CMM10104	63.61	20.33	124.59	2.63	0	35	2026-01-07
CMM10106	64.11	20.02	124.17	4.04	0	35	2026-01-07
CMM10107	64.53	20.48	125.97	3.09	0	35	2026-01-07
CMM10108	64.27	20.19	124.85	3.69	0	35	2026-01-07
CMM10110	63.69	20.19	124.26	3.12	0	35	2026-01-07
CMM10111	64.49	20.2	125.1	3.89	0	35	2026-01-07
CMM10112	63.96	20.44	125.29	2.64	0	35	2026-01-07
CMM10114	64.03	20.55	125.67	2.39	0	35	2026-01-07
CMM10115	64.37	19.65	123.31	5.43	0	35	2026-01-07
CMM10116	63.86	20.67	125.86	1.86	0	35	2026-01-07
CMM10118	64.08	20.36	125.17	3.0	0	35	2026-01-07
CMM10119	63.59	20.29	124.46	2.72	0	35	2026-01-07
CMM10120	63.81	20.79	126.19	1.43	0	35	2026-01-07
CMM10122	65.22	20.68	127.26	3.18	0	35	2026-01-07
CMM10123	64.09	20.23	124.77	3.4	0	35	2026-01-07
CMM10124	64.3	20.53	125.9	2.7	0	35	2026-01-07
CNT10102	64.1	21.05	127.24	0.97	0	35	2026-01-07
CNT10103	64.53	20.84	127.04	2.01	0	35	2026-01-07
CNT10104	64.21	20.43	125.51	2.92	0	35	2026-01-07
CNT10106	63.64	20.28	124.48	2.81	0	35	2026-01-07
CNT10107	63.9	20.26	124.69	3.11	0	35	2026-01-07
CNT10108	63.77	20.68	125.8	1.73	0	35	2026-01-07
CNT10110	63.41	20.57	125.12	1.7	0	35	2026-01-07
CNT10111	64.01	21.06	127.18	0.84	0	35	2026-01-07
CNT10112	63.52	20.11	123.87	3.18	0	35	2026-01-07
CNT10114	64.33	20.83	126.83	1.83	0	35	2026-01-07
CNT10115	63.99	20.13	124.38	3.61	0	35	2026-01-07
CNT10116	63.97	20.7	126.07	1.86	0	35	2026-01-07
CNT10118	64.37	19.77	123.69	5.06	0	35	2026-01-07
CNT10119	64.3	20.26	125.07	3.53	0	35	2026-01-07
CNT10120	63.61	20.03	123.7	3.52	0	35	2026-01-07
CNT10122	64.15	20.69	126.23	2.08	0	35	2026-01-07
CNT10123	63.66	20.66	125.63	1.69	0	35	2026-01-07
CNT10124	64.13	20.3	125.04	3.23	0	35	2026-01-07
CNT10126	63.98	19.88	123.61	4.36	0	35	2026-01-07
CNT10127	62.68	20.59	124.44	0.92	0	35	2026-01-07
CNT10128	63.98	20.84	126.49	1.47	0	35	2026-01-07
DLY10102	64.4	20.41	125.62	3.19	0	35	2026-01-07
DLY10103	64.43	20.28	125.28	3.58	0	35	2026-01-07
DLY10104	63.95	20.33	124.93	2.96	0	35	2026-01-07
DLY10105	64.64	20.26	125.41	3.87	0	35	2026-01-07
DLY10107	64.25	20.7	126.34	2.16	0	35	2026-01-07
DLY10108	64.38	20.63	126.28	2.48	0	35	2026-01-07
DLY10109	63.75	20.67	125.77	1.73	0	35	2026-01-07
DLY10110	63.88	20.44	125.19	2.58	0	35	2026-01-07
DLY10112	63.42	20.05	123.56	3.28	0	35	2026-01-07
DLY10113	64.87	20.19	125.44	4.29	0	35	2026-01-07
DLY10114	63.78	19.87	123.38	4.19	0	35	2026-01-07
DLY10115	64.17	20.83	126.66	1.67	0	35	2026-01-07
DLY10117	63.99	20.37	125.11	2.87	0	35	2026-01-07
DLY10118	64.24	20.58	125.97	2.51	0	35	2026-01-07
DLY10119	64.39	20.29	125.25	3.52	0	35	2026-01-07
DLY10120	64.37	19.96	124.27	4.48	0	35	2026-01-07
DLY10122	63.85	20.09	124.12	3.58	0	35	2026-01-07
DLY10123	64.09	20.42	125.34	2.84	0	35	2026-01-07
DLY10124	63.63	20.7	125.72	1.54	0	35	2026-01-07
DLY10125	63.73	20.42	124.98	2.47	0	35	2026-01-07
DLY10127	63.99	20.19	124.57	3.42	0	35	2026-01-07
DLY10128	63.86	20.64	125.78	1.93	0	35	2026-01-07
DLY10129	63.71	20.33	124.71	2.72	0	35	2026-01-07

DLY10130	63.74	20.31	124.68	2.8	0	35	2026-01-07
DLY10132	64.24	20.21	124.87	3.6	0	35	2026-01-07
DLY10133	64.01	20.7	126.12	1.91	0	35	2026-01-07
DLY10134	63.78	19.85	123.33	4.23	0	35	2026-01-07
DLY10135	64.23	20.49	125.69	2.77	0	35	2026-01-07
FL010102	63.52	20.16	124.0	3.05	0	35	2026-01-07
FL010103	63.4	20.1	123.69	3.1	0	35	2026-01-07
FL010104	64.78	21.02	127.85	1.71	0	35	2026-01-07
FL010106	63.9	20.84	126.43	1.38	0	35	2026-01-07
FL010107	64.22	20.29	125.08	3.36	0	35	2026-01-07
FL010108	63.95	20.57	125.67	2.23	0	35	2026-01-07
FL010110	63.53	20.12	123.89	3.17	0	35	2026-01-07
FL010111	64.16	20.63	126.06	2.27	0	35	2026-01-07
FL010112	63.98	20.26	124.77	3.18	0	35	2026-01-07
FL010114	63.92	20.05	124.08	3.76	0	35	2026-01-07
FL010115	63.9	20.09	124.16	3.63	0	35	2026-01-07
FL010116	64.58	20.48	126.01	3.15	0	35	2026-01-07
FL010118	63.86	20.54	125.48	2.23	0	35	2026-01-07
FL010119	64.0	19.93	123.77	4.22	0	35	2026-01-07
FL010120	64.6	20.34	125.63	3.57	0	35	2026-01-07
FL010122	64.0	20.67	126.01	1.99	0	35	2026-01-07
FL010123	63.95	19.99	123.9	3.99	0	35	2026-01-07
FL010124	63.94	20.15	124.39	3.49	0	35	2026-01-07
IDP10102	64.46	20.79	126.82	2.1	0	35	2026-01-07
IDP10103	63.5	20.61	125.32	1.67	0	35	2026-01-07
IDP10105	64.24	20.24	124.97	3.51	0	35	2026-01-07
IDP10106	64.64	20.52	126.21	3.07	0	35	2026-01-07
IDP10107	63.93	20.01	123.95	3.91	0	35	2026-01-07
IDP10109	63.92	21.1	127.23	0.62	0	35	2026-01-07
IDP10110	63.71	20.36	124.77	2.64	0	35	2026-01-07
IDP10111	63.36	19.99	123.34	3.38	0	35	2026-01-07
IDP10113	63.57	20.56	125.25	1.88	0	35	2026-01-07
IDP10114	63.75	20.26	124.53	2.98	0	35	2026-01-07
IDP10115	63.87	20.15	124.31	3.43	0	35	2026-01-07
IDP10117	64.46	20.25	125.21	3.71	0	35	2026-01-07
IDP10118	63.94	20.55	125.58	2.29	0	35	2026-01-07
IDP10119	63.75	20.24	124.47	3.04	0	35	2026-01-07
IDP10121	64.28	20.52	125.85	2.71	0	35	2026-01-07
IDP10122	63.81	20.32	124.77	2.85	0	35	2026-01-07
IDP10123	63.72	20.15	124.17	3.28	0	35	2026-01-07
IDP10125	63.65	20.23	124.34	2.97	0	35	2026-01-07
IDP10126	64.24	20.2	124.84	3.65	0	35	2026-01-07
IDP10127	63.49	20.46	124.88	2.11	0	35	2026-01-07
MDM10102	63.03	20.61	124.87	1.19	0	35	2026-01-07
MDM10103	64.41	19.99	124.37	4.44	0	35	2026-01-07
MDM10104	64.54	20.66	126.53	2.55	0	35	2026-01-07
MDM10106	63.97	20.85	126.5	1.43	0	35	2026-01-07
MDM10107	64.16	20.83	126.65	1.67	0	35	2026-01-07
MDM10108	63.71	20.9	126.4	1.02	0	35	2026-01-07
MDM10110	64.24	20.72	126.42	2.07	0	35	2026-01-07
MDM10111	64.19	20.1	124.5	3.89	0	35	2026-01-07
MDM10112	63.74	20.61	125.58	1.9	0	35	2026-01-07
MDM10114	64.19	20.32	125.17	3.22	0	35	2026-01-07
MDM10115	63.6	20.73	125.8	1.4	0	35	2026-01-07
MDM10116	64.09	20.45	125.46	2.73	0	35	2026-01-07
MDM10118	64.58	20.39	125.75	3.4	0	35	2026-01-07
MDM10119	64.35	19.76	123.64	5.06	0	35	2026-01-07
MDM10120	63.92	20.26	124.7	3.14	0	35	2026-01-07
MDM10122	64.65	20.5	126.14	3.16	0	35	2026-01-07
MDM10123	64.01	20.35	125.07	2.96	0	35	2026-01-07
MDM10124	64.7	20.46	126.1	3.31	0	35	2026-01-07
MDM10126	64.08	20.39	125.25	2.91	0	35	2026-01-07
MDM10127	63.91	20.37	125.03	2.79	0	35	2026-01-07
MDM10128	64.13	20.14	124.54	3.73	0	35	2026-01-07
PJM10102	64.31	20.3	125.21	3.42	0	35	2026-01-07
PJM10103	63.8	20.05	123.94	3.67	0	35	2026-01-07
PJM10104	63.67	20.18	124.23	3.12	0	35	2026-01-07
PJM10106	63.95	20.27	124.76	3.14	0	35	2026-01-07
PJM10107	63.74	20.5	125.23	2.24	0	35	2026-01-07
PJM10108	63.36	20.45	124.71	2.02	0	35	2026-01-07
PJM10110	64.21	21.21	127.84	0.57	0	35	2026-01-07
PJM10111	64.03	20.92	126.79	1.26	0	35	2026-01-07
PJM10112	64.5	20.27	125.32	3.68	0	35	2026-01-07
PJM10114	63.81	20.05	123.98	3.65	0	35	2026-01-07
PJM10115	64.34	20.25	125.1	3.58	0	35	2026-01-07

PJM10116	64.26	20.11	124.6	3.93	0	35	2026-01-07
PJM10118	63.64	20.2	124.23	3.05	0	35	2026-01-07
PJM10119	63.74	20.46	125.11	2.37	0	35	2026-01-07
PJM10120	63.99	20.02	124.04	3.94	0	35	2026-01-07
PJM10122	64.04	20.73	126.25	1.84	0	35	2026-01-07
PJM10123	63.82	20.75	126.06	1.58	0	35	2026-01-07
PJM10124	63.58	20.47	124.99	2.16	0	35	2026-01-07
PTY10102	64.31	20.23	124.99	3.62	0	35	2026-01-07
PTY10103	63.85	20.1	124.14	3.55	0	35	2026-01-07
PTY10104	64.02	20.52	125.58	2.47	0	35	2026-01-07
PTY10106	64.09	20.86	126.68	1.5	0	35	2026-01-07
PTY10107	64.65	20.71	126.79	2.51	0	35	2026-01-07
PTY10108	64.04	20.3	124.94	3.15	0	35	2026-01-07
PTY10110	63.47	20.52	125.03	1.91	0	35	2026-01-07
PTY10111	63.55	20.46	124.95	2.16	0	35	2026-01-07
PTY10112	63.84	20.39	124.99	2.68	0	35	2026-01-07
PTY10114	63.64	20.61	125.48	1.8	0	35	2026-01-07
PTY10115	63.96	20.98	126.91	1.01	0	35	2026-01-07
PTY10116	63.82	20.65	125.77	1.88	0	35	2026-01-07
PTY10118	64.36	21.11	127.71	1.02	0	35	2026-01-07
PTY10119	64.18	20.2	124.78	3.59	0	35	2026-01-07
PTY10120	64.24	20.52	125.81	2.67	0	35	2026-01-07
PTY10122	63.86	20.87	126.45	1.26	0	35	2026-01-07
PTY10123	64.53	20.41	125.76	3.29	0	35	2026-01-07
PTY10124	63.91	20.4	125.12	2.7	0	35	2026-01-07
PTY10126	63.57	20.13	123.96	3.18	0	35	2026-01-07
PTY10127	64.23	20.42	125.49	2.97	0	35	2026-01-07
PTY10128	64.08	20.35	125.13	3.03	0	35	2026-01-07
PVD10102	64.0	20.33	125.0	3.0	0	35	2026-01-07
PVD10103	63.64	20.62	125.52	1.77	0	35	2026-01-07
PVD10104	64.34	19.58	123.08	5.6	0	35	2026-01-07
PVD10106	63.89	20.37	125.0	2.78	0	35	2026-01-07
PVD10108	63.78	20.27	124.59	2.96	0	35	2026-01-07
PVD10110	64.46	20.49	125.93	3.0	0	35	2026-01-07
PVD10111	63.94	20.42	125.18	2.69	0	35	2026-01-07
PVD10113	64.03	20.52	125.58	2.47	0	35	2026-01-07
PVD10114	63.53	20.58	125.25	1.8	0	35	2026-01-07
PVD10115	63.67	20.16	124.13	3.2	0	35	2026-01-07
PVD10117	64.12	20.24	124.84	3.4	0	35	2026-01-07
PVD10118	63.6	20.64	125.53	1.68	0	35	2026-01-07
PVD10120	64.17	20.7	126.28	2.06	0	35	2026-01-07
PVD10121	64.59	20.34	125.59	3.58	0	35	2026-01-07
PVM10102	63.83	20.34	124.84	2.82	0	35	2026-01-07
PVM10103	63.86	20.3	124.77	2.95	0	35	2026-01-07
PVM10104	63.52	20.42	124.78	2.27	0	35	2026-01-07
PVM10106	64.1	20.41	125.34	2.85	0	35	2026-01-07
PVM10107	64.31	20.47	125.72	2.9	0	35	2026-01-07
PVM10108	64.25	20.19	124.83	3.67	0	35	2026-01-07
PVM10110	64.16	20.23	124.83	3.48	0	35	2026-01-07
PVM10111	63.99	20.55	125.65	2.34	0	35	2026-01-07
PVM10113	63.66	20.12	124.0	3.31	0	35	2026-01-07
PVM10114	64.66	20.18	125.2	4.12	0	35	2026-01-07
PVM10116	63.75	20.52	125.32	2.18	0	35	2026-01-07
PVM10117	64.17	20.02	124.22	4.12	0	35	2026-01-07
PVM10118	63.78	20.14	124.19	3.36	0	35	2026-01-07
PVM10120	64.11	20.61	125.95	2.28	0	35	2026-01-07
PVM10121	64.38	20.32	125.34	3.42	0	35	2026-01-07
PVM10122	64.47	20.32	125.42	3.52	0	35	2026-01-07
PVM10124	63.97	19.89	123.64	4.29	0	35	2026-01-07
PVM10125	64.05	20.28	124.9	3.19	0	35	2026-01-07
PVM10126	64.01	20.78	126.35	1.68	0	35	2026-01-07
PVM10128	63.69	20.36	124.78	2.61	0	35	2026-01-07
PVM10129	63.78	20.32	124.73	2.82	0	35	2026-01-07
PVM10130	64.01	20.34	125.03	2.99	0	35	2026-01-07
PVM10132	63.89	20.1	124.2	3.59	0	35	2026-01-07
PVM10133	64.03	20.53	125.61	2.45	0	35	2026-01-07
PVM10134	64.67	20.07	124.88	4.46	0	35	2026-01-07
SYA10102	64.0	20.55	125.66	2.34	0	35	2026-01-07
SYA10103	64.32	20.38	125.46	3.18	0	35	2026-01-07
SYA10104	63.78	20.51	125.31	2.25	0	35	2026-01-07
SYA10105	64.04	20.34	125.06	3.02	0	35	2026-01-07
SYA10107	63.91	19.93	123.7	4.11	0	35	2026-01-07
SYA10108	64.11	20.27	124.92	3.3	0	35	2026-01-07
SYA10109	63.46	20.02	123.51	3.41	0	35	2026-01-07
SYA10110	64.59	20.24	125.33	3.86	0	35	2026-01-07

SYA10112	63.76	20.18	124.31	3.21	0	35	2026-01-07
SYA10113	64.29	20.88	126.91	1.66	0	35	2026-01-07
SYA10114	64.07	20.39	125.23	2.91	0	35	2026-01-07
SYA10115	64.29	20.6	126.09	2.48	0	35	2026-01-07
SYA10117	63.71	20.87	126.32	1.09	0	35	2026-01-07
SYA10118	63.68	20.66	125.64	1.71	0	35	2026-01-07
SYA10119	64.12	20.97	127.03	1.22	0	35	2026-01-07
SYA10121	63.74	20.41	124.98	2.49	0	35	2026-01-07
SYA10122	63.15	20.1	123.45	2.86	0	35	2026-01-07
SYA10123	64.14	20.29	125.02	3.27	0	35	2026-01-07
SYA10125	63.73	20.45	125.07	2.39	0	35	2026-01-07
SYA10126	63.73	19.98	123.68	3.79	0	35	2026-01-07
SYA10127	63.64	20.2	124.25	3.04	0	35	2026-01-07
SYA10129	63.83	20.22	124.49	3.17	0	35	2026-01-07
SYA10130	63.72	20.26	124.5	2.94	0	35	2026-01-07
SYA10131	63.98	20.14	124.4	3.56	0	35	2026-01-07
TCH10102	63.78	20.24	124.49	3.07	0	35	2026-01-07
TCH10103	64.16	20.75	126.42	1.91	0	35	2026-01-07
TCH10104	63.33	20.06	123.5	3.16	0	35	2026-01-07
TCH10106	64.34	20.03	124.44	4.25	0	35	2026-01-07
TCH10107	63.9	19.92	123.67	4.13	0	35	2026-01-07
TCH10108	64.0	20.47	125.41	2.6	0	35	2026-01-07
TCH10110	63.71	20.15	124.15	3.27	0	35	2026-01-07
TCH10111	63.95	20.29	124.83	3.08	0	35	2026-01-07
TCH10112	64.44	20.54	126.05	2.83	0	35	2026-01-07
TCH10114	64.13	20.65	126.08	2.18	0	35	2026-01-07
TCH10115	64.03	20.77	126.34	1.73	0	35	2026-01-07
TCH10116	64.52	20.63	126.41	2.63	0	35	2026-01-07
TCH10118	63.31	19.64	122.23	4.39	0	35	2026-01-07
TCH10119	64.45	20.56	126.12	2.77	0	35	2026-01-07
TCH10120	64.36	20.73	126.54	2.18	0	35	2026-01-07
TCH10122	64.06	20.26	124.83	3.29	0	35	2026-01-07
TCH10123	64.33	19.88	123.98	4.69	0	35	2026-01-07
TCH10124	64.15	20.39	125.32	2.98	0	35	2026-01-07
TCH10126	63.82	20.42	125.08	2.56	0	35	2026-01-07
TCH10127	64.01	20.46	125.38	2.64	0	35	2026-01-07
TCH10128	63.68	20.57	125.39	1.96	0	35	2026-01-07

=== Shared_Module_model_summary.txt ===

NOTE ON THE SECTION BELOW: 'Overall Risk', the 'Risk Scenarios' ranking, and 'Follow-up Actions' are computed from randomly simulated stress-test scenarios (seeded for reproducibility), not from statistical evidence measured in this client's actual data. Treat them as illustrative stress-test projections, not as data-driven findings. (Model Evaluation Metrics further below ARE fit on the real data and are not affected by this note.)

Overall Risk: 0.38030394934865536

Risk Scenarios in Higher-First Priority:

Scenario_10: 0.9582314936921804

Scenario_9: 0.8038222834527426

Scenario_8: 0.6386992184153006

Scenario_7: 0.4897011323447945

Scenario_6: 0.3610822487815188

Scenario_5: 0.2517311237794721

Scenario_4: 0.15915817873087432

Scenario_3: 0.0901217409995456

Scenario_2: 0.03943721790523324

Scenario_1: 0.011054855384891085

Average MSE across models is 9.879926007971345e-06, indicating strong confidence in the risk assessment.

Follow-up Actions:

- High risk in Scenario_10 (Avg Risk=0.958) driven by metrics: PVM10110, DLY10117, MDM10126. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_9 (Avg Risk=0.804) driven by metrics: PJM10122, DLY10133, FLO10121. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.
- High risk in Scenario_8 (Avg Risk=0.639) driven by metrics: CNT10114, IDP10101, BPT10102. Suggested mitigation: prioritize monitoring and corrective actions for these metrics.

Metrics involved in High-Risk Scenarios:

Scenario_10 (Avg Risk=0.958):

- PVM10110: Training Completion Rate
- DLY10117: Data Processing Speed
- MDM10126: Process Improvement Rate

Scenario_9 (Avg Risk=0.804):

- PJM10122: Stakeholder Satisfaction Score
- DLY10133: Number of Dashboards Created
- FLO10121: 6. Continuous Improvement

Scenario_8 (Avg Risk=0.639):

- CNT10114: Content Usage Rate
- IDP10101: 1. Identification Accuracy
- BPT10102: Data Accuracy

Baseline Predictor (Mean of SHRD_001):

MSE: 1.4681126706555556

R-squared: 0.0

RMSE: 1.2116569938128345

MAPE: 1.526598359165773%

PyTorch Model Evaluation:

MSE: 0.0011117362374904944

R-squared: 0.9992427446069285

RMSE: 0.033342708910502374

MAPE: 0.040494161052197726%

Model Evaluation Metrics:

MSE: 0.0011117362374904944

RMSE: 0.033342708910502374

R²: 0.9992427446069285

MAPE: 0.040494161052197726%

Risk Confidence Score: High

Recommendation - Continuously monitor performance metrics and adjust strategies as needed.

Recommendation - Reassess risk management plans periodically to ensure effectiveness.

-----End of Shared Module Risk Analysis Summary-----