

SAP S/4HANA ⇌ SAP Concur

Direct Connection Runbook

Complete end-to-end configuration guide — point-to-point, no middleware

Scope: S/4 → Concur: Cost Center · Project WBS Element · Employee (incl. vendor ID)

Concur → S/4: Expense reports · Corporate card transactions (IBCP / CBCP) · Cash advances

Add-ons: CTE_FND 100 · CTE_HCM 100 · CTE_FIN 100

Source: SAP Integration with Concur Solutions – Setup Guide, SP23 (2026-05-15), 112 pp.

Supplemented by: SAP Note 2914977 · 2388587 · 2922806 · 2923196 · SAP ICS Concur-side guide

Contents

1 How to Use This Runbook	4
2 Architecture and Topology	4
2.1 How the direct connection works	4
3 Prerequisites — Resolve Before You Start	5
3.1 Concur-side configuration (separate guide — mandatory)	5
3.2 SAP Notes and external documents	6
3.3 Network, security and operational prerequisites	6
4 Add-On Installation	7
5 Connection Setup — Direct	8
5.1 Step 1 — Start / Single Sign-On (optional)	8
5.2 Step 2 — Specify Target System	8
5.3 Step 3 — Client Credentials	9
5.4 Concepts shared by all export wizards	9
6 Cost Center Export	10
6.1 Step 1 — Start (export rules)	10
6.2 Step 2 — Cost Object Hierarchy	10
6.3 Step 3 — Automatic Export (phased rollout)	10
6.4 Step 4 — Complete (scheduling)	10
7 Project WBS Element Export	11
7.1 Step 1 — Start (export rules)	11
7.2 Steps 2-4 — Hierarchy, rollout, scheduling	11
8 Employee Export	11
8.1 Step 1 — Start (status rules)	11
8.2 Step 2 — Employee ID strategy	12
8.3 Step 3 — Field mapping	12
8.4 Step 4 — Phased rollout	12
8.5 Step 5 — Automatic export and manager changes	12
8.6 Step 6 — Locales	13
9 Financial Posting Import — All 11 Wizard Steps	13
9.1 Step 1 — Start	13
9.2 Step 2 — Concur Document Types	13
9.3 Step 3 — General Settings [p.49]	13

9.4 Step 4 — Posting Settings, incl. corporate cards [p.50]	13
9.5 Step 5 — Filter Definition [p.51]	14
9.6 Step 6 — Account Definition (vendor determination) [p.51]	14
9.7 Step 7 — Cost Object Mapping [p.51-52]	14
9.8 Step 8 — Attachments [p.52-53]	15
9.9 Step 9 — Automatic Import [p.53]	15
9.10 Step 10 — Deviating Currencies [p.53-54]	15
9.11 Step 11 — Tax Jurisdiction Codes (Canada) [p.54]	15
10 Runtime Operations — the Feedback Loop	16
10.1 The loop	16
10.2 Manual recovery (Step-by-Step)	16
10.3 Document statuses [p.74-75]	16
10.4 Setting documents to obsolete [p.78-79]	16
10.5 Reverse posting [p.79-80]	17
10.6 Delta handling — the 90-day window [p.77-78]	17
10.7 Attachments at runtime [p.73-74]	17
10.8 Payment status operations [p.75, 80-81]	18
10.9 Currency conversion and the JSON original [p.74]	18
10.10 Navigation on the Concur Documents screen [p.76]	18
11 Monitoring, Logging and Troubleshooting	19
11.1 Communication Monitor	19
11.2 Application logs	19
12 Data Protection and Privacy	19
13 BAdI Reference (This Scope)	20
14 Cutover Checklist and Test Plan	21
14.1 Pre-flight checklist	21
14.2 Integration test plan (minimum)	22
15 Appendix — Quick Reference	22
15.1 Transactions	22
15.2 SAP Notes and companion documents	23

1 How to Use This Runbook

This runbook is a complete, self-contained sequence for connecting an SAP S/4HANA on-premise system to SAP Concur using the **direct (point-to-point) connection** — no middleware. It is written so that a consultant who has never done this integration can follow it start to finish. Page references [p.XX] point to the official *SAP Integration with Concur Solutions – Setup Guide*, SP23 (2026-05-15).

Project scope covered:

- **S/4 → Concur (exports):** Cost Center, Project WBS Element, Employee (including employee vendor ID).
- **Concur → S/4 (imports):** Employee expense reports (with attachments), corporate card transactions (IBCP / CBCP), and cash advances via the Financial Posting import.
- **Out of scope** (not configured here, and their add-ons are not installed): Payroll import, Invoice, Vendor / Purchase Order export, Funds/Grants Management, and the other cost object types (Internal Order, Network, Network Activity, Sales Order Item, Maintenance Order, QM Order, Production Order). If you later need them, each has its own wizard in **CTE_SETUP** following the same pattern as Sections 6–8.

Work in this order. The section order is the execution order. Do not skip ahead: the connection must exist before any export; cost centers and managers must be exported before employees; every cost object type you want to post against must be exported (or at least mapped) before the Financial Posting import goes live.

Golden rule of this integration: master data always originates in SAP. If data is changed in Concur only, SAP does not know — a re-export from SAP is the only way to resynchronize, and there is no way to protect synchronized data on the Concur side [p.4].

2 Architecture and Topology

Five non-modifying ABAP add-ons exist; this scope requires three [p.4]:

Add-on	Purpose	Required here
CTE_FND 100	Foundation — prerequisite for all others. Install first.	Yes
CTE_HCM 100	HCM integration — employee export (and payroll import, unused here)	Yes
CTE_FIN 100	Financial integration — cost object exports + financial posting import	Yes
CTE_INV 100	Invoice integration (vendor/PO export, invoice import)	No
CTE_FGM 100	Funds/Grants Management (public sector)	No

2.1 How the direct connection works

- The ABAP add-on **initiates all traffic**. SAP pushes exports to Concur and pulls imports from the Concur financial posting queue, over outbound HTTPS. Concur never calls into SAP.
- TLS termination, certificate trust (**STRUST**) and outbound egress (firewall / proxy) are therefore owned entirely by the SAP system and your Basis / network team.
- The connection wizard creates the RFC destination automatically (visible in **SM59**) [p.14–15].
- Authentication to Concur uses OAuth2 company-level credentials (Client ID / Secret / Refresh Token / Company UUID / Company ID) stored in the ABAP secure store [p.16].
- The end-to-end document cycle (import → acknowledge → post → confirm → attachments → payment status) is called the **Feedback Loop** — Section 10 is dedicated to operating it.

Direct vs. middleware: functionally identical — the CTE add-ons own all payloads and mappings either way. Only the Step-2 connection node and the certificate placement differ. This runbook configures the direct path; the middleware fields and iFlow contract [p.15–16] are not covered.

3 Prerequisites — Resolve Before You Start

Everything in this section blocks a later step. Assign owners and close these first.

3.1 Concur-side configuration (separate guide — mandatory)

The setup guide deliberately does not document the Concur side [p.6]. It must be configured per the guide *SAP ICS for SAP ERP: On-Premise and S/4HANA: On-Premise* (help.sap.com → product page *Integrating SAP On-Premise Systems with SAP Concur* → *SAP Integration with Concur Solution Guides*). The subsections below detail what that work actually is, per SAP's official ICS material.

Two things only SAP Concur can do: (1) the **Enable Financial Integration** checkbox is set per Expense Group and can only be activated by SAP Concur employees with a specific access level — request it via your Concur representative for every group in scope; it cannot be set globally. (2) The **partner application activation** and the OAuth credentials (Client ID / Secret / Token / Company UUID / Company ID) are issued by Concur. During implementation, SAP Concur assists with the tenant-side setup — plan these requests early.

a) List Management — the cost object connected list

- Create **one connected list** to hold the cost object hierarchy. SAP best practice is **four levels**: 1. Logical System → 2. Company Code → 3. Cost Object Type → 4. Cost Object ID (always the last level). Optional extra levels where justified: Controlling Area (between 1 and 2), Country, Business Area — beyond four levels requires a strong business case; customer-specific levels need BAdI logic (`BADI_CTE_FIN_COBJ_FILL_LEVEL`).
- You only **create the empty list** — the integration populates it. Name it clearly (e.g. *SAP Cost Object Hierarchy*). **No asterisk or other special characters in the list name.** Delete any dummy test data before the integration runs (deletion-cascade risk, Section 6).
- The list name is what you type — character for character — in the SAP cost center / WBS wizards.

b) Forms and Fields

- **Employee form:** the *Default Employee Information* form must not be renamed and stays assigned to the **Global** group. Capture the four list levels in **Org Unit 1–4** (no default values; employee access read-only/hidden, admin modify). **Custom 17 = Vendor ID** — required for financial posting (this is the Custom17 vendor determination of Section 9, Step 6; alternatively populate it with the personnel number, or derive the vendor in a BAdI). Add **Cash Advance Account Code** if cash advances are used. Login ID defaults to the employee's e-mail address.
- **Expense Report Header form:** Org Unit 1–4 with **Copy Down from Employee** (Org Unit 1–4).
- **Expense Allocation form (mandatory):** financial posting maps directly to allocation fields — configure **Custom 1–4** with Copy Down from the report header (Org Unit 1–4). This matches the SAP-side cost object mapping example (Custom1 = logical system, Custom2 = company code, Custom3 = type, Custom4 = ID; Section 9, Step 7).
- **Expense Entry forms:** best practice is NOT to add cost object fields — each expense auto-allocates 100% to the header cost object; users reallocate/split via the Allocation feature when needed.
- To add any missing field to the Employee form: Administration → Expense → Expense Admin → Forms and Fields → form *Employee* → Add Fields, then rerun the SAP Employee wizard unchanged (Complete) so it appears in Specify Field Mapping [p.10].

c) Group configuration and workflow

- **Groups:** standard practice is one Expense Group per country, keyed by the two-character country code. **Enable Financial Integration** per group (Concur-staff action, see box above) — this also auto-creates the **Reports Financial Posting Failed** processor query; run it regularly in operations.
- **Workflow:** every ICS user's workflow must have an **Expense Processor step as the last step** (it may be configured to be skipped, but it must exist) — this is how failed postings are corrected and re-released. A report is not re-posted until corrected and fully approved by the processor.

d) Accounting, payment types and tax

- **Accounting Administration:** map G/L account codes to expense types — either **direct** account codes (must match SAP account IDs → choose *Accounts as Used in Concur* in Section 9, Step 3) or **symbolic** codes (→ choose *Treat Concur Accounts as Symbolic Accounts* and maintain the SAP-side mapping). Multiple ledgers and account hierarchies are supported.
- **Payment types:** all company card payment types without offsets, and cash, are supported. **Company Paid is NOT supported** (offsetting behaviour). Provide the correct clearing account per payment type. **ATM withdrawals on corporate cards must be imported as expense transactions, not cash advances** (setting activated by the Concur technical consultant).
- **Tax Administration:** domestic — a two-character **Tax Reclaim Code** on the Reclaim Rates screen (Tax & Reclaim Groups) is required for all taxed postings, and **City of Purchase** must be on every taxed expense entry form (also required for car mileage). Non-domestic — maintain the **Non Domestic Code** on the Tax Authority General page; **if it is missing, no code is sent and the posting fails**. Canada — add the SAP condition type (FTXP) as Tax Code on the Tax Rates page for all Canadian tax authorities, and map jurisdiction codes on the SAP side (Section 9, Step 11).

e) Employee replication limitations to plan around

- Uses the Concur User API: **no supplemental data** — approval limits and credit card assignments are not replicated and stay manually maintained in Concur.
- **No Concur Travel support** — Travel needs the 350-record import, which ICS does not provide.
- **No initial passwords** (users use *Forgot your password?*); no S/4HANA Cloud support.
- Do not mix replication with other employee-update methods (Excel/flat-file imports) — profiles drift out of sync with SAP.

3.2 SAP Notes and external documents

Document	What you need from it	Blocks
SAP Note 2914977 — FAQ: Concur Certificates, Authentication & Connectivity	Data-centre-specific Concur Host and Gateway Host URLs; which SSL certificates to install; STRUST import procedure (SSL Client Standard); crypto library / cipher suite settings; gateway authentication [p.8, 14–15]	Connection Step 2 — the #1 direct-connect dependency
SAP Note 2388587 — FAQ: Concur Integration	Which Concur APIs must be enabled for the integration [p.16]	Check Connection
SAP Note 2922806 — FAQ: General Information about the Concur Integration	General behaviour, restrictions, troubleshooting [p.9]	Reference
SAP Note 2923196 — FAQ: Financial Posting in the Concur Integration	Criteria for an expense report to be eligible for reopening (deltas) [p.78]	Delta handling
Component SAP Notes for CTE_FND / CTE_HCM / CTE_FIN	Minimum support-pack level, kernel level, required corrections	Add-on install

3.3 Network, security and operational prerequisites

#	Item	Owner / detail
1	Outbound HTTPS egress from every SAP application server to the Concur Host and Gateway Host; proxy host/port/credentials if applicable	Basis + network / firewall team
2	Concur server certificates imported into STRUST (SSL Client Standard) per Note 2914977; plan certificate renewal as a recurring SAP-side operational task	Basis
3	OAuth credentials : Client ID, Client Secret, Refresh Token, Company UUID, Concur Company ID	Your Concur representative [p.16]
4	Authorization roles — the guide names only CTE_DISPLAY_HTTP_LOG (HTTP logs). You also need authorizations for CTE_SETUP , CTE_MONI , CTE_POST_IMP , CTE_EMPLOYEE_EXP , CTE_DATA_DISCLOSURE , CTE_DATA_DESTRUCTION , plus the batch user's job authorizations	Security team
5	Batch user created and authorized for background jobs; agree a schedule that staggers the CTE* jobs — running all cost-object jobs simultaneously can overload the system [p.22]	Basis
6	ArchiveLink content repository — only if you choose ArchiveLink over Generic Object Service for attachments; must pre-exist (see Section 9, Step 8)	Basis
7	OBPM3 + DMEE payment-medium configuration to write the decrypted card number into the payment file (IBCP/CBCP; see Section 9, Step 4)	FI / payments team
8	Change pointers enabled system-wide with BD61 ; message types CTE_* verifiable in BD52 [p.13]	Basis
9	SSO identity provider tenant (optional) — SAP ERP IDP or third-party IDP such as SAP Cloud Identity, only if you enable SSO [p.14]	Identity team

4 Add-On Installation

1. Download [CTE_FND 100](#), [CTE_HCM 100](#), [CTE_FIN 100](#) from the SAP Software Download Center.
2. Check the component SAP Notes for the current support-pack level and required corrections **before** installing.
3. Install with [SAINT](#) (add-on installation tool); apply support packages with [SPAM](#). **Install CTE_FND first** — it is a prerequisite for all other add-ons [p.4].
4. Then install [CTE_HCM](#) and [CTE_FIN](#).
5. Transport strategy: install in DEV, run all wizards there, and capture the customizing in transports per your landscape strategy. Note that connection credentials and schedules are client-specific and are re-entered per system.
6. After installation, transaction [CTE_SETUP](#) opens the *Setting Up the Integration with SAP Concur* screen — the master screen from which every wizard, monitor and utility in this runbook is launched [p.7].

Non-modifying: the add-ons do not touch standard SAP processes on import or upgrade. But Concur is a cloud system updated automatically — SAP explicitly asks you to keep the on-premise add-ons current so corrections and new functions stay aligned [p.4].

Navigating the setup screen [p.8]: double-click an empty cell to open the wizard for that activity; a green traffic light on an export cell opens the manual export screen; a green light on an import cell

opens the Concur Documents screen; a yellow light means credentials need verifying or a certificate is missing (double-click navigates to the fix). Right-click any cell to see all navigation options.

Deleting a connection [p.8-9]: possible via System → Delete Connection only when no data was replicated. Otherwise every active integration activity must be deleted first (e.g. Cost Center → Delete Export) — and all imported/exported data is deleted with it. Before deleting, ensure ALL Concur documents completed the feedback loop (status obsolete / confirmed / new-unacknowledged), otherwise Concur-side inconsistencies are very likely and you will no longer be able to reimburse expenses. A deleted connection on an SAP system copy is safe — originals are handled in the original system.

5 Connection Setup — Direct

CTE_SETUP → **System** → **Create Connection** → wizard *Setting Up the System Connection* [p.14-16]. Use Change Connection later to modify.

5.1 Step 1 — Start / Single Sign-On (optional)

- Concur supports SSO via SAML. Prerequisite: an existing IDP tenant (SAP ERP IDP, or third-party such as SAP Cloud Identity — SCI counts as third-party) [p.14].
- To configure: **Environment** → **Setup** → **Specify Identity Provider for SSO**, choose **SAP ERP IDP** (authentication on email ID; access granted if a Concur account exists) or **Third-Party IDP** (enter the redirect URL; the IDP generates the SAML assertion and sends it to Concur with the Concur login ID). Save.
- If you skip SSO, users sign in at the Concur homepage with Concur credentials.
- After setup you can log in directly from the setup screen: System → Sign In to Concur → with / without SSO.

5.2 Step 2 — Specify Target System

- Select **direct connection** (not middleware).
- Enter an **RFC Destination** name and Description — or pick an existing [SM59](#) destination via input help. The wizard creates/updates the destination for you.
- Concur Host**, **Port** and **Default Language** are pre-filled but changeable. The host is **data-centre dependent** — confirm the URL in SAP Note 2914977.
- Enter the **Gateway Host** — also data-centre dependent, listed in the same note.
- If your proxy requires authentication, enter the **proxy user and password**.

Do not prefix the host names with http:// or https://. The connection will not work. This applies to both Concur Host and Gateway Host [p.14].

Certificate and network work owned by you on the direct path:

- Import the Concur server certificates into **STRUST** (SSL Client Standard) per SAP Note 2914977 so the outbound TLS handshake succeeds. Verify crypto library and cipher suite settings against the note.
- Open outbound HTTPS from all SAP application servers to Concur Host and Gateway Host.
- Diarize certificate renewal — an expired cert silently breaks every export and import.

Step 2b — Default Language and Mapping Service [p.15-16]

- Default Language** drives three things: cost object names/descriptions are read in this language (fallback: company-code language, then the raw ID); the Communication Monitor displays names in it; and posting messages sent back to Concur in confirmations are raised in it — **create/translate your message classes in this language**.
- Mapping Service** ensures documents are routed to the right system. On first-time setup it is enabled by default and cannot be deselected; once selected and saved it can never be deselected.

Leave it on.

5.3 Step 3 — Client Credentials

1. Choose whether you authenticate with the **refresh token** or the **request token** first. With the request-token flow, the refresh token is stored automatically in the secure store — view it later via System → Display Refresh Token.
2. Enter **Client ID**, **Client Secret**, **Refresh Token**, **Company UUID**, **Concur Company ID** (all from your Concur representative).
3. Save. To re-key later use **Clear Hidden Values** — clears everything except the Concur Company ID.
4. APIs required for these calls: see SAP Note 2388587 [p.16].

Verify now: CTE_SETUP → System → **Check Connection**. Do not proceed to any export wizard until this is green. If you later change client credentials while using the Mapping Service, the Financial Posting traffic light turns yellow — rerun the System Setup wizard to re-verify [p.51].

5.4 Concepts shared by all export wizards

Field mapping and code mapping [p.10-11]

- **Specify Field Mapping** (per object, from the setup screen) maps SAP fields to Concur form fields. The wizards generate a default you can adjust. Columns: Concur Form Type / Field ID / Field Name, SAP Table+Field (for Employee: Infotype/Subtype instead), SAP Implementation Code (SAP-delivered derivations), Conversion Code (blank = standard compression of leading/trailing blanks), Code Mapping Exists.
- **Specify Code Mapping** converts code values (e.g. SAP gender 1/2 ↔ Concur M/F) automatically at export.
- If a mapping is implemented in a BAdI instead, **delete** the corresponding SAP field mapping / implementation entries for performance. To stop a mapped Concur field from being overwritten, return `!?CTE_API_NULL?%` in `BADI_CTE_HCM_EE_DATA_CHANGE`.
- **Automatic export users beware:** add every relevant infotype to the field mapping table and map it — otherwise no change pointers are created and changes are never exported [p.11].

Export Without Restrictions vs. Phased Rollout [p.12]

- **Export Without Restrictions** — everything exports; optional validity date excludes objects whose validity ended before it.
- **Phased Rollout (Restricted Export)** — two tables: **Generic Definition** (area-defining fields; fill columns strictly left-to-right, no gaps, or you get an error) and **Single Objects** (always exported regardless of the generic rules; remove only via Revoke).
- **Click Start in the Initial Export column to activate** — without it nothing exports.
- Revoking an initial export (not possible for POs) deletes the objects in Concur and drops them from the rollout. If an object sits in both tables and you revoke it in one, it is deleted — re-export manually. Manually deleted objects re-enter export only after a manual export. Duplicates are combined automatically.

Manual vs. automatic export, and queue handling [p.13]

- Automatic export = scheduled batch job (per wizard) + change pointers. Enable change pointers globally with **BD61**; verify `CTE_*` message types with **BD52**. Scheduling is client-specific; check existing `CTE*` schedules in **SM37** first; enter an authorized **Batch User**.
- To pin a job to an app server: **SM37** → job `CTE*`, user `*`, status Released → Job → Change → Exec Target.
- **Queue handling:** if an export fails (e.g. Concur unavailable), the change pointer is still marked completed — the object is instead placed in a date-stamped queue and retried in the next runs, three

attempts per day, rolling to the next day after three failures. Future-dated changes wait in the queue until valid. Manual exports remain possible at any time alongside automatic export.

6 Cost Center Export

CTE_SETUP → **Cost Center** [p.21-23].

Sequence matters: export **cost centers first, then managers, then employees** [p.17]. Getting this wrong produces employee-export failures that look unrelated.

6.1 Step 1 — Start (export rules)

A cost center is **exported** when all of the following hold:

- It is valid (start date ≤ today ≤ end date).
- It matches the Phased Rollout selection criteria.
- The **Actual primary costs** checkbox is NOT selected — i.e. the cost center is relevant for financial posting. Check in **KS03** → Control tab.
- Its name exists in the **Default Language** chosen in connection Step 2b.

It is **deleted in Concur** when its validity expires, when *Actual primary costs* becomes ticked, or when it no longer exists in SAP (automatic export only). Data-change BAdI: **BADI_CTE_FIN_COBJ_DATA_CHANGE**.

6.2 Step 2 — Cost Object Hierarchy

- Cost Object Type defaults to **CC** (adjustable). The current cost object ID is always the last level; the type is assigned to the preceding level automatically.
- **Prerequisite:** at least one Concur List exists (single-level or connected). Enter the list name **exactly** as in Concur — a wrong name fails the API call. Verify afterwards via System → Check Connection.
- Choose the list strategy once, globally: all cost object types **combined in one list** (differentiate via Cost Object Type) or **distributed across separate lists** (no type entry needed). This choice resurfaces in the Financial Posting cost object mapping (Section 9, Step 7).
- Custom fields can add customer-specific list levels — requires implementing **BADI_CTE_FIN_COBJ_FILL_LEVEL** (Section 13); until the BAdI implementation is active, exports error out. Certain List Level / Field Name combinations are rejected with an information dialog.

Deletion cascade: deleting cost object data in SAP automatically deletes all superordinate hierarchy levels in Concur that hold no data. Anything loaded into the same lists by other routes (manual entry, flat file) is invisible to the integration and may be deleted. Mitigation: load these lists exclusively through the integration [p.22].

6.3 Step 3 — Automatic Export (phased rollout)

- Scope by company code or controlling area. A cost center outside the rollout scope will not export.
- The **initial export must be triggered manually:** Cost Center → Phased Rollout → Initial Export → Start.
- Phased-rollout data exports as soon as you complete the wizard — to defer, maintain the Phased Rollout screen instead of the wizard.
- Alternative: Export Without Restrictions with an optional validity cutoff date.

6.4 Step 4 — Complete (scheduling)

- Enable **Automatic Export**, schedule the batch job, enter the authorized **Batch User**. Client-specific; check **SM37** for existing **CTE*** schedules first.

- Do **not** schedule all cost-object jobs at the same time — overload risk [p.22].
- Manual export any time: Cost Center → Manual Export.

7 Project WBS Element Export

CTE_SETUP → **Project WBS Element** [p.33-35]. Same wizard pattern as cost centers; only the differences and WBS-specific checks are listed here.

7.1 Step 1 — Start (export rules)

A WBS element is **exported** when:

- It matches the Phased Rollout criteria.
- The record is **posting-relevant**.
- It is marked as an **account assignment element** — CJ12 → Operative indicators → *Acct asst elem.* ticked.
- **FI: Postings** appears among the permitted transactions — CJ13 → Edit → Status → System/User Status → Business processes tab.
- Its name exists in the Default Language.

It is **deleted in Concur** when it is no longer posting-relevant (FI: Postings absent) or no longer exists in SAP (automatic export only). BAdI: BADI_CTE_FIN_COBJ_DATA_CHANGE.

7.2 Steps 2-4 — Hierarchy, rollout, scheduling

- Cost Object Type defaults to PJ. All list rules from Section 6 apply identically: the Concur list must pre-exist, the name must match exactly, and the deletion cascade applies.
- Phased rollout by company code or controlling area; trigger the initial export manually via Project WBS Element → Phased Rollout → Start.
- Enable Automatic Export, schedule the job, enter the Batch User; stagger against other CTE* jobs.
- **If using change pointers:** tick **ChangeDocuments** on the Project Profile — OPSA → select the profile line → Details → Control tab (top right). Without it, WBS changes never auto-export [p.34].
- Manual export: Project WBS Element → Manual Export.

8 Employee Export

CTE_SETUP → **Employee** [p.17-20].

Run this only after cost centers and managers exported successfully. If your Concur employee form uses Connected Lists, those list values must already exist in Concur before employees carrying them can be exported. If you use cost object list levels other than the defaults, adjust the field mapping under Employee → Specify Field Mapping first [p.17].

8.1 Step 1 — Start (status rules)

- Exported **active** when: employment status active (infotype 0000), entry date ≤ today ≤ leaving date, and inside the Phased Rollout criteria.
- Exported **inactive** when: employment status not active, or previously exported and now left.
- Changes to inactive employees are **not** exported — only the data valid at their last active point.
- Retention periods per country/region: SPRO → Personnel Management → Personnel Administration → Tools → Data Privacy → Block → Check the End of Purpose → Define Retention Period for Data for Employees Who Have Left the Company.

- **Passwords are never sent.** New users request one via *Forgot your password?* on the Concur logon screen.
- Data-change BAdI: [BADI_CTE_HCM_EE_DATA_CHANGE](#) (also the hook for manager determination, approver role, ledger key, cash advance account code — see Section 13).

8.2 Step 2 — Employee ID strategy

Option	Behaviour and prerequisites
Central Person ID	Person exists once in Concur. Updates supported without restriction.
Person ID (infotype 709)	Person exists once in Concur. Requires External Person ID activated: SPRO → Personnel Management → Personnel Administration → Customizing Procedures → Settings for Concurrent Employment → Activate External Person ID. If this value changes in SAP you must first update the Employee ID in Concur before re-exporting.
Personnel Number	One Concur user per PERNR — a person can exist multiple times. The central person is always required (selection runs on logical database PNPCE); with an HR mini-master in a distributed landscape, distribute the central person with the mini-master infotypes. Updates unrestricted.

Updating an employee in Concur requires **both** the Employee ID and the LoginID [p.18].

8.3 Step 3 — Field mapping

- Generated from the Concur standard employee form (group *Global*; Concur path: Administration → Expense → Expense Admin → Group Configurations → Employee → Global). Enhance via Employee → Specify Field Mapping.
- **This mapping carries the employee vendor ID to Concur.** It must align with the Custom17 vendor determination configured in the Financial Posting wizard (Section 9, Step 6) or postings will fail vendor determination.
- Missing fields on the form? Add them in Concur first, rerun the wizard, then map (Section 3.1, item 4).

8.4 Step 4 — Phased rollout

- Export Without Restrictions (optional validity cutoff date), or Phased Rollout with filters on **company code and personnel area** — filter sequence determines priority. Only matching employees export.
- Trigger the initial export from the setup screen (*Set Up Export*); adjust later under Employee → Phased Rollout.

8.5 Step 5 — Automatic export and manager changes

- Enable Automatic Export, schedule the job (Batch User; client-specific; check [SM37](#)). Manual export any time via [CTE_EMPLOYEE_EXP](#).
- Manager-assignment changes forward automatically **only if OM change documents are active**: [SPRO](#) → SAP Reference IMG → Personnel Management → Organizational Management → Basic Settings → Activate Change Documents, with entries:

Plan Version	Object Type	Infotype	Subtype	Active
01	O	1001	A002	X
01	S	1001	A008	X
01	S	1001	A012	X

The standard implementation covers the **organizational hierarchy only** — the position hierarchy is not considered [p.19].

8.6 Step 6 — Locales

- Default `en_US` for all countries/regions (empty ISO code = catch-all; cannot be deleted). Add per-country locales as needed (e.g. DE → `de_DE`). Reference: developer.concur.com/api-reference/locale-codes.html.
- **A locale not supported by the target Concur system makes the employee export fail** [p.20].

9 Financial Posting Import — All 11 Wizard Steps

`CTE_SETUP` → **Financial Posting** → **Set Up Import** [p.48-54]. Prerequisites: `CTE_FND` + `CTE_FIN` installed; cost object types exported or at least mapped; employee vendor determination decided.

What happens on import [p.48]: a precheck verifies master/configuration data (company code, currency) and guards against duplicate postings. The document is then analyzed against the supported use cases; unsupported cases are implemented via BAdIs (Section 13). Posting type depends on payer/payee: if you reimburse via payroll or Expense Pay, the report posts to a clearing account instead of the employee vendor account.

9.1 Step 1 — Start

Note the three posting BAdIs offered here (all under Financial Posting → BAdI Implementations): `BADI_CTE_FIN_POST_DOC_CHANGES` (minor field changes), `BADI_CTE_FIN_POST_USE_CASES` (customer-specific report entries), `BADI_CTE_FIN_POST_ADJUST_DOC` (change posting data). Details in Section 13.

9.2 Step 2 — Concur Document Types

Select the document type(s) to import — only types enabled during the initial setup are listed. For this scope: **expense reports** (and **cash advances** if used).

9.3 Step 3 — General Settings [p.49]

- **Test users:** by default only real postings are considered; optionally allow test-user postings (useful in DEV/QA, off in PRD).
- **Enable Payment Notifications:** adds the Payment Status column on the Concur Documents screen and sends status (partially paid / paid) back to Concur. Deselectable later, but notification ceases immediately.
- **Condensing:** line items on the same clearing account or vendor are condensed into one by default. Deselect per category to see individual items — only influenceable for payroll and Expense Pay clearing accounts; takes effect for not-yet-posted documents.
- **Expense accounts** — choose one option, valid for all accounts: **Accounts as Used in Concur** (account IDs identical in both systems) or **Treat Concur Accounts as Symbolic Accounts** (then maintain Financial Posting → Symbolic Accounts: General Modification = symbolic account, Account = actual G/L account).

Delta note: when a delta's line-item amounts net to zero, no posting is made — even with condensing switched off [p.49].

9.4 Step 4 — Posting Settings, incl. corporate cards [p.50]

- **Posting date:** several options; if you select *today*, the date comes from the **system** time zone, not the user's.
- **Recalculation:** select to avoid posting into a closed period — the first open posting day is chosen automatically. The recalculated date derives from the employee vendor or payroll reconciliation account only — NOT from expense, tax, credit card, credit card vendor, or external payment provider accounts.

- Enter the **financial document type** for the accounting documents.
- **XREF fields** (optional): carry the clearing reference ID from cash advances and credit cards — up to three fields, 44 characters total.

Closed-period deltas: if an expense report delta cannot post because the period is closed and recalculate was not selected, adjust the posting date or implement [CHANGE_POSTING_DATE](#) in [BADI_CTE_FIN_POST_DOC_CHANGES](#). A delta's documented posting date reflects that revision's chosen date, not the original revision's [p.50].

Corporate card — Individually Billed, Company Paid (IBCP / CBCP)

1. Tick **enable payment with IBCP credit cards** in this step.
2. PCI compliance: Concur provides SAP with a **token, never the card number** — the PAN is never stored in SAP [p.7].
3. Press **Generate Certificate**. Concur encrypts the card number with this certificate; only your SAP system can decrypt it.
4. At the payment run, SAP calls the Concur service with the token, receives the encrypted card number, and decrypts it with the generated certificate.
5. To write the number into the payment file: use function module [CTE_FIN_PT_PAYMEDIUM_SAMPLE_06](#) as a template; register **event module 06** with your function module in [OBPM3](#); map the additional reference field to the payment file field in [DMEE](#) (correct tree type and format tree).

Traffic-light semantics [p.50]: after completing the wizard the Financial Posting light turns green. Without the generated certificate AND client credentials it stays yellow — IBCP cards cannot be used. The lights do not affect posting itself: a red light on Check Connection means the detokenization procedure failed, not that posting failed.

CBCP posting variations (e.g. post card items to an expense account with cost assignment instead of a clearing account, or drop CBCP items so they trigger no FI posting) are implemented in [BADI_CTE_FIN_POST_USE_CASES](#) — implement **both** methods, they are interdependent (Section 13).

9.5 Step 5 — Filter Definition [p.51]

- Only needed when **multiple SAP systems** connect to one Concur tenant; without a relevance filter, all postings are considered for this system.
- For expense reports, choose whether filter entries and company code derive from **Concur Employee Fields** or **Header Fields**; enter the matching criteria (e.g. relevance filter Company Code → value [DE01](#)).
- Optionally choose **Default Logical System** to append the system ID automatically.
- **Cash advances:** their filter and company code always come from the employee fields. If you chose employee fields for expense reports, the same criteria apply; if you chose header fields for expense reports, you must additionally select a relevance filter for cash advances.

9.6 Step 6 — Account Definition (vendor determination) [p.51]

- Specify the **custom field that carries the company code** (from employee custom or header custom fields, per Step 5). A different company code source for cash advances is only selectable if you chose Header Fields for expense reports.
- **Vendor determination via Custom17** — the field must contain one of: the **Vendor Account ID** directly; **Personnel Number + Company Code**; or **User ID (Employee Central) + Company Code** (EC User ID is only retrievable via the Compound Employee API and is not visible in the financial system; in EC the company code sits under Jobinfo → Company).

9.7 Step 7 — Cost Object Mapping [p.51-52]

- Map Concur Cost Object Type and ID to the SAP cost object types. Only types configured during setup are listed; entries derive from the Concur expense report **allocation fields**.
- If you combined all types in one Concur list, specify the cost object type here too; with separate lists, the cost object ID alone suffices.
- With multiple lists, the company code you specify must match the cost center's company code; for other cost objects the company code is determined from the object itself.
- Worked example from the guide: Cost Center Object Type = Custom3, Cost Center Object ID = Custom4, Logical System Object ID = Custom1, Company Code Object ID = Custom2.
- Missing a cost object type in the table? Run its wizard with the export set to **manual** — this maps the type without exporting anything.

9.8 Step 8 — Attachments [p.52-53]

- Tick the checkbox to enable attachment import for expense reports. Attachments are retrieved after the report posts successfully and are added to the financial document. **Expense-entry level only — header-level attachments are not supported.**
- **Storage choice: Generic Object Services (GOS)** — no prerequisites; or **ArchiveLink** — an optical archive and a **content repository** are required. If a repository exists, the value from table [TOAAR](#) (view with [SE16](#)) defaults automatically; if not, create a server entry first via Environment → Setup → Attachments → Content Repositories (recommended Storage type: **HTTP content server**). Without it you cannot complete this step for ArchiveLink.
- **Global document type** defaults to [CTE_DOCS](#); change it if you have your own (new types via [OAC2](#)). View/change document types, repositories and links under Environment → Setup → Attachments.
- **Assignment scope:** assign attachments to **all documents of the expense report** (e.g. intercompany scenarios create several documents) or to **all documents containing the employee's company code**. Fine-grained control via [BADI_CTE_FIN_HANDLE_ATTACHMENT](#) (methods [RESTRICT_ATTACHMENTS](#), [FI_DOC_ASSIGNMENT](#) — every attachment must stay assigned to at least one financial document).

9.9 Step 9 — Automatic Import [p.53]

- Choose manual or automatic import. Automatic = scheduled batch job, valid across receiving systems, client-specific; enter the authorized **Batch User**; check [SM37](#) for existing [CTE*](#) schedules; optionally pin to an application server (same [SM37](#) procedure as exports).
- Manual import remains available any time via [CTE_POST_IMP](#).

Switching automatic → manual: if you created your own job that uses the CTE standard import report and you switch to manual, ALL jobs — including your own — stop running [p.53].

9.10 Step 10 — Deviating Currencies [p.53-54]

- Concur uses ISO 4217 decimals; SAP uses real decimals — for some currencies they differ (examples: COP, HUF, IDR, LAK, TWD).
- Add affected currencies to the **Deviating Currencies** list: setup screen → Financial Posting → Deviating Currencies. SAP then rounds per table [TCURX](#) (Decimal Places in Currencies); currencies missing from [TCURX](#) round to two decimals.
- Standard rounding is per entry: net amount = rounded gross – sum of rounded tax amounts; the sum of rounded gross amounts can therefore differ from the document total.
- Custom rounding logic: [BADI_CTE_FIN_POST_ROUNDING](#) (expense reports and cash advances) — only applied to documents in a currency flagged as deviating (Section 13).

9.11 Step 11 — Tax Jurisdiction Codes (Canada) [p.54]

- Concur subcodes (CA-AB ... CA-YT) differ from SAP tax jurisdiction codes. Map them under Financial Posting → Tax Jurisdiction Codes: enter the Concur code, F4-pick the SAP code.
- The table is **system-independent** — all connected Concur systems must use the same jurisdiction code per subcode.
- For foreign receipts, first set the default jurisdiction code: [SPRO](#) → Financial Accounting → Financial Accounting Global Settings → Tax on Sales/Purchases → Posting → Assign Tax Codes for Non-Taxable Transactions. Skip this step entirely if you have no Canadian entities.

10 Runtime Operations — the Feedback Loop

[CTE_SETUP](#) → Financial Posting → **Concur Documents** (also directly via [CTE_DOC_MONI](#)) [p.73-82]. This screen is your day-2 operating surface for every imported document.

10.1 The loop

1. After approval, the expense report arrives in the Concur **financial posting queue**.
2. SAP retrieves it (automatically, or manually via [CTE_POST_IMP](#)). Document status = **New**.
3. SAP sends an **Acknowledgement** to Concur confirming arrival and acceptance.
4. SAP **posts** the document — success or failure — and sends a **Confirmation** accordingly (failure details included). On error, the employee/administrator corrects the report in Concur and resubmits; it returns to the queue.
5. If enabled: **attachments are retrieved**, then the **payment notification** is sent.

The loop must complete for every document type. An incomplete loop makes Concur-side inconsistencies very likely, blocks data destruction (Section 12) and blocks any system disconnect or migration [p.9, 83].

10.2 Manual recovery (Step-by-Step)

When a step fails: Feedback Loop → **Step-by-Step**, then in order: import documents from the queue → Send Acknowledgement → Post → Send Confirmation → (Retrieve Attachments). For payment status: Document → Synchronize Payment Status, then Feedback Loop → Step-by-Step → Send Payment Status. **Repeat per document type.** View a posted document via Display → Posted Document.

10.3 Document statuses [p.74-75]

Status	Meaning / action
New	Retrieved from the queue, not yet posted.
New (Runtime Error)	A dump occurred during posting — investigate before retrying.
Successful	Posted successfully in this system.
Failed	Posting failed — fix cause, repost or have the report corrected in Concur.
Blocked (Temporarily)	Manually held via Document → Temporarily Block.
Blocked (Runtime Error)	Auto-blocked after repeated dumps — unblock and post manually, or set obsolete.
Obsolete	No longer relevant (see below).
Reversed	A successfully posted document was reversed.
Successful (Cleared)	Travel requests only — commitment fully cleared (out of scope here).

10.4 Setting documents to obsolete [p.78-79]

- Available for documents in status New, Blocked, Failed: Document → **Set to Obsolete** — e.g. to get an erroring report out of the regular queue.
- Obsolete documents are technically failed documents: they run the loop and send a failure notification to Concur, but don't appear in the failed list. Acknowledged documents require a reason (logged in the Document Protocol). New, never-acknowledged documents can be re-imported from the queue right away.
- If the report is re-submitted in Concur later, the obsolete document flips back to New on the next pickup.

10.5 Reverse posting [p.79-80]

- Document → **Reverse Posting** for successfully posted documents (e.g. posted by mistake). For expense reports and cash advances you must provide a reason and posting date (avoid closed periods).
- Only possible while no line items are cleared; after payment, reset the clearing reference first. Documents with manually-paid line items can be reversed directly.
- Not supported when secondary documents exist (e.g. event-based revenue recognition) — revert manually.
- **The reversal is not sent to Concur** — the financial document is reversed, not the expense report; employees see no change. Posting a reversed document later must be done manually (it leaves the standard loop) and Concur is again not notified.
- Deltas can be reversed, but delta reversals are also not sent to Concur and are explicitly **at your own risk** — SAP provides no support for resulting errors.
- The payment status of reversed documents is not sent to Concur.

10.6 Delta handling — the 90-day window [p.77-78]

1. SAP imports the submitted expense report as **Revision Number 1**; it is acknowledged, posted, confirmed. **The 90-day delta window begins.**
2. Within the window, the report can be reopened in Concur, changed, and resubmitted as a delta → Revision Number 2, then 3, and so on — unlimited deltas within the 90 days.
3. A new FI document is generated only when the delta change is posting-relevant; otherwise it is a **zero posting** with no FI document (so imported-revision count and FI-document count can differ).
4. To force processing of a posting-irrelevant delta, implement `BADI_CTE_FIN_POST_DELTA` (method `ADD_ZERO_POSTING_TO_PROCESS`).
5. Reopening eligibility criteria: SAP Note 2923196.

Downstream consequence: `CTE_DATA_DESTRUCTION` fails while an expense report can still be submitted as a delta — deletion becomes possible only after the 90 days elapse [p.83].

10.7 Attachments at runtime [p.73-74]

- Only **newly imported** reports are auto-checked for attachments; for older documents use Feedback Loop → Step-by-Step → Retrieve Attachments.
- An expense report is **locked** during attachment import — simultaneous imports for multiple revisions of the same report succeed only for the latest revision (the rest fail with a lock error).
- Multiple attachments on one expense item are consolidated into **one PDF** in the financial document and counted as one attachment.
- Counts on the screen can differ from the financial document because attachments can be manually added/deleted there; differences vs. Concur can also come from `RESTRICT_ATTACHMENTS` filtering (re-add via the BAdI).

- View: select report → Display → Attachments (Business Document Navigator, folder General documents), or in the FI document via Services for Object → Attachment List.
- **Delta/zero behaviour by receipt ID:** same receipt ID on new+reversal entry → zero: no change; delta: attachment linked to the new posting document (old link kept). Different receipt IDs → old attachment deleted, new one linked (zero: to the entry's initial posting; delta: to the new document). New entry only → attachment added to the current/new posting document. Reversal entry only (entry deleted in delta) → attachment deleted from the posting document. New entry without receipt ID while reversal has one → deleted in Concur means deleted from the previous FI document, else no change.

10.8 Payment status operations [p.75, 80-81]

- Prerequisite: payment notifications enabled (Section 9, Step 3). Statuses: not paid (initial, never sent), partially paid, paid, not relevant (Expense Pay, CBCP cards, payroll payment, zero postings).
- **Limitations:** FI-paid expense reports only — CBCP and payroll payment statuses are not supported. Partial payment of a single vendor line item is not supported (treated as not paid until fully cleared). No status is sent for failed/obsolete documents. Concur does not accept changes after a *paid* status has been received (an FI payment reset still updates the SAP-side table and is sent, but Concur ignores it).
- **Payment Status screen** (double-click the Payment Status cell): green icon = FI and integration in sync (manually-set-paid lines also green); yellow = discrepancy — hover for details. Synchronize Payment Status pulls the latest run result when a clearing reference exists; if a yellow icon has no clearing reference and the payment run hasn't started, wait for the run instead.
- **Set Status to Paid** — exceptional cases only (e.g. software glitch), possible **once**; paid is final, and afterwards synchronization has no effect. Manual sync and manual set-to-paid are logged in the Document Protocol.
- In Concur, paid line items appear in the expense report audit trail as EFT with the clearing reference as transaction number (manual references show as MANUAL).

10.9 Currency conversion and the JSON original [p.74]

- Amounts arrive already converted into the currency of the Concur employee master data (`employeeCurrencyAlphaCode` in the JSON — check via Display → Original File (JSON format)). Exchange discrepancies can occur in intercompany and credit card scenarios.
- **Customer Modifications:** BAdI-modified documents are tagged in the Modified column; double-click Customer Modification to open the comparison screen — original vs. modified JSON side by side, with download, consistency check, XML view and value search [p.81].

10.10 Navigation on the Concur Documents screen [p.76]

Double-click cell	Navigates to
Document Type / Key / ID / Revision / Name / Employee-Vendor ID / Created	The financial document (if posting succeeded)
Document Status, Acknowledgement Sent, Confirmation Sent	Document Protocol
Attachments Retrieved	Business Document Navigator
Payment Status, Payment Status Sent	Payment Status screen
Modified by Customer, Customer Modification	Customer Modifications screen
Changed	Original file (JSON format)

Right-click any cell for all options. For every document type except Invoice, the ID column holds the **employee ID** (Invoice holds the vendor ID) [p.75].

11 Monitoring, Logging and Troubleshooting

11.1 Communication Monitor

- Access: [CTE_MONI](#), or System → Communication Monitor [p.71].
- **Reconciliation — exports:** Successful + Deleted + Objects Not Created = Replicated. **Imports:** Successful + Failed + To Be Processed = Replicated.
- Clicking Replicated/Successful/Deleted lists the objects with last successful export date. Clicking **Objects Not Created / Not Updated / Not Deleted / Failed Objects** lists errors — double-click a line for resolution instructions and the affected object; re-export/re-import after fixing.
- **Objects To Be Processed** = not yet processed (e.g. future-dated changes; queued items) — forward navigation shows next and last export dates. Failed ≠ to-be-processed.
- **HTTP logs** per object: select the object → Show HTTP Logs. Requires authorization [CTE_DISPLAY_HTTP_LOG](#). Available for main list levels (e.g. cost center), not sublist levels (e.g. company code).
- **Run logs:** select a line → Show Run Logs → Batch Processing (automatic) or Dialog Processing (manual).
- Figures recalculate automatically when older than 4 hours; Refresh forces it — refreshing one cost object type refreshes all. Check Performed / Duration in Seconds columns show freshness.
- The Concur list name distinguishes cost object types; objects used in multiple lists (e.g. company code) appear several times. Document columns navigate to the Concur Documents screen with a matching filter.

Display limits [p.72]: max 150,000 single objects shown per cell; max 10,000 detailed logs; deleted-object counts can lag behind the detail view due to database synchronization; logs beyond the display are searchable directly in [SLG1](#).

11.2 Application logs

- [SLG1](#) → Object [CONCUR_INTEGRATION](#) → select Subobject → Execute. Covers the last 4 weeks; logs are purged periodically, so log counts may differ from Failed Objects counts.
- Mode column: automatic runs = *Batch processing*; manual runs = *Dialog processing*.

12 Data Protection and Privacy

Employee personal data flows through this integration — involve your privacy and security teams before go-live [p.83–84].

Transaction / report	Purpose
CTE_DATA_DISCLOSURE	View all integration data stored for an employee (Concur System + Concur Employee ID; optional Include JSON Data). Every disclosure is logged.
CTE_DATA_DESTRUCTION	Permanently delete Concur employee data in all systems — by Concur Employee ID or by Cut-Off Date for all employees. Irreversible; confirmation pop-up; Run in Test Mode available. Associated data (e.g. FI postings) is NOT deleted; stored data has no retention check.
RPUDELPN (via SE38)	Central personnel-number deletion — associated integration data is deleted automatically.

- **Audit logs** ([SLG1](#), object [CONCUR_INTEGRATION](#)): subobject [GDPR_DISCLOSURE](#) (filter by Concur Employee ID in External ID or by user in Log Triggered By); subobject [GDPR_DESTRUCTION](#) (all destruction runs); subobject [GDPR_READ_ACCESS](#) (who displayed which JSON-bearing protocol).

- HTTP logs are excluded from read-access logging but are auto-deleted after 90 days (default), and require `CTE_DISPLAY_HTTP_LOG` to view.
- **Destruction fails if:** the date is invalid (e.g. future); a document was acknowledged but has not completed the feedback loop; or an expense report can still be submitted as a delta — wait out the 90 days.
- **Blocked employees:** blocking requires all the employee's documents to have completed the feedback loop, otherwise it is rejected. Blocked employees are excluded from every export. If a document still arrives for a blocked employee/vendor, a precheck raises an error and the data can be removed with the data destruction report [p.84].

13 BAdI Reference (This Scope)

Access: `CTE_SETUP` → (object) → BAdI Implementations. Each BAdI carries its own documentation in the system [p.85–102].

Message handling in BAdIs: only message types E (error) and A (abend) are supported — all others are ignored. Provide message classes in the connection's Default Language. SAP accepts no liability and offers no support for errors caused by incorrect BAdI implementations [p.85–86].

BAdI	Purpose and key methods
<code>BADI_CTE_HCM_EE_DATA_CHANGE</code>	Adapt employee export data or exclude employees from export (method <code>ADAPT_DATA</code> , table <code>CT_EE_DATA</code>). Never use it to change an employee ID or add employees. Examples: manager determination other than the reporting-line default (<code>EE_RLU_MANAGER_ID</code>), approver role, <code>LEDGER_KEY</code> with multiple ledgers, company-code-specific <code>CashAdvanceAccountCode</code> .
<code>BADI_CTE_FIN_COBJ_DATA_CHANGE</code>	Change cost object names or exclude from export (<code>EXCLUDE_FROM_EXPORT_IND</code> — dominates) / delete in Concur (<code>DELETE_INDICATOR</code>). Filter-dependent per cost object type (use <code>IV_OTYPE</code>). Empty names fall back to the SAP default.
<code>BADI_CTE_FIN_COBJ_FILL_LEVEL</code>	Provide values for a customer-specific list level (custom field from Manage Custom Fields; method <code>GET_LEVEL_DATA</code> , may return multiple rows per input). Examples: staffing list per employee, company-code level for WBS, region code.
<code>BADI_CTE_FIN_POST_DATA_CHANGE</code>	Map additional JSON fields (report/entry/allocation level) into the Additional Data substructures for later use in posting BAdIs. Expense reports only — for cash advances use <code>BADI_CTE_FIN_POST_AD_ADD_DATA</code> .
<code>BADI_CTE_FIN_POST_DOC_CHANGES</code>	Minor field changes: <code>CHANGE_POSTING_DATE</code> , <code>CHANGE_POSTING_DATE_CASH_ADV</code> , <code>CHANGE_SGTXT</code> , <code>CHANGE_SGTXT_FOR_CASH_ADVANCES</code> , <code>CHANGE_TAXCODE</code> , <code>CHANGE_TAX_JURISDICTION_CODE</code> , <code>CHANGE_VENDOR</code> (employee vendor only — credit card vendors cannot be updated). Delta caution: changing only the posting date of a delta results in a zero posting.
<code>BADI_CTE_FIN_POST_USE_CASES</code>	Customer-specific report entries — the CBCP hook. <code>DETERMINE_USE_CASE</code> (assign a Z* use case ID) + <code>PROCESS_USE_CASE</code> (implement the posting logic). Implement both — they are interdependent.
<code>BADI_CTE_FIN_POST_ADJUST_DOCUMENT</code>	Last chance to change posting data before <code>AC_DOCUMENT_CREATE</code> : <code>ADJUST_POSTING_DOCUMENT</code> , <code>SPLIT_POSTING_DOCUMENT</code> (keep the relation table in sync; deselect condensing when splitting), <code>ADJUST_AD_POSTING_DOCUMENT</code> (cash advances). Standard splits happen only per expense-report entry, intercompany, or ≥1000 line items. Examples: one-time vendor, payment terms, replace CBCP clearing account with the card provider's vendor account, India GST fields.

BAdI	Purpose and key methods
BADI_CTE_FIN_POST_ROUNDING	Custom rounding for deviating currencies (expense reports + cash advances); runs after standard TCURX rounding; only listed amount fields are considered; no SORT/INSERT/APPEND on CT_ROUNDED_AMOUNT_DOC_DATA.
BADI_CTE_FIN_POST_PROC_STRUCT	DO_NOT_CONDENSE_JOURNALS — switch off standard condensing of journal records per employee company code (e.g. tax-driven line visibility).
BADI_CTE_FIN_POST_AD_ADD_DATA	Map additional JSON fields for cash advances (MAP_AD_ADDITIONAL_DATA).
BADI_CTE_FIN_POST_DELTA	ADD_ZERO_POSTING_TO_PROCESS — force processing of deltas that don't alter the financial posting (e.g. a changed custom-field text you still need downstream).
BADI_CTE_FIN_HANDLE_ATTACHMENT	RESTRICT_ATTACHMENTS (filter which attachments import) and FI_DOC_ASSIGNMENT (change document assignment; each attachment must keep ≥1 assignment).

BAdI-modified documents surface on the Concur Documents screen (CTE_DOC_MONI) in the Customer Modifications column as *Minor field changes*, *Posting data changes*, or *Customer-specific report entry*; changes made via BADI_CTE_FIN_POST_DATA_CHANGE are not shown there (they don't alter the standard posting structure) [p.86].

14 Cutover Checklist and Test Plan

14.1 Pre-flight checklist

- ☐ CTE_FND → CTE_HCM → CTE_FIN installed in that order; support-pack level current per component notes
- ☐ Concur tenant configured per the ICS guide (Section 3.1) — partner app, connected list (4 levels, no special characters), employee form (Org Unit 1-4, Custom 17 vendor ID, Cash Advance Account Code), report header + allocation Copy Down (Custom 1-4), groups per country
- ☐ **Enable Financial Integration** activated per Expense Group by SAP Concur staff; *Reports Financial Posting Failed* query visible to processors
- ☐ Workflow ends with an Expense Processor step for all ICS users; Company Paid payment type not in use; ATM-withdrawals-as-expense setting active if corporate-card ATM use is allowed
- ☐ Tax: two-character reclaim codes maintained; City of Purchase on taxed entry forms; non-domestic codes maintained on every tax authority (missing code = posting failure)
- ☐ Concur Host + Gateway Host confirmed from SAP Note 2914977 — **no http(s):// prefix**
- ☐ Concur certificates imported to STRUST; outbound HTTPS egress + proxy configured; cert renewal diarized
- ☐ OAuth credentials entered (Client ID, Secret, Refresh Token, Company UUID, Concur Company ID)
- ☐ CTE_SETUP → System → **Check Connection green**
- ☐ Default Language set; message classes created/translated in it
- ☐ Change pointers active (BD61); CTE_* message types verified (BD52)
- ☐ Batch user created and authorized; CTE* jobs staggered, not concurrent; existing schedules checked in SM37
- ☐ Authorization roles assigned: setup, monitor, import, HTTP log (CTE_DISPLAY_HTTP_LOG), disclosure, destruction
- ☐ Concur List names match SAP entries character for character; list strategy (combined vs. separate) decided once
- ☐ No parallel manual/flat-file loads into integration-owned lists (deletion-cascade risk reviewed)
- ☐ Export order rehearsed: **cost centers → managers → employees**, then WBS elements

- ☐ WBS: Acct asst elem. ticked ([CJ12](#)); FI: Postings permitted ([CJ13](#)); ChangeDocuments ticked ([OPSA](#))
- ☐ Employee ID strategy chosen; IT709 update constraint understood; OM change documents active (IT1001 A002/A008/A012); locales validated against the target Concur system
- ☐ Financial Posting: all 11 wizard steps completed — incl. attachments storage (repository exists if ArchiveLink), automatic import job, deviating currencies, tax jurisdiction codes (if Canada)
- ☐ IBCP enabled and **certificate generated** — Financial Posting traffic light green, not yellow
- ☐ [OBPM3](#) event module 06 registered; [DMEE](#) reference field mapped; payment run tested with a tokenized card
- ☐ Symbolic account mapping maintained (only if that option was selected)
- ☐ Custom17 populated in Concur per the chosen vendor determination variant
- ☐ [CTE_DATA_DISCLOSURE](#) / [CTE_DATA_DESTRUCTION](#) process agreed with privacy and security

14.2 Integration test plan (minimum)

1. **Master data:** export one cost center, one WBS element, one employee; verify in the Concur lists/profile; change each in SAP and verify the automatic export picks it up (change pointer path).
2. **Negative master data:** a cost center with *Actual primary costs* ticked must not export; an employee with an unsupported locale must fail visibly in [CTE_MONI](#).
3. **Expense report happy path:** submit + approve in Concur → import → acknowledge → post → confirm → attachment retrieved → payment run → payment status *paid* visible in Concur audit trail (EFT + clearing reference).
4. **Corporate card:** one IBCP/CBCP transaction end to end, including detokenization at the payment run and the card number landing in the [DMEE](#) payment file field.
5. **Cash advance** (if used): issue and clear one against an expense report.
6. **Deliberate failure:** break one posting (e.g. invalid cost object), verify the error in [CTE_MONI](#) / Concur Documents, correct in Concur, resubmit, and recover manually via Feedback Loop → Step-by-Step.
7. **Delta:** reopen a posted report inside the 90-day window, resubmit, verify Revision 2 posts; test a posting-irrelevant change (zero posting, no FI document); verify closed-period behaviour with and without the recalculate flag.
8. **Operations drill:** set a failed document to obsolete; temporarily block and unblock a document; reverse one posted document (uncleared) and confirm Concur is NOT notified.
9. **DPP drill:** run [CTE_DATA_DISCLOSURE](#) for a test employee; run [CTE_DATA_DESTRUCTION](#) in test mode and confirm it fails inside the 90-day delta window.

15 Appendix — Quick Reference

15.1 Transactions

Transaction	Purpose
CTE_SETUP	Master setup screen — all wizards, monitors and utilities [p.7]
CTE_MONI	Communication Monitor [p.71]
CTE_DOC_MONI	Concur Documents screen (feedback loop, statuses, payment status) [p.86]
CTE_EMPLOYEE_EXP	Manual employee export [p.19]
CTE_POST_IMP	Manual financial posting import (expense + card + cash advance) [p.53]
CTE_DATA_DISCLOSURE	Disclose all integration data for an employee [p.83]
CTE_DATA_DESTRUCTION	Permanently delete Concur employee data [p.83]

Transaction	Purpose
SM59	RFC destination (created by the connection wizard) [p.14]
STRUST	Certificate trust for outbound HTTPS to Concur (SSL Client Standard)
SM37	Job overview — existing CTE* schedules; pin jobs to app servers [p.13]
BD61 / BD52	Activate change pointers / verify CTE_* message types [p.13]
SLG1	Application log — object CONCUR_INTEGRATION (+ GDPR subobjects) [p.71, 83]
KS03	Cost center display — Actual primary costs check (Control tab) [p.21]
CJ12 / CJ13	WBS — account assignment element / FI: Postings status [p.33]
OPSA	Project profile — ChangeDocuments flag for WBS auto-export [p.34]
OBPM3 / DMEE	Payment medium event module 06 / format tree mapping (card number) [p.50]
SE16 (TOAAR) / OAC2	Content repository check / new global document types for ArchiveLink [p.52]
SPRO	IMG: External Person ID, OM change documents, retention periods, non-taxable tax codes
SE38 (RPUDELPN)	Central personnel-number deletion [p.83]

15.2 SAP Notes and companion documents

Reference	Content
SAP Note 2914977	FAQ: Concur Certificates, Authentication & Connectivity — hosts, certs, TLS, gateway auth
SAP Note 2388587	FAQ: Concur Integration — required Concur APIs
SAP Note 2922806	FAQ: General Information about the Concur Integration
SAP Note 2923196	FAQ: Financial Posting — delta / reopening eligibility criteria
SAP ICS for SAP ERP: On-Premise and S/4HANA: On-Premise	Concur-side configuration guide (help.sap.com)
Setup Guide SP23 (2026-05-15)	SAP Integration with Concur Solutions — source for all [p.XX] references
Newsletter / Work Zone	sap.com/cmp/nl/sap-integration-with-concur-solutions · mail 'Work Zone Access' to sapconcurintegration@sap.com (no support via this channel) [p.9]

Document produced 10 July 2026 from the SP23 setup guide in this project folder, cross-checked page by page. Items that cannot be resolved from SAP documentation (host URLs, certificates, credentials, SP levels) are marked with their authoritative source and must be confirmed there before build.