

System Context




Container Architecture

01 Product Architecture | MakeMyMarrige v1.0




Component Architecture

01 Product Architecture | MakeMyMarrige v1.0





User Roles Permissions

01 Product Architecture | MakeMyMarrige v1.0



Multi Tenant Architecture





MongoDB Indexing Strategy — Query-Driven
Observed access pattern
Filter • sort • uniqueness • tenant boundary
Classify index purpose
Uniqueness constraints
users.emailNormalized
(weddingId, functionId, guestId) RSVP / invitation
provider event + idempotency keys
Tenant-first compound indexes
(weddingId, status, createdAt, _id)
(weddingId, householdId, status)
(weddingId, functionId, status)
Worker / operational indexes
(status, nextAttemptAt)
(processingStatus, receivedAt)
TTL only for expiring temporary records
Validate with explain('executionStats')
Representative data + real sort order
Check selectivity, scan ratio, index size
Monitor in production
Slow queries • index usage
Write amplification • growth


Workspace Lifecycle

03 Business Workflows | MakeMyMarrige v1.0

Workspace Lifecycle — WF12




Invitation Membership



Guest Management

03 Business Workflows | MakeMyMarrige v1.0


Guest and Household Management — WF04 / WF05




Function Management

03 Business Workflows | MakeMyMarrige v1.0

Function Publication and Task Management — WF03




Budget and Expense Approval — WF06




Vendor Management

03 Business Workflows | MakeMyMarrige v1.0





Api Sequences Auth Invitation



Api Sequences Payment Photo

API Sequences — Shagun Verification and Photo Upload






Security Architecture

04 Technical Design | MakeMyMarrige v1.0

Security Architecture and Trust Boundaries



Deployment Observability

05 Infrastructure | MakeMyMarrige v1.0

