American Computer Science League

2024-2025 ● Contest 1: Rings ● Junior Division

PROBLEM: ACSL Rings is a 2-player game where the object is to score points by tossing a ball through one of the 5 rings. Points are awarded as follows:



- Through the aqua or red ring - 1 point
- Through the orange or green ring - 3 points
- Through the black ring - 6 points

We will use a single letter to represent each of the colors: aqua (A), red (R), orange (O), green (G), and black (B).

You will be given 2 strings representing each player's results for all tosses that go through one of the rings. Output a string containing each player's score with the larger score first. If both players have the same score, it doesn't matter which one appears first.

EXAMPLE:

Input	`BRAG` `BOB`
Output	`15 11`
Explanation	The first player's tosses go through the black, red, aqua, and green rings, and the player has a score of 6 + 1 + 1 + 3 = 11. The second player's tosses go through the black, orange, and black rings, and the player has a score of 6 + 3 + 6 = 15. Output is the string `15 11` with the larger score first.

INPUT: The input will consist of 2 strings as described above. Each string will be no more than 100 characters.

OUTPUT: Output the two scores separated by a single space with the larger score first.

American Computer Science League

2024-2025 ● Contest 1: Rings ● Junior Division

问题：ACSL Rings 是一种**双人游戏，游戏**规则**是向五个圆环投球，球穿过其中一个圆环**即可**得分。计分规则如下：**



- 球**穿过蓝色或红色圆环——得 1 分**
- 球**穿过橘色或绿色圆环——得 3 分**
- 球**穿过黑色圆环——得 6 分**

我们**用单个字母来表示每种颜色的圆环：蓝色（A）、红色（R）、橘色（O）、 绿色（G） 、 黑色（B） 。**

给定 2 个字符串分别表示**每位玩家投球**穿过其中一个圆环的所有结果。**将每位玩家的得分按照从**高**到**低**的顺序输出为一个字符串。如果两位玩家的得分相同，则不论先后顺序**。

示例：

输入	BRAG BOB
输出	15 11
解析	第一位**玩家投球穿过黑色、红色、蓝色、绿色圆环，得分如下：** 6 + 1 + 1 + 3 = 11。 第二位**玩家投球穿过黑色、橘色、黑色圆环，得分如下：** 6 + 3 + 6 = 15。 将**得分按照从**高**到**低**的顺序输出为一个**字符串**：**15 11 。

输入：输入**如上所述的 2 个字符串。每个字符串不超过 100 个字符。**

输出：按照从高到低的顺序输出 2 位玩家的**得分，**且每位玩家的得分之间**用一个空格隔开。**

American Computer Science League

2024-2025 ● Contest 1: Rings ● Junior Division

SAMPLE INPUT:

```
1. BRAG
   BOB
2. AABBOOGG
   BAROBA
3. GBORABORBA
   BAAAAOORGGGB
4. OORRRGRBBRRAAABB
   AAAAGRRRRGRRRBBOO
5. BARROGGBBGO
   BBAAAARRRGGGOOOO
6. AAAABBBOOGGGRRR
   RRBBOOOGGGAAAA
```

SAMPLE OUTPUT:

```
1. 15 11
2. 26 18
3. 32 31
4. 42 35
5. 40 36
6. 40 36
```

American Computer Science League

2024-2025 ● Contest 1: Rings ● Junior Division

样例输入：

```
1. BRAG
   BOB
2. AABBOOGG
   BAROBA
3. GBORABORBA
   BAAAAOORGGGB
4. OORRRGRBBRRAAABB
   AAAAGRRRRGRRRBBOO
5. BARROGGBBGO
   BBAAAARRRGGGOOOO
6. AAAABBBOOGGGRRR
   RRBBOOOGGGAAAA
```

样例输出：

```
1. 15 11
2. 26 18
3. 32 31
4. 42 35
5. 40 36
6. 40 36
```

American Computer Science League

2024-2025 ● Contest 1: Rings ● Junior Division

TEST DATA

TEST INPUT:

```
1. AROBG
   BRAGGROG
2. BOBBRAGROB
   BARBAGGRAB
3. BBBAAAOOOGGGRRR
   BBBBBAAAAGGGOOR
4. RRRRRRBBBBGGGGGGAAAO
   AAAAAAOOOOOORRRBBBBB
5. BABAGORBABAGORBABAGORBABAGOR
   GORBAGORBAGORBAGORBAGORBAGORBA
6. RRRGGGGBBBBAAOOOBBBAAARRBB
   BBBBAAAAOOOOBBBGGGRRRGOAGOAGO
```

TEST OUTPUT:

```
1. 21 14
2. 36 29
3. 50 42
4. 57 54
5. 84 84
6. 90 85
```

American Computer Science League

2024-2025 ● Contest 1: Rings ● Junior Division

测试数据

测试输入：

```
1. AROBG
   BRAGGROG
2. BOBBRAGROB
   BARBAGGRAB
3. BBBAAAOOOGGGRRR
   BBBBBAAAAGGGOOR
4. RRRRRRBBBBGGGGGGAAAO
   AAAAAAOOOOOORRRBBBBB
5. BABAGORBABAGORBABAGORBABAGOR
   GORBAGORBAGORBAGORBAGORBAGORBA
6. RRRGGGGBBBBAAOOOBBBAAARRBB
   BBBBAAAAOOOOBBBGGGRRRGOAGOAGO
```

测试输出：

```
1. 21 14
2. 36 29
3. 50 42
4. 57 54
5. 84 84
6. 90 85
```