
American Computer Science League

2025-2026 ● Contest 1: Creature Capture ● Junior Division

PROBLEM: A creature is hiding in a cell of a 10x10 grid. You will be given the location of a guess and how far away the creature is from the guess. Find all possible cells where the creature could be located.



Each cell in the grid is represented by a non-negative integer less than 100. The tens digit signifies the row (0-9, from top to bottom), and the units digit indicates the column (0-9, from left to right). An integer less than 10 indicates row 0.

How far the guess is from the creature's location is called the *distance value*. It is a non-negative integer less than 100, where each digit indicates how far away the creature is horizontally or vertically from the guess. A value less than 10 means that one direction is 0.

For example, a distance value of 35 means that the creature could be 3 rows away and 5 columns away, or 5 rows away and 3 columns away. A distance value of 53 means the same possible locations of the creature as 35 does. The diagram illustrates a guess of 45 and a distance value of 35. The shaded cells with a question mark show the possible locations of the creature.

After finding all possible cells in the grid where the creature could be hiding, output a string containing the smallest cell number and the largest cell number, in that order, separated by a single space.

EXAMPLE (see diagram above):

Input	45 35
Output	10 98
Explanation	The location of the guess is 45 and the distance value is 35. Using 3 as horizontal and 5 as vertical, the valid locations are 70 and 10. Using 3 as vertical and 5 as horizontal, the valid locations are 98 and 92. The smallest is 10 and the largest is 98, so output 10 98, in that order.

INPUT: Input is two integers, both non-negative integers less than 100. The first is the guessed location. The second is the distance value, indicating how far the creature might be from the guessed location either horizontally or vertically.

OUTPUT: Output the smallest location where the creature could be hiding and the largest location as a string of these two integers (no leading 0s), separated by a single space.

SAMPLE INPUT:

```
1. 45
   35
2. 56
   42
3. 46
   5
4. 47
   42
5. 85
   10
6. 64
   32
```

SAMPLE OUTPUT:

1. 10 98
2. 14 98
3. 41 96
4. 5 89
5. 75 95
6. 32 96

American Computer Science League

2025-2026 ● Contest 1: Creature Capture ● Junior Division

TEST DATA

TEST INPUT:

```
1. 34
   25
2. 45
   2
3. 5
   24
4. 57
   12
5. 46
   32
6. 63
   31
```


TEST OUTPUT:

1. 19 86
2. 25 65
3. 21 47
4. 36 78
5. 14 78
6. 32 94

American Computer Science League

2025-2026 ● Contest 1: Creature Capture ● Junior Division

问题：一个生物藏在 10×10 网格的某个单元格中，现给出一个猜测位置（生物可能所在的单元格），以及生物实际位置与猜测位置之间的距离，请找出该生物可能藏身的所有单元格。



网格中的每个单元格由一个小于 100 的非负整数表示。十位数字代表行（0-9，从上到下），个位数字代表列（0-9，从左到右）。小于 10 的整数表示在第 0 行。

猜测位置与生物位置之间的距离称为***距离值***，该值是一个小于 100 的非负整数，其每位数字分别表示生物在水平方向和垂直方向上与猜测位置的距离。如果距离值小于 10，则表示其中一个方向的距离为 0。

例如，距离值为 35 意味着该生物可能与猜测位置相距 3 行 5 列，或者相距 5 行 3 列。同理可知距离值 53 所代表的可能位置与 35 相同。示意图展示了猜测位置为 45 且距离值为 35 的情况。其中有问号的阴影单元格表示该生物的可能位置。

在找出网格中该生物可能藏身的所有单元格后，请输出一个字符串，包含最小的单元格编号和最大的单元格编号，按从最小到最大的顺序排列，中间用一个空格分隔。

示例：（参考上图）

输入	45 35
输出	10 98
解析	猜测位置为 45 ，距离值为 35 。 若取水平距离为 3、垂直距离为 5，则有效位置为 70 和 10。 若取垂直距离为 3、水平距离为 5，则有效位置为 98 和 92。 其中最小值为 10，最大值为 98，因此输出 10 98（按此顺序）。

输入：输入中含有两个小于 100 的非负整数。第一个整数为猜测位置，第二个整数为距离值，表示该生物相对于猜测位置在水平或垂直方向上的距离。

输出：输出该生物可能所在位置的最小值和最大值。由这两个整数组成的字符串（不含前导零）即为输出结果，两数之间以单个空格分隔。

样例输入：

```
1. 45
   35
2. 56
   42
3. 46
   5
4. 47
   42
5. 85
   10
6. 64
   32
```

样例输出：

```
1. 10 98
2. 14 98
3. 41 96
4. 5 89
5. 75 95
6. 32 96
```

American Computer Science League

2025-2026 ● Contest 1: Creature Capture ● Junior Division

测试数据

测试输入:

```
1. 34
   25
2. 45
   2
3. 5
   24
4. 57
   12
5. 46
   32
6. 63
   31
```

测试输出:

1. 19 86
2. 25 65
3. 21 47
4. 36 78
5. 14 78
6. 32 94