

PROCESSED AT :

Thyrocare

D-37/1, TTC MIDC,Turbhe,
Navi Mumbai-400 703



Thyrocare®

The Trust. The Truth.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : ELEMENTS 22 (TOXIC AND NUTRIENTS),HBA,HEMOGRAM - 6 PART (DIFF)

SAMPLE COLLECTED AT :
PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
MAHADEV PURA ,WHITEFIELD ROAD ,
BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC - NGSP Certified)	H.P.L.C	5.3	%

Reference Range :

Reference Range: As per ADA Guidelines

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
>=6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
>8% : Poor Control

Method : Fully Automated H.P.L.C. using Biorad Variant II Turbo, NGSP Certified.

AVERAGE BLOOD GLUCOSE (ABG) CALCULATED 105 mg/dl

Reference Range :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HbA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) :03 Jul 2020 07:00

Sample Received on (SRT) :05 Jul 2020 07:11

Report Released on (RRT) :05 Jul 2020 14:27

Sample Type :EDTA



Labcode :0507012558/5600489 Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Barcode :J9352971

Page : 1 of 23

PROCESSED AT :**Thyrocare**

D-37/1, TTC MIDC, Turbhe,

Navi Mumbai-400 703



CERTIFICATE NO.: MC-2407

**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : ELEMENTS 22 (TOXIC AND NUTRIENTS),HBA,HEMOGRAM - 6 PART (DIFF)

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEV PURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	VALUE	UNITS	REFERENCE RANGE
TOTAL LEUCOCYTES COUNT	8.86	X 10 ³ / µL	4.0-10.0
NEUTROPHILS	63.6	%	40-80
LYMPHOCYTE PERCENTAGE	30.5	%	20-40
MONOCYTES	2.5	%	0-10
EOSINOPHILS	2.5	%	0.0-6.0
BASOPHILS	0.6	%	<2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.3	%	0-0.5
NEUTROPHILS - ABSOLUTE COUNT	5.63	X 10 ³ / µL	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	2.7	X 10 ³ / µL	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	0.22	X 10 ³ / µL	0.2-1
BASOPHILS - ABSOLUTE COUNT	0.05	X 10 ³ / µL	0-0.1
EOSINOPHILS - ABSOLUTE COUNT	0.22	X 10 ³ / µL	0-0.5
IMMATURE GRANULOCYTES(IG)	0.03	X 10 ³ / µL	0-0.3
TOTAL RBC	5.96	X 10⁶/µL	4.5-5.5
NUCLEATED RED BLOOD CELLS	Nil	X 10 ³ / µL	<0.01
NUCLEATED RED BLOOD CELLS %	Nil	%	<0.01
HEMOGLOBIN	15.5	g/dL	13-17
HEMATOCRIT(PCV)	43.4	%	40-50
MEAN CORPUSCULAR VOLUME(MCV)	91.6	fL	83-101
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	26	pq	27-32
MEAN CORP. HEMO. CONC(MCHC)	28.4	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	51.4	fL	39-46
RED CELL DISTRIBUTION WIDTH (RDW-CV)	15.3	%	11.6-14
PLATELET DISTRIBUTION WIDTH(PDW)	9	fL	9.6-15.2
MEAN PLATELET VOLUME(MPV)	8.9	fL	6.5-12
PLATELET COUNT	388	X 10 ³ / µL	150-400
PLATELET TO LARGE CELL RATIO(PLCR)	15.5	%	19.7-42.4
PLATELETCRIT(PCT)	0.35	%	0.19-0.39

Please Correlate with clinical conditions.**Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)**

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

Sample Collected on (SCT) : 03 Jul 2020 07:00**Sample Received on (SRT)** : 05 Jul 2020 07:11**Report Released on (RRT)** : 05 Jul 2020 14:27**Sample Type** : EDTA**Labcode** : 0507012558/5600489 Dr.Prachi Sinkar MD(Path)**Barcode** : J9352971

Dr.Caesar Sengupta MD(Micro)

Page : 2 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.**

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT**NAME** : VARADHA (48Y/M)**REF. BY** : PYTHEOS HEALTH SYSTEMS**TEST ASKED** : ELEMENTS 22 (TOXIC AND NUTRIENTS),HBA,HEMOGRAM - 6 PART (DIFF)**SAMPLE COLLECTED AT :**PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31, HIVES
OFFICE SPACE, LEVEL 5 ,VR BENGALURU MAHADEV PURA
,WHITEFIELD ROAD , BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ARSENIC	ICP-MS	2.9	µg/l	< 5
CADMIUM	ICP-MS	0.11	µg/l	< 1.5
MERCURY	ICP-MS	0.79	µg/l	< 5
LEAD	ICP-MS	76.82	µg/l	< 150
CHROMIUM	ICP-MS	0.49	µg/l	< 30
BARIUM	ICP-MS	1.46	µg/l	< 30
COBALT	ICP-MS	0.28	µg/l	0.10 - 1.50
CAESIUM	ICP-MS	2.86	µg/l	< 5
THALLIUM	ICP-MS	0.03	µg/l	< 1
URANIUM	ICP-MS	0.02	µg/l	< 1
STRONTIUM	ICP-MS	14.86	µg/l	8 - 38
ANTIMONY	ICP-MS	4.92	µg/l	0.10 - 18
TIN	ICP-MS	0.26	µg/l	< 2
MOLYBDENUM	ICP-MS	0.5	µg/l	0.70 - 4.0
SILVER	ICP-MS	0.13	µg/l	< 4
VANADIUM	ICP-MS	0.16	µg/l	< 0.8
BERYLLIUM	ICP-MS	0.02	µg/l	0.10 - 0.80
BISMUTH	ICP-MS	0.11	µg/l	0.10 - 0.80
SELENIUM	ICP-MS	158.82	µg/l	60 - 340
ALUMINIUM	ICP-MS	9.24	µg/l	< 30
NICKEL	ICP-MS	1.99	µg/l	< 15
MANGANESE	ICP-MS	12.29	µg/l	7.10 - 20

Please correlate with clinical conditions.**Method :**

ICP - MASS SPECTROMETRY

Note: Reference range has been obtained after considering 95% population as cutoff.

Sample Collected on (SCT) : 03 Jul 2020 07:00

Sample Received on (SRT) : 05 Jul 2020 07:11

Report Released on (RRT) : 05 Jul 2020 14:27**Sample Type** : EDTA**Labcode** : 0507012558/560048 Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Barcode : J9352971

Page : 3 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : RBS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
RANDOM BLOOD SUGAR	PHOTOMETRY	93.7	mg/dL

Reference Range :-

70-150

Please correlate with clinical conditions.**Method:-** GOD-PAP METHOD

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:26
Report Released on (RRT) : 05 Jul 2020 15:29
Sample Type : FLUORIDE
Labcode : 0507013167/560048 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230821

Dr.Caesar Sengupta MD(Micro)

Page : 4 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
HOMOCYSTEINE	PHOTOMETRY	16.5	µmol/L

Reference Range :-

< 30

CLINICAL SIGNIFICANCE:

HOMOCYSTEINE IS LINKED TO INCREASED RISK OF PREMATURE CORONARY ARTERY DISEASE, STROKE AND THROMBOEMBOLISM. MOREOVER, ALZHEIMER'S DISEASE, OSTEOPOROSIS, VENOUS THROMBOSIS, SCHIZOPHRENIA, COGNITIVE DEFICIENCY AND PREGNANCY COMPLICATIONS ALSO ELEVATES HOMOCYSTEINE LEVELS.

HIGH VALUES:

ELEVATED HOMOCYSTEINE LEVELS MIGHT BE DUE TO INCREASING AGE, GENETIC TRAITS, DRUGS, RENAL DYSFUNCTION AND DIETARY DEFICIENCY OF VITAMINS OR SMOKING. TO LOWER YOUR HOMOCYSTEINE, EAT MORE GREEN VEGETABLES, STOP SMOKING, ALCOHOL. FOLIC ACID HELPS LOWERING ELEVATED LEVELS.

Please correlate with clinical conditions.**Method:-** ENZYMATIC ASSAY

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703
CAP
ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS
Thyrocare®**The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEV PURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
CYSTATIN C	IMMUNOTURBIDIMETRY	0.89	mg/L

Reference Range :-

<= 60 years: <= 1.03 mg/L
 > 60 years : < 1.50 mg/L

Clinical significance

Cystatin c, is a small 13-kda protein and is a member of the cysteine proteinase inhibitor family, it is produced at a constant rate by all nucleated cells. Due to its small size it is freely filtered by the glomerulus and is not secreted but is fully reabsorbed and broken down by the renal tubules. This means that the primary determinate of blood Cystatin c levels is the rate at which it is filtered at the glomerulus making it an excellent gfr marker. Cystatin c is also a marker of inflammation and like many other markers of inflammation; its serum concentration may be higher in patients with decreased renal clearance. There is mounting evidence, however, that Cystatin c may be a predictor of adverse outcomes independent of renal function with its higher sensitivity to detect a reduced GFR than Creatinine determination, also in the so-called "Creatinine-blind" range. Thus, Cystatin c is suggested to be a better marker for GFR than the ubiquitous serum Creatinine.

Reference

1. Barrett aj, Davies me, Grubb a. the place of human gamma-trace (Cystatin c) among the cysteine proteinase inhibitors. Biochem biophys res common 1984; 120: 631-6.

2. Grubb a. diagnostic value of analysis of Cystatin c and protein HC in biological fluids. Clin Nephrol 1992; 38: S20-7.

Please correlate with clinical conditions.**Method:-** LATEX ENHANCED IMMUNOTURBIDIMETRY

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703
CAP
ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS
Thyrocare®**The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
LIPOPROTEIN (A) [LP(A)] Reference Range :-	IMMUNOTURBIDIMETRY	46.2	mg/dl

ADULTS : < 30.0 MG/DL

INTERPRETATION:

DETERMINATION OF LPA MAY BE USEFUL TO GUIDE MANAGEMENT OF INDIVIDUALS WITH A FAMILY HISTORY OF CHD OR WITH EXISTING DISEASE. THE LEVELS OF LPA IN THE BLOOD DEPENDS ON GENETIC FACTORS; THE RANGE OF VARIATION IN A POPULATION IS RELATIVELY LARGE AND HENCE FOR DIAGNOSTIC PURPOSE, RESULTS SHOULD ALWAYS BE ASSESSED IN CONJUNCTION WITH THE PATIENT'S MEDICAL HISTORY, CLINICAL EXAMINATION AND OTHER FINDINGS.

SPECIFICATIONS:

PRECISION: INTRA ASSAY (%CV): 3.4 %, INTER ASSAY (%CV): 2.0 %; SENSITIVITY: 0.002 GM/L

EXTERNAL QUALITY CONTROL PROGRAM PARTICIPATION:

COLLEGE OF AMERICAN PATHOLOGISTS: GENERAL CHEMISTRY AND TDM; CAP NUMBER: 7193855-01

KIT VALIDATION REFERENCES:

KOSCHINSKY ML, MARCOVINA SM. LIPOPROTEIN A: STRUCTURAL IMPLICATION FOR PATHOPHYSIOLOGY. INT J CLIN LAB RES, 1997; 27: 14-23.

Please correlate with clinical conditions.**Method:-** LATEX ENHANCED IMMUNOTURBIDIMETRY

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 7 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC,Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.**

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
 ☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ☐ wellness@thyrocare.com ☐ www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	C.L.I.A	20.28	ng/ml
Reference Range :			
DEFICIENCY : <20 ng/ml			
INSUFFICIENCY : 20-<30 ng/ml			
SUFFICIENCY : 30-100 ng/ml			
TOXICITY : >100 ng/ml			
Vitamin D Total test is analyzed on Siemens ADVIA Centaur, standardized against ID-LC/MS/MS, as per Vitamin D Standardization Program (VDSP).			
Method : FULLY AUTOMATED CHEMI LUMINESCENT IMMUNO ASSAY			
VITAMIN B-12	C.L.I.A	336	pg/ml
Reference Range :			
Normal : 211 - 911 pg/ml			

Clinical significance :

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):4.0%, Inter assay (%CV):4.4 %;Sensitivity:45 pg/ml

External quality control program participation:

College of American pathologists: ligand assay (general) survey; CAP number: 7193855-01

Kit validation references:

Chen IW,Sperling MI,Heminger IA.Vitamin B12.In:Pesce AJ,Kalpan LA,editors.Methods in clinical chemistry. St.Louis:CV Mosby,1987.P.569-73.

Method : FULLY AUTOMATED BIDIRECTIONALLY INTERFACED CHEMI LUMINESCENT IMMUNO ASSAY

Please correlate with clinical conditions.

Sample Collected on (SCT) :03 Jul 2020 07:00
Sample Received on (SRT) :05 Jul 2020 07:20
Report Released on (RRT) :05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/5600489 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230822

Dr.Caesar Sengupta MD(Micro)

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC,Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.**

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
 ☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ☐ wellness@thyrocare.com ☐ www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
APOLIPROTEIN - A1 (APO-A1)	IMMUNOTURBIDIMETRY	113	mg/dL
Reference Range :			
MALE : 86 - 152			
FEMALE : 94 - 162			
Method :	FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY – BECKMAN COULTER		
APOLIPROTEIN - B (APO-B)	IMMUNOTURBIDIMETRY	116	mg/dL
Reference Range :			
MALE : 56 - 145			
FEMALE : 53 - 138			
Method :	FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY – BECKMAN COULTER		
APO B / APO A1 RATIO (APO B/A1)	CALCULATED	1	Ratio
Reference Range :			
MALE : 0.40 - 1.26			
FEMALE : 0.38 - 1.14			
Method :	DERIVED FROM SERUM APO A1 AND APO B VALUES		

Please correlate with clinical conditions.

Sample Collected on (SCT) :03 Jul 2020 07:00
Sample Received on (SRT) :05 Jul 2020 07:20
Report Released on (RRT) :05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/5600489 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230822

Dr.Caesar Sengupta MD(Micro)

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
INSULIN - FASTING	E.C.L.I.A	9.56	µU/mL

Reference Range :-

2.6 - 24.9 µU/mL

Clinical Significance

Type I (Insulin dependent: "Juvenile") diabetes is due to a destruction of the beta cells, with a consequence of absolute lack of insulin. In type II (Non insulin-dependent: "Maturity onset") diabetes, insulin resistance may play an important role; However after several years of evolution, beta-cells failure may occur, leading to a relative insulinopenia requiring, in some cases, insulin administration. Insulin resistance is associated with high circulation levels of the hormone.

For diagnostic purpose, results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings.

Specifications:

Precision: Intra Assay (%CV): 4.3 %, Inter Assay (%CV): 5.3%; Sensitivity: 0.04 µU/mL

External quality control program participation:

College Of American Pathologists: Insulin Survey (Ing): Cap Number: 7193855-01

Kit validation references:

Lang DA, Matthews DR, Peto J, et al. Cyclic oscillations of basal plasma glucose and insulin concentrations in human beings. *N Engl J Med* 1979;301:1023-1027.

Please correlate with clinical conditions.**Method:-** FULLY AUTOMATED ELECTROCHEMILUMINESCENCE IMMUNOASSAY

Sample Collected on (SCT)	: 03 Jul 2020 07:00
Sample Received on (SRT)	: 05 Jul 2020 07:20
Report Released on (RRT)	: 05 Jul 2020 17:41
Sample Type	: SERUM
Labcode	: 0507000266/560048 Dr.Prachi Sinkar MD(Path)
Barcode	: Q4230822

Dr.Caesar Sengupta MD(Micro)

Page : 10 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	IMMUNOTURBIDIMETRY	15.5	mg/L

Reference Range :-
ADULT : <=3.0 MG/L**INTERPRETATION:**

HIGH SENSITIVITY C-REACTIVE PROTEIN, WHEN USED IN CONJUNCTION WITH OTHER CLINICAL LABORATORY EVALUATION OF ACUTE CORONARY SYNDROMES, MAY BE USEFUL AS AN INDEPENDENT MARKER OF PROGNOSIS FOR RECURRENT EVENTS, IN PATIENTS WITH STABLE CORONARY DISEASE OR ACUTE CORONARY SYNDROMES. HSCRP LEVELS SHOULD NOT BE SUBSTITUTED FOR ASSESSMENT OF TRADITIONAL CARDIOVASCULAR RISK FACTORS. PATIENTS WITH PERSISTENTLY UNEXPLAINED, MARKED EVALUATION OF HSCRP AFTER REPEATED TESTING SHOULD BE EVALUATED FOR NON - CARDIOVASCULAR ETIOLOGIES

CLINICAL SIGNIFICANCE:

HSCRP MEASUREMENTS MAY BE USED AS AN INDEPENDENT RISK MARKER FOR THE IDENTIFICATION OF INDIVIDUALS AT RISK FOR FUTURE CARDIOVASCULAR DISEASE. ELEVATED CRP VALUES MAY BE INDICATIVE OF PROGNOSIS OF INDIVIDUALS WITH ACUTE CORONARY SYNDROMES, AND MAY BE USEFUL IN THE MANAGEMENT OF SUCH INDIVIDUALS.

SPECIFICATIONS: PRECISION: WITHIN RUN %CV HAS BEEN RECORDED <=5%.

REFERENCES:

1. CHENILLOT O, HENNY J, STEINMEZ J, ET AL. HIGH SENSITIVITY C-REACTIVE PROTEIN: BIOLOGICAL VARIATIONS AND REFERENCE LIMITS. CLIN CHEM LAB MED 2000;38:1003-11.
2. HIND CRH, PEPYS MB. THE ROLE OF SERUM C-REACTIVE PROTEIN MEASUREMENTS IN CLINICAL PRACTICE. INT MED 1984;5:112-51.

Please correlate with clinical conditions.**Method:-** FULLY AUTOMATED LATEX AGGLUTINATION – BECKMAN COULTER

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 11 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703
CAP
ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS
Thyrocare®
The Trust. The Truth.**Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
SERUM COPPER	PHOTOMETRY	125.7	µg/dL

Reference Range :-

MALE : 63.5 - 150

FEMALE : 80 - 155

CLINICAL SIGNIFICANCE

COPPER IS AN IMPORTANT TRACE ELEMENT AND A COMPONENT OF NUMEROUS ENZYMES AND PROTEINS INVOLVED IN ENERGY PRODUCTION, CONNECTIVE TISSUE FORMATION, MELANIN SYNTHESIS, IRON METABOLISM, DEVELOPMENT OF CENTRAL NERVOUS SYSTEM, ANGIOGENESIS AS WELL AS AN ANTIOXIDANT.

DEFICIENCY CAN CAUSE - MALNOURISHMENT, CARDIOVASCULAR DISEASE, ANEMIA & NEUROPATHY. TOXICITY MAY BE MANIFESTED AS ACUTE RENAL FAILURE, GASTROENTERITIS & CHRONIC LIVER DISEASE.

REFERENCE: CARL A. BURTIS, EDWARD R. ASHWOOD, DAVID E. BRUNS. TIETZ TEXTBOOK OF CLINICAL CHEMISTRY AND MOLECULAR DIAGNOSTICS. CHAPTER 31.VITAMINS AND TRACE ELEMENTS. PAGE: 948-952.

Please correlate with clinical conditions.**Method:-** 3,5-DIBR-PAESA

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 12 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703
CAP
ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS
Thyrocare®**The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
SERUM ZINC	PHOTOMETRY	138.74	µg/dL

Reference Range :-

52 - 286

CLINICAL SIGNIFICANCE

ZINC IS ONE OF THE ESSENTIAL TRACE ELEMENTS IN THE BODY. ITS METALLOENZYMES PLAY A KEY ROLE IN PROTEIN AND NUCLEIC ACID SYNTHESIS, GENE EXPRESSION, WOUND HEALING, AS AN ANTIOXIDANT, ETC.

DEFICIENCY CAN CAUSE - POOR WOUND HEALING, GASTROENTERITIS, IMPAIRED SPERMATOGENESIS, ALZHEIMER'S DISEASE, ETC. TOXICITY MAY BE MANIFESTED AS PANCREATITIS, GASTRIC ULCER, ANEMIA, PULMONARY FIBROSIS.

REFERENCE: CARL A. BURTIS, EDWARD R. ASHWOOD, DAVID E. BRUNS. TIETZ TEXTBOOK OF CLINICAL CHEMISTRY AND MOLECULAR DIAGNOSTICS. CHAPTER 31.VITAMINS AND TRACE ELEMENTS. PAGE:960-965.

Please correlate with clinical conditions.**Method:-** NITRO - PAPS

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 13 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
TESTOSTERONE	C.L.I.A	295.18	ng/dL

Reference Range :-

Adult Male

21 - 49 Yrs : 164.94 - 753.38
50 - 89 Yrs : 86.49 - 788.22

Adult Female

Pre-Menopause : 12.09 - 59.46
Post-Menopause: < 7.00 - 48.93

Boys

2-10 Years : < 7.00 - 25.91
11 Years : < 7.00 - 341.53
12 Years : < 7.00 - 562.59
13 Years : 9.34 - 562.93
14 Years : 23.28 - 742.46
15 Years : 144.15 - 841.44
16-21 Years : 118.22 - 948.56

Girls

2-10 Years : < 7.00 - 108.30
11-15 Years : < 7.00 - 48.40
16-21 Years : 17.55 - 50.41**Clinical Significance:**

Clinical evaluation of serum testosterone, along with serum LH, assists in evaluation of Hypogonadal males. Major causes of lowered testosterone in males include Hypogonadotropic hypogonadism, testicular failure Hyperprolactinemia, Hypopituitarism some types of liver and kidney diseases and critical illness.

Specifications: Precision: Intra assay (%CV): 8.5 %, Inter assay (%CV): 12.6%; Sensitivity: 7 ng/dL.

External quality control program participation:

College of American pathologists: Ligand assay (special) survey; cap number: 7193855-01

Please correlate with clinical conditions.**Method:-** FULLY AUTOMATED BIDIRECTIONALLY INTERFACED CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 14 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC,Turbhe,
Navi Mumbai-400 703
**CAP
ACCREDITED**
COLLEGE OF AMERICAN PATHOLOGISTS
Thyrocare®**The Trust. The Truth.**
Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
 ☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ☏ wellness@thyrocare.com ☐ www.thyrocare.com
REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :
 PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEVPURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON	PHOTOMETRY	45.1	µg/dl
Reference Range : Male : 65 - 175 Female : 50 - 170			
Method : FERROZINE METHOD WITHOUT DEPROTEINIZATION			
TOTAL IRON BINDING CAPACITY (TIBC)	PHOTOMETRY	278	µg/dl
Reference Range : Male: 225 - 535 µg/dl Female: 215 - 535 µg/dl			
Method : SPECTROPHOTOMETRIC ASSAY			
% TRANSFERRIN SATURATION	CALCULATED	16.22	%
Reference Range : 13 - 45			
Method : DERIVED FROM IRON AND TIBC VALUES			

Please correlate with clinical conditions.

Sample Collected on (SCT) :03 Jul 2020 07:00
Sample Received on (SRT) :05 Jul 2020 07:20
Report Released on (RRT) :05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/5600489 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230822

 Dr.Caesar Sengupta MD(Micro)
 Page : 15 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :
 PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31, HIVES
 OFFICE SPACE, LEVEL 5 ,VR BENGALURU MAHADEVPURA
 ,WHITEFIELD ROAD , BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	98.1	U/L	45 - 129
BILIRUBIN -DIRECT	PHOTOMETRY	0.16	mg/dl	< 0.3
BILIRUBIN - TOTAL	PHOTOMETRY	1.06	mg/dl	0.3-1.2
BILIRUBIN (INDIRECT)	CALCULATED	0.9	mg/dl	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	23.3	U/l	< 55
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	19.8	U/l	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	15.4	U/l	< 45
PROTEIN - TOTAL	PHOTOMETRY	7.11	gm/dl	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.59	gm/dl	3.2-4.8
SERUM GLOBULIN	PHOTOMETRY	3.52	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.02	Ratio	0.9 - 2

Please correlate with clinical conditions.**Method :**

ALKP - Modified IFCC method

BILD - Vanadate Oxidation

BILT - Vanadate Oxidation

BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES

GGT - Modified IFCC method

SGOT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

SGPT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

PROT - BIURET METHOD

SALB - ALBUMIN BCG¹METHOD (COLORIMETRIC ASSAY ENDPOINT)

SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

Sample Collected on (SCT)	: 03 Jul 2020 07:00
Sample Received on (SRT)	: 05 Jul 2020 07:20
Report Released on (RRT)	: 05 Jul 2020 17:41
Sample Type	: SERUM
Labcode	: 0507000266/560048
Barcode	: Q4230822

Dr. Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 16 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.**

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :
 PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31, HIVES
 OFFICE SPACE, LEVEL 5 ,VR BENGALURU MAHADEVPURA
 ,WHITEFIELD ROAD , BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
TOTAL CHOLESTEROL	PHOTOMETRY	217	mg/dl	125-200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	37	mg/dl	35-80
TRIGLYCERIDES	PHOTOMETRY	79	mg/dl	25-200
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	160	mg/dl	85-130
TC/ HDL CHOLESTEROL RATIO	CALCULATED	5.8	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	4.3	Ratio	1.5-3.5
VLDL CHOLESTEROL	CALCULATED	15.74	mg/dl	5 - 40
NON-HDL CHOLESTEROL	CALCULATED	179.8	mg/dl	< 160

Please correlate with clinical conditions.**Method :**

CHOL - CHOD POD METHOD

HCHO - ENZYME SELECTIVE PROTECTION METHOD

TRIG - ENZYMATIC COLORIMETRIC METHOD (GPO) [HIGHLY INFLUENCED BY LEVEL OF FASTING]

LDL - HOMOGENOUS ENZYMATIC COLORIMETRIC ASSAY

TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES

LDL/ - Derived from serum HDL and LDL Values

VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES

NHDL - Derived from serum Cholesterol and HDL values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.**Sample Collected on (SCT)** : 03 Jul 2020 07:00

Sample Received on (SRT) : 05 Jul 2020 07:20

Report Released on (RRT) : 05 Jul 2020 17:41**Sample Type** : SERUM**Labcode** : 0507000266/560048 Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Barcode : Q4230822

Page : 17 of 23

PROCESSED AT :

Thyrocare

D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703



Thyrocare®

The Trust. The Truth.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :
PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31, HIVES
OFFICE SPACE, LEVEL 5 ,VR BENGALURU MAHADEVPURA
,WHITEFIELD ROAD , BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
TOTAL TRIIODOTHYRONINE (T3)	C.L.I.A	121	ng/dl	60-200
TOTAL THYROXINE (T4)	C.L.I.A	7	µg/dl	4.5-12
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	2.26	µIU/ml	0.3-5.5

Comments : SUGGESTING THYRONORMALCY

Please correlate with clinical conditions.

Method :

T3 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

T4 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

TSH - SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230822

Dr.Caesar Sengupta MD(Micro)
Page : 18 of 23

PROCESSED AT :

Thyrocare

D-37/1, TTC MIDC,Turbhe,
Navi Mumbai-400 703



CERTIFICATE NO.: MC-2407



Thyrocare®

The Trust. The Truth.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
MAHADEV PURA ,WHITEFIELD ROAD ,
BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
PHOSPHOROUS	PHOTOMETRY	4.1	mg/dL

Reference Range :

Adults : 2.4 - 5.1

Method : UNREDUCED PHOSPHOMOLYBDATE METHOD

Please correlate with clinical conditions.

Sample Collected on (SCT) :03 Jul 2020 07:00
Sample Received on (SRT) :05 Jul 2020 07:20
Report Released on (RRT) :05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/5600489 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230822

Dr.Caesar Sengupta MD(Micro)

Page : 19 of 23

PROCESSED AT :**Thyrocare**D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.**

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
 ☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ☐ wellness@thyrocare.com ☐ www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :
 PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31, HIVES
 OFFICE SPACE, LEVEL 5 ,VR BENGALURU MAHADEVPURA
 ,WHITEFIELD ROAD , BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	11.96	mg/dl	7 - 25
CREATININE - SERUM	PHOTOMETRY	0.8	mg/dl	0.6-1.1
URIC ACID	PHOTOMETRY	5.6	mg/dl	4.2 - 7.3
CALCIUM	PHOTOMETRY	9.01	mg/dl	8.8-10.6
BUN / SR.CREATININE RATIO	CALCULATED	14.95	Ratio	9:1-23:1

Please correlate with clinical conditions.**Method :**

BUN - KINETIC UV ASSAY.
 SCRE - CREATININE ENZYMATIC METHOD
 URIC - Uricase / Peroxidase Method
 CALC - ARSENATO III METHOD, END POINT.
 B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048
Barcode : Q4230822

Dr.Prachi Sinkar MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 20 of 23

PROCESSED AT :**Thyrocare**D-37/1,TTC MIDC,Turbhe,
Navi Mumbai-400 703**Thyrocare®****The Trust. The Truth.****Corporate Office : Thyrocare Technologies Limited** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

022 - 3090 0000 / 4125 2525 8691866066 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : VARADHA (48Y/M)
REF. BY : PYTHEOS HEALTH SYSTEMS
TEST ASKED : AAROGYAM 1.3,INSFA,PHOS

SAMPLE COLLECTED AT :

PYTHEOS HEALTH SYSTEMS PVT LTD ,VR/5F/31,
 HIVES OFFICE SPACE, LEVEL 5 ,VR BENGALURU
 MAHADEV PURA ,WHITEFIELD ROAD ,
 BENGALURU,560048

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	106	mL/min/1.73 m ²

Reference Range :-

> = 90 : Normal
 60 - 89 : Mild Decrease
 45 - 59 : Mild to Moderate Decrease
 30 - 44 : Moderate to Severe Decrease
 15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.**Method:-** CKD-EPI Creatinine Equation**~~ End of report ~~**

Sample Collected on (SCT) : 03 Jul 2020 07:00
Sample Received on (SRT) : 05 Jul 2020 07:20
Report Released on (RRT) : 05 Jul 2020 17:41
Sample Type : SERUM
Labcode : 0507000266/560048 Dr.Prachi Sinkar MD(Path)
Barcode : Q4230822



Dr.Caesar Sengupta MD(Micro)

Page : 21 of 23

CONDITIONS OF REPORTING

- ❖ The reported results are for information and interpretation of the referring doctor only.
- ❖ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ❖ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ❖ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ❖ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ❖ This report is not valid for medico-legal purpose.
- ❖ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ❖ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYQc>
- ❖ For clinical support please contact @8450950851,8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- ❖ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ❖ **Name** - The name is as declared by the client and recorded by the personnel who collected the specimen.
- ❖ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ❖ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ❖ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ❖ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ❖ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ❖ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ❖ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ❖ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ❖ Values out of reference range requires reconfirmation before starting any medical treatment.
- ❖ Retesting is needed if you suspect any quality shortcomings.
- ❖ Testing or retesting should be done in accredited laboratories.
- ❖ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 4125 2525**
- ❖ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!


Explore & Select
Test / Profile


Book Through
App


Booking
Confirmation


Track your
Technician


Blood
Collection


Sample
Testing


Download
Report &
Receipt

Download Thyroapp Now



Are you chronically tired, feel bloated, have abdominal pain, brain fog or suffer from recurrent cold or sinus problems?

Healthy food does not mean its good for you...

Understand the facts behind your symptoms with Food Intolerance profile

Food Intolerance Profile

9 categories including 217 food items

► Meat (16)	► Dairy (9)	► Vegetables (39)
► Cereals (18)	► Fish (38)	► Spices (31)
► Nuts (11)	► Fruits (38)	► Miscellaneous (17)

Follow elimination diet... feel better again!

Scan Me

📞 : 8422849896

✉️ : foodi@thyrocare.com

 Thyrocare Video

Thyrocare®
The Trust. The Truth.