

QUESTION 1:

Description: Write Java program to allow the user to input his/her age.


Then the program will show if the person is eligible to vote.

A person who is eligible to vote must be older than or equal 1 to 18 years old.

Example:

Input = 10

Output = You are Not Eligible because of our Indian Law.



The screenshot shows a code editor with a Java program named `Vote.java`. The program uses `Scanner` to take user input for age. It has three conditions: if age is between 18 and 60, it says 'Eligible'; if age is 60 or above, it says 'Senior citizen'; otherwise, it says 'Not Eligible'. The terminal shows three test runs: age 16 (Not Eligible), age 36 (Eligible), and age 66 (Senior citizen).

```
1 import java.util.Scanner;
2
3 public class Vote{
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6         System.out.print(s: "Enter the Age of the person : ");
7         int age = sc.nextInt();
8
9         if(age >= 18 && age <= 60)
10        {
11            System.out.println(x: "You are Eligible for Voting.");
12        }
13        else if(age >=60){
14            System.out.println(x: "You can vote under Senior citizen category.");
15        }
16        else{
17            System.out.println(x: "You are Not Eligible because of our Indian Law.");
18        }
19    }
20 }
```

Terminal Output:

```
PS D:\practice\lita\practice\anudip> java Vote
Enter the Age of the person : 16
You are Not Eligible because of our Indian Law.

PS D:\practice\lita\practice\anudip> java Vote
Enter the Age of the person : 36
You are Eligible for Voting.

PS D:\practice\lita\practice\anudip> java Vote
Enter the Age of the person : 66
You can vote under Senior citizen category.

PS D:\practice\lita\practice\anudip>
```


QUESTION 2:

Description: Write a program to find even or odd number

Example:

Input = 10

Output = Even



```
1 import java.util.Scanner;
2
3 public class OddorEven {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         System.out.println("Enter the number : ");
8         int num = sc.nextInt();
9
10        if(num % 2 == 0)
11        {
12            System.out.println("It's Even");
13        }
14        else{
15            System.out.println("It's Odd");
16        }
17    }
18 }
19
```

Terminal Output:


```
PS D:\practice\lita\practice\anudip> java Oddoreven
Error: Could not find or load main class Oddoreven
Caused by: java.lang.NoClassDefFoundError: Oddoreven (wrong name: OddorEven)
PS D:\practice\lita\practice\anudip> java OddorEven.java
Enter the number :
10
It's Even
PS D:\practice\lita\practice\anudip> java OddorEven
Enter the number :
11
It's Odd
PS D:\practice\lita\practice\anudip>
```

QUESTION 3:

Description: Write a program to print even number from 1 to 100

Example:

Output = 2,4,....100



```
1 public class Even {
2     public static void main(String[] args) {
3         for(int i = 2 ; i <= 100 ; i = i + 2){
4             System.out.print(i + " ");
5         }
6         System.out.println();
7         for(int i = 1 ; i <= 100 ; i++)
8         {
9             if(i%2==0){
10                System.out.print(i + " ");
11            }
12        }
13    }
14 }
15
16
```

PS D:\practice\lita\practice\anudip> javac Even.java

PS D:\practice\lita\practice\anudip> java Even

2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 68 70 72 74 76 78 80 82 84 86 88 90 92 94 96 98 100


PS D:\practice\lita\practice\anudip>

QUESTION 4:

Description: Find the sum of odd number 1 to 100

Example:

Output = 2500



```
1 public class OddSum {
2     public static void main(String[] args) {
3         int sum = 0;
4         for(int i = 1 ; i <= 100 ; i++)
5         {
6             if(i % 2 != 0){
7                 sum = sum + i;
8             }
9         }
10        System.out.println(sum);
11    }
12 }
13 }
```

Terminal Output:


```
PS D:\practice\fta\practice\anudip> javac Even.java
PS D:\practice\fta\practice\anudip> javac OddSum.java
PS D:\practice\fta\practice\anudip> java OddSum
2500
PS D:\practice\fta\practice\anudip>
```

QUESTION 5:

Description: Count of even number 1 to 100

Example:

Output = 50



The screenshot shows a code editor with the following Java code:

```
1 public class EvenCount {
2
3     public static void main(String[] args) {
4         int count = 0;
5
6         for(int i = 2 ; i <= 100 ; i++)
7         {
8             if(i % 2 == 0)
9             {
10                count++;
11            }
12        }
13        System.out.println(count);
14    }
15 }
```

The terminal output shows the execution of the program:

```
PS D:\practice\fit\practice\anudip> javac EventCount.java
PS D:\practice\fit\practice\anudip> java EventCount
50
PS D:\practice\fit\practice\anudip>
```