

Emman Karimi Portfolio — Windows Local Setup Guide

This document provides step-by-step instructions for downloading, extracting, installing, and running the Emman Karimi portfolio on a local Windows machine (Windows 10 or Windows 11).

1. Prerequisites for Windows

Before you begin, ensure you have the following software installed on your Windows PC:

- **Node.js (LTS version 20.19+ or 22.12+ recommended):** Download and run the installer from nodejs.org. Node.js includes `npm`. These versions are compatible with the included Vite toolchain.
- **pnpm (Recommended package manager):** Open PowerShell and run the following command to enable pnpm globally:

```
corepack enable
corepack prepare pnpm@latest --activate
```

- **Code Editor:** Visual Studio Code (recommended) or any modern text editor.

2. Step-by-Step Instructions After Downloading the ZIP File

Step 1: Extract the ZIP Archive

1. Locate the downloaded ZIP file (`emman-karimi-portfolio.zip`) in your **Downloads** folder.
2. Right-click the ZIP file and select **Extract All...**
3. Choose your destination folder (for example, `C:\Projects\emman-karimi-portfolio`) and click **Extract**. Ensure you extract directly into a dedicated folder rather than mixing files with other projects.

Step 2: Open PowerShell or Command Prompt

1. Open the extracted project folder (`emman-karimi-portfolio`).
-

2. Click on the address bar at the top of File Explorer, type `cmd` or `powershell` , and press **Enter**. This opens your terminal directly inside the project directory.

Step 3: Install Dependencies

Run the package installation command in your terminal:

```
pnpm install
```

(Note: If you prefer using npm, you can run `npm install` , though `pnpm` is recommended for optimal workspace locking).

Step 4: Run the Development Server

To launch the live development server with hot module replacement (HMR), run:

```
pnpm dev
```

The terminal will output a local URL (normally `http://localhost:5173`). If that port is already in use, Vite will choose another available port and print it in the terminal.

Step 5: Open in Your Browser

Open your preferred web browser (Google Chrome, Microsoft Edge, or Firefox) and navigate to:

```
http://localhost:5173
```

You will instantly see the fully interactive portfolio featuring the Obsidian Craft design system, portraits, case study modals, the contact system, the theme toggle, and the testimonials carousel.

3. Building for Production

If you want to test the production build locally on Windows, run:

```
pnpm build  
pnpm preview
```

This bundles the optimized static application into the `dist/` folder and starts a local preview server, normally at `http://localhost:4173`.

4. Troubleshooting Common Windows Issues

Issue	Cause	Solution
pnpm command not found	Corepack not enabled or Node.js missing	Run <code>corepack enable</code> in PowerShell or install Node.js from nodejs.org.
Script execution policy error in PowerShell	Windows security restricting local scripts	Run PowerShell as Administrator and execute <code>Set-ExecutionPolicy RemoteSigned -Scope CurrentUser</code> , then retry.
The default port is already in use	Another local service is using Vite's default port	Vite will automatically suggest another available port, or you can stop the conflicting process. Always open the exact URL printed in the terminal.