

left


File: half.kicad_sch

right


File: half.kicad_sch

Sheet: / File: keeby.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.7		Id: 1/5


Keyboard Matrix




Display




Controller



Battery Connector



LED






Diagram showing the pin connections for the OLED_SSD1306 module:

- SDA (Green line) connects to SDA (Green line)
- SCL (Green line) connects to SCL (Green line)
- VBAT (Green line) connects to Vcc (Green line)
- GND (Red arrow) connects to GND (Green line)

File: oledssd.kicad_sch



- # Controller
- U4
SuperMini nRF52840
-
- Pinout connections for U4 (SuperMini nRF52840):
- Pin 1: GND
 - Pin 2: ROW1
 - Pin 3: LED_DAT
 - Pin 4: GND
 - Pin 5: GND
 - Pin 6: SDA
 - Pin 7: SCL
 - Pin 8: ROW2
 - Pin 9: COL4
 - Pin 10: COL5
 - Pin 11: COL3
 - Pin 12: COL2
 - Pin 13: ROW3
 - Pin 14: GND
 - Pin 15: P0.06
 - Pin 16: P0.08
 - Pin 17: GND
 - Pin 18: P0.17
 - Pin 19: P0.20
 - Pin 20: P0.22
 - Pin 21: P0.24
 - Pin 22: P1.00
 - Pin 23: P0.11
 - Pin 24: P1.04-LF
 - Pin 25: P1.06-LF
 - Pin 26: P1.02-LF
 - Pin 27: P1.07-LF
 - Pin 28: GND
 - Pin 29: BAT+
 - Pin 30: BAT+
 - Pin 31: GND
 - Pin 32: RST
 - Pin 33: 3V3 (+3.3V)
 - Pin 34: P0.31-LF
 - Pin 35: P0.29-LF
 - Pin 36: P0.02-LF
 - Pin 37: P1.15-LF
 - Pin 38: P1.13-LF
 - Pin 39: P1.11-LF
 - Pin 40: P0.10-LF
 - Pin 41: P0.09-LF
 - Pin 42: COL6
 - Pin 43: COL1
 - Pin 44: ROW4
 - Pin 45: ROW5

Battery Connector

S62
S_SPDT

VBAT 1 2 3

1 2 JST-PH J4

GND

