Bell Work

Solve for x:

$$20 = \frac{4x}{3} + 12$$

From last time... [10ish minutes to finish]

Page 22 #3, 15, 21, 25, 31, 39

Page 24 #67, 68, 73

Page 30 #11, 14, 15, 27, 32, 36, 43, 52

Page 32 #72, 76, 78

ALGEBRA 3

Day 8

Chapter 1 Section 5 Solving Inequalities

Objective: To solve with >, <, \ge , or \le instead of an = in the problem

Quick Review of Equations

Describe how you would identify the solution for the following equation:

$$y = 2x + 4$$

Follow Up Questions:

What does the graph look like? What does it mean?

What really changes if we make it $y \ge 2x + 4$?? What does this graph look like now?

1.5 Solving Inequalities

■ Linear Inequality: linear equation with inequality symbol

 $(<, >, \ge, \le)$ instead of the equals sign (=)

Note: Compound Inequalities have two inequality symbols

Solution to an Inequality: value of the variable that makes the inequality true

Solve the same way you normally would with an = sign except....

If you have to *Multiply or Divide* both sides by the same *negative* number, then you must *reverse* the inequality.

WHY does this rule exist?!? How else could we solve??

Examples

Solve and Graph the Following:

1.)
$$5 - 2x \le 17$$

2.)
$$\frac{2n}{5} - 3 \ge 7$$
 or $-\frac{n}{3} + 4 > 9$

3.)
$$1 \le 2x - 5 \le 7$$

Quick Check for Understanding

How would you describe the difference in your solution if there is a

```
>, < compared to a \geq, \leq?
```

How does your answer change if there are multiple inequalities instead of just one in the problem?

For Next Time...

From Today

Page 37-38 #3-5, 10, 27, 31, 35, 44

Mixed Review

Page 40 #72, 75, 78