Bell Work: Unit Circle Review

$$\sin\frac{\pi}{2} =$$

$$\cos\frac{3\pi}{2} =$$



PRE-CALC TRIG

Day 29

4.1 Radian and Degree Measure

- Objective: Describe angles using radian and degree measure.

- HLQ: How are radians and degree measures similar and different?

Important Vocabulary

- **Trigonometry:** measure of triangles
- **Initial Side**: starting position of the ray
- **Terminal Side**: position after the rotation



- **Positive Angles** (counter-clockwise) **and Negative Angles** (clockwise)

More Vocabulary

Coterminal: have the same terminal angle

Complementary: sum to $\pi/2$ (90 degrees)

Supplementary: sum to π (180 degrees)



Example of Coterminal Angles

Find coterminal angle of $3\pi/4$

$3\pi/4 - 2\pi = -$ $\mathbf{5\pi/4}$

Find coterminal angle of $-3\pi/4$

$-3\pi/4 + 2\pi =$ $\mathbf{5\pi/4}$

What the heck is a radian?

One radian is the measure of a central angle θ that intercepts an arc s equal in length to the radius r of a circle. [Watch youtube video] Algebraically, this means that $\theta = \frac{s}{r}$ where θ is measured in radians.

https://www.youtube.com/watch?v=ifBhTdsTMuE

Converting Degrees to Radians and vice versa

<u>Degree Measure</u>

$360° = 2\pi \text{ rad}$ $\quad\quad$ *and* $\quad\quad$ $180° = \pi \text{ rad}$

$1° = \frac{\pi}{180} \text{ rad}$ $\quad\quad$ *and* $\quad\quad$ $1 \text{ rad} = \frac{180°}{\pi}$

Therefore:

-- To covert degrees to radians, multiply degrees by $\frac{\pi \text{ rad}}{180°}$

-- To covert radians to degrees, multiply degrees by $\frac{180°}{\pi \text{ rad}}$

Example: Convert

$135° =$

$\frac{9\pi}{2}\ \text{rad} =$

Example: Worked Out…

$$135^\circ = 135^\circ\left(\frac{\pi\ \mathrm{rad}}{180^\circ}\right) = \frac{3\pi}{4}$$

$$\frac{9\pi}{2}\ \mathrm{rad} = \left(\frac{9\pi}{2}\ \mathrm{rad}\right)\left(\frac{180^\circ}{\pi\ \mathrm{rad}}\right) = 810^\circ$$

Arc Length

For a circle of radius, r, a central angle θ intercepts an arc of length s given by $s = r \cdot \theta$ (from radian definition above) where θ is measured in radians. Note that if r = 1, then $s = \theta$, and the radian measure of θ equals the arc length.

Arc Length: Example

A circle has a radius of 5 inches.

Find the length of the arc, s, intercepted by a central angle of 200 degrees.

Arc Length: Example Worked Out…

Use the formula, $s = r \cdot \theta$ but θ is in radians so covert first.

$$200° = 200°\left(\frac{\pi \text{ rad}}{180°}\right) = \frac{10\pi}{9} \text{ rad}$$

$$s = 5 * \frac{10\pi}{9} \text{ rad} = \frac{50\pi}{9} \text{ rad} \approx \mathbf{17.452 \text{ inches}}$$

Linear and Angular Speed

Consider a particle moving at a constant speed along a circular arc of radius *r*. If *s* is the length of the arc traveled in time *t*, then the linear speed *v* of the particle is:

$$\boldsymbol{Linear\ Speed\ v = \frac{arc\ length}{time} = \frac{s}{t}}$$

Moreover, if θ is the angle (in radians) corresponding to the arc length s, then the angular speed ω $(lowercase\ omega)$ of the particle is:

$$\boldsymbol{Angular\ Speed\ \omega = \frac{central\ angle}{time} = \frac{\theta}{t}}$$

Area of a Sector of a Circle

For any circle of radius r, the area A of a sector of the circle with central angle θ is given by $A = \frac{1}{2}r^2\theta$ where θ is measured in radians.

Example:

The second hand of a clock is 12.4 cm long. Find the linear speed of the tip of the second hand as it moves around the clock.

Example: Worked Out…

The second hand of a clock is 12.4 cm long. Find the linear speed of the tip of the second hand as it moves around the clock.

- Arc of one revolution = $2\pi r = 2\pi(12.4) = 24.8\pi$
- The time it takes is 60 seconds

- $linear\ speed = \frac{s}{t} = \frac{24.8\pi}{60} = \mathbf{1.299\ cm\ per\ second}$

Example:

The blades of a wind turbine are 250 feet long. The propeller rotates at 12 revolutions per minute.

1.) Find the angular speed of the propeller in radians per min

2.) Find the linear speed of the tips of the blades.

Example: Worked Out…

The blades of a wind turbine are 250 feet long. The propeller rotates at 12 revolutions per minute.

1.) Find the angular speed of the propeller in radians per min

2.) Find the linear speed of the tips of the blades.

Because each revolution generates 2π radians, it follows that the propeller turns $(2\pi)(12) = 24\pi\ radians\ per\ minute$.

In other words, $angular\ speed = \frac{\theta}{t} = \frac{24\pi\ rad}{1\ min} = 24\ radians\ per\ min$

The linear speed is:

$$linear\ speed = \frac{s}{t} = \frac{r\theta}{t} = \frac{250 * 24\pi}{1\ minute} = \frac{6000\pi}{1} = 18{,}849.556\ feet/min$$

Example:

Example: A sprinkler on a golf course sprays water a distance of 50 feet and rotates through an angle of 140°. Find the area of the course watered by the sprinkler.

Example: Worked Out…

Example: A sprinkler on a golf course sprays water a distance of 50 feet and rotates through an angle of 140°. Find the area of the course watered by the sprinkler.

Covert 140° to radians => $\frac{7\pi}{9}$

$$A = \frac{1}{2}r^2\theta = \frac{1}{2}50^2\left(\frac{7\pi}{9}\right) = \frac{8750\pi}{9} \approx \mathbf{3054.326}\ \boldsymbol{square\ feet}$$

For Next Time:

Page 288

#17, 23-24, 27, 29, 31 ← Radian
#41, 45-46, 49, 51, 53 ← Degree

#57-58, 61-62, 65-66, 73-74 ← Convert

#89-90, 93-94, 98-99, 109-110, 112, 118-119 ←Applied