FRD — Workplace Access & Resource Request Management System

Document Control

- **System Name:** Workplace Access & Resource Request Management System (WAR-RMS)
- **Version:** 1.0
- **Date:** 11 Mar 2026
- **Prepared by:** Senior Business Analyst

---

1. Document Overview

1.1 Purpose

This Functional Requirements Document (FRD) defines the functional and non-functional requirements for a lightweight system that enables employees to raise, track, and complete workplace access and shared resource requests in a controlled, trackable, and timely way, reducing manual follow-ups.

1.2 Scope

In Scope

- Request creation for predefined workplace request categories.
- Auto-generation of Request ID and initial status.
- Status-based workflow tracking from submission to closure.
- Review and approval (for selected request types).
- Fulfillment updates and closure controls.
- Searchable request register with filters.

- Request summary generation.
- Export of request data and summaries (PDF, CSV/Excel).

Out of Scope (for this FRD baseline)

- Complex SLA escalation engine and breach notifications (unless explicitly added).
- Integration implementation details for ITSM tools (ServiceNow, Jira, etc.).
- Asset inventory management (tracking stock, procurement workflows).
- Identity and access management provisioning automation (actual account creation).
- Advanced role-based access control beyond User, Approver/Handler, Admin.

1.3 Definitions

- **Request:** A submission by a user for workplace access or shared resources.
- **Requester (User/Employee):** Person who raises a request and tracks it.
- **Approver/Handler:** Person or group responsible for reviewing, approving or rejecting, and fulfilling requests.
- **Admin:** Person who configures request types, turnaround times, and system settings.
- **Request Type / Category:** Predefined request classification (System Access, Equipment, Facility, General Service).
- **Status Flow:** Lifecycle stages a request passes through (Submitted → Under Review → Approved/Rejected → Fulfilled → Closed).
- **Target Resolution Date (Due Date):** System-calculated date based on request type and priority turnaround times.
- **Turnaround Time (TAT):** Configurable duration used to compute target resolution date.

---

2. Stakeholders

2.1 Users (Requesters)

- All employees or users who need to request access or resources and track progress.

2.2 Admin

- Configures and manages:
  - Request types (configurable list)
  - Which request types require approvals
  - Turnaround time rules by request type and priority
  - Roles and assignments (if supported)

2.3 External systems

(Referenced as potential integrations; final list depends on environment.)

- Email service for acknowledgements (optional)
- Identity management or directory (optional)
- Asset management or procurement systems (optional)
- Facilities booking systems (optional)
- Reporting tools consuming CSV or Excel exports (optional)

---

3. System Overview

WAR-RMS is a lightweight request management application that supports:

- Standardized request submission through predefined request types
- Workflow-driven processing with controlled status transitions
- Visibility and accountability with tracking fields and logs
- Approvals and fulfillment handling by designated handlers
- Summaries and exports for auditing and reference

High-level modules:

1. Request Intake (Creation/Edit)
2. Workflow Engine (Statuses, rules)
3. Request Register (Search/filter/list)

4. Review & Approval
5. Fulfillment & Closure
6. Summary & Export
7. Administration (Configurations)

---

4. Functional Requirements

FR-01: Request Creation

- **Feature name:** Request Creation
- **Description:** Users can raise a request by selecting type and entering required details.
- **Actors:** Requester (User)
- **Preconditions:** User is authenticated (or otherwise identified). Request types are configured and active.
- **Postconditions:** New request record created with unique Request ID. Status set to Submitted. Target resolution date calculated and stored.
- **Workflow steps:**
  1. User selects Create Request.
  2. User selects Request Type from predefined list.
  3. User enters short description, detailed justification or comments, priority (Low/Medium/High), and requested date.
  4. User submits request.
  5. System validates mandatory fields.
  6. System generates unique Request ID.
  7. System sets status to Submitted.
  8. System calculates Target Resolution Date based on configured TAT rules.
  9. System confirms submission.

FR-02: Auto-Generated Request ID

- **Feature name:** Auto-Generated Request ID
- **Description:** System auto-generates a unique Request ID for every request.
- **Actors:** System
- **Preconditions:** Request submission initiated.
- **Postconditions:** Request ID stored and displayed consistently in list, detail, and exports.
- **Workflow steps:**
  1. On successful validation, system generates Request ID.
  2. System checks uniqueness and persists it.

FR-03: Request Edit Rules (Submitted Only)

- **Feature name:** Edit rules
- **Description:** Requesters can edit request details only while status is Submitted.
- **Actors:** Requester (User), System
- **Preconditions:** Request exists and status is Submitted.
- **Postconditions:** Updated request details are saved. Audit log entry recorded (if logging is in scope).
- **Workflow steps:**
  1. User opens request detail.
  2. System checks status.
  3. If status is Submitted, Edit is enabled.
  4. User updates allowed fields.
  5. User saves.
  6. System validates and persists updates.

FR-04: Status Workflow Management

- **Feature name:** Status workflow
- **Description:** Requests follow the defined status flow and allowed transitions.

- **Actors:** System, Approver/Handler, Admin (configuration), Requester (view-only)
- **Preconditions:** Request exists.
- **Postconditions:** Status progresses only via allowed transitions.
- **Workflow steps (baseline):**
  - Submitted → Under Review
  - Under Review → Approved or Rejected
  - Approved → Fulfilled
  - Fulfilled → Closed
  - Rejected → Closed

FR-05: Approval Handling (Conditional by Request Type)

- **Feature name:** Approval handling
- **Description:** Some request types require approval before fulfillment.
- **Actors:** Approver/Handler, System, Admin
- **Preconditions:** Request type is configured as Approval Required or No Approval Required. Request is Under Review.
- **Postconditions:** Request marked Approved or Rejected with comments and timestamps.
- **Workflow steps:**
  1. Approver opens request in Under Review.
  2. Approver reviews details.
  3. Approver selects Approve or Reject.
  4. Approver enters decision comments (mandatory for rejection; optional for approval).
  5. System records decision and timestamps it.

FR-06: Target Resolution Date (Due Date) Calculation

- **Feature name:** Due date calculation

- **Description:** System calculates Target Resolution Date based on configurable turnaround time per request type and priority.
- **Actors:** System, Admin
- **Preconditions:** Admin configured turnaround time rules. Request is created (or updated while Submitted).
- **Postconditions:** Target resolution date stored and visible.
- **Workflow steps:**
  1. On submission, system reads TAT rule for Request Type + Priority.
  2. System computes Target Resolution Date and stores it.

FR-07: Request Register & Tracking

- **Feature name:** Request register
- **Description:** Searchable list of requests with key fields and filters.
- **Actors:** Requester, Approver/Handler, Admin
- **Preconditions:** Requests exist.
- **Postconditions:** Users can locate requests and open details.
- **Workflow steps:**
  1. User opens Request Register.
  2. System displays: Request ID, Request Type, Requester, Created Date, Target Resolution Date, Current Status.
  3. User searches by keyword (e.g., Request ID, description).
  4. User filters by request type, status, priority, and date range.

FR-08: Request Detail View

- **Feature name:** Request detail
- **Description:** Users can view request details, status, comments, and decision history.
- **Actors:** Requester, Approver/Handler, Admin
- **Preconditions:** Request exists and user has permission.
- **Postconditions:** Details displayed consistently.

FR-09: Request Fulfillment

- **Feature name:** Fulfillment update
- **Description:** Approver/Handler can mark request as fulfilled once completed.
- **Actors:** Approver/Handler, System
- **Preconditions:** Request is Approved (if approval required) or Under Review (if no approval required).
- **Postconditions:** Status becomes Fulfilled. Fulfillment date recorded.

FR-10: Request Closure

- **Feature name:** Closure control
- **Description:** Only fulfilled requests can be closed. Closed requests are read-only.
- **Actors:** Approver/Handler (or Admin), System
- **Preconditions:** Status is Fulfilled.
- **Postconditions:** Status becomes Closed; record becomes read-only; history remains visible.

FR-11: Acknowledgement / Request Summary

- **Feature name:** Summary generation
- **Description:** System generates a request summary for reference.
- **Actors:** System, Requester, Approver/Handler
- **Preconditions:** Request exists.
- **Postconditions:** Summary is generated and available for viewing and export.

FR-12: Export (PDF, CSV/Excel)

- **Feature name:** Export
- **Description:** Export request summary (PDF) and register data (CSV/Excel).
- **Actors:** Requester, Approver/Handler, Admin
- **Preconditions:** User has permission to export.

- **Postconditions:** Export file is generated.

---

5. Non-Functional Requirements

5.1 Performance

- NFR-PERF-01: Request register search and filter results should load within 3 seconds for up to 10,000 requests.
- NFR-PERF-02: Request detail view should load within 2 seconds under normal load.

5.2 Security

- NFR-SEC-01: Users can only view their own requests unless they are Approver/Handler or Admin.
- NFR-SEC-02: Only authorized roles can approve/reject, fulfill, close, or configure request types.
- NFR-SEC-03: Exports must respect access controls.

5.3 Scalability

- NFR-SCAL-01: Support scaling to multiple departments with configurable request types and handlers.
- NFR-SCAL-02: Support increasing request volume without functional redesign.

5.4 Availability

- NFR-AVAIL-01: System availability target is 99.5% during business hours (or as defined).
- NFR-AVAIL-02: Planned maintenance windows must be communicated.

---

6. User Stories

- **US-01:** As a requester, I want to create a workplace request with type, priority, justification, and requested date so that I can initiate the process without manual follow-ups.

- **US-02:** As a requester, I want to track my request status and due date so that I know progress and expected completion.
- **US-03:** As an approver/handler, I want to review requests and approve/reject with comments so that only valid requests are fulfilled.
- **US-04:** As an approver/handler, I want to mark a request as fulfilled and then close it so that the lifecycle is completed and auditable.
- **US-05:** As an admin, I want to configure request types and turnaround times so that due dates reflect organizational SLAs.
- **US-06:** As a requester or approver, I want to generate a summary and export requests so that I can retain records for reference.

---

7. Acceptance Criteria

- AC-01: User can create a request with required fields; system assigns unique Request ID and status = Submitted.
- AC-02: Target resolution date is calculated based on request type and priority configuration.
- AC-03: User can edit request only when status is Submitted.
- AC-04: Status transitions follow the defined workflow; invalid transitions are blocked.
- AC-05: Approval required only for configured request types; decisions store comments and timestamps.
- AC-06: Request register supports search and filtering by type, status, priority, and date range.
- AC-07: Only fulfilled requests can be closed; closed requests are read-only and retain history.
- AC-08: System generates a request summary including details, dates, and final status.
- AC-09: Exports are available in PDF and CSV/Excel and respect permissions.

---

8. Assumptions and Constraints

Assumptions

- A user identity exists for each requester/approver/admin.
- Request types and turnaround times are maintained by Admin.
- Fulfillment work occurs outside the system unless integrations are added.

Constraints

- System is intended to be lightweight and minimal in rule complexity.
- Request types are configurable at system level.
- Export must be supported in PDF and CSV/Excel formats.

---

9. Traceability Matrix

Requirement ID	Feature	User Story	Test Case
FR-01	Request Creation	US-01	TC-01 Create request with all mandatory fields
FR-02	Auto Request ID	US-01	TC-02 Verify unique Request ID generation
FR-03	Edit rules (Submitted only)	US-01	TC-03 Edit allowed in Submitted, blocked otherwise
FR-04	Status Workflow	US-02, US-04	TC-04 Validate allowed status transitions
FR-05	Approval Handling	US-03	TC-05 Approve request; reject requires comment
FR-06	Due Date Calculation	US-02, US-05	TC-06 Due date matches configured TAT by type and priority
FR-07	Request Register & Filters	US-02	TC-07 Search and filter by type/status/priority/date range
FR-08	Request Detail View	US-02, US-03	TC-08 Detail shows correct fields, status, history
FR-09	Fulfillment Update	US-04	TC-09 Mark as fulfilled stores fulfillment date and notes
FR-10	Closure Control	US-04	TC-10 Only fulfilled can be closed; closed is read-only

Requirement ID	Feature	User Story	Test Case
FR-11	Summary generation	US-06	TC-11 Summary includes details, dates, and final status
FR-12	Export (PDF, CSV/Excel)	US-06	TC-12 Export outputs correct format and respects permissions