recon

User Manual

Version 0.59.0

2026-04-24

Repository · https://github.com/thomas-starweb/recon

About this manual

recon is a versatile network reconnaissance CLI written in Rust. It started as a curl clone and grew into a multi-protocol investigation tool covering HTTP(S), TLS certificate inspection, DNS, WHOIS, ping, traceroute, barcode encoding and decoding, file compression and archiving, markdown/HTML/PDF conversion, and a full Rhai script engine that exposes every protocol probe and helper for automation.

This manual covers every user-facing flag, every script binding, and shows how to combine them. The built-in `recon --help <topic>` command remains the quick reference; this document is the long-form companion.

A PDF rendering of this manual lives alongside it at `MANUAL.pdf`. It is regenerated every time the markdown changes — see `CLAUDE.md` for the maintenance policy. Generate locally with:

```
recon --md-to-pdf docs/MANUAL.md \
    --toc --toc-depth 3 --gfm --unsafe-html --page-break-on-h1 \
    --doc-title 'recon User Manual' \
    -o docs/MANUAL.pdf
```

Table of Contents

Contents

The table of contents above is auto-generated from H1/H2/H3 headings. Every entry is a clickable anchor in the PDF. For a narrative walkthrough of the structure, the four parts are:

- **Part I — Getting started**: introduction, installation, quick start.
- **Part II — CLI reference**: every flag grouped by area, with examples.
- **Part III — Script engine**: the Rhai interpreter, every binding, many examples.
- **Part IV — Appendices**: exit codes, env vars, config, glossary.

Introduction

recon is a single-binary command-line tool. Its design goals, in rough order:

1. **Curl-compatible** where it overlaps with curl. Flag names, short forms, and behaviours match curl for HTTP(S) requests so existing tooling keeps working. `recon --help curl` lists the compatibility status.
2. **Pure Rust** where possible. reqwest + rustls for HTTP(S); hickory for DNS; comrak for markdown; flate2/brotli/zstd for compression; rxing for barcodes; tungstenite for WebSockets; rumqttc for MQTT. Where a pure-Rust path doesn't exist (headless-Chrome PDF rendering, for instance), recon shells out to a named external CLI (`agent-browser`) rather than linking the external dependency.
3. **Protocol-rich**. HTTP(S), FTP(S), SFTP, TFTP, Gopher, SMTP(S), POP3(S), IMAP(S), SSH, SCP, Telnet, LDAP(S), WS(S), RTSP(S), Dict, NTP, Memcached, Redis, MQTT(S), IPFS/IPNS, Unix sockets, plus ping/traceroute.
4. **Scriptable**. A Rhai script engine exposes every protocol probe, plus cryptography, compression, barcodes, JSON/YAML/XML handling, SQLite, file I/O, and multi-threaded concurrency. Scripts can stand in for shell pipelines and integration-test harnesses.
5. **Diagnostic-friendly**. Verbose output, curl-style write-out, prettified JSON/XML, precise error messages, exit codes that match curl's.

Installation

From source

```
git clone https://github.com/thomas-starweb/recon
cd recon
cargo build --release
cp target/release/recon ~/.local/bin/     # or /usr/local/bin with sudo
```

You'll need:

- Rust 1.75 or newer (`rustup install stable`).
- A system linker; `cargo` handles the rest.
- For the optional `--html-to-pdf` / `--md-to-pdf` features: `agent-browser` on `$PATH` (`brew install agent-browser` on macOS, or `npm install -g agent-browser` elsewhere).

First-run bootstrap

```
recon --init
```

creates `~/.recon/` with `script/`, `jars/`, `sni/`, and a commented `config.toml` skeleton. Existing files are never overwritten. See the `~/.recon/` layout appendix.

Quick start

```
# HTTP(S)
recon https://api.example.com/status
recon -X POST https://api.example.com/users -d '{"name":"a"}' -H 'Content-Typ
recon --json '{"q":"rust"}' https://api.example.com/search        # auto-sets
recon -L https://short.url/foo                                   # follow re
recon https://site.example.com --LHEAD                           # follow +

# Inspection
recon https://example.com --cert                                 # inspect T
recon example.com --dns                                          # A/AAAA/MX
recon --ping 8.8.8.8                                             # TCP + ICM
recon --traceroute 8.8.8.8
recon --whois example.com

# Email-protection
recon example.com --spf --dmarc --dkim selector1 --mta-sts --bimi --tls-rpt

# Barcodes
recon --encode qr -o out.png 'https://example.com'
recon --decode out.png                                           # → qr<TAB>

# Conversions
recon --md-to-pdf README.md --toc --gfm -o README.pdf
recon --compare a.json b.json                                    # GNU-diff

# Scripting
recon --script my-probe.rhai https://api.example.com
recon --init                                                     # bootstrap

# Help surface
recon --help                                                     # clap-gene
recon --help http                                                # deep-dive
recon --help script                                              # deep-dive
recon --examples                                                 # curated e
recon --version                                                  # protocols
```

How recon is organized

recon has one binary with many modes. The mode is selected by flag:

Mode group	Selector flags
HTTP request (default)	no mode flag, or a URL positional argument
Source-inspection	`--hash`, `--compress`, `--decompress`, `--encode`, `--decode`, `--encrypt`, `--decrypt`
Email-protection	`--spf`, `--dmarc`, `--dkim`, `--mta-sts`, `--bimi`, `--tls-rpt`
Network tests	`--ping`, `--traceroute`, `--netstatus`, `--whois`
Certificate inspection	`--cert`, `--dns`, or positional URL with `--cert` / `--dns`
SMTP send	`--mail-from` and `--mail-to`
Serve	`--serve`, `--serve-tls`
JWT	`--jwt-view`, `--jwt-sign`, `--jwt-validate`
Archive	`--archive`, `--extract`
Checkdigit	`--checkdigit`, `--checkdigit-create`, `--checkdigit-list`
Sample	`--sample`, `--sample-list`
Browser	`--browser-screenshot`
Compare	`--compare`
Docs	`--md-to-html`, `--md-to-pdf`, `--html-to-pdf`
Script	`--script` (turns recon into a Rhai interpreter)
Meta	`--init`, `--editor-cleanup`, `--list-charsets`, `--iconv`

Only the modes in the first group do an HTTP request. Every other mode is stand-alone.

Global conventions

- **`-h`, `--help`** prints the clap-generated flag summary. `--help <topic>` routes to a deep-dive help topic (see `recon --help` footer for the list).
- **`-V`, `--version`** prints the curl-compatible multi-line banner. `--version-short` prints just the version number.
- **`-v`** increases verbosity. Repeat (`-vv`, `-vvv`) for more detail. At default, connection lines and protocol handshakes are suppressed.
- **`-s`, `--silent`** suppresses progress + verbose output. `--show-error` re-enables error output when `-s` is set.
- **`-o <FILE>`** writes the response body to a file instead of stdout. `-O` / `--remote-name` derives the filename from the URL's path. `-J` / `--remote-header-name` respects Content-Disposition.
- **`-f`, `--fail`** exits non-zero on HTTP 4xx/5xx (no body printed). `--fail-with-body` prints the body but still exits non-zero.
- **`-k`, `--insecure`** disables TLS cert verification. Use for self-signed tests; never in production scripts.
- **`-p`, `--prettify`** pretty-prints JSON / XML / YAML bodies. Auto-detection by Content-Type; can be disabled with `--no-prettify`.
- **`-L`, `--location`** follows HTTP redirects. `--max-redirs N` caps the chain (default 10). `--LHEAD` follows and prints each hop's headers.
- **`-A "..."`** sets the User-Agent. Default is `recon/<version>`.
- **`-e <URL>`** sets the Referer header.
- **`-H 'Name: Value'`** adds a request header. Repeat for multiple.
- **`--max-time <SECS>`** overall operation timeout. **`--connect-timeout <SECS>`** TCP connect timeout (default 30).
- **`-w '<FORMAT>'`** writes a curl-compatible write-out string to stdout after the body. See Write-out format.
- **`--json <DATA>`** curl's `--json` compatibility: sends DATA as a JSON body and auto-sets `Content-Type: application/json` + `Accept: application/json`.
- **`-T <FILE>`** uploads the file as the request body (default method PUT).
- **Environment variables** — many flags honor the same env var curl would (`HTTP_PROXY`, `HTTPS_PROXY`, `NO_PROXY`, `ALL_PROXY`, `SSL_CERT_FILE`, `CURL_CA_BUNDLE`). recon-specific ones are prefixed `RECON_`. See Environment variables.

Part II — CLI reference

HTTP / HTTPS requests

The default mode. A positional URL (or `--url <URL>`) triggers an HTTP request through the reqwest + rustls stack.

Core flags

Flag	Description
`-X, --request <METHOD>`	GET, POST, PUT, PATCH, DELETE, HEAD. Default GET (PUT when `-T` set, POST when `-d` set).
`-H, --header <NAME: VALUE>`	Add a request header. Repeatable.
`-d, --data <BODY | @FILE>`	Request body. `@file` reads from disk, `@-` reads stdin. Promotes GET → POST unless `-G`.
`--json <DATA>`	Curl-compatible: sends DATA as JSON, sets `Content-Type: application/json` + `Accept`.
`--data-raw <DATA>`	Like `-d` but `@file` is NOT processed (sends literal string).
`--data-binary <DATA>`	Like `-d` but CR/LF are not stripped from @file content.
`--data-urlencode <DATA>`	URL-encode DATA. Repeatable; values joined with `&`.
`-G, --get`	Send `-d` data as query parameters on GET (body empty).
`-T, --upload-file <PATH>`	Upload file as request body. Default PUT.
`-L, --location`	Follow redirects (3xx).
`--max-redirs <N>`	Cap redirect chain (default 10).
`--LHEAD`	Follow redirects and print each hop's headers.
`-e, --referer <URL>`	Set Referer header. `--referrer` alias accepted.
`-A, --user-agent <STR>`	User-Agent. Default `recon/<version>`.
`--compressed`	Request + auto-decompress gzip/deflate/brotli/zstd.
`--max-time <SECS>`	Total operation timeout (seconds, fractional OK).

Flag	Description
`--connect-timeout <SECS>`	TCP connect timeout (default 30).
`-f, --fail`	Exit non-zero on HTTP 4xx/5xx, suppress body.
`--fail-with-body`	Exit non-zero on 4xx/5xx but still print body.
`-4, --ipv4` / `-6, --ipv6`	Force IPv4 / IPv6 resolution.
`--resolve <HOST:PORT:ADDR>`	Override DNS for a specific host:port → addr. Repeatable.

Examples

```
# Simple requests
recon https://httpbin.org/get
recon -X POST https://api.example.com/v1/users -d '{"name":"a"}' -H 'Content-
recon --json '{"query":"rust"}' https://api.example.com/search

# Body from files / stdin
recon https://upload.example.com -d @payload.json -H 'Content-Type: applicati
cat body.json | recon -X POST https://api.example.com -d @-

# Upload
recon -T ./report.pdf https://upload.example.com/reports/       # PUT by defa
recon -T ./report.pdf https://upload.example.com/ -X POST       # override me

# Follow redirects
recon -L https://bitly.example/abc
recon --LHEAD https://example.com/                              # show each h

# Fail fast
recon -f https://api.example.com/users/42                       # exit 22 on
recon --fail-with-body https://api.example.com/users/42         # same but st

# Rate and timeout
recon --max-time 10 https://slow.example.com/
recon --connect-timeout 3 --max-time 8 https://flaky.example.com/
recon --limit-rate 500K https://download.example.com/big.bin -o big.bin
recon --speed-limit 10000 --speed-time 30 https://stalling.example.com/big.bi
```

Output control

Flag	Description
`-o, --output <FILE>`	Write body to FILE (otherwise stdout).
`-O, --remote-name`	Filename = URL's last path segment (percent-decoded).
`-J, --remote-header-name`	Use Content-Disposition filename when saving.
`--create-dirs`	Create parent dirs for `-o` path.
`-i, --include`	Print response headers before body.
`-I, --head`	Print headers only; no body. Implies `-X HEAD`.
`-s, --silent`	Suppress progress + verbose output.
`--show-error`	Re-enable error output even when `-s` is set.
`-v, --verbose`	Verbose. Repeatable: `-v`, `-vv`, `-vvv`.
`-p, --prettify`	Pretty-print JSON / XML / YAML bodies.
`--no-prettify`	Disable auto-pretty (even when content-type suggests it).
`-w, --write-out <FORMAT>`	Print a curl-compatible summary after the body. See Write-out format.
`--editor`	Open response body in `$EDITOR` after the request.
`--json` (output-side inferred)	Combined with `-p`, forces JSON pretty-printing regardless of content-type.

Examples

```
# Save to file
recon https://example.com/favicon.ico -O                        # → favicon.ic
recon https://example.com/api/users.json -o users.json
recon https://x.example.com/deep/path/file.txt --create-dirs -o downloads/x/f

# Inspect headers
recon -I https://example.com/                                   # HEAD
recon -i https://api.example.com/v1/status                      # headers + bo
recon -i -I https://example.com/                                # forced HEAD

# Pretty-print
recon https://api.example.com/large.json -p
recon https://api.example.com/feed.xml -p                       # XML also sup
curl -s https://api.example.com/blob.yaml | recon -p -          # stdin source

# Verbose progression
recon -v https://api.example.com/          # connection + TLS + headers
recon -vv https://api.example.com/         # plus intermediate reqwest info
recon -vvv https://api.example.com/        # plus raw handshake + wire dump

# Writeout
recon https://api.example.com/ -w '\n%{http_code} in %{time_total}s (%{size_d
```

Authentication & TLS

Flag	Description
`-u, --user <USER:PASS>`	HTTP Basic credentials.
`-k, --insecure`	Skip TLS cert verification.
`--tlsv1.2` / `--tlsv1.3`	Force minimum TLS version.
`--cacert <PATH>`	Trust an extra PEM root (on top of system roots).
`--interface <IP>`	Bind outgoing socket to a specific local IP.
`--limit-rate <RATE>`	Throttle download. Suffixes: K, M, G.
`--speed-limit <BYTES>`	Minimum bytes-per-second (fails if rate drops).
`--speed-time <SECS>`	Window for `--speed-limit` (default 30).

Examples

```
recon -u alice:s3cr3t https://private.example.com/
recon -k https://self-signed.example.com/
recon --tlsv1.3 https://example.com/                # refuse downgrade to 1.2
recon --cacert /etc/corp-root.pem https://internal.corp/
recon --interface 10.0.0.5 https://example.com/     # use a specific source I
```

Client certificates (mTLS)

Shipped in 0.54.0. Present a client certificate during the TLS handshake for mutual TLS.

Flag	Description
`-E, --client-cert <PATH>`	PEM-encoded client cert. May include the key inline.
`--client-key <PATH>`	PEM key (when cert is cert-only).
`--cert-type <PEM|DER>`	Cert format. DER errors with a conversion recipe.
`--key-type <PEM|DER|ENG>`	Key format. ENG refused (rustls has no engine concept).
`--pass <PASS>`	Placeholder for encrypted PKCS#8 passphrase. Encrypted keys refused with an `openssl pkcs8` recipe.

Examples

```
# Combined cert+key PEM
recon -E ~/keys/bundle.pem https://mtls.example.com/

# Split cert and key
recon -E client.crt --client-key client.key https://mtls.example.com/

# Decrypt encrypted PKCS#8 externally first
openssl pkcs8 -in client.key.enc -out client.key
recon -E client.crt --client-key client.key https://mtls.example.com/
```

See also: `recon --help client-cert`.

Proxy routing

0.50.0 shipped the full proxy suite. Schemes auto-detected from the URL: `http://`, `https://`, `socks5://`, `socks5h://`.

Flag	Description
`-x, --proxy <URL>`	Proxy URL. Falls back to `$HTTPS_PROXY` / `$HTTP_PROXY` / `$ALL_PROXY`.
`-U, --proxy-user <USER:PASS>`	Basic auth for the proxy.
`--noproxy <LIST>`	Comma-separated bypass list (matches `$NO_PROXY` semantics; `*` means bypass all).
`--proxy-insecure`	Skip cert verification on the TLS-to-proxy connection.
`--proxy-cacert <PATH>`	Extra CA for the proxy connection.

Examples

```
recon -x http://proxy.corp:3128 https://api.example.com/
recon -x socks5h://127.0.0.1:9050 https://example.onion/
recon -x https://proxy.example.com:8443 -U alice:s3cr3t https://example.com/
HTTPS_PROXY=http://proxy.corp:3128 NO_PROXY='.internal' recon https://api.exa

# Script equivalent
recon --script - <<'EOF'
http("https://api.example.com/", #{
    proxy: "socks5h://127.0.0.1:9050",
    proxy_user: "alice:s3cr3t",
    noproxy: ".internal",
});
EOF
```

Unix-domain sockets

0.51.0. Route the HTTP request over a Unix socket instead of TCP. Host header and path are preserved; only the transport changes.

Flag	Description
`--unix-socket <PATH>`	Socket path.

Examples

```
# Docker API
recon --unix-socket /var/run/docker.sock http://localhost/_ping
recon --unix-socket /var/run/docker.sock -p http://localhost/v1.40/version
recon --unix-socket /var/run/docker.sock http://localhost/v1.40/containers/js

# systemd-activated service
recon --unix-socket /run/app.sock http://localhost/api/v1/status
```

HSTS persistent cache

0.52.0. A curl-compatible HSTS cache that upgrades `http://` to `https://` before sending (when the host has a non-expired cache entry) and updates itself from `Strict-Transport-Security` response headers.

Flag	Description
`--hsts <FILE>`	Load + update the HSTS cache at this path.

Examples

```
# Populate from an https:// response
recon --hsts ~/.recon/hsts.txt https://www.cloudflare.com/

# Future http:// requests to the same host are auto-upgraded
recon --hsts ~/.recon/hsts.txt http://www.cloudflare.com/
# * HSTS: upgrading http:// to https:// for www.cloudflare.com

# File format matches curl's --hsts:
cat ~/.recon/hsts.txt
# # HSTS cache (recon 0.58.1)
# # host expires_unix   (leading . = includeSubDomains)
# .www.cloudflare.com 1808493843
```

IPFS / IPNS

0.49.0. `ipfs://<cid>` and `ipns://<name>` URLs are rewritten to an HTTP gateway URL before the request fires.

Flag	Description
`--ipfs-gateway <URL>`	Gateway base URL. Default `https://ipfs.io`. Also read from `$RECON_IPFS_GATEWAY`.

Examples

```
recon ipfs://QmYwAPJzv5CZsnA625s3Xf2nemtYgPpHdWEz79ojWnPbdG
recon --ipfs-gateway http://127.0.0.1:8080 ipfs://bafy...   # local Kubo node
recon ipns://example.eth                                     # via the defaul
```

Cookies

Flag	Description
`-b, --cookiejar <PATH>`	SQLite cookie jar at PATH (created on demand).
`--cookies`	Read-only listing of the current cookie jar.
`--cookie-set <NAME=VAL>`	Set a cookie in the jar.
`--cookie-delete <NAME>`	Remove by name.

Cookies persist across invocations when you pass the same `--cookiejar` path. The `.db` format is SQLite; inspect with `sqlite3` or any sqlite viewer.

Examples

```
# Login, save cookies, browse with them
recon https://example.com/login -d 'user=alice&pass=secret' --cookiejar ~/jar
recon https://example.com/dashboard --cookiejar ~/jar.db -p

# Inspect
recon --cookiejar ~/jar.db --cookies

# Inject manually
recon --cookiejar ~/jar.db --cookie-set 'session=abc123; Domain=.example.com;
```

DNS

Flag	Description
`--dns`	Resolve A, AAAA, MX, TXT, NS, CNAME, SOA for the URL's host.
`--dns-type <LIST>`	Comma-separated subset: `A,AAAA,MX,TXT,NS,CNAME,SOA,PTR,CAA,DS,DNSKEY,HTTPS,SRV,SVCB`.
`--dns-servers <LIST>`	Comma-separated resolver IPs.

Flag	Description
`--dns-ipv4-addr <IP>`	Bind DNS queries to a specific local IPv4.
`--dns-ipv6-addr <IP>`	Same for IPv6.
`--dns-interface <NAME>`	Accepted at the CLI; not yet plumbed (see OUT-OF-SCOPE.md). Use `--dns-ipv4-addr` / `--dns-ipv6-addr` as a workaround.

Examples

```
recon example.com --dns
recon example.com --dns-type A,AAAA,MX
recon example.com --dns --dns-servers 1.1.1.1,8.8.8.8
recon example.com --dns --dns-servers 127.0.0.1:5353        # local resolver
```

TLS certificate inspection

Standalone mode selected by `--cert` (without a `--cert <PATH>` value — it's the bool form of the flag).

Flag	Description
`--cert`	Inspect the server cert: subject, issuer, SANs, NotBefore/After, fingerprints.
`--cert-chain`	Walk the full intermediate chain.
`--sni <HOSTNAME>`	Override the SNI value sent in the handshake.

Examples

```
recon https://example.com --cert
recon https://example.com --cert --cert-chain
recon https://example.com --cert --sni alt.example.com       # request cert
```

Ping, traceroute, netstatus

Stand-alone modes.

Flag	Description
`--ping <HOST>`	TCP ping by default, ICMP with `--icmp`.
`--icmp`	Force ICMP (needs raw sockets; root on Linux, CAP_NET_RAW elsewhere).
`--ping-count <N>`	Packets (default 4).
`--traceroute <HOST>`	Same as `--ping HOST --traceroute`.
`--max-hops <N>`	Hop limit (default 30).
`--netstatus`	Run the probe bundle defined in `~/.recon/config.toml [netstatus]`.

Examples

```
recon --ping 8.8.8.8
recon --ping example.com --ping-count 10
recon --ping example.com:443 --icmp         # ICMP with explicit port hint
recon --traceroute 8.8.8.8 --max-hops 20
recon --netstatus                            # connectivity sweep
```

Email protection

A single URL can be probed for its whole email-auth stack in one invocation.

Flag	Description
`--spf`	SPF record validation (recursive include/redirect, lookup limit)
`--dmarc`	DMARC policy + record
`--dkim <SELECTOR>`	DKIM for the given selector. Repeatable.
`--mta-sts`	MTA-STS policy
`--bimi [SELECTOR]`	BIMI record + optional VMC / SVG fetch
`--tls-rpt`	SMTP TLS-RPT record

Examples

```
# Full sweep
recon example.com --spf --dmarc --dkim selector1 --mta-sts --bimi --tls-rpt

# Single checks
recon example.com --spf
recon example.com --dkim selector1 --dkim selector2
recon example.com --bimi default              # explicit selector
```

SMTP

Stand-alone SMTP client. Send mail or just probe capabilities.

Flag	Description
`--mail-from <ADDR>`	Envelope sender. Required for send.
`--mail-to <ADDR>`	Envelope recipient. Repeatable.
`--mail-subject <STR>`	Subject header. Default "recon SMTP test".
`--mail-body <STR>`	Body. Accepts `@file`, `@-`.
`--mail-header <H: V>`	Extra header. Repeatable.
`--smtp-auth <USER:PASS>`	AUTH PLAIN → LOGIN chain.
`--smtp-helo <NAME>`	HELO/EHLO name. Default `recon.local`.
`--no-starttls`	Don't negotiate STARTTLS.
`--dkim-key <PATH>`	DKIM-sign outbound with this PEM key.
`--dkim-selector <SEL>`	DKIM selector.
`--dkim-domain <DOM>`	DKIM domain (defaults to `--mail-from` domain).

Examples

```
# Probe only
recon smtp://mail.example.com:25

# Send
recon smtp://smtp.example.com:587 --mail-from me@example.com --mail-to you@ex
      --mail-subject 'Hi' --mail-body 'Test' --smtp-auth me:s3cr3t

# With DKIM signing
recon smtp://smtp.example.com:587 --mail-from me@example.com --mail-to you@ex
      --dkim-key ~/.dkim/default.pem --dkim-selector default
```

Mail retrieval (POP3, IMAP)

Flag	Description
`--stls`	POP3: upgrade via STLS after CAPA.
`--imap-peek`	IMAP: use BODY.PEEK (don't flip \Seen).

URLs: `pop3://`, `pop3s://`, `imap://`, `imaps://`.

Examples

```
recon pop3s://alice:s3cr3t@pop.example.com/
recon pop3://alice:s3cr3t@pop.example.com/ --stls
recon imaps://alice:s3cr3t@imap.example.com/INBOX
recon imaps://alice:s3cr3t@imap.example.com/INBOX/3        # fetch message 3
recon imaps://alice:s3cr3t@imap.example.com/INBOX --imap-peek
```

File transfer

0.47.0 shipped FTP/FTPS, SFTP, TFTP, Gopher.

Protocol	URL scheme	Notes
FTP / FTPS	`ftp://`, `ftps://`	Anonymous by default; userinfo in URL or `-u`.
SFTP	`sftp://`	SSH-backed. `--privkey` for a specific key.
TFTP	`tftp://`	RFC 1350. `--tftp-blksize` for RFC 2348 block-size negotiation.
Gopher	`gopher://`, `gophers://`	Selector fetch.

Examples

```
# FTP — listing vs fetch
recon ftp://ftp.example.com/                                          # director
recon ftp://ftp.example.com/incoming/file.bin -o local.bin            # retrieve
recon ftp://alice:s3cr3t@ftp.example.com/                             # authenti

# SFTP
recon sftp://me@example.com/home/me/data.csv -o data.csv
recon sftp://me@example.com:2222/srv/ --privkey ~/.ssh/ci_rsa

# TFTP
recon tftp://tftp.example.com/pxelinux.cfg/default
recon tftp://tftp.example.com/boot.img -o boot.img --tftp-blksize 8192

# Gopher
recon gopher://gopher.floodgap.com/
recon gopher://gopher.floodgap.com/0/gopher/proxy
```

Other protocols

SSH, SCP

```
recon ssh://me@example.com -- uname -a          # SSH exec; prints stdout
recon scp://me@example.com/etc/motd -o motd     # SCP fetch
```

Telnet

```
recon telnet://router.example.com:23
```

LDAP

```
recon ldap://ldap.example.com -H 'Bind: cn=admin,dc=example,dc=com'
recon ldaps://ldap.example.com                  # implicit-TLS
```

WebSocket

```
recon wss://echo.websocket.events               # handshake + Ping/Pong
```

RTSP

```
recon rtsp://camera.example.com/stream1         # OPTIONS
```

Dict (RFC 2229)

```
recon dict://dict.org/d:recon
```

NTP, Memcached, Redis, MQTT

```
recon ntp://pool.ntp.org                          # clock offset + rtt
recon memcache://cache.example.com/?stats         # text-protocol stats
recon redis://cache.example.com/                  # PING
recon redis://cache.example.com/ -X INFO          # arbitrary RESP command
recon mqtt://broker.example.com --mqtt-topic status --mqtt-message 'hello'
recon mqtts://broker.example.com --mqtt-user alice --mqtt-pass s3cr3t ...
```

Source comparison

0.53.0 shipped `--compare`. Diff two sources (URL / path / `-` stdin). HTTP(S) sources flow through the full request pipeline so every request flag (-H, -u, -L, -k, cookies, proxy, HSTS) applies.

Flag	Description
`--compare <A> <B>`	Two sources.
`--compare-format <FMT>`	`unified` (default), `summary`, `sxs`.
`--compare-context <N>`	Unified context lines (default 3).

Exit codes follow GNU `diff`: 0 identical, 1 differ, 2+ source-load error.

Examples

```
recon --compare one.json two.json
recon --compare https://api.example.com/v1/status ./baseline.json
curl -s https://a/ | recon --compare - ./baseline.json
recon --compare a.txt b.txt --compare-format summary
recon --compare a.txt b.txt --compare-format sxs
recon --compare a.json b.json --compare-context 5
```

Document conversions

0.58.0 shipped markdown / HTML / PDF. See also `--help docs`.

Flag	Description
`--md-to-html <SRC>`	Markdown → HTML via comrak. Output `-o PATH` or stdout.
`--md-to-pdf <SRC>`	Markdown → PDF (via agent-browser). `-o PATH` required.
`--html-to-pdf <SRC>`	HTML → PDF (via agent-browser).
`--toc`	Inject a linkable TOC.
`--toc-depth <N>`	Include headings up to H`N` (default 3).
`--toc-title <STR>`	TOC heading (default "Contents").
`--doc-title <STR>`	`<title>` + PDF metadata title.
`--doc-css <PATH>`	Inline a custom stylesheet.
`--no-default-css`	Skip bundled default CSS.
`--gfm`	Enable GitHub-flavored extensions (tables, task lists, strikethrough, autolinks, footnotes, tagfilter).
`--unsafe-html`	Allow raw HTML passthrough (comrak's `unsafe_` flag). Needed for cover pages and explicit `<div class="page-break">` markers. Off by default; assume the markdown is trusted when on.
`--page-break-on-h1`	Start a new PDF page before every top-level `#` heading except the first. No visible effect in HTML output (Chrome's printToPDF honours the `break-before: page` rule).

Examples

```
recon --md-to-html README.md --toc --gfm -o README.html
recon --md-to-pdf CHANGELOG.md --toc --gfm --doc-title 'recon release notes'
recon --html-to-pdf report.html -o report.pdf
curl -s https://example.com/doc.md | recon --md-to-html - --toc -o doc.html
recon --md-to-pdf notes.md --toc --doc-css print.css -o notes.pdf
recon --md-to-pdf notes.md --no-default-css --doc-css corp.css -o notes.pdf

# Book-style: cover page + chapter breaks
recon --md-to-pdf book.md --toc --gfm --unsafe-html --page-break-on-h1 \
      --doc-title 'My Book' -o book.pdf
```

Cover pages

With `--unsafe-html`, raw HTML passes through the markdown parser verbatim. The bundled CSS styles `<div class="cover">` as a full-page centered block with an automatic page break after:

```
<div class="cover">

# My Document

<div class="subtitle">An illustrated guide</div>

<hr>

<div class="version">Version 1.0</div>
<div class="date">2026-04-24</div>
<div class="author">Alice Example</div>

</div>

# First chapter

Body text...
```

The cover block uses a `min-height: 90vh` flex container with centered content. `.subtitle`, `.version`, `.date`, `.author`, and `.meta` child classes pick up smaller, muted styling. A horizontal rule becomes a narrow divider.

Page breaks

Two routes:

1. **`--page-break-on-h1`** — every top-level `#` heading starts a new PDF page (except the first, which opens the document). No markdown changes required.
2. **Explicit markers (needs `--unsafe-html`)** — embed one of:

   ```
   <div class="page-break"></div>
   <hr class="page-break">
   ```

   anywhere in the markdown. The CSS `break-after: page` kicks in.

Chrome's printToPDF is the renderer for both `--md-to-pdf` and `--html-to-pdf`, so any CSS that speaks `break-before`, `break-after`, or `page-break-*` works. `@page` rules for size and margins (defined in the bundled default CSS) are honored too — override via `--doc-css` or inline `<style>` with `--unsafe-html`.

Barcode encoding & decoding

Flag	Description
`--encode <FORMAT>`	qr, datamatrix, code128, code39, ean13, upca, aztec, pdf417.
`--encode-format <FMT>`	ascii (default), svg, png. Inferred from `-o` extension.
`--from-file <PATH>`	Encode input from file (mutually exclusive with positional).
`--encode-list`	List all supported formats.
`--qr-level <L|M|Q|H>`	QR error-correction level (default M).
`--decode <IMAGE>`	Scan a PNG/JPEG/WebP for any supported format. `-` for stdin.
`--decode-hints <LIST>`	Comma-separated format restriction.

Examples

```
# Encode
recon --encode qr -o qr.png 'https://example.com'
recon --encode qr --qr-level H -o durable.png 'sticker text'
recon --encode pdf417 -o id.png 'stacked linear code'
recon --encode aztec -o ticket.png 'transit ticket'
recon --encode ean13 --encode-format svg '4006381333931' > product.svg
recon --encode qr --from-file msg.txt -o qr-of-file.png

# Decode
recon --decode ticket.png                          # → aztec<TAB>transit tic
cat code.png | recon --decode -
recon --decode mystery.png --decode-hints qr,datamatrix
recon --decode bottle.jpg --decode-hints ean13
```

Hashing

Flag	Description
`--hash <ALGO>`	md5, sha1, sha224, sha256, sha384, sha512, sha3_256, sha3_512, blake3.
`--hash-list`	List supported algorithms.

Examples

```
recon --hash sha256 /etc/hosts
recon --hash sha256 https://example.com/file.iso              # hash a URL
cat payload.bin | recon --hash blake3 -
echo -n "hello" | recon --hash md5 -
```

Compression & archiving

Flag	Description
`--compress <ALGO>`	gzip, deflate, brotli, zstd, bzip2, lz4, xz, snap.
`--decompress <ALGO>`	Same set; auto-detect via magic bytes if ALGO is `auto`.
`--compress-list`	List supported algorithms.
`--compression-level <N>`	1..22 (depends on algo).
`--archive <DEST>`	Create zip/tar/tar.gz/tar.xz/tar.bz2. Positional args after DEST are sources.
`--extract <SRC>`	Extract an archive. `-o DIR` to choose destination.

Examples

```
recon --compress gzip /etc/hosts -o hosts.gz
recon --decompress auto hosts.gz -o hosts.plain
recon --compress zstd --compression-level 19 big.bin -o big.zst

recon --archive backup.tar.gz ~/Documents ~/src
recon --extract backup.tar.gz -o restore/
recon --extract release.zip
```

Encryption

age-based + PGP shell-out.

Flag	Description
`--encrypt`	Encrypt stdin / file to age format. Requires `--recipient` or `--pgp-recipient`.
`--decrypt`	Decrypt age / PGP. Needs `--identity` or a configured GPG keyring.
`--encrypt-keygen`	Generate a new age keypair.

Flag	Description
`--recipient <KEY>`	Age recipient (X25519 or ssh-ed25519). Repeatable.
`--identity <PATH>`	Age identity file for decryption.
`--passphrase`	Use passphrase-based (scrypt) encryption. Mutually exclusive with `--recipient`.
`--armor`	Armored (base64 PEM) output.
`--pgp-recipient <EMAIL|FPR>`	PGP recipient (shells out to `gpg`).

Examples

```
# Generate
recon --encrypt-keygen > age.key         # public key printed to stderr

# Encrypt
recon --encrypt --recipient age1abc... README.md -o README.md.age
recon --encrypt --passphrase secret.txt -o secret.txt.age --armor

# Decrypt
recon --decrypt --identity age.key README.md.age -o README.md

# PGP
recon --encrypt --pgp-recipient alice@example.com msg.txt -o msg.txt.pgp
```

Check digits

Flag	Description
`--checkdigit <ALGO>`	Verify an input.
`--checkdigit-create <ALGO>`	Compute and append the check digit.
`--checkdigit-list`	List supported algorithms (60+).

Examples

```
recon --checkdigit isbn13 '9780131103627'           # → valid
recon --checkdigit-create isbn13 '978013110362'     # → 9780131103627
recon --checkdigit-create ean13 '400638133393'      # → 4006381333931
recon --checkdigit personnummer '19900101-1239'     # Swedish personal ID
recon --checkdigit-list | head -20
```

Sample data

Flag	Description
`--sample <NAME>`	Emit a sample payload (faker-style).
`--sample-list`	List all named samples.

Examples

```
recon --sample-list
recon --sample json-user
recon --sample json-user -o user.json
recon --sample css                                    # minimal CSS boilerplate
```

JWT tokens

Flag	Description
`--jwt-view <TOKEN>`	Decode + pretty-print. No signature check.
`--jwt-sign <PAYLOAD>`	Sign a JWT. Pair with `--jwt-secret` or `--jwt-key`.
`--jwt-validate <TOKEN>`	Validate signature + standard claims.
`--jwt-secret <STR>`	HMAC secret (HS256/384/512).
`--jwt-key <PATH>`	RSA/ECDSA/Ed25519 PEM key.
`--jwt-alg <ALG>`	HS256, HS384, HS512, RS256, RS384, RS512, ES256, ES384, EdDSA.

Examples

```
recon --jwt-view "$(cat token.txt)"
recon --jwt-sign '{"sub":"alice","exp":9999999999}' --jwt-secret sharedkey --
recon --jwt-validate "$TOKEN" --jwt-secret sharedkey
recon --jwt-sign '{"sub":"alice"}' --jwt-key private.pem --jwt-alg RS256
```

Text encoding

Flag	Description
`--iconv <SRC:DST>`	Standalone `iconv` replacement.
`--list-charsets`	List supported charset labels.

Examples

```
recon --iconv utf-8:iso-8859-1 greek.txt -o greek-latin1.txt
echo 'Hello' | recon --iconv utf-8:utf-16le - -o hello.utf16
recon --list-charsets | head -20
```

Serve mode

Flag	Description
`--serve [ADDR]`	Start an HTTP server serving the cwd (default `127.0.0.1:8000`).
`--serve-tls [ADDR]`	HTTPS. Requires `--serve-cert` + `--serve-key`.
`--serve-cert <PATH>`	Server cert (PEM).
`--serve-key <PATH>`	Server key (PEM).
`--serve-sni <HOST:CERT:KEY>`	Per-hostname SNI mapping. Repeatable.

Examples

```
recon --serve
recon --serve 0.0.0.0:3000
recon --serve-tls 0.0.0.0:8443 --serve-cert cert.pem --serve-key key.pem
recon --serve-tls :443 --serve-sni a.example.com:a.pem:a.key --serve-sni b.ex
```

Write-out format

The `-w '<FORMAT>'` flag prints a curl-compatible summary after the response. Variable names match curl's.

Variable	Description
`%{http_code}`	HTTP status code
`%{size_download}`	Body size in bytes

Variable	Description
`%{size_header}`	Response header bytes
`%{size_request}`	Request bytes sent
`%{size_upload}`	Uploaded bytes
`%{speed_download}`	Bytes-per-second
`%{time_total}`	Total operation time (seconds, fractional)
`%{time_starttransfer}`	TTFB
`%{time_redirect}`	Time spent on redirects
`%{url}`	Final URL (after redirects)
`%{url_effective}`	Same as `%{url}`
`%{content_type}`	Response Content-Type
`%{num_redirects}`	Redirect count
`%{remote_ip}`	Final peer IP
`%{remote_port}`	Peer port
`%{local_ip}` / `%{local_port}`	Local side
`%{scheme}`	`http` or `https`

Not yet accurate: `time_namelookup`, `time_connect`, `time_appconnect`, `time_pretransfer` render as `0.000000` — see OUT-OF-SCOPE.md.

Examples

```
recon https://example.com/ -w '\n%{http_code} %{time_total}s %{size_download}
recon -I https://example.com/ -w '%{scheme}://%{remote_ip}:%{remote_port} %{h
recon -L https://short.url/x -w '%{num_redirects} hops → %{url_effective}\n'
```

Browser automation

Flag	Description
`--browser-screenshot <URL>`	Open in agent-browser, save a PNG to `-o PATH`.

Requires `agent-browser` on `$PATH`. See Script engine → agent-browser for deeper automation.

Examples

```
recon --browser-screenshot https://example.com -o example.png
```

Meta flags

Flag	Description
`--examples`	Curated examples, paged.
`--init`	Bootstrap `~/.recon/` (script/, jars/, sni/, config.toml).
`--editor`	Open response in `$EDITOR`.
`--editor-cleanup`	Remove leftover `~/.recon/editor-*` tempfiles.
`--no-pager`	Disable paging of `--help` / `--examples`.

Part III — Script engine

recon ships an embedded Rhai interpreter. Every protocol probe, every cryptography primitive, every helper is exposed to scripts. Scripts run via `--script PATH`; `return N` from the top level becomes the process exit code.

Running scripts

```
recon --script ./probe.rhai                    # run an absolute / relative
recon --script probe                            # falls back to ~/.recon/scr
recon --script probe https://example.com alice  # positional args → args[1],
```

Script lookup order:

1. Exact path (with or without `.rhai` extension).
2. `~/.recon/script/<name>.rhai`.
3. If neither exists — error.

The shipped example scripts in `script/*.rhai` are copy-friendly starting points:

```
cp script/*.rhai ~/.recon/script/
recon --script http example.com
```

Bare-word invocation

After `recon --init` + copying scripts to `~/.recon/script/`, scripts become first-class by name:

```
recon --script tcp-echo 127.0.0.1:9000
recon --script doc-convert README.md output.pdf
recon --script client-cert ~/keys/bundle.pem https://mtls.example.com/
```

Script language (Rhai)

Rhai is a lightweight embedded script language. Key facts for newcomers:

- **Let bindings**: `let x = 42;` (mutable by default; use `const` for compile-time constants).

- **Types**: integers (i64), floats (f64), bools, strings, arrays, maps (object literals: `#{ key: value }`), Blob (Vec).
- **String interpolation**: `` `Hello ${name}` ``.
- **Closures / function pointers**: `|a, b| { a + b }`.
- **For loops**: `for i in 0..5 { ... }` (integer ranges), `for item in array { ... }`, `for (k, v) in map { ... }`.
- **Functions**: `fn f(a) { a * 2 }`.
- **Imports**: `import "module-name" as m;` — resolved against the script's directory and `~/.recon/script/`.
- **Error handling**: `try { ... } catch(e) { ... }`.
- **Reserved words** that might surprise: `spawn` (use `thread_spawn`), `async`, `await`, `throw` (all reserved even when unused).

Useful idioms:

```
// Map with computed keys
let cfg = #{
    user: env("USER"),
    host: "api.example.com",
    timeout_ms: 5000,
};

// Chainable array methods
let evens = (0..20).filter(|n| n % 2 == 0).map(|n| n * 10);

// Early return
if !file_exists("/etc/passwd") { return 1; }
```

CLI inheritance

When a script runs, two read-only constants land at the top of its scope:

- **`args`** — an array of strings. `args[0]` is the script path; `args[1..]` are the positional arguments after `--script PATH`.
- **`flags`** — a map mirroring the relevant CLI flags (lower-case, snake_case keys). Useful for scripts that want to respect `-v`, `-k`, `--connect-timeout`, etc. at invocation time.

```
// Reasonable defaults, overridable via args
let url = if args.len() > 1 { args[1] } else { "https://example.com/" };
let timeout = flags.connect_timeout;   // from -C / --connect-timeout

let r = http(url, #{ timeout_ms: timeout * 1000 });
print(`${r.status} ${r.url}`);
```

Bindings that take their own opts map (e.g. `http(url, opts)`) layer the caller's opts ON TOP of the CLI defaults. If the caller wants to ignore the CLI's `-H` header list, they can pass `headers: []` in their opts.

Core helpers

Exposed by `src/script/bindings/helpers.rs`. Always available.

Function	Returns	Description
`sleep_ms(ms)`	—	Block the current thread.
`sleep(ms)`	—	Alias of sleep_ms (added in 0.56.0 for thread-side readability).
`env(name)`	string	Process environment variable; `""` if unset.
`env(name, default)`	string	With fallback.
`now()`	int	Unix seconds.
`now_ms()`	int	Unix milliseconds.
`assert(cond, msg)`	—	Throws on false.
`json_parse(s)`	Dynamic	Parse JSON text → native Rhai value.
`json_stringify(v)`	string	Serialize to compact JSON.
`json_stringify(v, pretty)`	string	`pretty: true` = 2-space indent.
`json_stringify(v, n)`	string	`n` = spaces per indent (clamped 1..=8).

Rhai's built-in `print(x)` writes `x` + newline via the engine's debug callback. recon adds byte-precise siblings (see next section).

Examples

```
// Probe a URL, fail fast
let r = http("https://api.example.com/health");
assert(r.status == 200, `expected 200, got ${r.status}`);

// JSON round-trip
let obj = json_parse(r.body);
print(json_stringify(obj, true));     // pretty

// Time gate
let t0 = now_ms();
let r = http("https://slow.example.com/");
let dt = now_ms() - t0;
print(`took ${dt} ms`);

// Polling with timeout
let deadline = now() + 30;
while now() < deadline {
    let r = http("https://example.com/ready");
    if r.status == 200 { return 0; }
    sleep_ms(500);
}
return 1;
```

Output bindings

0.53.0. Byte-precise output that Rhai's built-in `print()` can't do.

Function	Description
`print_raw(s)` / `print_raw(blob)`	Write to stdout without a trailing newline; flush.
`eprint(s)`	Write to stderr with a newline.
`eprint_raw(s)` / `eprint_raw(blob)`	Write to stderr without newline; flush.
`flush()`	Explicit stdout flush.

Examples

```
// Progress indicator
print_raw("loading");
for i in 0..10 {
    sleep_ms(200);
    print_raw(".");
}
print_raw("\n");

// Send bytes to stdout (e.g. for piping into another tool)
let bytes = http("https://example.com/image.png").body;
print_raw(bytes);

// Log to stderr; keep stdout for data
eprint(`[${now_ms()}] starting probe…`);
print_raw(json_stringify(result));      // stdout stays parseable
```

File I/O bindings

0.53.0. Both whole-file convenience and a streaming handle API.

Whole-file helpers

Function	Description
`file_read(path)`	Read entire file → Blob.
`file_write_all(path, blob|str)`	Overwrite. Returns bytes written.
`file_append_all(path, blob|str)`	Append; creates if absent.
`file_exists(path)`	Bool.
`file_size(path)`	Bytes.
`file_delete(path)`	Unlink.

`path` accepts a filesystem path or a `file://` URL.

Streaming handle API

Function	Description
`file_open(path, mode)`	Returns a FileHandle. Modes: `r`, `w` (truncate+create), `rw`, `rwc` / `w+` (read+write+create+truncate), `a` (append+create), `ra` (append+read).
`file_read(h, n)`	Read up to `n` bytes → Blob.
`file_read_all(h)`	Drain to Blob.

Function	Description
`file_write(h, blob|str)`	Write all bytes. Returns count.
`file_seek(h, pos, whence)`	whence = `start` | `cur` | `end`. Returns new position.
`file_tell(h)`	Current position.
`file_flush(h)`	Sync buffered writes.
`file_close(h)`	Close (drops the underlying file).

Examples

```
// Whole-file
let data = file_read("config.json");
file_write_all("/tmp/copy.json", data);
file_append_all("/tmp/audit.log", `probe at ${now()}\n`);

// Check before read
if !file_exists("secrets.key") {
    eprint("missing key");
    return 2;
}

// Streaming — copy with 4KB chunks
let src = file_open("big.bin", "r");
let dst = file_open("/tmp/big.bin.copy", "w");
loop {
    let chunk = file_read(src, 4096);
    if chunk.len() == 0 { break; }
    file_write(dst, chunk);
}
file_close(src);
file_close(dst);

// Random access
let h = file_open("/tmp/log.bin", "rwc");
file_write(h, "record-1\n");
file_write(h, "record-2\n");
file_seek(h, 0, "start");
let head = file_read_all(h);
print(`contents: ${head.len()} bytes`);
file_close(h);
```

Comparison bindings

0.53.0. Diff two in-memory values (strings or Blobs).

Function	Returns	Description
`compare(a, b)`	Map	`#{ identical, binary, a_bytes, b_bytes, added, removed, diff }`.

Both `a` and `b` accept strings OR Blobs. The binding does NOT fetch URLs — scripts should pre-load via `http()` or `file_read()` and pass the bytes.

Examples

```
// Compare two API responses
let a = http("https://api.v1.example.com/users/42").body;
let b = http("https://api.v2.example.com/users/42").body;
let r = compare(a, b);
if r.identical {
    print("parity OK");
    return 0;
}
print(`diverged: +${r.added} / -${r.removed}`);
print_raw(r.diff);
return 1;

// Compare a live URL against a baseline file
let live = http("https://example.com/status").body;
let baseline = file_read("status.baseline").to_string();
let r = compare(live.to_string(), baseline);
if !r.identical { print_raw(r.diff); }

// Binary content
let old = file_read("logo.v1.png");
let new = file_read("logo.v2.png");
let r = compare(old, new);
print(`binary: ${r.binary}, size delta: ${r.b_bytes - r.a_bytes}`);
```

HTTP binding

The workhorse. Two call forms:

```
http(url)           → response map
http(url, opts)     → response map
```

Response map

Key	Type	Description
`status`	int	HTTP status code.
`url`	string	Original URL.
`final_url`	string	After redirects.
`headers`	Map	Response headers; values are strings (first) or arrays when repeated.
`body`	Blob | string	Response body. String when content-type is text-ish; Blob otherwise.
`duration_ms`	int	Total wall-clock time.
`http_version`	string	`HTTP/1.1`, `HTTP/2`, etc.

Options map

Every key is optional.

Key	Type	Description
`method`	string	GET, POST, PUT, PATCH, DELETE, HEAD.
`headers`	Map	Key → value (or array of values). Merged with CLI `-H` defaults.
`body`	string / Blob	Request body.
`json`	Dynamic	Serialize as JSON, set `Content-Type` + `Accept`.
`form`	Map	URL-encoded form body.
`multipart`	Array of Maps	Each Map has `name`, `value` or `file`, optional `filename`, `content_type`.
`basic_auth`	string	`"user:pass"`.
`bearer`	string	Bearer token.
`user_agent`	string	Override User-Agent.
`referer`	string	Referer.
`timeout_ms`	int	Total operation timeout.
`connect_timeout`	int	TCP connect timeout (seconds).
`insecure`	bool	Skip TLS verification.
`follow_redirects`	bool	Enable / disable redirect follow.

Key	Type	Description
`max_redirects`	int	Redirect cap.
`compressed`	bool	Request + auto-decompress.
`cookiejar`	string	Path to a SQLite cookie jar.
`proxy`	string	Proxy URL.
`proxy_user`	string	Proxy basic auth.
`noproxy`	string	Bypass list.
`proxy_insecure`	bool	Skip cert verification on proxy.
`proxy_cacert`	string	Extra CA for proxy.
`unix_socket`	string	Route via Unix socket.
`hsts`	string	Path to HSTS cache.
`client_cert`	string	PEM client cert.
`client_key`	string	PEM client key.
`cert_type` / `key_type`	string	PEM | DER | ENG (see CLI docs).
`pass`	string	PKCS#8 passphrase (reserved).

Examples

```
// Simple GET
let r = http("https://api.example.com/status");
print(`${r.status} ${r.body.len()} bytes`);

// POST JSON
let r = http("https://api.example.com/users", #{
    method: "POST",
    json: #{ name: "alice", email: "a@example.com" },
});
assert(r.status == 201, "create failed");

// Form POST
http("https://api.example.com/login", #{
    method: "POST",
    form: #{ user: "alice", pass: "s3cr3t" },
    cookiejar: "/tmp/jar.db",
});

// Multipart upload
http("https://upload.example.com/avatars", #{
    method: "POST",
    multipart: [
        #{ name: "title", value: "profile" },
        #{ name: "image", file: "avatar.png", content_type: "image/png" },
    ],
    bearer: env("API_TOKEN"),
});

// Bearer auth + timeout + compressed
let r = http("https://api.example.com/items", #{
    bearer: env("API_TOKEN"),
    timeout_ms: 5000,
    compressed: true,
    headers: #{ "Accept": "application/json" },
});

// Follow + retry on 5xx
for attempt in 0..3 {
    let r = http("https://api.example.com/", #{ follow_redirects: true });
    if r.status < 500 { return r.status == 200 ? 0 : 1; }
    sleep_ms(1000 * (attempt + 1));
}
return 2;

// Proxy + HSTS
http("http://example.com/", #{
    proxy: "socks5h://127.0.0.1:9050",
    hsts: "/tmp/hsts.txt",
```

```
});

// mTLS
http("https://mtls.example.com/", #{
    client_cert: "/etc/keys/bundle.pem",
});

// Unix socket
let r = http("http://localhost/v1.40/version", #{
    unix_socket: "/var/run/docker.sock",
});
print(json_stringify(json_parse(r.body), 2));
```

Browser (sticky-session) binding

A stateful HTTP "browser" — cookies and headers persist across calls against the same handle. Matches the common "log in once, then make authenticated requests" pattern.

Function	Description
`browser()`	New browser with a tempfile cookie jar.
`browser(opts)`	With initial config.
`use_persistent_session(name)`	Browser method; jar is `~/.recon/jars/<name>.db`.
` .get(url [, opts])`	GET via the browser.
` .post(url, opts)`	POST.
` .put(url, opts)` / `.patch(...)` / `.delete(url [, opts])`	Other methods.
` .request(method, url, opts)`	Catch-all.
` .header(name, value)`	Sticky request header.
` .headers(map)`	Merge sticky headers.
` .clear_headers()`	Remove sticky headers.
` .user_agent(str)`	Override User-Agent for the lifetime of the browser.
` .basic_auth(user, pass)`	Sticky Basic auth.
` .timeout_ms(n)` / `.connect_timeout(secs)`	Sticky timeouts.

Function	Description
` .insecure(bool)` / `.follow_redirects(bool)` / `.max_redirects(n)`	Sticky knobs.
` .cookiejar()`	Current jar path.
` .cookies()`	Array of cookie records from the jar.
` .cookie_set(name, value, domain, path)`	Inject a cookie.

Examples

```
// Login, then fetch protected resources
let br = browser();
br.user_agent("recon-test/0.58");
br.post("https://example.com/login", #{
    form: #{ user: "alice", pass: "s3cr3t" },
});
let r = br.get("https://example.com/dashboard");
assert(r.status == 200, "dashboard fetch failed");

// Persist across runs — next invocation sees the same cookies
let br = browser();
br.use_persistent_session("gh-session");
br.header("Accept", "application/vnd.github+json");
let r = br.get("https://api.github.com/user");

// Multi-persona fan-out
let personas = [#{ name: "a", jar: "persona-a" }, #{ name: "b", jar: "persona
for p in personas {
    let br = browser();
    br.use_persistent_session(p.jar);
    let r = br.get("https://api.example.com/whoami");
    print(`${p.name}: ${r.status}`);
}
```

TCP, TCP-server, UDP

0.57.0 shipped the server bindings. Handles are Send+Sync so they survive `thread_spawn` (0.56.0) boundaries — the expected pattern is "accept on main, spawn a handler per connection".

TCP client (existing)

Function	Description
`tcp(url)`	TCP connect probe; returns `#{ status, duration_ms, …}`.
`tcp(url, opts)`	With `timeout` (ms).

TCP server (0.57.0)

Function	Description
`tcp_listen(addr)`	Bind. `addr` like `"0.0.0.0:8080"` or `"[::]:8080"`.
`tcp_accept(listener)`	Blocking accept. Returns a TcpConn.
`tcp_accept(listener, timeout_ms)`	Times out with an error.
`tcp_read(conn, n, timeout_ms)`	Read up to N bytes → Blob.
`tcp_read_line(conn, timeout_ms)`	`\n`-terminated line; CR/LF stripped.
`tcp_write(conn, blob|str)`	Write all. Returns bytes.
`tcp_peer_addr(conn)`	Remote SocketAddr string.
`tcp_close(conn)`	Close connection.
`tcp_close_listener(l)`	Close listener.

UDP

Function	Description
`udp_bind(addr)`	Bind.
`udp_recv_from(sock, max_len)`	Block until a datagram arrives. Returns `#{ data: Blob, addr: string }`.
`udp_recv_from(sock, max_len, timeout_ms)`	With timeout.
`udp_send_to(sock, blob|str, addr)`	Returns bytes sent.
`udp_close(sock)`	Release.

Examples

```
// TCP client probe
let r = tcp("example.com:443");
print(`${r.status} in ${r.duration_ms}ms`);

// Concurrent TCP echo server (from script/tcp-echo.rhai)
let l = tcp_listen("127.0.0.1:9000");
loop {
    let conn = tcp_accept(l);
    thread_spawn(|c| {
        let peer = tcp_peer_addr(c);
        let line = tcp_read_line(c, 5000);
        tcp_write(c, `echo: ${line}` + "\n");
        tcp_close(c);
    }, conn);
}

// UDP listener (from script/udp-listen.rhai)
let s = udp_bind("127.0.0.1:9001");
loop {
    let r = udp_recv_from(s, 65536, 30000);
    print(`${r.addr} → ${r.data.len()} bytes`);
}

// UDP beacon sender
let s = udp_bind("0.0.0.0:0");
for i in 0..5 {
    udp_send_to(s, `beacon-${i}`, "127.0.0.1:9001");
    sleep_ms(200);
}
udp_close(s);
```

Threading bindings

0.56.0. Requires rhai's `sync` feature (enabled). `spawn` alone is reserved by Rhai — use `thread_spawn`.

Function	Description
`thread_spawn(fn_ptr)`	Spawn a closure. Returns a ThreadHandle.
`thread_spawn(fn_ptr, arg)`	With one forwarded arg.
`thread_spawn(fn_ptr, args_array)`	With N args.
`join(h)`	Block; returns the closure's return value (or the worker's error).

Function	Description
`tid()`	Current thread id (stable within a run).
`sleep(ms)`	Alias of `sleep_ms`.
`channel()`	Unbounded MPSC — returns `[sender, receiver]`.
`channel_bounded(n)`	Bounded; `try_send` returns false when full.
`send(tx, val)`	Blocking send.
`try_send(tx, val)`	Non-blocking; false on full.
`recv(rx)`	Blocking.
`recv(rx, timeout_ms)`	With timeout.
`try_recv(rx)`	Non-blocking; `()` when empty.

Examples

```
// Fan out probes, gather via channel
let c = channel();
let tx = c[0];
let rx = c[1];

let urls = [
    "https://a.example.com/",
    "https://b.example.com/",
    "https://c.example.com/",
];

for url in urls {
    thread_spawn(|u| {
        let r = http(u, #{ timeout_ms: 5000 });
        send(tx, `${u} → ${r.status}`);
    }, url);
}

for i in 0..urls.len() {
    print(recv(rx, 10000));
}

// Bounded channel — producer/consumer with back-pressure
let c = channel_bounded(4);
let tx = c[0];
let rx = c[1];

thread_spawn(|| {
    for i in 0..100 { send(tx, i); }
});

let sum = 0;
for j in 0..100 {
    sum += recv(rx, 1000);
}
print(`total: ${sum}`);

// Join for return value
let h = thread_spawn(|| {
    // Do something heavy
    let r = http("https://slow.example.com/");
    r.status
});
let status = join(h);
print(`completed with status ${status}`);
```

DNS binding

Function	Description
`dns(host)`	Default bundle: A, AAAA, MX, TXT, NS, CNAME, SOA. Returns a Map keyed by record type.
`dns(host, types_str)`	Custom types: `"A,AAAA,MX"`.
`dns(host, types_str, opts)`	`opts` may contain `servers: "1.1.1.1,8.8.8.8"`.

Examples

```
let r = dns("example.com");
print(`A: ${r.A.join(", ")}`);
print(`MX: ${r.MX.join(", ")}`);

// Custom resolver
let r = dns("example.com", "A,AAAA", #{ servers: "127.0.0.1:5353" });
print(r);

// Check DNSSEC chain presence
let r = dns("example.com", "DNSKEY,DS");
if r.DNSKEY.len() == 0 { print("no DNSKEY"); }
```

TLS probe binding

Function	Description
`tls(host [, opts])`	Handshake + cert introspection. Returns a Map with `subject`, `issuer`, `sans`, `not_before`, `not_after`, `days_remaining`, `fingerprints`, `chain`, `tls_version`, `cipher_suite`.

Examples

```
let t = tls("example.com:443");
print(`CN: ${t.subject}`);
print(`issuer: ${t.issuer}`);
print(`expires in ${t.days_remaining} days`);
if t.days_remaining < 14 { eprint("cert expiring soon"); return 1; }

// Verify an expected subject
let t = tls("api.example.com:443");
assert(t.sans.contains("api.example.com"), "SAN mismatch");

// Per-host SNI override
let t = tls("alt.example.com:443", #{ sni: "primary.example.com" });
```

Ping binding

Function	Description
`ping(host)`	Default TCP ping, 4 packets. Returns `#{ sent, received, loss_pct, min_ms, avg_ms, max_ms, …}`.
`ping(host, opts)`	`opts` supports `count`, `icmp: true`, `timeout_ms`.

Examples

```
let r = ping("8.8.8.8");
print(`${r.received}/${r.sent} received, avg ${r.avg_ms}ms`);

// ICMP (needs privileges on macOS/Linux for non-DGRAM types)
let r = ping("example.com", #{ icmp: true, count: 10 });

// TCP ping to a specific port
let r = ping("example.com:443");
assert(r.received > 0, "no reachability");
```

File transfer bindings

FTP

Function	Description
`ftp(url)`	FTP / FTPS anonymous listing or retrieve.
`ftp(url, opts)`	`opts`: `user`, `pass`, `ftps_implicit`.

SFTP

Function	Description
`sftp(url)`	SSH-backed listing or retrieve.
`sftp(url, opts)`	`opts`: `user`, `pass`, `privkey`, `port`.

TFTP

Function	Description
`tftp(url)`	RFC 1350 download.
`tftp(url, opts)`	`opts`: `blksize` (RFC 2348).

Gopher

Function	Description
`gopher(url)`	RFC 1436 selector fetch.

Examples

```
let listing = ftp("ftp://ftp.example.com/");
print(`${listing.entries.len()} entries`);

let data = ftp("ftp://ftp.example.com/file.bin");
print(`${data.size} bytes`);

let h = sftp("sftp://me@example.com/srv/app.log", #{ privkey: "~/.ssh/ci_rsa"
file_write_all("/tmp/app.log", h.body);

let img = tftp("tftp://tftp.example.com/boot.img", #{ blksize: 8192 });
print(img.size);

let g = gopher("gopher://gopher.floodgap.com/0/gopher/proxy");
print_raw(g.body);
```

Mail retrieval bindings

POP3

Function	Description
`pop3(url)`	Capability + message listing.

Function	Description
`pop3(url, opts)`	`opts`: `stls`, `retrieve_index` (int, 1-based).

IMAP

Function	Description
`imap(url)`	EXAMINE + capabilities.
`imap(url, opts)`	`opts`: `fetch` (int — message index), `peek: true`.

Examples

```
// POP3 probe with STLS
let r = pop3("pop3://alice:s3cr3t@pop.example.com/", #{ stls: true });
print(`${r.message_count} messages`);

let first = pop3("pop3s://alice:s3cr3t@pop.example.com/", #{ retrieve_index:
print_raw(first.body);

// IMAP peek
let r = imap("imaps://alice:s3cr3t@imap.example.com/INBOX", #{ fetch: 3, peek
print_raw(r.body);
```

SMTP binding

Function	Description
`smtp(url)`	Capability + STARTTLS probe.
`smtp(url, opts)`	Send a message. `opts` keys: `from`, `to` (array), `subject`, `body`, `headers`, `auth` (`"user:pass"`), `helo`, `no_starttls`, `dkim_key`, `dkim_selector`, `dkim_domain`.

Examples

```
// Probe only
let r = smtp("smtp://mail.example.com:25");
print(`capabilities: ${r.capabilities.join(", ")}`);

// Send
smtp("smtp://smtp.example.com:587", #{
    from: "me@example.com",
    to: ["you@example.com"],
    subject: "Automated notice",
    body: "Probe result: OK",
    auth: env("SMTP_CREDS"),
});

// DKIM-signed
smtp("smtp://smtp.example.com:587", #{
    from: "me@example.com",
    to: ["you@example.com"],
    subject: "Signed",
    body: "This message is DKIM-signed.",
    dkim_key: "~/.dkim/default.pem",
    dkim_selector: "default",
});
```

WebSocket binding

Function	Description
`ws(url)`	Handshake + Ping/Pong. Returns `#{ status, duration_ms, negotiated_protocol }`.
`ws(url, opts)`	`opts`: `headers`, `subprotocols`, `send_text`, `send_binary`.

Examples

```
let r = ws("wss://echo.websocket.events");
print(`connected in ${r.duration_ms}ms`);

// Send a frame, check response
let r = ws("wss://echo.websocket.events", #{ send_text: "hello" });
print(r.received);
```

Other protocol bindings

Brief interface reference; each has at least one example in `script/*.rhai`.

LDAP

```
let r = ldap("ldap://ldap.example.com");        // anonymous RootDSE query
```

RTSP

```
let r = rtsp("rtsp://camera.example.com/stream1");
```

Dict

```
let r = dict("dict://dict.org/d:recon");
```

NTP

```
let r = ntp("ntp://pool.ntp.org");
print(`offset: ${r.offset_ms}ms, rtt: ${r.rtt_ms}ms`);
```

Memcached

```
let r = memcached("memcache://cache.example.com/?version");
let s = memcached("memcache://cache.example.com/", #{ command: "stats" });
```

Redis

```
let r = redis("redis://cache.example.com/");      // PING
let info = redis("redis://cache.example.com/", #{ command: "INFO server" });
```

MQTT

```
let r = mqtt("mqtt://broker.example.com", #{
    topic: "sensors/room-1",
    message: '{"temp": 21.3}',
});
```

Encoding & decoding bindings

0.55.0 expanded encode with Aztec + PDF417 and added decode.

Function	Description
`encode::qr(text)`	PNG Blob.
`encode::datamatrix(text)`	PNG Blob.
`encode::barcode(format, text)`	PNG Blob for any 1D/2D.
`encode::encode(format, text)`	PNG Blob (default renderer).
`encode::encode(format, text, output_format)`	output_format = `ascii` / `svg` / `png`. Returns string for ascii/svg, Blob for png.
`encode::encode(format, text, output_format, opts)`	opts: `qr_level: "L"|"M"|"Q"|"H"`.
`encode::decode(blob)`	Scan an image Blob → `#{ text, format }`.
`encode::list()`	Supported format names.

Examples

```
// Generate QR
let png = encode::qr("https://example.com");
file_write_all("/tmp/site.png", png);

// Tune QR durability
let png = encode::encode("qr", "sticker-text", "png", #{ qr_level: "H" });

// Get SVG
let svg = encode::encode("qr", "recon", "svg");
file_write_all("/tmp/site.svg", svg);

// Decode
let data = file_read("/tmp/site.png");
let r = encode::decode(data);
print(`${r.format}: ${r.text}`);

// Round-trip test
let png = encode::qr("hello");
let r = encode::decode(png);
assert(r.text == "hello", "round-trip failed");
```

Hashing binding

Ten algorithms plus CRC32.

Function	Description
`md5(data)`	MD5 (hex string).
`sha1(data)`	SHA-1.
`sha224` / `sha256` / `sha384` / `sha512`	SHA-2 family.
`sha3_256` / `sha3_512`	SHA-3.
`blake3(data)`	BLAKE3.
`crc32(data)`	CRC32 (hex, 8 chars).
`hmac_sha256(key, data)`	Keyed HMAC.

`data` accepts string or Blob.

Examples

```
let h = sha256(file_read("big.iso"));
print(h);

// HMAC
let sig = hmac_sha256("sharedsecret", "payload");
print(sig);

// Hash an HTTP body
let r = http("https://example.com/");
let fp = blake3(r.body);
print(`fingerprint: ${fp}`);
```

Compression & archive bindings

Compression

Function	Description
`compression::compress(algo, data [, level])`	algo = `gzip`, `deflate`, `brotli`, `zstd`, `bzip2`, `lz4`, `xz`, `snap`.
`compression::decompress(algo, data)`	Reverse.
`compression::decompress_auto(data)`	Auto-detect from magic bytes.
`compression::list()`	Supported algos.

Archive

Function	Description
`archive::create(dest_path, sources_array)`	Infer format from extension.
`archive::extract(src_path, dest_dir)`	Extract zip/tar/tar.gz/tar.xz/tar.bz2.

Examples

```
// Round-trip
let body = http("https://example.com/page.html").body;
let gz = compression::compress("gzip", body, 6);
print(`${body.len()} → ${gz.len()} bytes`);
let back = compression::decompress("gzip", gz);
assert(back.len() == body.len(), "round-trip");

// Zip up
archive::create("/tmp/backup.zip", ["file1.txt", "dir1/"]);
archive::extract("/tmp/backup.zip", "/tmp/restore/");
```

Encryption bindings

age + PGP shell-out.

Function	Description
`encrypt::keygen()`	New X25519 age keypair. Returns `#{ public, private }`.
`encrypt::encrypt(data, recipients)`	recipients = array of age-pub strings.
`encrypt::decrypt(data, identity)`	identity = secret key string.
`encrypt::encrypt_passphrase(data, passphrase)`	Scrypt-based.
`encrypt::decrypt_passphrase(data, passphrase)`	—

Examples

```
let kp = encrypt::keygen();
print(`public: ${kp.public}`);
file_write_all("~/.age/identity", kp.private);

let plaintext = "highly classified";
let ct = encrypt::encrypt(plaintext, [kp.public]);
let pt = encrypt::decrypt(ct, kp.private);
assert(pt.to_string() == plaintext, "round-trip");

let ct2 = encrypt::encrypt_passphrase("hello", "correct horse battery staple"
```

Check-digit binding

Function	Description
`checkdigit::verify(algo, input)`	true / false.
`checkdigit::create(algo, partial)`	Computed full value.
`checkdigit::list()`	All 60+ algorithm names.

Examples

```
assert(checkdigit::verify("isbn13", "9780131103627"), "valid ISBN");

let full = checkdigit::create("ean13", "400638133393");
print(full);        // 4006381333931

for algo in checkdigit::list() {
    print(algo);
}
```

Sample-data binding

Function	Description
`sample::get(name)`	String content of a named sample.
`sample::list()`	Array of sample names.

Examples

```
let u = sample::get("json-user");
print(u);

for s in sample::list() { print(s); }
```

JWT binding

Function	Description
`jwt::view(token)`	Decode header + claims (no signature check).
`jwt::sign(payload_map, opts)`	opts: `alg`, `secret` or `key` path.
`jwt::validate(token, opts)`	opts: `alg`, `secret` or `key` / `pubkey`.

Examples

```
let t = jwt::sign(#{ sub: "alice", exp: now() + 3600 }, #{
    alg: "HS256",
    secret: env("JWT_SECRET"),
});

let ok = jwt::validate(t, #{ alg: "HS256", secret: env("JWT_SECRET") });
assert(ok, "validation failed");

let parts = jwt::view(t);
print(`alg: ${parts.header.alg}, sub: ${parts.payload.sub}`);
```

Email-protection binding

Function	Description
`email::spf(domain)`	SPF record + validation.
`email::dmarc(domain)`	DMARC policy.
`email::dkim(domain, selector)`	DKIM record for selector.
`email::mta_sts(domain)`	MTA-STS policy.
`email::bimi(domain [, selector])`	BIMI record.
`email::tls_rpt(domain)`	SMTP TLS-RPT record.

Examples

```
let s = email::spf("example.com");
if s.valid { print("SPF OK"); } else { print(`SPF: ${s.error}`); }

let d = email::dmarc("example.com");
print(`policy: ${d.policy}`);

let dk = email::dkim("example.com", "selector1");
print(dk.record);
```

Netstatus binding

Function	Description
`netstatus::run()`	Execute the probe bundle defined in `~/.recon/config.toml` `[netstatus]`.

```
let r = netstatus::run();
for p in r.probes {
    print(`${p.name}: ${p.status}`);
}
```

Text-encoding binding

Function	Description
`text::decode(blob, charset)`	Decode bytes → string.
`text::encode(string, charset)`	Encode string → bytes.
`text::detect(blob)`	Auto-detect (`chardetng`). Returns charset label.
`text::normalize_newlines(s, style)`	style = `unix` / `windows` / `mac`.
`text::list_charsets()`	Supported labels.

Examples

```
let bytes = file_read("greek.txt");
let charset = text::detect(bytes);
let utf8 = text::decode(bytes, charset);
file_write_all("greek-utf8.txt", text::encode(utf8, "utf-8"));

let crlf = text::normalize_newlines("line1\nline2\n", "windows");
```

Whois binding

Function	Description
`whois(domain)`	Two-hop whois (registry then registrar). Returns raw text.

```
let w = whois("example.com");
print_raw(w);
```

IPFS binding

Function	Description
`ipfs(url)`	Fetch `ipfs://` or `ipns://` via the configured gateway.

```
let data = ipfs("ipfs://QmYwAPJzv5CZsnA625s3Xf2nemtYgPpHdWEz79ojWnPbdG");
print(data.body.len());
```

Agent-browser binding

Exposed as a static module. Requires `agent-browser` on `$PATH`.

Function	Description
`agentBrowser::available`	Bool.
`agentBrowser::version`	Version string.
`agentBrowser::open(url)`	Navigate to URL.
`agentBrowser::close()`	End the session.
`agentBrowser::click(selector)`	Click by CSS selector or `@ref`.
`agentBrowser::fill(selector, text)`	Fill a form field.
`agentBrowser::type(selector, text)`	Type into a field (character events).
`agentBrowser::keyboard_type(text)`	Keyboard-level typing.
`agentBrowser::press(key)`	Key press (e.g. `"Enter"`, `"Tab"`).
`agentBrowser::screenshot(path)`	Save PNG.
`agentBrowser::pdf(path)`	Save PDF.
`agentBrowser::snapshot()`	Accessibility-tree dump.
`agentBrowser::eval(js)`	Execute JS, return the value.

Function	Description
`agentBrowser::get(selector)`	Read innerText / value.
`agentBrowser::find(selector)`	Locate (returns ref).
`agentBrowser::cmd(args_array)`	Raw passthrough to the CLI.

Examples

```
if !agentBrowser::available { return 2; }

agentBrowser::open("https://example.com/login");
agentBrowser::fill("#user", "alice");
agentBrowser::fill("#pass", "s3cr3t");
agentBrowser::click("button[type=submit]");
agentBrowser::screenshot("/tmp/after-login.png");
agentBrowser::close();
```

SQLite binding

Function	Description
`sqlite(spec)` / `sqlite(spec, mode)`	Open. spec = path, `":memory:"`, or an alias. mode = `ro` | `rw` (default) | `rwc`.
`.query(sql)` / `.query(sql, params)`	Array of Maps.
`.query_one(sql, params)`	First row as a Map (or `()`).
`.query_value(sql, params)`	Single scalar value.
`.exec(sql, params)`	Row count affected.

Examples

```
let db = sqlite(":memory:");
db.exec("CREATE TABLE users (id INTEGER PRIMARY KEY, name TEXT);");
db.exec("INSERT INTO users (name) VALUES (?)", ["alice"]);
db.exec("INSERT INTO users (name) VALUES (?)", ["bob"]);

let rows = db.query("SELECT id, name FROM users ORDER BY id");
for r in rows {
    print(`${r.id}: ${r.name}`);
}

let count = db.query_value("SELECT COUNT(*) FROM users");
print(`total: ${count}`);
```

Document-conversion bindings

0.58.0. comrak for HTML; agent-browser for PDF.

Function	Description
`md_to_html(md)` / `md_to_html(md, opts)`	Markdown (string or Blob) → HTML string.
`md_to_pdf(md, dest)` / `md_to_pdf(md, dest, opts)`	Markdown → PDF at `dest`. Needs agent-browser.
`html_to_pdf(html, dest)`	HTML → PDF at `dest`. Needs agent-browser.

Opts map

Key	Default	Description
`toc`	false	Inject linkable TOC.
`toc_depth`	3	Include H1..H`N`.
`toc_title`	`"Contents"`	—
`title`	document default	`<title>` + PDF metadata.
`css`	—	Additional CSS (appended after default).
`no_default_css`	false	Skip bundled default CSS.
`gfm`	false	GitHub-flavored extensions.

Examples

```
let md = file_read("README.md").to_string();

// md → html
let html = md_to_html(md, #{ toc: true, toc_depth: 3, gfm: true, title: "READ
file_write_all("/tmp/readme.html", html);

// md → pdf
md_to_pdf(md, "/tmp/readme.pdf", #{ toc: true, gfm: true, title: "README" });

// html → pdf
let html = http("https://example.com/report.html").body.to_string();
html_to_pdf(html, "/tmp/report.pdf");

// Fully custom styling
md_to_pdf(md, "/tmp/styled.pdf", #{
    no_default_css: true,
    css: file_read("print.css").to_string(),
    toc: true,
    toc_title: "Table of Contents",
});
```

Part IV — Appendices

Exit codes

Curl-compatible exit codes for common cases:

Code	Meaning
0	Success.
1	Generic protocol error.
2	Source-load error (`--compare` , etc.).
3	Agent-browser / Chrome unavailable (PDF features).
6	DNS resolution failed.
7	Connection refused.
22	HTTP ≥ 400 with `-f` (or `--fail-with-body`).
28	Operation timeout (`--max-time`).
35	TLS handshake error.
47	Redirect limit exceeded.
52	Empty reply from server.
55	Send error.
56	Receive error.
60	Peer cert cannot be authenticated.

Script-mode exit codes:

- `return N` from the top-level script becomes the process exit code (mod 256).
- Unhandled script errors → exit 1 (or the last `ProtocolExitCode` tag).

Environment variables

Variable	Read by	Description
`HTTP_PROXY` / `http_proxy`	`--proxy`	Proxy for http:// URLs.

Variable	Read by	Description
`HTTPS_PROXY` / `https_proxy`	`--proxy`	Proxy for https:// URLs.
`ALL_PROXY` / `all_proxy`	`--proxy`	Fallback proxy.
`NO_PROXY` / `no_proxy`	`--noproxy`	Bypass list.
`SSL_CERT_FILE`	`--cacert`	Extra trust-root bundle.
`CURL_CA_BUNDLE`	`--cacert`	Same as SSL_CERT_FILE.
`RECON_NO_PAGER`	`--help` / `--examples`	Disable paging.
`RECON_IPFS_GATEWAY`	`--ipfs-gateway`	Default IPFS gateway.
`RECON_CONFIG`	config file	Override path to `config.toml`.
`AGENT_BROWSER_JSON`	—	When `1`, agent-browser returns JSON (set internally by recon).
`EDITOR`	`--editor`	Editor binary for response inspection.
`HOME`	various	Used to locate `~/.recon/`.
`PAGER`	`--help` / `--examples`	Override default `less -FRX`.

Configuration file

`~/.recon/config.toml` — commented skeleton created by `recon --init`.

Structure

```
# Default flag overrides
[defaults]
connect_timeout = 30
max_time = 60
user_agent = "recon/0.58.1 (auto)"

# Netstatus probe bundle
[netstatus]
probes = [
    { name = "dns", target = "8.8.8.8" },
    { name = "http", url = "https://example.com/" },
    { name = "tls", target = "example.com:443" },
]

# Per-host SNI → cert mapping for --serve-tls
[[serve_sni]]
host = "a.example.com"
cert = "/etc/certs/a.pem"
key = "/etc/certs/a.key"

[[serve_sni]]
host = "b.example.com"
cert = "/etc/certs/b.pem"
key = "/etc/certs/b.key"
```

~/.recon/ layout

Created by `recon --init`:

```
~/.recon/
├── config.toml              # Commented skeleton; overrideable via RECON_CON
├── script/                  # Bare-word scripts (`recon --script NAME`)
│   └── *.rhai
├── jars/                    # Persistent cookie jars
│   └── <session>.db
├── sni/                     # Per-host TLS cert + key pairs for --serve-tls
│   ├── a.example.com/cert.pem
│   └── a.example.com/key.pem
└── hsts.txt                 # Optional HSTS cache (curl-compatible)
```

Glossary

- **Sticky session** — a `browser()` handle whose cookies + headers persist across calls. Pair with `use_persistent_session` for cross-invocation persistence.

- **Script defaults** — the frozen snapshot of CLI flags (`-H`, `-k`, `--connect-timeout`, …) that every script binding inherits when the caller doesn't override via an opts map.
- **Bare-word script** — one that can be invoked by name because it lives in `~/.recon/script/`, e.g. `recon --script http` → `~/.recon/script/http.rhai`.
- **Protocol exit code** — recon's internal scheme for passing an exit code through a panic-style error path from protocol bindings (so a failed SMTP probe can exit with curl's `CURLE_URL_MALFORMAT`, for instance).
- **agent-browser** — external CLI that wraps Chrome DevTools Protocol. Used for `--browser-screenshot`, `--md-to-pdf`, `--html-to-pdf`, and the `agentBrowser::*` script bindings.

End of manual. For the curated-example companion, run `recon --examples`. For topic-specific deep dives, run `recon --help <topic>`.