

GenAI 시대 분산형 업무환경을 위한 최적의 통합 보안 전략

차세대 SASE와 Universal ZTNA


김지민 수석이사 (CISSP, TOGAF9, ITIL Expert)
Sales Engineer / APJ




생성형 AI 에 대한 가시성 (“Shadow AI”)

GenAI 서비스 ‘춘추전국시대’

- **What:**
어떤 서비스들이 사용되는지?
- **Who:**
누가 사용중인지?
- **How:**
어떻게, 얼마나 사용중인지?
- **Where:**
혹시 민감 정보는 어디로?



GenAI 이용시 민감정보 유출 경로



LLM 관련 우려와 현실

기업 62%, 생성형AI 업무에 도입 안해... "정보 유출 우려"

이민우 기자
입력 2024.03.21 12:00 수정 2024.03.21 15:02 00분 39초 소요

71%는 "향후 도입 계획도 없어"



아이덴티티, AI/ML, 생성 AI

공개 LLM 교육 데이터에서 12,000개의 하드코딩된 API 키와 비밀번호가 발견되었습니다.

2025년 2월 28일 공유하다

스티브 주리어 지음



GenAI, SaaS, WWW... “Shadow IT” 인터넷 접근시 통제 방안?

SaaS 이용 현황 파악

-지속적으로 출시되는 SaaS 서비스들...
“언제, 어디서, 누가, 무엇을, 어떻게?”

민감 데이터 통제


- 가시성의 사각지대 = 통제의 사각지대
- 다양한 SaaS 서비스내 업로드/다운로드
행위

사무실 근무자


BYOD / 협력사 직원
(Clientless)

원격 근무자
(VPN Client)

네트워크 영역 확장 = 보안 대상 확장




네트워크 영역 확장 = 보안 대상 확장... 그리고 ZTNA?



네트워크 영역 확장 = 보안 대상 확장... 그리고 ZTNA?


포인트 솔루션 조합의 한계
→ 구성, 배포, 설치, 운영 복잡성 증가
→ 관리, 책임, 장애 포인트 증가
→ ZTNA 정책의 일관성?




네트워크 보안에 대한 새로운 패러다임

SASE 아키텍처의 출현

Gartner® 가 제시한 SASE = 네트워크 서비스 + 보안 서비스의 컨버전스



Gartner® 가 제시하는 SASE = 네트워크 서비스 + 보안의 컨버전스




Hype Cycle for Enterprise Networking, 2024



Gartner의 SASE 비전 실현을 향한 접근법

Gartner의 핵심 SASE 구성 요건:

- **Converged** (Network + Security)
통합된 서비스 환경 제공
- **Cloud Native**
물리적 장비의 가상화 (혹은 클라우드로 재편)의 한계점
- **Global Presence**
고객 & 목적지와 가까이 전진배치
- **All Edges**
모든 단말 접속 형태 및 어플리케이션 접근 지원
- **Unified Management**
직관적, 일관적인 단일 관리 포털 (사용자 & 관리자 경험 개선)




싱글 컨텍스트 (맥락기반의) SASE 보안 플랫폼 및 ZTNA 구현



“세계 최초
SASE플랫폼”

#가트너MQ리더
#싱글벤더SASE
#글로벌백본망
#사설전용팝
#VM아님

전방위적 SASE 플랫폼을 활용한 AI/ML기반의 보안과 가시성



Cato SASE Cloud

글로벌 사설 백본망 (자체 구축 인프라)
전세계 80개+ 지역
매분기 지속적인 확장 중



North America (28)

Ashburn, VA*
Atlanta, GA
Austin, TX
Boston, MA
Charlotte, NC
Chicago, IL
Cincinnati, OH
Columbus, OH
Dallas, TX
Denver, CO
Detroit, MI
Honolulu, HI
Houston, TX
Kansas City, MO
Las Vegas, NV
Los Angeles, CA
Miami, FL
Minneapolis, MN
New York, NY
Phoenix, AZ
Portland, OR
Salt Lake City, UT
Santa Clara, CA
Seattle, WA
Canada, Calgary
Canada, Montreal
Canada, Toronto
Canada, Vancouver

Latin America (8)

Brazil, Sao Paulo
Chile, Santiago
Colombia, Bogota
Costa Rica, San Jose
Ecuador, Quito
Mexico, Mexico City
Mexico, Monterrey
Peru, Lima

Europe (20)

Belgium, Brussels
Czech Republic, Prague
Denmark, Copenhagen
Finland, Helsinki
France, Marseille
France, Paris
Germany, Frankfurt*
Germany, Munich
Ireland, Dublin
Italy, Milan
Italy, Rome
Norway, Oslo
Poland, Warsaw
Romania, Bucharest
Spain, Madrid
Sweden, Stockholm
Switzerland, Zurich
The Netherlands, Amsterdam
United Kingdom, London
United Kingdom, Manchester

Middle East & Africa (6)

Israel, Tel Aviv
Kenya, Nairobi
Morocco, Casablanca
Nigeria**
South Africa, Johannesburg
United Arab Emirates, Dubai

Asia (20)

Australia, Melbourne
Australia, Perth
Australia, Sydney
China, Beijing*
China, Shanghai*
China, Shenzhen*
Hong Kong
India, Chennai
India, Mumbai
Indonesia, Jakarta
Japan, Osaka*
Japan, Tokyo*
Malaysia, Kuala Lumpur
New Zealand, Auckland
Philippines, Manila
Republic of Korea, Seoul
Singapore
Taiwan, Taipei
Thailand, Bangkok
Vietnam, Ho Chi Minh City

*Hosts multiple POPs

** Planned

Zero Trust

제로 트러스트 구현시 도전과제

네트워크 가시성 확보

- 다양한 접속 환경
- 다양한 목적지
- 보안 가시성 및 접근 통제 구현


누가? 어떻게?





언제? 어디에서?



어디로?



Universal ZTNA: Any Device, Any App, Anywhere





일반 웹 브라우저 기반 접근 통제 (내부망 접속: RDP/SSH)

외부



업무용 단말



개인용 단말
BYOD




업무용 단말



개인용 단말
BYOD


사무실



Remote Desktop



IoT/OT





일반 웹 브라우저 기반 접근 통제 (SaaS 접속: 크롬 플러그인)

외부


업무용 단말

개인용 단말
BYOD

업무용 단말


개인용 단말
BYOD

사무실




UZTNA

ZTNA 를 위한 다양한 접속 형태 지원
"Security that follows the user"



검증된 보안 인텔리전스

범용 사이버 위협 정보 + Cato 실패트릭 상판분석 = Cato 특화된 사이버 인텔리전스



AI 활용예: 실시간 위협 방지 모델

피싱 위협: 사이버 스쿼팅



- Faceb00k.com: 숫자 '0'
- Faceb••k.com: 한글 '이응'
- Facebook.com: 키릴어 'a'
- microsoft.com: 짧은 간격의 N N

도메인관련 위협 인텔리전스 (static)

+

접속대상지에 대한 유명도 (static)

+

실제 사용 빈도 (dynamic)

=



실시간 AI 분석으로 접근 승인 여부

AI 활용예: TI 피드 분석 및 DGA 탐지

- Cato 글로벌 백본내 처리된 트래픽의 메타데이터 **전수검사**
 - 5 Millions+ of flow records
 - 250+ 개 이상의 소스 AI/ML기법으로 정제된 위협 정보
 - 오탐/과탐 방지를 위한 Cato 고객망의 트래픽 실시간 검증
 - 4시간 주기 전세계 업데이트
 - 신규 위협 실시간 모니터링
- **일반 위협 인텔리전스 (TI) 피드 대비 정탐율 향상 (6배+)**
 - a) Cato 플랫폼상 AI를 활용해 악성으로 식별/차단된 목적지 중
 - b) 약 15% 만 기존 250+ 개 이상의 범용 TI 상 등재됨 (85% 미탐)

CATO

→ Cato 자체 보안 체계상 탐지된 신규 위협/도메인



Cato Networks 에 대한 시장의 평가

싱글 벤더 SASE 시장을 선점하여 “리더”로서 자리매김

Gartner

리더부문: Single-Vendor SASE MQ 보고서

“**통합 플랫폼**을 통해 단 1개, 직관적인 UI의 관리콘솔을 제공합니다.”

“SASE 시장의 개척자 (Early Pioneer)이며, 지속적인 혁신은 시장을 계속 선도할 가능성이 높습니다.”

“경쟁사 대비 업계 **평균 이상의 고객 경험**을 제공합니다.”

FORRESTER


리더 부문: ZTE (SASE) Wave 보고서

“ZTE 및 SASE **솔루션의 전형** (poster child)입니다”

“**진정한 통합 네트워킹 및 보안 솔루션**과 결합된 **강력한 전략**을 가지고 있습니다”

F R O S T & S U L L I V A N

GIGAOM



Overview Related Stories

Attack Detected	Producer	Analyst Severity	Analyst Verdict	Type	Compromised Devices	Associated Signals	Story Duration	Status
Abnormal Network Activity	Threat Hunting	-	-	-	1	100	9 months	Pending Analysis

1 Dec 27, 2023 05:30 am
Story created
Abnormal Network Activity

2 Sep 25, 2024 11:32 pm By FM
Status updated to
PendingAnalysis

Generate AI Summary

Details



Abnormal Network Activity found on device Robin's Host 8 using www.sachmmvh.com, www.hoclaixedanang.top

Description: Identifies potentially malicious outbound traffic by analyzing suspicious network characteristics directed towards specific high-risk IP geolocations. This encompasses domains registered for only one year, displaying low popularity, and carrying a risky reputation.

First Signal: Jan 26, 2024 05:30:13 AM

Creation Date: Dec 27, 2023 05:30:13 AM

Last Updated: Oct 10, 2024 09:16:32 AM

Direction: **OUTBOUND**

Criticality: **9**

Mitre Tags: **Application Layer Pr...**

Playbook KB: **Suspicious Target communication**

Predicted Verdict: -

Predicted Type: Andromeda

Indication ID: hunt_suspicious_server_ip_location

Source IP: 150.15.55.162-150.15.70.100

Generate AI Summary

Source

User Name Robin's Host 8

Site Name Example Site 2

IP 192.168.1.223

OS  Windows

Client generic bot no mozilla

Device Name R01556

MAC Address C7:74:C4:28:74:A3



Target Actions

Target	Type	Action	Related Events
www.sachmmvh.com	IPS Internet Firewall	Block Monitor	cid_heur_suspicious cid_heur_suspicious cid
commandos-g.com	-	None	-
www.commandos-g.com	IPS	Monitor	cid_cnc_formbook_checkin
sachmmvh.com	-	None	-

← Detection & Response Story

Overview

Related Stories

Attack Detected

Abnormal Network Activity

Producer

Threat Hunting

Analyst Severity

-

Analyst Verdict

-

1

Dec 27, 2023 05:30 am

Story created

Abnormal Network Activity

2

Sep 25, 2024 11:32 pm By PM

Status updated to

Pending Analysis

Details

+

See Summary

Source

Copy

i

Abnormal Network Activity found on device Robin's Host 8 using www.sachmmv

Description:

Identifies potentially malicious outbound traffic by analyzing suspicious n... specific high-risk IP geolocations. This encompasses domains registered and carrying a risky reputation.

First Signal:

Jan 26, 2024 05:30:13 AM

Creation Date:

Dec 27, 2023 05:30:13 AM

Last Updated:

Oct 10, 2024 09:16:32 AM

Direction:

OUTBOUND

Criticality:

9

Mitre Tags:

Application Layer Pr...

Playbook KB:

Suspicious Target communication

Predicted Verdict:

-

Predicted Type:

Andromeda

Indication ID:

hunt_suspicious_server_ip_location

Source IP:

65015-66-46-2-1505705100

Story Summary (Powered by AI)

On January 25, 2024, an incident was triggered due to suspicious outbound network activity originating from a client IP address, identified as a generic bot, which was attempting to connect to various targets, including those linked to Formbook. Security systems detected high-severity check-in alerts alongside medium-severity alerts for domains with a poor reputation and low popularity. Immediate blocking of this traffic was initiated. Specifically, the targets included threat feeds and another with one, highlighting the potential risk by these connections. The server port used for these communications was 80, which is commonly exploited for such malicious activities. Overall, the incident underscored the need for vigilance against threats like Formbook, as well as the importance of monitoring for suspicious outbound connections to prevent potential data breaches or further infections, with additional targets being flagged as suspicious.

This summary was generated with AI, and therefore, its accuracy may vary due to the inherent limitations of artificial intelligence algorithms.

	Type	Action	Related Events
1.com	IPS Internet Firewall	Block Monitor	cid_heur_suspicious cid_heur_suspicious cid
commandos-g.com	-	None	-
www.commandos-g.com	IPS	Monitor	cid_cnc_formbook_checkin
sachmmvh.com	-	None	-

2024년 1월 25일, **Formbook 맬웨어**와 연결된 대상을 포함하여 **여러 의심스러운 대상에 연결을 시도하던 일반 봇**과 연결된 클라이언트 IP에서 발생한 비정상적인 아웃바운드 네트워크 활동으로 인해 사고가 발생했습니다. 모니터링 시스템은 맬웨어를 나타내는 **심각도가 높은** 체크인 트래픽과 **평판이 좋지 않고 인기도가 낮은 도메인**을 대상으로 하는 **아웃바운드 트래픽**에 대한 중간 심각도 경고를 감지하여 이 트래픽을 부분적으로 차단했습니다. 구체적으로, 여러 목적지중 하나는 3개의 위협 피드에서, 또 다른 목적지는 1개의 위협 피드에서 접속시 잠재적 위험성을 강조했습니다.

이러한 통신에 사용된 **서버 포트는 80**이었으며, 이는 이러한 악성 활동에 일반적으로 악용됩니다. 전반적으로 이 사고는 Formbook과 같은 위협에 대한 경계 필요성과 잠재적인 **데이터 침해 또는 추가 감염을 방지**하기 위해 의심스러운 아웃바운드 연결에 대한 모니터링의 중요성을 강조하기 위해 **의심스러운 접속행위**로 공지되었습니다.

CATO NETWORKS

| 28

생성형 AI: 자연어기반 이벤트 로그 검색

일반적인 검색 필터

Events

☆ WAN firewall

Event Type Is Security

Sub-Type Is WAN Firewall

+ Filter

20

10

0

12:00

Time Series Granularity: 30 minutes

Field:

Operator:

Value:

Category

Destination IP

Source Site

User Email

Access Method

Action

Alert id

Always-On

Analyst Verdict

Api Key Name

Api Name

Api Type

06:00

12:00

18:00

Security

Connectivity

System

Routing

Sockets Management

Detection and Re

Events

Smart View

Fields

Search

Selected Fields

Application

Action

Source Site

ICMP

Monitor

Martin Winter

생성형 AI: 자연어기반 이벤트 로그 검색

관리자 포털상 이벤트 검색 → 자연어 입력시, 매칭 필터 대입

“지난 3개월동안 Harris 와 관련된 모든 보안이벤트를 보여줘”
→ Event Type = Security && User Name = ‘Yoni Harris’

Events Jun 05 08:26 - Sep 05 08:26 Export Events

show me all security events for Yoni harris over the past 3 months

AI translated your query to filters: Event Type In Security User Name In Yoni harris

“모든 IPS 관련 이벤트를 지역별, 사용자별, 유형별로 분류해줘”
→ Event Type = Security && Sub-type = IPS, [Source Site], [User Name], [Sub-type]

Show me all IPS events broken into location, user and type

AI translated your query to filters: Event Type In Security Sub-Type In IPS

Columns Created

Source Site User Name Sub-Type

“TLS Inspection 이 활성화된 사용자의 Salesforce 와 Jira 관련 어플리케이션 접근 이력을 분류해서 보여줘”
→ Event Type = Security && Sub-type = IPS, [Source Site], [User Name], [Sub-type]

highlight salesforce and jira which only for accounts with enabled TLSi

AI translated your query to filters: Application In Salesforce, Jira TLS Version In TLSv1.3, TLSv1.2, TLSv1

Columns Created

Application TLS Version


웹서비스 접근 통제 / 가시성 (SaaS / GenAI CASB 제어)

CASB 보안

어플리케이션 통제 (CASB): SaaS API 연동 + 인라인 탐지 및 테넌트 제어

SaaS 우회 접근시
감사 증적 간접 분석

Cato 플랫폼내
SaaS 실트래픽 검사



CATO

NETWORKS

Home

Network

Access

Security

Resources

Account

App_security_team

Security

Security Monitoring

GENERAL

Security Threats

MITRE ATT&CK

Cloud Apps

Cloud Apps

GenAI Apps

Cloud Activities

Data Protection Inline

Data Protection API

Endpoint Protection

Sandbox Reports

Security Configuration

FIREWALL

Internet Firewall

WAN Firewall

LAN Firewall

Remote Port Forwarding

TLS Inspection

Certificate Management

THREAT PREVENTION

IPS

DNS Protection

RBI

Security / App & Data Inline Protection

App & Data Inline Protection

For out-of-band visibility of SaaS application usage, go to the Integrations Page to configure App Activities integrations.

Application Control Policy

Tenant Restriction

App & Data Inline Protection

Published Revision

Application Control



Data Control

Export

New

#	Type	Name	Source	Application	Criteria	Severity	Action	Tracking				
1	Data	block cmc - ron escalation		APPLICATION	Any Cloud Application	ACTIVITIES PROFILES	Upload OR Download	ron escalation cmc	High	Block	Event	
2	Data	block upload credit cards - after revlite		APPLICATION	Slack	ACTIVITIES PROFILES	Upload	Credit cards	High	Block	Event	
3	Data	block upload ssn		APPLICATION	Slack	ACTIVITIES PROFILES	Upload	ssn	High	Block	Event	
4	Data	block credit - after revlite		APPLICATION	Any Cloud Application	ACTIVITIES PROFILES	Upload	Credit cards	High	Block	Event	
5	Data	block google drive cmc		APPLICATION	Any Cloud Application	ACTIVITIES PROFILES	Upload	google drive escalation	High	Block	Event	
6	Data	Copy of block gmail cmc 27		APPLICATION	Gmail	ACTIVITIES PROFILES	Add Attachment	google drive escalation	High	Block	Event	
7	Data	Copy of block gmail cmc 26		APPLICATION	Gmail	ACTIVITIES PROFILES	Send Mail	google drive escalation	High	Block	Event	
8	Data	test edm		APPLICATION	Any Cloud Application	ACTIVITIES PROFILES	Upload OR Download	zafir test	High	Block	Event	
9	Data	block ENG-120407		APPLICATION	Any Cloud Application	ACTIVITIES PROFILES	Upload OR Download	incident ENG-120407	High	Block	Event	
10	Data	Microsoft - Only allow the tenant category		APPLICATION	Any Cloud Application	ACTIVITIES PROFILES	Upload OR Download		Block	Allow	Event	

Unified Insights from CASB and IDP APIs, providing a consolidated view of SaaS Apps usage, **Users** accessing SaaS Apps, **Activities**, **Files**, and **SSO sign-ins**
 CASB 서비스에 대한 포괄적인 인사이트 (Office, Client, Clientless, BYOD 등)
 SaaS 앱 사용량, SaaS 앱에 액세스하는 사용자, 활동, 파일 및 SSO 로그인



CATO

HomeNetworkAccessSecurityResourcesAccount

Try New Navigation

GA

Accounts / Cloud Activities Dashboard

Cloud Activity Dashboard

Last 2 Weeks

Filter

App Monitored Inline811Configure protection

Apps Monitored via API5Connect 1 more

Unsanctioned258 Apps

Accessed Outside Cato246 Apps

Audit Activities

Activities Over Time

Inline API

Download Upload Share Delete Move Failed Login Admin Settings API and Integration Execution Communication and Collaboration Search and View

Users

Inline API

User	Download	Upload	Share	Delete	Failed Sign Ins
Hill@catonetworks.com	1470	11	0	0	0
ron.hughes@catonetworks.com	1039	13	0	0	0
micah.chen@catonetworks.com	979	2	0	0	0
devan.takammanen@catonetworks...	913	1	0	0	0
edward.todd@catonetworks.com	913	98	0	0	0

Top Activities Distribution

Inline API

26.9 K total events

Download93.08%

Upload6.92%

Share0.00%

Delete0.00%

Failed sign ins0.00%



Resources

INTEGRATIONS & EVENTS

Integrations

API Keys

Event Integrations

OBJECTS

Groups

Custom Apps

Categories

IP Ranges

Floating Ranges

Device Posture

ASSET MANAGEMENT

Devices

CATALOGS

App Catalog

Threat Catalog

Indications Catalog

ADVANCED

System Settings

Advanced Configuration

Accounts / Integrations

Integrations

Catalog

Data Protection APIs

Integrated APIs

All

Connectivity

Directory Service

Authentication

Sensitivity Labels

Data Protection

Audit Activities **NEW**

Sign In Activities

EDR

Cloud Storage

Alerts

SIEM Integration

Integration tools

Search by integration name

Connectivity

AWS Cloud ?



Configure

Azure Cloud ?



Configure

GCP ?



Configure

Oracle ?



Configure

vmware ESXi ?



Configure

Physical site ?



Configure

Directory Service

Microsoft Entra ID ?



Configure

Okta ?



Configure

OneLogin ?



Configure

JumpCloud ?



Configure

Authentication

Microsoft Entra ID ?



Configure

Okta ?



Configure

Google ?



Configure

OneLogin ?



Configure

OneWelcome ?



Configure

Ping Federate IDP ?



Configure

GenAI 식별 및 제어

“Shadow AI” 대응 방안

GenAI 활용 지원 방안



Shadow AI 가시성

AI 서비스 카테고리 분류
AI Protection 대시보드
GenAI 사용 현황 리포트




AI 서비스 접근 통제

AI 서비스별 세부 활동 식별
AI categories 서비스 차단
Tenant 제어




데이터 보안


민감 DLP 프로필 정책 수립
사용자 웹 활동 모니터링
일관적인 DLP 정책 구현




조직 구성원의 GenAI 가시성



학습 비활성화시에만 사용자가 질의 가능




학습 통제 설정



ChatGPT 학습설정



ChatGPT 질의 차단



ChatGPT 파일 업로드 차단

GenAI 활용 지원 방안

AI Protection Dashboard




Shadow AI



Access Control





Data Protection



GenAI 활용 지원 방안

GenAI Connector 직접 연동



GenAI 활용 지원 방안

GenAI 리포트



New

× Scheduled Report

1 Report Type

Report Name *
My GenAI Report

Enabled

Type *
GenAI Security Report

2

3

4 Subscriptions

Selection is for ANY of the selected filters

Send notification to
Mailing List

Mailing List
Search or select Mailing List

New

GenAI 활용 지원 방안

주요 민감 정보 프로파일화 (신용카드, 여권번호등)




New

Data Types & Profiles				
DLP Profiles Data Types Settings				
Content Profile	Search			
EDM Profile	Name	Description	Type	Data Types
1	PII		Predefined	Person identifiers [USA] (RECOMMENDED) Credit card numbers - near phrase [Universal] Credit card numbers [Universal] Credit card magnetic track 1 [Universal] Credit card magnetic track 2 [Universal] Driver's licences - DEFAULT [USA] Driver's licences - with phrase [USA] Person identifiers [USA] (RECOMMENDED)
2	Finance		Predefined	International Securities Identification Number (ISIN) [Universal] CUSIP - ALL [USA] Bank routing numbers [USA] CUSIP - TBA securities [USA] CUSIP - PPN [USA] CUSIP - Fixed income securities [USA] CUSIP - Equity securities [USA] SWIFT bank codes [USA] Bank routing numbers [UK] Unique Tax Reference (UTR) - DEFAULT [UK] +6
3	Access Keys & Tokens		Predefined	Alibaba secret key [Universal] AWS access token [Universal] Gcp API key [Universal] Bitbucket client id [Universal] Bitbucket client secret [Universal] Github oauth [Universal] Github pat [Universal] Github refresh token [Universal] Gitlab pat [Universal] Gitlab rrt [Universal] +4
4	Legal		ML Classifier	Agreement Patent Court Power of Attorney

5 Source Code (Soon)


UZTNA

ZTNA 를 위한 다양한 접속 형태 지원
"Security that follows the user"



360-
Degree
Security

전방위적 가시성 및 위협 방어 체계



보안 가시성 <> 위협 분석 <> 보안정책 <> 침해 대응

CATO

N E T W O R K S

감사합니다

We are SASE