Reverseing No0

model9c@gmail.com

ID: bluetail

0.0	0455BB0	\$	60	PUSHAD
				MOV ESI, FFCD7DC6.00437000
0.0	0455BB6		8DBE 00A0FCF	LEA EDI, DWORD PTR DS: [ESI+FFFCA000]
				MOV DWORD PTR DS:[EDI+424D0],689C0471
	0455BC6			PUSH EDI
0.0	0455BC7		83CD FF	OR EBP, FFFFFFFF
0.0	0455BCA			JMP SHORT FFCD7DC6.00455BDA
0.0	0455BCC		90	NOP
0.0	0455BCD		90	NOP
0.0	0455BCE		90	NOP
0.0	0455BCF			NOP
	0455BD0			MOV AL, BYTE PTR DS: [ESI]
	0455BD2			INC ESI
	0455BD3			MOV BYTE PTR DS:[EDI],AL
	0455BD5			INC EDI
	0455BD6			ADD EBX,EBX
				JNZ SHORT FFCD7DC6.00455BE1
	0455BDA			MOV EBX, DWORD PTR DS: [ESI]
				SUB ESI,-4
	0455BDF			ADC EBX, EBX
	0455BE1			JB SHORT FFCD7DC6.00455BD0
			B8 01000000	
	0455BE8			ADD EBX,EBX
				JNZ SHORT FFCD7DC6.00455BF3
	0455BEC			MOV EBX, DWORD PTR DS: [ESI]
				SUB ESI,-4
	0455BF1			ADC EBX, EBX
	0455BF3			ADC EAX, EAX
	0455BF5			ADD EBX,EBX
	0455BF7			JNB SHORT FFCD7DC6.00455BE8
	0455BF9			JNZ SHORT FFCD7DC6.00455C04
	0455BFB			MOV EBX, DWORD PTR DS: [ESI]
			83EE FC	SUB ESI,-4
	0455C00			ADC EBX, EBX
	0455C02			JNB SHORT FFCD7DC6.00455BE8
	0455C04			XOR ECX, ECX
0.0	0455C06	-	83E8 03	SUB EAX,3
0.0	0455C09		72 OD	JB SHORT FFCD7DC6.00455C18
0.0	0455C0B	-	C1E0 08	SHL EAX, 8
0	0455C0E		8A06	MOV AL.BYTE PTR DS:[ESI]


덩그러니.....아무것도 없었다.

00455CC4			MOV EAX, DWORD PTR DS:[EDI]
00455CC6			OR EAX, EAX
00455CC8			JE SHORT FFCD7DC6.00455D06
			MOV EBX, DWORD PTR DS:[EDI+4]
			LEA EAX, DWORD PTR DS: [EAX+ESI+5605C]
00455CD4			ADD EBX, ESI
00455CD6			PUSH EAX
00455CD7			ADD EDI,8
			CALL DWORD PTR DS:[ESI+560FC]
00455CE0			XCHG EAX, EBP
00455CE1			MOV AL, BYTE PTR DS:[EDI]
00455CE3			INC EDI
00455CE4			OR AL, AL
00455CE6			JE SHORT FFCD7DC6.00455CC4
00455CE8			MOV ECX, EDI
00455CEA			PUSH EDI
00455CEB			DEC EAX
00455CEC			REPNE SCAS BYTE PTR ES:[EDI]
00455CEE			PUSH EBP
			CALL DWORD PTR DS:[ESI+56100]
00455CF5			OR EAX, EAX
			JE SHORT FFCD7DC6.00455D00
00455CF9			MOV DWORD PTR DS:[EBX], EAX
			ADD EBX, 4
00455CFE			JMP SHORT FFCD7DC6.00455CE1
			CALL DWORD PTR DS:[ESI+56104]
00455D06		61	POPAD PROPERCY COALANDER
00455D07	-		JMP FFCD7DC6.00441270
00455D0C		245D4500	DD FFCD7DC6.00455D24 DD FFCD7DC6.00455D34
00455D10			
00455D14		D0344400	DD FFCD7DC6.004434D0 DB 00
00455D18		00	DB 00
00455D19			DB 00
00455D1A		00	DB 00
00455D1B		00	DB 00
00455D1C		00	DB 00
00455D1D		00	DB 00
00455D1E		00	DB 00
00455D1F			DB 00
004550201		00	וט פעו


밑으로 쭉 내려보니 JMP문이 있어 break point를 걸고 f9로 실행 후 f8로 진행을 해보았다.

00441270	>	÷55	PUSH EBP	_	-
00441271		8BEC	MOV EBP, ESP		
00441273	?	83C4 F4	ADD ESP,-OC		
00441276		B8 60114400	MOV EAX, FFCD7DC6.00441160		
0044127B		E8 E848FCFF	CALL FFCD7DC6.00405B68		
00441280	?	A1 442C4400	MOV EAX, DWORD PTR DS:[442C44]		
00441285	?	8B00	MOV EAX, DWORD PTR DS: [EAX]		
			CALL FFCD7DC6.0043CE78		
0044128C	?	A1 442C4400	MOV EAX, DWORD PTR DS:[442C44]		
00441291	?	8B00	MOV EAX, DWORD PTR DS: [EAX]		
00441293		BA D0124400	MOV EDX, FFCD7DC6.004412D0	ASCII "Crackers For Freedom CrackMe v3.0"	
00441298		E8 17B8FFFF	CALL FFCD7DC6.0043CAB4		
0044129D	?	8B0D 102D440	MOV ECX,DWORD PTR DS:[442D10]	FFCD7DC6.00443830	
004412A3	?		MOV EAX, DWORD PTR DS:[442C44]		
004412A8	?	8B00	MOV EAX, DWORD PTR DS: [EAX]		
004412AA	?	8B15 5C0C440	MOV EDX,DWORD PTR DS:[440C5C]	FFCD7DC6.00440CA8	
004412B0		E8 DBBBFFFF	CALL FFCD7DC6.0043CE90		
004412B5		A1 442C4400	MOV EAX, DWORD PTR DS:[442C44]		
004412BA	?	8B00	MOV EAX, DWORD PTR DS: [EAX]		
004412BC		E8	DB E8		
004412BD		4F	DB 4F	CHAR 'O'	
004412BE		BC	DB BC		
004412BF		FF	DB FF		
004412C0			JMP FAR EAX	Illegal use of register	
004412C2			STOS BYTE PTR ES:[EDI]		
004412C3	-	23FC	AND EDI,ESP		
004412C5	?	FF00	INC DWORD PTR DS:[EAX]		
004412C7		00	DB 00		
004412C8		FF	DB FF		
004412C9		FF	DB FF		
004412CA		FF	DB FF		
004412CB		FF	DB FF		
004412CC		21	DB 21	CHAR '!'	
004412CD		00	DB 00		
004412CE		00	DB 00		
004412CF		00	DB 00		
004412D0		43	DB 43	CHAR 'C'	
004412D1		72	DB 72	CHAR 'r'	
004412D2		61	DB 61	CHAR 'a'	
004412D3		63	DB 63	CHAR 'c'	


여기부터가 진짜 코드인 듯 하다. 문제는 패킹...



PEID로 확인결과 UPX로 패킹되어있는 것을 확인할 수 있었다.



UPX 프로그램으로 언패킹 실행



모든 문자열 검색으로 문자열들을 검색해 보았다.

```
ASCII "4wB"
DD FFCD7DC6.00440CA8
ASCII "Unit1"
MOV ECX, FFCD7DC6.00440FC8
                                         ASCII "No Name entered"
MOV EDX, FFCD7DC6.00440FD8
                                         ASCII "Enter a Name!"
MOV ECX, FFCD7DC6.00440FE8
                                         ASCII "No Serial entered"
MOV EDX, FFCD7DC6.00440FFC
                                         ASCII "Registered User"
MOV EDX, FFCD7DC6.00441014
MOV EDX, FFCD7DC6.0044102C
MOV ECX, FFCD7DC6.0044103C
                                         ASCII "CrackMe cracked successfully"
MOV EDX, FFCD7DC6.0044105C
                                         ASCII "Congrats! You cracked this CrackMe!"
                                         ASCII "Beggar off!"
MOV ECX, FFCD7DC6.00441080
MOV EDX, FFCD7DC6.0044108C
                                         ASCII "Wrong Serial, try again!"
                                         ASCII "Beggar off!"
MOV ECX, FFCD7DC6.00441080
MOV EDX, FFCD7DC6.0044108C
                                         ASCII "Wrong Serial, try again!"
```

문자열 검색으로 유저와 serial을 확인할 수 있었다.