

Bootstrap Classes Reference

[◀ Previous \(bootstrap_exam.asp\)](#)
[Next ▶ \(bootstrap_ref_css_text.asp\)](#)

Complete List of All Bootstrap Classes

Complete list of all Bootstrap classes with description and examples:

Class ↕	Description	Example
.active	Adds a grey background color to the table row (<tr> or table cell (<td>) (same color used on hover)	Try it (tryit.asp?filename=trybs_table_co
.active	Adds a gray background color to the active link in a default navbar . Adds a black background and a white color to the current link inside an inverted navbar.	Try it (tryit.asp?filename=trybs_navbar&
.active	Adds a blue background color to the active list item in a list group	Try it (tryit.asp?filename=trybs_list_grou

Class ↕	Description	Example
<code>.active</code>	Adds a blue background color to simulate a "pressed" button	Try it (tryit.asp?filename=trybs_button_
<code>.active</code>	Animates a striped progress bar	Try it (tryit.asp?filename=trybs_progress
<code>.active</code>	Adds a blue background color to the active dropdown item in a dropdown	Try it (tryit.asp?filename=trybs_dropdown
<code>.active</code>	Adds a blue background color to the active pagination link (to highlight the current page)	Try it (tryit.asp?filename=trybs_pagination
<code>.affix</code>	The Affix plugin allows an element to become affixed (locked/sticky) to an area on the page. It toggles <code>position:fixed</code> on and off	Try it (tryit.asp?filename=trybs_ref_js_af
<code>.alert</code>	Creates an alert message box	Try it (tryit.asp?filename=trybs_alerts&st
<code>.alert-danger</code>	Red alert box. Indicates a dangerous or potentially negative action	Try it (tryit.asp?filename=trybs_alerts&st
<code>.alert-dismissible</code>	Together with the <code>.close</code> class, this class is used to close the alert	Try it (tryit.asp?filename=trybs_alerts_di
<code>.alert-info</code>	Light-blue alert box. Indicates some information	Try it (tryit.asp?filename=trybs_alerts&st
<code>.alert-link</code>	Used on links inside alerts to add matching colored links	Try it (tryit.asp?filename=trybs_alerts_li
<code>.alert-success</code>	Green alert box. Indicates a successful or positive action	Try it (tryit.asp?filename=trybs_alerts&st

Class ↕	Description	Example
<code>.alert-warning</code>	Yellow alert box. Indicates caution should be taken with this action	Try it (tryit.asp?filename=trybs_alerts&st)
<code>.badge</code>	Creates a circular badge (grey circle - often used as a numerical indicator)	Try it (tryit.asp?filename=trybs_badges&st)
<code>.bg-danger</code>	Adds a red background color to an element. Represents danger or a negative action	Try it (tryit.asp?filename=trybs_txt_bgco)
<code>.bg-info</code>	Adds a light-blue background color to an element. Represents some information	Try it (tryit.asp?filename=trybs_txt_bgco)
<code>.bg-primary</code>	Adds a blue background color to an element. Represents something important	Try it (tryit.asp?filename=trybs_txt_bgco)
<code>.bg-success</code>	Adds a green background color to an element. Indicates success or a positive action	Try it (tryit.asp?filename=trybs_txt_bgco)
<code>.bg-warning</code>	Adds a yellow background color to an element. Represents a warning or a negative action	Try it (tryit.asp?filename=trybs_txt_bgco)
<code>.breadcrumb</code>	A pagination. Indicates the current page's location within a navigational hierarchy	Try it (tryit.asp?filename=trybs_breadcru)
<code>.btn</code>	Creates a basic button (gray background and rounded corners)	Try it (tryit.asp?filename=trybs_button_l)
<code>.btn-block</code>	Creates a block level button that spans the entire width of the parent element	Try it (tryit.asp?filename=trybs_button_l)

Class ↕	Description	Example
<code>.btn-danger</code>	Red button. Indicates danger or a negative action	Try it (tryit.asp?filename=trybs_button_s)
<code>.btn-default</code>	Default button. White background and grey border	Try it (tryit.asp?filename=trybs_button_s)
<code>.btn-group</code>	Groups buttons together on a single line	Try it (tryit.asp?filename=trybs_button_)
<code>.btn-group-justified</code>	Makes a group of buttons span the entire width of the screen	Try it (tryit.asp?filename=trybs_button_)
<code>.btn-group-lg</code>	Large button group (makes all buttons in a button group larger - increased font-size and padding)	Try it (tryit.asp?filename=trybs_button_)
<code>.btn-group-sm</code>	Small button group (makes all buttons in a button group smaller)	Try it (tryit.asp?filename=trybs_button_)
<code>.btn-group-xs</code>	Extra small button group (makes all buttons in a button group extra small)	Try it (tryit.asp?filename=trybs_button_)
<code>.btn-group-vertical</code>	Makes a button group appear vertically stacked	Try it (tryit.asp?filename=trybs_button_)
<code>.btn-info</code>	Light-blue button. Represents information	Try it (tryit.asp?filename=trybs_button_s)
<code>.btn-link</code>	Makes a button look like a link (get button behavior)	Try it (tryit.asp?filename=trybs_button_s)
<code>.btn-lg</code>	Large button	Try it (tryit.asp?filename=trybs_button_s)
<code>.btn-primary</code>	Blue button.	Try it (tryit.asp?filename=trybs_button_s)
<code>.btn-sm</code>	Small button	Try it (tryit.asp?filename=trybs_button_s)

Class ↕	Description	Example
<code>.btn-success</code>	Green button. Indicates success or a positive action	Try it (tryit.asp?filename=trybs_button_s
<code>.btn-warning</code>	Yellow button. Represents warning or a negative action	Try it (tryit.asp?filename=trybs_button_s
<code>.btn-xs</code>	Extra small button	Try it (tryit.asp?filename=trybs_button_s
<code>.caption</code>	Adds a caption text inside a <code>.thumbnail</code>	Try it (tryit.asp?filename=trybs_img_thu
<code>.caret</code>	Creates a caret arrow icon ▼, which indicates that the button is a dropdown	Try it (tryit.asp?filename=trybs_ref_hlp_
<code>.carousel</code>	Creates a carousel (slideshow)	Try it (tryit.asp?filename=trybs_carousel
<code>.carousel-caption</code>	Creates a caption text for each slide in the carousel	Try it (tryit.asp?filename=trybs_carousel
<code>.carousel-control</code>	Container for next and previous links	Try it (tryit.asp?filename=trybs_carousel
<code>.carousel-indicators</code>	Adds little dots/indicators at the bottom of each slide (which indicates how many slides there is in the carousel, and which slide the user are currently viewing)	Try it (tryit.asp?filename=trybs_carousel
<code>.carousel-inner</code>	Container for slide items	Try it (tryit.asp?filename=trybs_carousel
<code>.center-block</code>	Centers any element (Sets an element to <code>display:block</code> with <code>margin-right:auto</code> and <code>margin-left:auto</code>)	Try it (tryit.asp?filename=trybs_ref_hlp_
<code>.checkbox</code>	Container for checkboxes	Try it (tryit.asp?filename=trybs_form_ch

Class ↕	Description	Example
<code>.checkbox-inline</code>	Makes multiple checkboxes appear on the same line	Try it (tryit.asp?filename=trybs_form_ch)
<code>.clearfix</code>	Clears floats	Try it (tryit.asp?filename=trybs_grid_ex7)
<code>.close</code>	Indicates a close icon	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.col-**-*</code>	Responsive grid (span 1-12 column). Extra small devices Phones (< 768px), Small devices Tablets (≥768px), Medium devices Desktops (≥992px), Large devices Desktops (≥1200px). Column values can be 1-12.	Try it (tryit.asp?filename=trybs_grid_larg)
<code>.col-**-offset-*</code>	Move columns to the right. These classes increase the left margin of a column by * columns	Try it (tryit.asp?filename=trybs_grid_ex8)
<code>.col-**-pull-*</code>	Changes the order of the grid columns	Try it (tryit.asp?filename=trybs_grid_ex9)
<code>.col-**-push-*</code>	Changes the order of the grid columns	Try it (tryit.asp?filename=trybs_grid_ex9)
<code>.collapse</code>	Indicates collapsible content - which can be hidden or shown on demand	Try it (tryit.asp?filename=trybs_collapsik)
<code>.collapse in</code>	Show the collapsible content by default	Try it (tryit.asp?filename=trybs_collapsik)
<code>.container</code>	Fixed width container with widths determined by screen sites. Equal margin on the left and right.	Try it (tryit.asp?filename=trybs_gs_conta)
<code>.container-fluid</code>	A container that spans the full width of the screen	Try it (tryit.asp?filename=trybs_gs_conta)

Class ↕	Description	Example
<code>.control-label</code>	Allows a label to be used for form validation	Try it (tryit.asp?filename=trybs_form_ho
<code>.danger</code>	Adds a red background to the table row (<code><tr></code> or table cell (<code><td></code>). Indicates a dangerous or potentially negative action	Try it (tryit.asp?filename=trybs_table_co
<code>.disabled</code>	Disables a button (adds opacity and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_button_;
<code>.disabled</code>	Disables a dropdown item (adds a grey text color and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_dropdow
<code>.disabled</code>	Disables a pagination link (cannot be clicked - adds a grey text color and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_paginati
<code>.disabled</code>	Disables a list item in a list group (cannot be clicked - adds a grey background color and a "no-parking-sign" icon on hover)	Try it (tryit.asp?filename=trybs_list_grou
<code>.divider</code>	Used to separate links in the dropdown menu with a thin horizontal border	Try it (tryit.asp?filename=trybs_dropdow
<code>.dl-horizontal</code>	Lines up the terms <code><dt></code> and descriptions <code><dd></code> in <code><dl></code> elements side-by-side. Starts off like default <code><dl></code> s, but when the browser window expands, it will line up side-by-side	Try it (tryit.asp?filename=trybs_ref_txt_c

Class ↕	Description	Example
<code>.dropdown</code>	Creates a toggleable menu that allows the user to choose one value from a predefined list	Try it (tryit.asp?filename=trybs_dropdown)
<code>.dropdown-header</code>	Used to add headers inside the dropdown menu	Try it (tryit.asp?filename=trybs_dropdown)
<code>.dropdown-menu</code>	Adds the default styles for the dropdown menu container	Try it (tryit.asp?filename=trybs_dropdown)
<code>.dropdown-menu-right</code>	Right-aligns a dropdown menu	Try it (tryit.asp?filename=trybs_dropdown)
<code>.dropdown-toggle</code>	Used on the button that should hide and show (toggle) the dropdown menu	Try it (tryit.asp?filename=trybs_dropdown)
<code>.dropup</code>	Indicates a dropup menu (upwards instead of downwards)	Try it (tryit.asp?filename=trybs_dropup)
<code>.embed-responsive</code>	Container for embedded content. Makes videos or slideshows scale properly on any device	Try it (tryit.asp?filename=trybs_responsive_embed)
<code>.embed-responsive-16by9</code>	Container for embedded content. Creates an 16:9 aspect ratio embedded content	Try it (tryit.asp?filename=trybs_responsive_embed)
<code>.embed-responsive-4by3</code>	Container for embedded content. Creates an 4:3 aspect ratio embedded content	Try it (tryit.asp?filename=trybs_responsive_embed)
<code>.embed-responsive-item</code>	Used inside <code>.embed-responsive</code> . Scales the video nicely to the parent element	Try it (tryit.asp?filename=trybs_responsive_embed)
<code>.fade</code>	Adds a fading effect when closing an alert box	Try it (tryit.asp?filename=trybs_alerts_fade)

Class ↕	Description	Example
<code>.form-control</code>	Used on input, textarea, and select elements to span the entire width of the page and make them responsive	Try it (tryit.asp?filename=trybs_form_ba)
<code>.form-control-feedback</code>	Form validation class	Try it (tryit.asp?filename=trybs_form_ho)
<code>.form-control-static</code>	Adds plain text next to a form label within a horizontal form	Try it (tryit.asp?filename=trybs_form_ho)
<code>.form-group</code>	Container for form input and label	Try it (tryit.asp?filename=trybs_form_ba)
<code>.form-inline</code>	Makes a <code><form></code> left-aligned with inline-block controls (This only applies to forms within viewports that are at least 768px wide)	Try it (tryit.asp?filename=trybs_ref_form)
<code>.form-horizontal</code>	Aligns labels and groups of form controls in a horizontal layout	Try it (tryit.asp?filename=trybs_ref_form)
<code>.glyphicon</code>	Creates an icon. Bootstrap provides 260 free glyphs from the Glyphicons (bootstrap.glyphicons.asp). Halflings set	Try it (tryit.asp?filename=trybs_glyphs&)
<code>.has-danger</code>	Adds a red color to the label and a red border to the input, as well as an error icon inside the input (used together with <code>.has-feedback</code>)	Try it (tryit.asp?filename=trybs_form_ho)
<code>.has-feedback</code>	Adds feedback icons for inputs (checkmark, warning and error signs)	Try it (tryit.asp?filename=trybs_form_ho)

Class ↕	Description	Example
<code>.has-success</code>	Adds a green color to the label and a green border to the input, as well as a checkmark icon inside the input (used together with <code>.has-feedback</code>)	Try it (tryit.asp?filename=trybs_form_ho)
<code>.has-warning</code>	Adds a yellow/orange color to the label and a yellow/orange border to the input, as well as a checkmark icon inside the input (used together with <code>.has-feedback</code>)	Try it (tryit.asp?filename=trybs_form_ho)
<code>.help-block</code>	A block of help text that breaks onto a new line and may extend beyond one line.	Try it (tryit.asp?filename=trybs_input_ho)
<code>.hidden</code>	Forces an element to be hidden (<code>display:none</code>)	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.hidden-*</code>	Hides content depending on screen size	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.hide</code>	Deprecated. Use <code>.hidden</code> instead	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.h1</code> - <code>.h6</code>	Makes an element look like a heading of the chosen class (h1-h6)	Try it (tryit.asp?filename=trybs_ref_txt_h)
<code>.icon-bar</code>	Used in the navbar to create a hamburger menu (three horizontal bars)	Try it (tryit.asp?filename=trybs_navbar_)
<code>.icon-next</code>	Unicode icon (arrow pointing right), used in carousels. This is often replaced with a glyphicon	Try it (tryit.asp?filename=trybs_carousel)

Class ↕	Description	Example
<code>.icon-prev</code>	Unicode icon (arrow pointing left), used in carousels. This is often replaced with a glyphicon	Try it (tryit.asp?filename=trybs_carousel
<code>.img-circle</code>	Shapes an image to a circle (not supported in IE8 and earlier)	Try it (tryit.asp?filename=trybs_img_circ
<code>.img-responsive</code>	Makes an image responsive	Try it (tryit.asp?filename=trybs_img_resi
<code>.img-rounded</code>	Adds rounded corners to an image	Try it (tryit.asp?filename=trybs_img_rou
<code>.img-thumbnail</code>	Shapes an image to a thumbnail (borders)	Try it (tryit.asp?filename=trybs_img_thu
<code>.in</code>	Fades in tabs	Try it (tryit.asp?filename=trybs_tabs_dyr
<code>.info</code>	Adds a light-blue background to the table row (<code><tr></code>) or table cell (<code><td></code>). Indicates a neutral informative change or action	Try it (tryit.asp?filename=trybs_table_co
<code>.initialism</code>	Displays the text inside an <code><abbr></code> element in a slightly smaller font size	Try it (tryit.asp?filename=trybs_ref_txt_2
<code>.input-group</code>	Container to enhance an input by adding an icon, text or a button in front or behind it as a "help text"	Try it (tryit.asp?filename=trybs_form_in
<code>.input-group-lg</code>	Large input group	Try it (tryit.asp?filename=trybs_form_in
<code>.input-group-sm</code>	Small input group	Try it (tryit.asp?filename=trybs_form_in

Class ↕	Description	Example
<code>.input-group-addon</code>	Together with the <code>.input-group</code> class, this class makes it possible to add an icon or help text next to the input field	Try it (tryit.asp?filename=trybs_form_in)
<code>.input-group-btn</code>	Together with the <code>.input-group</code> class, this class attaches a button next to an input. Often used as a search bar	Try it (tryit.asp?filename=trybs_form_in)
<code>.input-lg</code>	Large input field	Try it (tryit.asp?filename=trybs_input_h)
<code>.input-sm</code>	Small input field	Try it (tryit.asp?filename=trybs_input_h)
<code>.invisible</code>	Makes an element invisible (<code>visibility:hidden</code>). Note: Even though the element is invisible, it will take up space on the page	Try it (tryit.asp?filename=trybs_ref_hlp)
<code>.item</code>	Class added to each carousel item. May be text or images	Try it (tryit.asp?filename=trybs_carousel)
<code>.jumbotron</code>	Creates a padded grey box with rounded corners that enlarges the font sizes of the text inside it. Creates a big box for calling extra attention to some special content or information	Try it (tryit.asp?filename=trybs_jumbotr)
<code>.label</code>	Adds a grey rounded box to an element. Provides additional information about something (e.g. "New")	Try it (tryit.asp?filename=trybs_labels&s)
<code>.label-danger</code>	Red label	Try it (tryit.asp?filename=trybs_labels2&)

Class ↕	Description	Example
<code>.label-info</code>	Light-blue label	Try it (tryit.asp?filename=trybs_labels2&
<code>.label-success</code>	Green label	Try it (tryit.asp?filename=trybs_labels2&
<code>.label-warning</code>	Yellow label	Try it (tryit.asp?filename=trybs_labels2&
<code>.lead</code>	Increase the font size and line height of a paragraph	Try it (tryit.asp?filename=trybs_ref_txt_l
<code>.left</code>	Used to identify the left carousel control	Try it (tryit.asp?filename=trybs_carousel
<code>.list-group</code>	Creates a bordered list group for <code></code> elements	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item</code>	Added to each <code></code> element in the list group	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item-heading</code>	Creates a list group heading (used on other elements besides <code></code>)	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item-text</code>	Used for item text inside the list group (used on other elements besides <code></code>)	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item-danger</code>	Red background color for a list item in a list group	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item-info</code>	Light-blue background color for a list item in a list group	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item-success</code>	Green background color for a list item in a list group	Try it (tryit.asp?filename=trybs_list_grou
<code>.list-group-item-warning</code>	Yellow background color for a list item in a list group	Try it (tryit.asp?filename=trybs_list_grou

Class ↕	Description	Example
<code>.list-inline</code>	Places all list items on a single line (horizontal menu)	Try it (tryit.asp?filename=trybs_menu_li)
<code>.list-unstyled</code>	Removes all default list-style (bullets, left margin, etc.) styling from a <code></code> or <code></code> list	Try it (tryit.asp?filename=trybs_ref_txt_l)
<code>.mark</code>	Highlights text: Highlighted text	Try it (tryit.asp?filename=trybs_ref_txt_r)
<code>.media</code>	Aligns media objects (like images or videos - often used for comments in a blog post etc)	Try it (tryit.asp?filename=trybs_media_l)
<code>.media-body</code>	Text that should appear next to a media object	Try it (tryit.asp?filename=trybs_media_l)
<code>.media-heading</code>	Creates a heading inside the media object	Try it (tryit.asp?filename=trybs_media_l)
<code>.media-list</code>	Nested media lists	Try it (tryit.asp?filename=trybs_media_li)
<code>.media-object</code>	Indicates a media object (image or video)	Try it (tryit.asp?filename=trybs_media_l)
<code>.modal</code>	Identifies the content as a modal and brings focus to it	Try it (tryit.asp?filename=trybs_modal&s)
<code>.modal-body</code>	Defines the style for the body of the modal. Add any HTML markup here (p, img, etc)	Try it (tryit.asp?filename=trybs_modal&s)
<code>.modal-content</code>	Styles the modal (border, background-color, etc). Inside this, add the modal's header, body and footer, if needed	Try it (tryit.asp?filename=trybs_modal&s)
<code>.modal-dialog</code>	Sets the proper width and margin of the modal	Try it (tryit.asp?filename=trybs_modal&s)

Class ↕	Description	Example
<code>.modal-footer</code>	The footer of the modal (often contains an action button and a close button)	Try it (tryit.asp?filename=trybs_modal&...)
<code>.modal-header</code>	The header of the modal (often contains a title and a close button)	Try it (tryit.asp?filename=trybs_modal&...)
<code>.modal-lg</code>	Large modal (wider than default)	Try it (tryit.asp?filename=trybs_modal_lg&...)
<code>.modal-open</code>	Used on the <code><body></code> element to prevent page scrolling (<code>overflow:hidden</code>)	Try it (tryit.asp?filename=trybs_modal&...)
<code>.modal-sm</code>	Small modal (less width)	Try it (tryit.asp?filename=trybs_modal_s&...)
<code>.modal-title</code>	The title of the modal	Try it (tryit.asp?filename=trybs_modal&...)
<code>.nav nav-tabs</code>	Indicates a tabbed menu	Try it (tryit.asp?filename=trybs_ref_com&...)
<code>.nav nav-pills</code>	Indicates a pill menu	Try it (tryit.asp?filename=trybs_pills&sta&...)
<code>.nav .navbar-nav</code>	Used on a <code></code> container that contains the list items with links inside a navigation bar	Try it (tryit.asp?filename=trybs_navbar&...)
<code>.nav-justified</code>	Centers tabs/pills. Note that on screens smaller than 768px the items are stacked (content will remain centered)	Try it (tryit.asp?filename=trybs_ref_com&...)
<code>.nav-stacked</code>	Vertically stack tabs or pills	Try it (tryit.asp?filename=trybs_pills_ver&...)
<code>.nav-tabs</code>	Creates a tabbed menu	Try it (tryit.asp?filename=trybs_tabs_dyn&...)
<code>.navbar</code>	Creates a navigation bar	Try it (tryit.asp?filename=trybs_navbar&...)

Class ↕	Description	Example
<code>.navbar-brand</code>	Added to a link or a header element inside the navbar to represent a logo or a header	Try it (tryit.asp?filename=trybs_navbar&
<code>.navbar-btn</code>	Vertically aligns a button inside a navbar	Try it (tryit.asp?filename=trybs_navbar_1
<code>.navbar-collapse</code>	Collapses the navbar (hidden and replaced with a menu/hamburger icon on mobile phones and small tablets)	Try it (tryit.asp?filename=trybs_navbar_2
<code>.navbar-default</code>	Creates a default navigation bar (light-grey background color)	Try it (tryit.asp?filename=trybs_navbar&
<code>.navbar-fixed-bottom</code>	Makes the navbar stay at the bottom of the screen (sticky/fixed)	Try it (tryit.asp?filename=trybs_navbar_3
<code>.navbar-fixed-top</code>	Makes the navbar stay at the top of the screen (sticky/fixed)	Try it (tryit.asp?filename=trybs_navbar_4
<code>.navbar-form</code>	Added to form elements inside the navbar to vertically center them (proper padding)	Try it (tryit.asp?filename=trybs_navbar_5
<code>.navbar-header</code>	Added to a container element that contains the link/element that represent a logo or a header	Try it (tryit.asp?filename=trybs_navbar&
<code>.navbar-inverse</code>	Creates a black navigation bar (instead of light-grey)	Try it (tryit.asp?filename=trybs_navbar_6
<code>.navbar-left</code>	Aligns nav links, forms, buttons, or text, in the navbar to the left	Try it (tryit.asp?filename=trybs_navbar_7

Class ↕	Description	Example
<code>.navbar-link</code>	Styles an element to look like a link inside the navbar (anchors get proper padding and an underline on hover, while other elements like <code>p</code> or <code>span</code> gets a default hover effect - white color in an inversed navbar and a black color in a default navbar)	Try it (tryit.asp?filename=trybs_navbar_link)
<code>.navbar-nav</code>	Used on a <code></code> container that contains the list items with links inside a navigation bar	Try it (tryit.asp?filename=trybs_navbar_nav)
<code>.navbar-right</code>	Aligns nav links, forms, buttons, or text in the navbar to the right.	Try it (tryit.asp?filename=trybs_navbar_right)
<code>.navbar-static-top</code>	Removes left, top and right borders (rounded corners) from the navbar (default navbar has a gray border and a 4px border-radius by default)	Try it (tryit.asp?filename=trybs_navbar_static_top)
<code>.navbar-text</code>	Vertical align any elements inside the navbar that are not links (ensures proper padding)	Try it (tryit.asp?filename=trybs_navbar_text)
<code>.navbar-toggle</code>	Styles the button that should open the navbar on small screens. Often used together with three <code>.icon-bar</code> classes to indicate a toggleable menu icon (hamburger/bars)	Try it (tryit.asp?filename=trybs_navbar_toggle)
<code>.next</code>	Used in the carousel control to identity the next control	Try it (tryit.asp?filename=trybs_carousel_next)

Class ↕	Description	Example
.next	Used to align pager buttons to the right side of the page (next button)	Try it (tryit.asp?filename=trybs_pager_p)
.page-header	Adds a horizontal line under the heading (+ adds some extra space around the element)	Try it (tryit.asp?filename=trybs_page-hea)
.pager	Creates previous/next buttons (used on elements)	Try it (tryit.asp?filename=trybs_pager&st)
.pagination	Creates a pagination (Useful when you have a web site with lots of pages. Used on elements)	Try it (tryit.asp?filename=trybs_pagination)
.pagination-lg	Large pagination (each pagination link gets a font-size of 18px. Default is 14px)	Try it (tryit.asp?filename=trybs_pagination)
.pagination-sm	Small pagination (each pagination link gets a font-size of 12px. Default is 14px)	Try it (tryit.asp?filename=trybs_pagination)
.panel	Creates a bordered box with some padding around its content	Try it (tryit.asp?filename=trybs_panels&:)
.panel-body	Container for content inside the panel	Try it (tryit.asp?filename=trybs_panels_b)
.panel-collapse	Collapsible panel (toggle between hiding and showing panel(s))	Try it (tryit.asp?filename=trybs_collapsib)
.panel-danger	Red panel. Indicates danger	Try it (tryit.asp?filename=trybs_panels_c)
.panel-info	Light-blue panel. Indicates information	Try it (tryit.asp?filename=trybs_panels_c)

Class ↕	Description	Example
<code>.panel-success</code>	Green panel. Indicates success	Try it (tryit.asp?filename=trybs_panels_c)
<code>.panel-warning</code>	Yellow panel. Indicates warning	Try it (tryit.asp?filename=trybs_panels_c)
<code>.panel-footer</code>	Creates a panel footer (light background color)	Try it (tryit.asp?filename=trybs_panels_f)
<code>.panel-group</code>	Used to group many panels together. This removes the bottom margin below each panel	Try it (tryit.asp?filename=trybs_panels_g)
<code>.panel-heading</code>	Creates a panel header (light background color)	Try it (tryit.asp?filename=trybs_panels_h)
<code>.panel-title</code>	Used inside a <code>.panel-heading</code> to adjust the styling of the text (removes margins and adds a font-size of 16px)	Try it (tryit.asp?filename=trybs_panels_t)
<code>.popover</code>	Popup-box that appears when the user clicks on an element	Try it (tryit.asp?filename=trybs_popover)
<code>.pre-scrollable</code>	Makes a <code><pre></code> element scrollable (max-height of 350px and provide a y-axis scrollbar)	Try it (tryit.asp?filename=trybs_ref_txt_p)
<code>.prev</code>	Used in carousels to indicate a "previous" link	Try it (tryit.asp?filename=trybs_carousel)
<code>.previous</code>	Used to align pager buttons to the left side of the page (previous button)	Try it (tryit.asp?filename=trybs_pager&st)
<code>.progress</code>	Container for progress bars	Try it (tryit.asp?filename=trybs_progress)
<code>.progress-bar</code>	Creates a progress bar	Try it (tryit.asp?filename=trybs_progress)

Class ↕	Description	Example
<code>.progress-bar-danger</code>	Red progress bar. Indicates danger	Try it (tryit.asp?filename=trybs_progress)
<code>.progress-bar-info</code>	Light-blue progress bar. Indicates information	Try it (tryit.asp?filename=trybs_progress)
<code>.progress-bar-striped</code>	Creates a striped progress bar	Try it (tryit.asp?filename=trybs_progress)
<code>.progress-bar-success</code>	Green progress bar. Indicates success	Try it (tryit.asp?filename=trybs_progress)
<code>.progress-bar-warning</code>	Yellow progress bar. Indicates warning	Try it (tryit.asp?filename=trybs_progress)
<code>.pull-left</code>	Float an element to the left	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.pull-right</code>	Float an element to the right	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.right</code>	Used to identify the right carousel control	Try it (tryit.asp?filename=trybs_carousel)
<code>.row</code>	Container for responsive columns	Try it (tryit.asp?filename=trybs_grid_sta)
<code>.row-no-gutters</code>	Removes the gutters from a row and its columns	Try it (tryit.asp?filename=trybs_grid_no-)
<code>.show</code>	Shows an element (<code>display:block</code>)	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.small</code>	Creates a lighter, secondary text in any heading	Try it (tryit.asp?filename=trybs_ref_txt_s)
<code>.sr-only</code>	Hides an element on all devices except for screen readers	Try it (tryit.asp?filename=trybs_ref_hlp_)
<code>.sr-only-focusable</code>	Hides an element on all devices except for screen readers	Try it (tryit.asp?filename=trybs_ref_hlp_)

Class ↕	Description	Example
<code>.success</code>	Adds a green background color to a table row (<code><tr></code> or table cell (<code><td></code>). Indicates success or a positive action	Try it (tryit.asp?filename=trybs_table_co)
<code>.tab-content</code>	Used together with <code>.tab-pane</code> to creates toggleable/dynamic tabs/pills	Try it (tryit.asp?filename=trybs_tabs_dy)
<code>.tab-pane</code>	Used together with <code>.tab-content</code> to creates toggleable/dynamic tabs/pills	Try it (tryit.asp?filename=trybs_tabs_dy)
<code>.table</code>	Adds basic styling to a table (padding, bottom borders, etc)	Try it (tryit.asp?filename=trybs_table_ba)
<code>.table-bordered</code>	Adds borders on all sides of the table and cells	Try it (tryit.asp?filename=trybs_table_bc)
<code>.table-condensed</code>	Makes a table more compact by cutting cell padding in half	Try it (tryit.asp?filename=trybs_table_co)
<code>.table-hover</code>	Creates a hoverable table (adds a grey background color on table rows on hover)	Try it (tryit.asp?filename=trybs_table_hc)
<code>.table-responsive</code>	Makes a table responsive (adds a horizontal scrollbar when needed)	Try it (tryit.asp?filename=trybs_ref_table)
<code>.text-capitalize</code>	Indicates capitalized text	Try it (tryit.asp?filename=trybs_ref_text)
<code>.text-center</code>	Center-aligns text	Try it (tryit.asp?filename=trybs_ref_text)
<code>.text-danger</code>	Red text color. Indicates danger	Try it (tryit.asp?filename=trybs_txt_color)

Class ↕	Description	Example
<code>.text-hide</code>	Hides text (helps replace an element's text content with a background image)	Try it (tryit.asp?filename=trybs_ref_hlp_
<code>.text-info</code>	Light-blue text color. Indicates information	Try it (tryit.asp?filename=trybs_txt_color
<code>.text-justify</code>	Indicates justified text	Try it (tryit.asp?filename=trybs_ref_text-
<code>.text-left</code>	Aligns the text to the left	Try it (tryit.asp?filename=trybs_ref_text-
<code>.text-lowercase</code>	Changes text to lowercase	Try it (tryit.asp?filename=trybs_ref_text-
<code>.text-muted</code>	Grey text color	Try it (tryit.asp?filename=trybs_txt_color
<code>.text-nowrap</code>	Prevents the text from wrapping	Try it (tryit.asp?filename=trybs_ref_text-
<code>.text-primary</code>	Blue text color	Try it (tryit.asp?filename=trybs_txt_color
<code>.text-right</code>	Aligns text to the right	Try it (tryit.asp?filename=trybs_ref_text-
<code>.text-success</code>	Green text color. Indicates success	Try it (tryit.asp?filename=trybs_txt_color
<code>.text-uppercase</code>	Makes text uppercase	Try it (tryit.asp?filename=trybs_ref_text-
<code>.text-warning</code>	Yellow/orange text color. Indicates warning	Try it (tryit.asp?filename=trybs_txt_color
<code>.thumbnail</code>	Adds a border around an element (often images or videos) to make it look like a thumbnail	Try it (tryit.asp?filename=trybs_img_thu
<code>.tooltip</code>	Popup-box that appears when the user moves the mouse pointer over an element	Try it (tryit.asp?filename=trybs_tooltip&


Class ↕	Description	Example
.visible-*	Deprecated as of v3.2.0. Used to show and/or hide content by device. Note: Use .hidden-* instead	Try it (tryit.asp?filename=trybs_ref_hlp_)
.visible-print-block	Displays the element (display:block) in print (pre)view	
.visible-print-inline	Displays the element (display:inline) in print (pre)view	
.visible-print-inline-block	Displays the element (display:inline-block) in print (pre)view	
.hidden-print	Hides the element (display:none) in print (pre)view	
.warning	Adds a yellow background color to the table row (<tr> or table cell (<td>). Indicates a warning	Try it (tryit.asp?filename=trybs_table_co
.well	Adds a rounded border around an element with a gray background color and some padding	Try it (tryit.asp?filename=trybs_well&sta
.well-lg	Large well (more padding)	Try it (tryit.asp?filename=trybs_well_size
.well-sm	Small well (less padding)	Try it (tryit.asp?filename=trybs_well_size

The table above shows all available Bootstrap 3 classes.

Tip: To see the full list of all **Bootstrap 4** classes, go to our [All Bootstrap 4 CSS Classes Reference \(/bootstrap4/bootstrap_ref_all_classes.asp\)](https://www.w3schools.com/bootstrap4/bootstrap_ref_all_classes.asp).

[< Previous \(bootstrap_exam.asp\)](#)

[Next > \(bootstrap_ref_css_text.asp\)](#)

 [_ \(https://profile.w3schools.com/log-in?redirect_url=https%3A%2F%2Fmy-learning.w3schools.com%2F\).](https://profile.w3schools.com/log-in?redirect_url=https%3A%2F%2Fmy-learning.w3schools.com%2F)

ADVERTISEMENT



(<https://www.w3schools.com/pro/index.php>)

COLOR PICKER (/colors/colors_picker.asp)



(/colors/colors_picker.asp)



(<https://www.facebook.com/w3schoolscom/>)



(https://www.instagram.com/w3schools.com_official/)



(<https://www.linkedin.com/company/w3schools.com/>)



(<https://discord.gg/6Z7UaRbUQM>)



Get certified

**by completing
a Bootstrap 3
course today!**



(<https://shop.w3schools.com/collections/course-catalog/products/bootstrap->

course)

Get started (<https://shop.w3schools.com/>)



Making

PROGRESS?

+1




Keep track of it on MyLearning!

(<https://my-learning.w3schools.com/>)

ADVERTISEMENT





ADVERTISEMENT

ADVERTISEMENT

[Report Error](#)

[Spaces \(https://www.w3schools.com/spaces/\)](https://www.w3schools.com/spaces/)

[Upgrade \(/pro/index.php\)](/pro/index.php)

[Newsletter \(https://campus.w3schools.com/pages/newsletter\)](https://campus.w3schools.com/pages/newsletter)

[Get Certified \(https://shop.w3schools.com/collections/certifications\)](https://shop.w3schools.com/collections/certifications)

Top Tutorials

[HTML Tutorial \(/html/default.asp\)](/html/default.asp)

[CSS Tutorial \(/css/default.asp\)](/css/default.asp)

[JavaScript Tutorial \(/js/default.asp\)](/js/default.asp)

[How To Tutorial \(/howto/default.asp\)](/howto/default.asp)

[SQL Tutorial \(/sql/default.asp\)](/sql/default.asp)

[Python Tutorial \(/python/default.asp\)](/python/default.asp)

[W3.CSS Tutorial \(/w3css/default.asp\)](/w3css/default.asp)

[Bootstrap Tutorial \(/bootstrap/bootstrap_ver.asp\)](/bootstrap/bootstrap_ver.asp)

[PHP Tutorial \(/php/default.asp\)](/php/default.asp)

[Java Tutorial \(/java/default.asp\)](/java/default.asp)

[C++ Tutorial \(/cpp/default.asp\)](/cpp/default.asp)

[jQuery Tutorial \(/jquery/default.asp\)](/jquery/default.asp)

Top References

[HTML Reference \(/tags/default.asp\)](/tags/default.asp)

[CSS Reference \(/cssref/index.php\)](/cssref/index.php)

[JavaScript Reference \(/jsref/default.asp\)](/jsref/default.asp)

[SQL Reference \(/sql/sql_ref_keywords.asp\)](/sql/sql_ref_keywords.asp)

[Python Reference \(/python/python_reference.asp\)](/python/python_reference.asp)

[W3.CSS Reference \(/w3css/w3css_references.asp\)](/w3css/w3css_references.asp)

[Bootstrap Reference \(/bootstrap/bootstrap_ref_all_classes.asp\)](/bootstrap/bootstrap_ref_all_classes.asp)

[PHP Reference \(/php/php_ref_overview.asp\)](/php/php_ref_overview.asp)

[HTML Colors \(/colors/colors_names.asp\)](/colors/colors_names.asp)
[Java Reference \(/java/java_ref_keywords.asp\)](/java/java_ref_keywords.asp)
[Angular Reference \(/angular/angular_ref_directives.asp\)](/angular/angular_ref_directives.asp)
[jQuery Reference \(/jquery/jquery_ref_overview.asp\)](/jquery/jquery_ref_overview.asp)

Top Examples

[HTML Examples \(/html/html_examples.asp\)](/html/html_examples.asp)
[CSS Examples \(/css/css_examples.asp\)](/css/css_examples.asp)
[JavaScript Examples \(/js/js_examples.asp\)](/js/js_examples.asp)
[How To Examples \(/howto/default.asp\)](/howto/default.asp)
[SQL Examples \(/sql/sql_examples.asp\)](/sql/sql_examples.asp)
[Python Examples \(/python/python_examples.asp\)](/python/python_examples.asp)
[W3.CSS Examples \(/w3css/w3css_examples.asp\)](/w3css/w3css_examples.asp)
[Bootstrap Examples \(/bootstrap/bootstrap_examples.asp\)](/bootstrap/bootstrap_examples.asp)
[PHP Examples \(/php/php_examples.asp\)](/php/php_examples.asp)
[Java Examples \(/java/java_examples.asp\)](/java/java_examples.asp)
[XML Examples \(/xml/xml_examples.asp\)](/xml/xml_examples.asp)
[jQuery Examples \(/jquery/jquery_examples.asp\)](/jquery/jquery_examples.asp)

Get Certified

[\(/https://shop.w3schools.com/collections/course-catalog\)](https://shop.w3schools.com/collections/course-catalog) [HTML Certificate \(/https://campus.w3schools.com/collections/certifications/products/html-certificate\)](https://campus.w3schools.com/collections/certifications/products/html-certificate)
[CSS Certificate \(/https://campus.w3schools.com/collections/certifications/products/css-certificate\)](https://campus.w3schools.com/collections/certifications/products/css-certificate)
[JavaScript Certificate \(/https://campus.w3schools.com/collections/certifications/products/javascript-certificate\)](https://campus.w3schools.com/collections/certifications/products/javascript-certificate)
[Front End Certificate \(/https://campus.w3schools.com/collections/certifications/products/front-end-certificate\)](https://campus.w3schools.com/collections/certifications/products/front-end-certificate)
[SQL Certificate \(/https://campus.w3schools.com/collections/certifications/products/sql-certificate\)](https://campus.w3schools.com/collections/certifications/products/sql-certificate)
[Python Certificate \(/https://campus.w3schools.com/collections/certifications/products/python-certificate\)](https://campus.w3schools.com/collections/certifications/products/python-certificate)
[PHP Certificate \(/https://campus.w3schools.com/collections/certifications/products/php-certificate\)](https://campus.w3schools.com/collections/certifications/products/php-certificate)
[jQuery Certificate \(/https://campus.w3schools.com/collections/certifications/products/jquery-certificate\)](https://campus.w3schools.com/collections/certifications/products/jquery-certificate)
[Java Certificate \(/https://campus.w3schools.com/collections/certifications/products/java-certificate\)](https://campus.w3schools.com/collections/certifications/products/java-certificate)
[C++ Certificate \(/https://campus.w3schools.com/collections/certifications/products/c-certificate\)](https://campus.w3schools.com/collections/certifications/products/c-certificate)
[C# Certificate \(/https://campus.w3schools.com/collections/certifications/products/c-certificate-1\)](https://campus.w3schools.com/collections/certifications/products/c-certificate-1)
[XML Certificate \(/https://campus.w3schools.com/collections/certifications/products/xml-certificate\)](https://campus.w3schools.com/collections/certifications/products/xml-certificate)

[FORUM \(/forum/default.asp\)](/forum/default.asp) | [ABOUT \(/about/default.asp\)](/about/default.asp)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use \(/about/about_copyright.asp\)](/about/about_copyright.asp), [cookie and privacy policy \(/about/about_privacy.asp\)](/about/about_privacy.asp).

Copyright 1999-2022 [\(/about/about_copyright.asp\)](/about/about_copyright.asp) by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS [\(/www.w3schools.com/w3css/default.asp\)](/www.w3schools.com/w3css/default.asp).



[\(/https://www.w3schools.com\)](https://www.w3schools.com)

[\(/https://www.w3schools.com\)](https://www.w3schools.com)

[. \(//www.w3schools.com\)](http://www.w3schools.com)

