

# Bootstrap 5 Cheat Sheet





## & All Classes List Reference Guide









## Bootstrap 5 All Classes List (<https://bootstrapcreative.com/resources/bootstrap-5-cheat-sheet-classes-index/>)






Complete list of all Bootstrap 5 classes with description, examples, and links to documentation.







### Free Digital Marketing Guides & Templates


[Browse Free Guides \(/free-guides/\)](#)








Class Name	Preview	Description
<code>.align-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/vertical-align/">https://v5.getbootstrap.com/docs/5.0/utilities/vertical-align/</a> )	 (wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/align-.png)	A set of utility classes for vertically aligning elements.
<code>.align-content-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/#align-content">https://v5.getbootstrap.com/docs/5.0/utilities/flex/#align-content</a> )	 (wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/align-content.png)	Added to the top, center, bottom, start, and end of the flex container.
<code>.align-items-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/#align-items">https://v5.getbootstrap.com/docs/5.0/utilities/flex/#align-items</a> )	 (wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/align-items.png)	Class added to the top of the flex item.
<code>.align-self-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/#align-self">https://v5.getbootstrap.com/docs/5.0/utilities/flex/#align-self</a> )	 (wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/align-self.png)	Used on the container center, bottom, and top.
<code>.align-text-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/vertical-align/">https://v5.getbootstrap.com/docs/5.0/utilities/vertical-align/</a> )	(wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/align-text.png)	A set of utility classes for vertically aligning cell elements.







Class Name	Preview	Descripti
<code>.badge-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/badge/">https://v5.getbootstrap.com/docs/5.0/components/badge/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/badge-.png)	Used for primary, info, da
<code>.bg-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/colors/">https://v5.getbootstrap.com/docs/5.0/utilities/colors/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/bg-.png)	Backgrou secondar
<code>.border-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/">https://v5.getbootstrap.com/docs/5.0/utilities/borders/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/border-.png)	A versatil side or cl secondar 0, top-0
<code>.btn-outline-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/#outline-buttons">https://v5.getbootstrap.com/docs/5.0/components/buttons/#outline-buttons</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/btn-outline.png)	A button backgrou transpar
<code>.carousel-control-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/#with-controls">https://v5.getbootstrap.com/docs/5.0/components/carousel/#with-controls</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/carousel-control.png)	When yo class on (prev, n
<code>.carousel-fade</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/#crossfade">https://v5.getbootstrap.com/docs/5.0/components/carousel/#crossfade</a> )	n/a	Animates
<code>.col</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#auto-layout-columns">https://v5.getbootstrap.com/docs/5.0/layout/grid/#auto-layout-columns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/col.png)	Flexbox i when you the xs br
<code>.col-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#setting-one-column-width">https://v5.getbootstrap.com/docs/5.0/layout/grid/#setting-one-column-width</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/col-.png)	This clas the break the break x1) - (1-1
<code>.form-range</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#range">https://v5.getbootstrap.com/docs/5.0/forms/#range</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-range.png)	Changes
<code>.d-flex</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/display/#common-display-values">https://v5.getbootstrap.com/docs/5.0/utilities/display/#common-display-values</a> )	n/a	Sets the







Class Name	Preview	Description
<code>.d-none</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/display/#common-display-values">https://v5.getbootstrap.com/docs/5.0/utilities/display/#common-display-values</a> )	n/a	Sets the
<code>.d-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/display/#common-display-values">https://v5.getbootstrap.com/docs/5.0/utilities/display/#common-display-values</a> )	n/a	A respon property inline, flex, in
<code>.d-print-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/display/#display-in-print">https://v5.getbootstrap.com/docs/5.0/utilities/display/#display-in-print</a> )	n/a	Changes print-(f
<code>.fixed-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/position/#fixed-bottom">https://v5.getbootstrap.com/docs/5.0/utilities/position/#fixed-bottom</a> )	n/a	This clas window. l {positio
<code>.flex-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/">https://v5.getbootstrap.com/docs/5.0/utilities/flex/</a> )	n/a	Change t lg, xl)-
<code>.flex-fill-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/#fill">https://v5.getbootstrap.com/docs/5.0/utilities/flex/#fill</a> )	n/a	Add to al and fill al
<code>.flex-(grow shrink)-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/#grow-and-shrink">https://v5.getbootstrap.com/docs/5.0/utilities/flex/#grow-and-shrink</a> )	n/a	Forces a available
<code>.float-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/float/">https://v5.getbootstrap.com/docs/5.0/utilities/float/</a> )	n/a	Respons (none, 1
<code>.form-control-plaintext</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#readonly-plain-text">https://v5.getbootstrap.com/docs/5.0/forms/#readonly-plain-text</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-control-plaintext.png)	Use the field styli
<code>.form-row</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#form-row">https://v5.getbootstrap.com/docs/5.0/forms/#form-row</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-row.png)	Works sin look mor
<code>.h-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/sizing/#content">https://v5.getbootstrap.com/docs/5.0/utilities/sizing/#content</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/h-.png)	Height ut parent el
<code>.invalid-feedback</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#server-side">https://v5.getbootstrap.com/docs/5.0/forms/#server-side</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/invalid-feedback.png)	This clas feedback
<code>.is-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#how-it-works">https://v5.getbootstrap.com/docs/5.0/forms/#how-it-works</a> )	n/a	If you do feedback
<code>.justify-content-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/flex/#justify-content">https://v5.getbootstrap.com/docs/5.0/utilities/flex/#justify-content</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/justify-content.png)	Class sp container center,

Class Name	Preview	Description
<code>.m*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/spacing/#notation">https://v5.getbootstrap.com/docs/5.0/utilities/spacing/#notation</a> )	n/a	Applies n {sides}-{t m(t, b, r,
<code>.p*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/spacing/#notation">https://v5.getbootstrap.com/docs/5.0/utilities/spacing/#notation</a> )	n/a	Applies p {property p(t, b, r,
<code>.progress-bar-animated</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/progress/#animated-stripes">https://v5.getbootstrap.com/docs/5.0/components/progress/#animated-stripes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/progress-bar-animated.gif)	When thi animated
<code>.nav-fill</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#fill-and-justify">https://v5.getbootstrap.com/docs/5.0/components/navs/#fill-and-justify</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/nav-fill.png)	Makes al different
<code>.nav-justified</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#fill-and-justify">https://v5.getbootstrap.com/docs/5.0/components/navs/#fill-and-justify</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/nav-justified.png)	Makes al space.
<code>.navbar-collapse</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar/#supported-content">https://v5.getbootstrap.com/docs/5.0/components/navbar/#supported-content</a> )	n/a	The nav   widths.
<code>.navbar-expand-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar/#how-it-works">https://v5.getbootstrap.com/docs/5.0/components/navbar/#how-it-works</a> )	n/a	Since the specifies
<code>.navbar-text</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar/#supported-content">https://v5.getbootstrap.com/docs/5.0/components/navbar/#supported-content</a> )	n/a	Vertically
<code>.navbar-toggler-icon</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar/#nav">https://v5.getbootstrap.com/docs/5.0/components/navbar/#nav</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/navbar-toggler-icon.png)	The chec image of
<code>.no-gutters</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#no-gutters">https://v5.getbootstrap.com/docs/5.0/layout/grid/#no-gutters</a> )	n/a	Removes child col edges of
<code>.order-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#flex-order">https://v5.getbootstrap.com/docs/5.0/layout/grid/#flex-order</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/order.png)	This clas page reg rearrange
<code>.rounded-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#border-radius">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#border-radius</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/rounded.png)	The .img with imag could use You can : of the rac








Class Name	Preview	Description
<code>.visible</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/visibility/">https://v5.getbootstrap.com/docs/5.0/utilities/visibility/</a> )	n/a	Hides the property.
<code>.w-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/sizing/">https://v5.getbootstrap.com/docs/5.0/utilities/sizing/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/w-.png)	Width utility classes for parent elements.
<code>.was-validated</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#how-it-works">https://v5.getbootstrap.com/docs/5.0/forms/#how-it-works</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/was-validated.png)	This class styles the form to show validation messages.
<code>.alert-heading</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/alerts/#additional-content">https://v5.getbootstrap.com/docs/5.0/components/alerts/#additional-content</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/alert-heading.png)	This class styles the alert heading.
<code>.blockquote</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#blockquotes">https://v5.getbootstrap.com/docs/5.0/content/typography/#blockquotes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/blockquote.png)	Adds a default margin to the blockquote.
<code>.blockquote-footer</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#naming-a-source">https://v5.getbootstrap.com/docs/5.0/content/typography/#naming-a-source</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/blockquote-footer.png)	Wrapping the footer text in the blockquote.
<code>.btn-group-lg</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/button-group/#sizing">https://v5.getbootstrap.com/docs/5.0/components/button-group/#sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/btn-group-sizes.png)	Increases the size of the button group.
<code>.btn-group-sm</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/button-group/#sizing">https://v5.getbootstrap.com/docs/5.0/components/button-group/#sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/btn-group-sizes.png)	Decreases the size of the button group.
<code>.btn-group-toggle</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/#checkbox-and-radio-buttons">https://v5.getbootstrap.com/docs/5.0/components/buttons/#checkbox-and-radio-buttons</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/btn-group-toggle.gif)	This class toggles the button group.
<code>.btn-lg</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/#sizes">https://v5.getbootstrap.com/docs/5.0/components/buttons/#sizes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/btn-large.png)	Increases the size of the button.









Class Name	Preview	Description
<code>.btn-outline-* ()</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/btn-outline.png)	Transparent buttons with colored outlines (danger, info, primary, secondary, success, warning).
<code>.card (https://v5.getbootstrap.com/docs/5.0/components/card/#example)</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card.png)	The basic card structure.
<code>.card-body (https://v5.getbootstrap.com/docs/5.0/components/card/#example)</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-block.png)	This class is used for the main content area of a card.
<code>.card-columns (https://v5.getbootstrap.com/docs/5.0/components/card/#columns)</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-columns.png)	The <code>.card-columns</code> class is used to create a columnar layout for cards, similar to a collection.
<code>.card-* (https://v5.getbootstrap.com/docs/5.0/components/card/#background-variants)</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-*.png)	First add background color variants to the card.
<code>.card-deck (https://v5.getbootstrap.com/docs/5.0/components/card/#decks)</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-deck-wrapper.png)	Similar to the <code>.card-columns</code> class, but the cards are wrapped in a <code>.card-deck</code> container.
<code>.card-footer (https://v5.getbootstrap.com/docs/5.0/components/card/#header-and-footer)</code>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-footer.png)	Wrap the class around the footer content.







Class Name	Preview	Description
<b>.card-group</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#groups">https://v5.getbootstrap.com/docs/5.0/components/card/#groups</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-group.png)	The parent is similar to
<b>.card-header</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#header-and-footer">https://v5.getbootstrap.com/docs/5.0/components/card/#header-and-footer</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-header.png)	Wrap class
<b>.card-header-pills</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#header-nav">https://v5.getbootstrap.com/docs/5.0/components/card/#header-nav</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-header-pills.png)	Class added to card header
<b>.card-header-tabs</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#header-nav">https://v5.getbootstrap.com/docs/5.0/components/card/#header-nav</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-header-tabs.png)	Class added to card header
<b>.card-img</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#image-overlays">https://v5.getbootstrap.com/docs/5.0/components/card/#image-overlays</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-image.png)	Add this to background
<b>.card-img-bottom</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#image-caps">https://v5.getbootstrap.com/docs/5.0/components/card/#image-caps</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-img-bottom.png)	Similar to image


Class Name	Preview	Description
<b>.card-img-overlay</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#image-overlays">https://v5.getbootstrap.com/docs/5.0/components/card/#image-overlays</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-image.png)	Wrapper overlay
<b>.card-img-top</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#content-types">https://v5.getbootstrap.com/docs/5.0/components/card/#content-types</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-img-top.png)	Similar to
<b>.card-inverse</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#inverted-text">https://v5.getbootstrap.com/docs/5.0/components/card/#inverted-text</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-inverse.png)	Inverts the
<b>.card-link</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#content-types">https://v5.getbootstrap.com/docs/5.0/components/card/#content-types</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-link.png)	Adds space
<b>.card-subtitle</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#content-types">https://v5.getbootstrap.com/docs/5.0/components/card/#content-types</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-subtitle.png)	Class added
<b>.card-text</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#example">https://v5.getbootstrap.com/docs/5.0/components/card/#example</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-text.png)	This class





















Class Name	Preview	Description
<b>.card-title</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#example">https://v5.getbootstrap.com/docs/5.0/components/card/#example</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/card-title.png)	The class
<b>.carousel-item</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/#example">https://v5.getbootstrap.com/docs/5.0/components/carousel/#example</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/carousel-item.png)	The wrap
<b>.clearfix</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#clearfix">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#clearfix</a> )	n/a	Clears the element
<b>.col-form-label</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#using-the-grid">https://v5.getbootstrap.com/docs/5.0/forms/#using-the-grid</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/col-form-label.png)	Class ad
<b>.col-form-label-lg</b> ()	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/col-form-label-lg.png)	Increase
<b>.col-form-label-sm</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/">https://v5.getbootstrap.com/docs/5.0/forms/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/col-form-label-sm.png)	Decrease
<b>.col-xl-*</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#grid-options">https://v5.getbootstrap.com/docs/5.0/layout/grid/#grid-options</a> )	n/a	Set column s
<b>.custom-checkbox</b> <a href="https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes">https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-checkbox.png)	Parent cl HTML/CSS
<b>.custom-control</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#custom-forms">https://v5.getbootstrap.com/docs/5.0/forms/#custom-forms</a> )	n/a	Used on display:ir
<b>.custom-control-inline</b> <a href="https://v5.getbootstrap.com/docs/5.0/forms/#inline-1">https://v5.getbootstrap.com/docs/5.0/forms/#inline-1</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-control-inline.png)	Custom f make the
<b>.custom-control-input</b> <a href="https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes">https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes</a>	n/a	This clas adds the










Class Name	Preview	Description
<code>.custom-control-label</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#auto-sizing">https://v5.getbootstrap.com/docs/5.0/forms/#auto-sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-control-label.png)	When cre default cl
<code>.custom-file</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#file-browser">https://v5.getbootstrap.com/docs/5.0/forms/#file-browser</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-file.png)	Class ad upload in
<code>.custom-file-control</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#file-browser">https://v5.getbootstrap.com/docs/5.0/forms/#file-browser</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-file-control.png)	Similar to div to bui
<code>.custom-file-input</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#file-browser">https://v5.getbootstrap.com/docs/5.0/forms/#file-browser</a> )	n/a	This clas CSS
<code>.custom-file-label</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#file-browser">https://v5.getbootstrap.com/docs/5.0/forms/#file-browser</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-file-label.png)	When cre default fil
<code>.custom-radio</code> ()	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-radio.png)	This clas class to s
<code>.custom-select</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#select-menu">https://v5.getbootstrap.com/docs/5.0/forms/#select-menu</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens//custom-select.png)	Class ad
<code>.custom-select-sm</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#select-menu">https://v5.getbootstrap.com/docs/5.0/forms/#select-menu</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-select-sm.png)	Decrease
<code>.custom-select-lg</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes">https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/custom-select-lg.png)	Increase:
<code>.custom-switch</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#switches">https://v5.getbootstrap.com/docs/5.0/forms/#switches</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/bootstrap-4-switch.png)	Creates : on touch








Class Name	Preview	Description
<code>.d-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#css-display-block-inline-inline-block">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#css-display-block-inline-inline-block</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/inline-inline-block.png)	Append t inline, inli
<code>.disabled</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/#disabled-state">https://v5.getbootstrap.com/docs/5.0/components/buttons/#disabled-state</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/disabled.png)	Add this have the
<code>.display-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#display-headings">https://v5.getbootstrap.com/docs/5.0/content/typography/#display-headings</a> )	Display 1 Display 2 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/display-headings.png) Display 3 Display 4	This set These cl the page to adjust
<code>.dropdown-divider</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#menu-dividers">https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#menu-dividers</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/dropdown-divider.png)	Class ad
<code>.dropdown-item</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#menu-items">https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#menu-items</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/dropdown-item.png)	This clas
<code>.dropdown-item-text</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#menu-items">https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#menu-items</a> )	n/a	Removes clickable
<code>.dropdown-toggle-split</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#split-button-dropdowns">https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#split-button-dropdowns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/dropdown-toggle-split.png)	Class ad additiona
<code>.dropleft</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#dropleft-variation">https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#dropleft-variation</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/dropleft.png)	Dropdow

Class Name	Preview	Description
<b>.dropright</b> (https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#dropright-variation)	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/dropright.png)	Dropdown
<b>.dropup</b> (https://v5.getbootstrap.com/docs/5.0/components/dropdowns/#dropup-variation)	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/drop-up.png)	Displays
<b>.embed-responsive-*</b> (https://v5.getbootstrap.com/docs/5.0/helpers/embed/#aspect-ratios)	n/a	Class used for the following
<b>.embed-responsive-item</b> (https://v5.getbootstrap.com/docs/5.0/utilities/borders/#responsive-embeds)	n/a	By default video tag element
<b>.figure-caption</b> (https://v5.getbootstrap.com/docs/5.0/content/figures/)	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/figure-caption.png)	Added to
<b>.figure-img</b> (https://v5.getbootstrap.com/docs/5.0/content/figures/)	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/figure-img.png)	Classed
<b>.font-*</b> (https://v5.getbootstrap.com/docs/5.0/utilities/borders/#font-weight-and-italics)	<b>Bold text.</b> Normal weight text. (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/font-weight-italic.png) <i>Italic text.</i>	(italic, we
<b>.form-check</b> (https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes-and-radios)	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-check.png)	The parent
<b>.form-check-inline</b> (https://v5.getbootstrap.com/docs/5.0/forms/#inline)	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-check-inline.png)	Class used












Class Name	Preview	Description
<code>.form-check-input</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#inline">https://v5.getbootstrap.com/docs/5.0/forms/#inline</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-check-input.png)	This class adds styling to form check inputs.
<code>.form-check-label</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes-and-radios">https://v5.getbootstrap.com/docs/5.0/forms/#checkboxes-and-radios</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-check-label.png)	This class adds styling to form check labels.
<code>.form-control-file</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#form-controls">https://v5.getbootstrap.com/docs/5.0/forms/#form-controls</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-control-file.png)	The class adds styling to form control file inputs.
<code>.form-control-lg</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#control-sizing">https://v5.getbootstrap.com/docs/5.0/forms/#control-sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-control-lg.png)	Apply this class to form control inputs to make them larger.
<code>.form-inline</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#inline-forms">https://v5.getbootstrap.com/docs/5.0/forms/#inline-forms</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-inline.png)	Use this class to create inline forms.
<code>.form-text</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#help-text">https://v5.getbootstrap.com/docs/5.0/forms/#help-text</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/form-text.png)	This class adds styling to form text inputs.
<code>.has-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#validation">https://v5.getbootstrap.com/docs/5.0/forms/#validation</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/has-*.png)	The class adds styling to form elements with validation feedback.
<code>.img-fluid</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/images/#responsive-images">https://v5.getbootstrap.com/docs/5.0/content/images/#responsive-images</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/img-fluid.png)	This class makes an image fluid and responsive.
<code>.input-group-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/input-group/#content">https://v5.getbootstrap.com/docs/5.0/forms/input-group/#content</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/input-group-addon.png)	This class adds styling to the left or right of an input group.
<code>.input-group-append</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/input-group/#basic-example">https://v5.getbootstrap.com/docs/5.0/forms/input-group/#basic-example</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/input-group-prepend-append.png)	This class adds styling to the end of an input group.










Class Name	Preview	Description
<code>.input-group-prepend</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/input-group/#basic-example">https://v5.getbootstrap.com/docs/5.0/forms/input-group/#basic-example</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/input-group-prepend-append.png)	This class is used to add an input group to the left of the input field.
<code>.input-group-text</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/#auto-sizing">https://v5.getbootstrap.com/docs/5.0/forms/#auto-sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/input-group-text.png)	This class is used to add an input group to the right of the input field.
<code>.list-group-flush</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/card/#content-types">https://v5.getbootstrap.com/docs/5.0/components/card/#content-types</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/list-group-flush.png)	When adding a new card to a list, remove the <code>.list-group-item</code> class from the previous card and add the <code>.list-group-flush</code> class to the new card.
<code>.list-group-item-action</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/list-group/#anchors-and-buttons">https://v5.getbootstrap.com/docs/5.0/components/list-group/#anchors-and-buttons</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/list-group-item-action.png)	Add this class to a list group item to make it clickable.
<code>.list-inline</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#inline">https://v5.getbootstrap.com/docs/5.0/content/typography/#inline</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/list-inline.png)	Change the display of a list to inline.
<code>.m*#</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#spacing">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#spacing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/m-p*.png)	Sometimes, you may want to add a border to a side of a card or a group of cards. Use the <code>.m*#</code> class to add a border to the side of a card or a group of cards.
<code>.nav-item</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#base-nav">https://v5.getbootstrap.com/docs/5.0/components/navs/#base-nav</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/nav-item.png)	If your nav has a link, use the <code>.nav-item</code> class to add a link to the nav.
<code>.nav-link</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#base-nav">https://v5.getbootstrap.com/docs/5.0/components/navs/#base-nav</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/nav-link.png)	Each and every link in a nav should have the <code>.nav-link</code> class.








Class Name	Preview	Description
<code>.nav-pills</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#pills">https://v5.getbootstrap.com/docs/5.0/components/navs/#pills</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/nav-pills.png)	Use this
<code>.navbar-light</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar/#color-schemes">https://v5.getbootstrap.com/docs/5.0/components/navbar/#color-schemes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/navbar-light.png)	Add this background
<code>.navbar-toggler</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar/#supported-content">https://v5.getbootstrap.com/docs/5.0/components/navbar/#supported-content</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/navbar-toggler.png)	The infar mobile
<code>.offset-*-*</code> ( <a href="https://getbootstrap.com/docs/5.0/layout/grid/#offsetting-columns">https://getbootstrap.com/docs/5.0/layout/grid/#offsetting-columns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/offset.png)	Used to c
<code>.p*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#spacing">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#spacing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/m-p-*.png)	Sometim without w side to a (t r b l x y)
<code>.page-item</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/pagination/">https://v5.getbootstrap.com/docs/5.0/components/pagination/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/page-item.png)	This clas li's'
<code>.page-link</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/pagination/#overview">https://v5.getbootstrap.com/docs/5.0/components/pagination/#overview</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/page-link.png)	This clas
<code>.pagination-sm</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/pagination/#sizing">https://v5.getbootstrap.com/docs/5.0/components/pagination/#sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/pagination-sm.png)	Decrease
<code>.pagination-lg</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/pagination/#sizing">https://v5.getbootstrap.com/docs/5.0/components/pagination/#sizing</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/pagination-lg.png)	Increase:
<code>.position-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/position/">https://v5.getbootstrap.com/docs/5.0/utilities/position/</a> )	N/A	Not resp values. .p










Class Name	Preview	Description
<code>.shadow-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/shadows/">https://v5.getbootstrap.com/docs/5.0/utilities/shadows/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/shadows.png)	Adds a blur
<code>.pos-f-t</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#fixed-positioning">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#fixed-positioning</a> )	n/a	Positions
<code>.sr-only</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#screen-readers-and-keyboard-users">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#screen-readers-and-keyboard-users</a> )	n/a	Hide element
<code>.sr-only-focusable</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#screen-readers-and-keyboard-users">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#screen-readers-and-keyboard-users</a> )	n/a	Combine when it's
<code>.stretched-link</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/helpers/stretched-link/">https://v5.getbootstrap.com/docs/5.0/helpers/stretched-link/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/stretched-link.png)	This class is a parent class for this
<code>.table-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#bordered-table">https://v5.getbootstrap.com/docs/5.0/content/tables/#bordered-table</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/table-bordered.png)	Adds a border. Can also be used for
<code>.table-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes">https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/table-*.png)	Contextual (active disabled)
<code>.table-hover</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#hoverable-rows">https://v5.getbootstrap.com/docs/5.0/content/tables/#hoverable-rows</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/table-hover.png)	Adds a border
<code>.table-reflow</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#reflow">https://v5.getbootstrap.com/docs/5.0/content/tables/#reflow</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/table-reflow.png)	The table
<code>.table-sm</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#small-table">https://v5.getbootstrap.com/docs/5.0/content/tables/#small-table</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/table-sm.png)	Removes much vertical




















Class Name	Preview	Description
<code>.table-striped</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#striped-rows">https://v5.getbootstrap.com/docs/5.0/content/tables/#striped-rows</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/table-striped.png)	Adds a light/dark effect
<code>.text-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#text-alignment">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#text-alignment</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/text-align.png)	Aligns text; then align
<code>.text-break</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/text/#word-break">https://v5.getbootstrap.com/docs/5.0/utilities/text/#word-break</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/text-break.png)	When you generate break the itself.
<code>.thead-dark</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#table-head-options">https://v5.getbootstrap.com/docs/5.0/content/tables/#table-head-options</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/thead-default.png)	The default
<code>.thead-light</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#table-head-options">https://v5.getbootstrap.com/docs/5.0/content/tables/#table-head-options</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/thead-inverse.png)	Inverts the
<code>.alert</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/alerts/">https://v5.getbootstrap.com/docs/5.0/components/alerts/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/alerts-all.png)	The .alert
<code>.alert-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/alerts/">https://v5.getbootstrap.com/docs/5.0/components/alerts/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/alerts-all.png)	Change the secondary
<code>.alert-dismissible</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/alerts/">https://v5.getbootstrap.com/docs/5.0/components/alerts/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/alert-dismissible.png)	Similar to a child element
<code>.alert-link</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/alerts/">https://v5.getbootstrap.com/docs/5.0/components/alerts/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/alert-link.png)	When you the parent
<code>.active</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes">https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/active.png)	Tables context
<code>.bg-danger</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/bg-danger.png)	Similar to of an element on hover,


Class Name	Preview	Descripti
<code>.bg-info</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/bg-info.png)	Similar to of an ele on hover,
<code>.bg-primary</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/bg-primary.png)	Similar to of an ele on hover,
<code>.bg-success</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/bg-success.png)	Similar to of an ele on hover,
<code>.bg-warning</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#contextual-colors-and-backgrounds</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/bg-warning.png)	Similar to of an ele on hover,
<code>.breadcrumb</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/breadcrumb/">https://v5.getbootstrap.com/docs/5.0/components/breadcrumb/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/breadcrumbs.png)	Indicate t
<code>.btn</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn.png)	This clas
<code>.btn-block</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-block.png)	By defau width of i
<code>.btn-danger</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-danger.png)	Defaults
<code>.btn-group</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/button-group/">https://v5.getbootstrap.com/docs/5.0/components/button-group/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-group.png)	Smushes is separa

Class Name	Preview	Descripti
<b>.btn-group-vertical</b> <a href="https://v5.getbootstrap.com/docs/5.0/components/button-group/">(https://v5.getbootstrap.com/docs/5.0/components/button-group/)</a>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-group-vertical.png)	Make a s horizonta
<b>.btn-info</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-info.png)	Button fo light blue
<b>.btn-link</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-link.png)	Keeps th border.
<b>.btn-lg</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-lg.png)	Fancy lar additiona
<b>.btn-primary</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-primary.png)	Use for tl
<b>.btn-sm</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-sm.png)	Fancy lar additiona
<b>.btn-success</b> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-success.png)	Defaults

Class Name	Preview	Description
<code>.btn-toolbar</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/button-group/#button-toolbar">https://v5.getbootstrap.com/docs/5.0/components/button-group/#button-toolbar</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-toolbar.png)	Used to c
<code>.btn-warning</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/buttons/">https://v5.getbootstrap.com/docs/5.0/components/buttons/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/btn-warning.png)	Defaults
<code>.carousel</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/">https://v5.getbootstrap.com/docs/5.0/components/carousel/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/carousel.png)	parent ca
<code>.carousel-caption</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/">https://v5.getbootstrap.com/docs/5.0/components/carousel/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/carousel-caption.png)	Caption f
<code>.carousel-indicators</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/">https://v5.getbootstrap.com/docs/5.0/components/carousel/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/carousel-indicators.png)	parent cl what slid
<code>.carousel-inner</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel/">https://v5.getbootstrap.com/docs/5.0/components/carousel/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/carousel-inner.png)	The div v
<code>.close</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/#close-icon">https://v5.getbootstrap.com/docs/5.0/utilities/borders/#close-icon</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/close.png)	Use the c alerts.
<code>.col-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/">https://v5.getbootstrap.com/docs/5.0/layout/grid/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/col.png)	span 1-1: devices 1 devices 1 can be 1-
<code>.col-*-pull-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#example-column-ordering">https://v5.getbootstrap.com/docs/5.0/layout/grid/#example-column-ordering</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/col-push-pull.png)	Easily ch and .col-'

Class Name	Preview	Description
<code>.col-*-*push-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#example-column-ordering">https://v5.getbootstrap.com/docs/5.0/layout/grid/#example-column-ordering</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/col-push-pull.png)	Easily change column order
<code>.collapse</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/collapse">https://v5.getbootstrap.com/docs/5.0/components/collapse</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/collapse.gif)	hides content
<code>.collapsing</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/collapse">https://v5.getbootstrap.com/docs/5.0/components/collapse</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/collapse.gif)	applied during transition
<code>.container</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#how-it-works">https://v5.getbootstrap.com/docs/5.0/layout/grid/#how-it-works</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/container.png)	Fixed width container with max-width
<code>.container-{breakpoint}</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/overview/#responsive">https://v5.getbootstrap.com/docs/5.0/layout/overview/#responsive</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/container.png)	Fixed width container with max-width
<code>.container-fluid</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#how-it-works">https://v5.getbootstrap.com/docs/5.0/layout/grid/#how-it-works</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/container-fluid.png)	Spans the full width of the page
<code>.dropdown</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns">https://v5.getbootstrap.com/docs/5.0/components/dropdowns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/dropdown.png)	This class is used for dropdown buttons
<code>.dropdown-header</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns">https://v5.getbootstrap.com/docs/5.0/components/dropdowns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/dropdown-header.png)	Used to create a header for the dropdown menu
<code>.dropdown-menu</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns">https://v5.getbootstrap.com/docs/5.0/components/dropdowns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/dropdown-menu.png)	Adds the dropdown menu











Class Name	Preview	Descripti
<div>.dropdown-toggle</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/components/dropdowns">https://v5.getbootstrap.com/docs/5.0/components/dropdowns</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/dropdown-toggle.png)	This clas applied tl
<div>.embed-responsive</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/helpers/embed/">https://v5.getbootstrap.com/docs/5.0/helpers/embed/</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/responsive-embed.png)	The defa
<div>.embed-responsive-16by9</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/helpers/embed/#aspect-ratios">https://v5.getbootstrap.com/docs/5.0/helpers/embed/#aspect-ratios</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/responsive-embed.png)	Div wrap
<div>.embed-responsive-4by3</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/helpers/embed/#aspect-ratios">https://v5.getbootstrap.com/docs/5.0/helpers/embed/#aspect-ratios</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/responsive-embed.png)	Div wrap
<div>.fade</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/components/alerts/#dismissing">https://v5.getbootstrap.com/docs/5.0/components/alerts/#dismissing</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/form-control.png?816196)	To have , the .fade
<div>.form-control</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/forms/">https://v5.getbootstrap.com/docs/5.0/forms/</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/form-control.png)	Class ad responsi
<div>.form-group</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/forms/">https://v5.getbootstrap.com/docs/5.0/forms/</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/form-group.png)	A div wra
<div>.h1 - .h6</div> <div>(<a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a>)</div>	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/h1-h6.png)	Apply he an h1











Class Name	Preview	Description
<code>.img-thumbnail</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/images/">https://v5.getbootstrap.com/docs/5.0/content/images/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/img-thumbnail.png)	Adds rounded corners and a box shadow to images.
<code>.info</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes">https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/info.png)	Tables with contextual classes like <code>.info</code> , <code>.success</code> , <code>.danger</code> , <code>.warning</code> , <code>.light</code> , and <code>.dark</code> .
<code>.initialism</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	HTML is the best thing since sliced bread. (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/initialism.png)	Adds a small font size and a background color to the text.
<code>.input-group</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/forms/input-group/">https://v5.getbootstrap.com/docs/5.0/forms/input-group/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/input-group.png)	Wrapper for a button and an input field.
<code>.invisible</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/">https://v5.getbootstrap.com/docs/5.0/utilities/borders/</a> )	<pre>// Classes .show {   display: block !important; } .hidden {   display: none !important; } .invisible {   visibility: hidden; }</pre> (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/show-hidden-invisible.png)	Makes an element invisible.
<code>.lead</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/lead.png)	Increases the font size and weight of the first letter.
<code>.list-group</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/list-group/">https://v5.getbootstrap.com/docs/5.0/components/list-group/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/list-group-item.png)	Wrapper for a list of items.
<code>.list-group-horizontal</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/list-group/#horizontal">https://v5.getbootstrap.com/docs/5.0/components/list-group/#horizontal</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/list-group-horizontal.png)	The list group items are displayed horizontally.
<code>.list-group-item</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/list-group/">https://v5.getbootstrap.com/docs/5.0/components/list-group/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/list-group-item.png)	Class added to each item in the list group.





Class Name	Preview	Description
<code>.list-group-item-text</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/list-group">https://v5.getbootstrap.com/docs/5.0/components/list-group</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/list-group-text.png)	Class adding heading
<code>.list-group-item-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/list-group">https://v5.getbootstrap.com/docs/5.0/components/list-group</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/list-group-item-color.png)	Change color and warning, etc.
<code>.list-inline</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#inline">https://v5.getbootstrap.com/docs/5.0/content/typography/#inline</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/list-inline.png)	Override default list style
<code>.list-unstyled</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#unstyled">https://v5.getbootstrap.com/docs/5.0/content/typography/#unstyled</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/list-unstyled.png)	Removes default list styling
<code>.mark</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/#inline-text-elements">https://v5.getbootstrap.com/docs/5.0/content/typography/#inline-text-elements</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/mark.png)	For highlighting text, use the <code>highlight</code> class
<code>.modal</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal.gif)	The parent class for the modal
<code>.modal-backdrop</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )		Added by clicking the modal
<code>.modal-body</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-header-body-footer.png)	The modal body
<code>.modal-content</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-content.png)	modal content



Class Name	Preview	Description
<code>.modal-dialog</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-dialogue.png)	The secc
<code>.modal-dialog-centered</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/#vertically-centered">https://v5.getbootstrap.com/docs/5.0/components/modal/#vertically-centered</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/modal-dialog-centered.png)	Vertically
<code>.modal-footer</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-header-body-footer.png)	The foote
<code>.modal-header</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-header-body-footer.png)	The heac button
<code>.modal-lg</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-lg-sm.gif)	Makes a
<code>.modal-open</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )		Javascrī modal is
<code>.modal-sm</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-lg-sm.gif)	Makes th
<code>.modal-title</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/modal/">https://v5.getbootstrap.com/docs/5.0/components/modal/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/modal-header-body-footer.png)	The title
<code>.nav</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/">https://v5.getbootstrap.com/docs/5.0/components/navs/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/navbar.png)	nav base disabled
<code>.nav-tabs</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#tabs">https://v5.getbootstrap.com/docs/5.0/components/navs/#tabs</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/tabs.png)	Class ad

Class Name	Preview	Descripti
<code>.navbar</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar">https://v5.getbootstrap.com/docs/5.0/components/navbar</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/navbar.png)	Navigatic
<code>.navbar-brand</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar">https://v5.getbootstrap.com/docs/5.0/components/navbar</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/navbar-brand-image.png)	Most nav anchor
<code>.navbar-nav</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navbar">https://v5.getbootstrap.com/docs/5.0/components/navbar</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/navbar-nav.png)	The wrap
<code>.next</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/carousel">https://v5.getbootstrap.com/docs/5.0/components/carousel</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/carousel-control.png)	Used in t
<code>.pagination</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/pagination">https://v5.getbootstrap.com/docs/5.0/components/pagination</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/pagination.png)	The wrap
<code>.progress</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/progress">https://v5.getbootstrap.com/docs/5.0/components/progress</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/progress-bar.png)	The pare
<code>.progress-bar</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/progress">https://v5.getbootstrap.com/docs/5.0/components/progress</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/progress-bar.png)	The clas
<code>.progress-bar-striped</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/progress">https://v5.getbootstrap.com/docs/5.0/components/progress</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/progress-bar-striped.png)	Changes
<code>.row</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/">https://v5.getbootstrap.com/docs/5.0/layout/grid/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/col-push-pull.png)	used a p
<code>.row-cols-*-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/layout/grid/#row-columns">https://v5.getbootstrap.com/docs/5.0/layout/grid/#row-columns</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/col-push-pull.png)	Instead c column g making a
<code>.small</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	<code>h1. Bootstrap heading</code> <code>secondary text</code> (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/small.png)	Create liq .small clas

Class Name	Preview	Description
<code>.sr-only</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/borders/">https://v5.getbootstrap.com/docs/5.0/utilities/borders/</a> )		Hide an element
<code>.success</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes">https://v5.getbootstrap.com/docs/5.0/content/tables/#contextual-classes</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/success.png)	Tables contextual classes
<code>.tab-pane</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/navs/#tabs">https://v5.getbootstrap.com/docs/5.0/components/navs/#tabs</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/tab-pane.png)	Class added to the active tab
<code>.table</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables">https://v5.getbootstrap.com/docs/5.0/content/tables</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/table.png)	Adding the table class
<code>.table-sm</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables/#small-table">https://v5.getbootstrap.com/docs/5.0/content/tables/#small-table</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/table-condensed.png)	Removes the table border
<code>.table-bordered</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables">https://v5.getbootstrap.com/docs/5.0/content/tables</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/table-bordered.png)	Adds border to the table
<code>.table-responsive-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/tables">https://v5.getbootstrap.com/docs/5.0/content/tables</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/table-responsive.gif)	Makes a table scrollable on small, xl)
<code>.text-capitalize</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/text-transform.png)	Capitalizes the first letter of each word
<code>.text-justify</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/text-alignment.png)	Full justify text
<code>.text-lowercase</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/text-transform.png)	Changes all text to lowercase
<code>.text-nowrap</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/text/#text-wrapping-and-overflow">https://v5.getbootstrap.com/docs/5.0/utilities/text/#text-wrapping-and-overflow</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/text-alignment.png)	Prevents text from wrapping

Class Name	Preview	Descripti
<code>.text-*</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/utilities/colors/">https://v5.getbootstrap.com/docs/5.0/utilities/colors/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap4-screens/text-colors.png)	Changes (primary dark, bo
<code>.text-uppercase</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/content/typography/">https://v5.getbootstrap.com/docs/5.0/content/typography/</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/text-transform.png)	Makes te
<code>.tooltip</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/tooltips">https://v5.getbootstrap.com/docs/5.0/components/tooltips</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/tooltip.png)	This clas
<code>.tooltip-inner</code> ( <a href="https://v5.getbootstrap.com/docs/5.0/components/tooltips">https://v5.getbootstrap.com/docs/5.0/components/tooltips</a> )	 (/wp-bc/wp-content/themes/wp-bootstrap/images/bootstrap3-screens/tooltip-inner.png)	The wrap javascrip

Bootstrap 5 All Classes List (<https://gist.github.com/JacobLett/13820300ab0534832a0f520df8c7c34d>)

- [HubSpot CMS vs WordPress: Feature Comparison and Review \(/hubspot-cms-vs-wordpress/\)](#)
- [25+ Questions to Ask Before Redesigning Your Business Website \(/website-redesign/\)](#)
- [5 Things A Business Should Consider Before a Website Redesign \(/design-trends-power-influence-appropriate-design/\)](#)
- [How to Get a Responsive Website for Your Manufacturing Company \(/how-to-design-build-an-industrial-manufacturing-responsive-website-fast/\)](#)
- [What Is a Good WordPress Alternative for Businesses? \(/is-hubspot-cms-starter-a-good-wordpress-alternative-for-small-businesses/\)](#)

[Home \(https://bootstrapcreative.com/\)](https://bootstrapcreative.com/) / [Free Digital Marketing Resources & Tools \(https://bootstrapcreative.com/resources/\)](https://bootstrapcreative.com/resources/) / [Bootstrap 5 Cheat Sheet & Classes List Reference](#)

## HubSpot Marketplace Themes (/shop/)

HubSpot Website Themes (<https://bootstrapcreative.com/product-category/hubspot-themes/>)

HubSpot Landing Page Templates (<https://bootstrapcreative.com/product-category/hubspot-landing-page-templates/>)

HubSpot Blog Themes (<https://bootstrapcreative.com/product-category/hubspot-blog-templates/>)

HubSpot Custom Modules (<https://bootstrapcreative.com/product-category/hubspot-modules/>)

Free HubSpot Themes & Modules (<https://bootstrapcreative.com/product-tag/free/>)

Documentation & Support (<https://bootstrapcreative.com/docs/>)

Billing Terms & Conditions (<https://bootstrapcreative.com/shop/billing-terms-conditions/>)

## Free Digital Marketing Resources (/resources/)

---

Markdown to HTML Tool (/resources/markdown-to-escaped-html-online-text-tool/)

Default HubSpot Themes Comparison Table (/resources/hubspot-theme-chooser/)

Free Keyword Match Type Tool for PPC (/resources/google-ads-keyword-match-type-tool/)

Printable UX UI Wireframe Templates (/can-adjust-text-size-bootstrap-responsive-design/)

Web Development Code Snippets (/pattern/)

Bootstrap 5 Cheat Sheet (/resources/bootstrap-5-css-classes-index/) | v. 4 (/resources/bootstrap-4-css-classes-index/) | v. 3 (/resources/bootstrap-3-css-classes-index/)

Flexbox Cheat Sheet (/resources/flexbox-cheat-sheet/) | CSS Properties (/resources/css-cheat-sheet-reference-pdf/)

Responsive Website Examples (/examples/)

## Free Website Improvement Guides (/free-guides/)

---

What is HubSpot Used For? (https://bootstrapcreative.com/glossary/hubspot/)

HubSpot CMS vs WordPress – Developer Review (https://bootstrapcreative.com/hubspot-cms-vs-wordpress/)

HubSpot CMS Tutorial PDF (https://bootstrapcreative.com/resources/a-beginners-guide-to-hubspot-cms/)

Website Redesign Planning Worksheet (https://bootstrapcreative.com/resources/business-website-planning-worksheet-template-checklist/)

10+ Best HubSpot CMS Website Themes (https://bootstrapcreative.com/the-5-best-hubspot-themes-and-templates/)

7+ Best HubSpot CMS Developers (https://bootstrapcreative.com/top-freelance-hubspot-developers-designers/)

How to Create a Business Website Fast (https://bootstrapcreative.com/best-free-website-builder-for-small-business/)

Read Blog (/blog/)

(/about/)

**Jake Lett**

***Helping Marketing & Sales Teams Using HubSpot to Improve Their Websites to Increase Revenue Growth.***

Metro Detroit, Michigan 48038 USA

**Contact Jake** (/contact/) | (586) 894-8024 (tel:15868948024)



(https://www.linkedin.com/company/bootstrap-creative/)



(https://www.youtube.com/c/Bootstrapcreative?sub\_confirmation=1)



(https://www.pinterest.com/bootstrapcreative/)



(<https://ecosystem.hubspot.com/marketplace/solutions/bootstrap-creative>)



(<https://connect.com/member/jakelett>)



(<https://www.figma.com/@jakelett>)

---

©2022 Bootstrap Creative LLC (<https://maps.google.com/maps?cid=13038456665742407005&hl=en>)

[Privacy & Terms \(https://bootstrapcreative.com/privacy-policy/\)](https://bootstrapcreative.com/privacy-policy/)

[Best B2B Ecommerce Website Templates \(/resources/ecommerce-template-chooser/\)](/resources/ecommerce-template-chooser/)

[Best BigCommerce Themes for Sale \(https://bootstrapcreative.com/resources/bigcommerce-template-chooser/\)](https://bootstrapcreative.com/resources/bigcommerce-template-chooser/)

[Manufacturing Web Design & SEO \(https://mfgwebdesign.com/\)](https://mfgwebdesign.com/)

[HTML Sitemap \(https://bootstrapcreative.com/sitemap/\)](https://bootstrapcreative.com/sitemap/)

