

## Cheatsheets / Learn Python 3

# Loops

## Python For Loop

A Python `for` loop can be used to iterate over a list of items and perform a set of actions on each item. The syntax of a `for` loop consists of assigning a temporary value to a variable on each successive iteration.

When writing a `for` loop, remember to properly indent each action, otherwise an `IndentationError` will result.

```
for <temporary variable> in <list variable>:
    <action statement>
    <action statement>

#each num in nums will be printed below
nums = [1,2,3,4,5]
for num in nums:
    print(num)
```

## Python `for` Loops

Python `for` loops can be used to iterate over and perform an action one time for each element in a list.

Proper `for` loop syntax assigns a temporary value, the current item of the list, to a variable on each successive iteration: `for <temporary value> in <a list>:`

`for` loop bodies must be indented to avoid an `IndentationError`.

```
dog_breeds = ["boxer", "bulldog", "shiba inu"]
```

```
# Print each breed:  
for breed in dog_breeds:  
    print(breed)
```

## Python Loops with `range()` .

In Python, a `for` loop can be used to perform an action a specific number of times in a row.

The `range()` function can be used to create a list that can be used to specify the number of iterations in a `for` loop.

```
# Print the numbers 0, 1, 2:  
for i in range(3):  
    print(i)  
  
# Print "WARNING" 3 times:  
for i in range(3):  
    print("WARNING")
```

## Infinite Loop

An infinite loop is a loop that never terminates. Infinite loops result when the conditions of the loop prevent it from terminating. This could be due to a typo in the conditional statement within the loop or incorrect logic. To interrupt a Python program that is running forever, press the `ctrl` and `c` keys together on your keyboard.

### `break` Keyword

In a loop, the `break` keyword escapes the loop, regardless of the iteration number. Once `break` executes, the program will continue to execute after the

loop.

In this example, the output would be:

- 0
- 254
- 2
- Negative number detected!

```
numbers = [0, 254, 2, -1, 3]

for num in numbers:
    if (num < 0):
        print("Negative number detected!")
        break
    print(num)

# 0
# 254
# 2
# Negative number detected!
```

## The Python `continue` Keyword

In Python, the `continue` keyword is used inside a loop to skip the remaining code inside the loop code block and begin the next loop iteration.

```
big_number_list = [1, 2, -1, 4, -5, 5, 2, -9]

# Print only positive numbers:
for i in big_number_list:
    if i < 0:
        continue
    print(i)
```

## Python `while` Loops

In Python, a `while` loop will repeatedly execute a code block as long as a condition evaluates to `True`.

The condition of a `while` loop is always checked first before the block of code runs. If the condition is not met initially, then the code block will never run.

```
# This loop will only run 1 time
hungry = True
while hungry:
    print("Time to eat!")
    hungry = False

# This loop will run 5 times
i = 1
while i < 6:
    print(i)
    i = i + 1
```

## Python Nested Loops

In Python, loops can be *nested* inside other loops. Nested loops can be used to access items of lists which are inside other lists. The item selected from the outer loop can be used as the list for the inner loop to iterate over.

```
groups = [["Jobs", "Gates"], ["Newton", "Euclid"], ["Einstein",
"Feynman"]]

# This outer loop will iterate over each list in the groups list
for group in groups:
    # This inner loop will go through each name in each list
    for name in group:
        print(name)
```

# Python List Comprehension

Python list comprehensions provide a concise way for creating lists. It consists of brackets containing an expression followed by a for clause, then zero or more for or if clauses: `[EXPRESSION for ITEM in LIST <if CONDITIONAL>]`.

The expressions can be anything - any kind of object can go into a list.

A list comprehension always returns a list.

```
# List comprehension for the squares of all even numbers between 0 and 9
result = [x**2 for x in range(10) if x % 2 == 0]

print(result)
# [0, 4, 16, 36, 64]
```

## Related Courses

Course

### Learn Python 3

Learn the latest and greatest version of the most pop