

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: ALUMINIUM POWDER COATED

Recommended use of the chemical

Pigment.

and restrictions on use:

Supplier: Orica Australia Pty Ltd
ABN: 99 004 117 828
Street Address: 1 Nicholson Street,
Melbourne 3000

Australia

Telephone Number: +61 3 9665 7111 **Facsimile:** +61 3 9665 7937

Emergency Telephone: 1 800 033 111 (ALL HOURS)

2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Flammable solids - Category 1

SIGNAL WORD: DANGER



Hazard Statement(s):

H228 Flammable solid.

Precautionary Statement(s):

Prevention:

P210 Keep away from heat / sparks / open flames / hot surfaces. No smoking.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / lighting equipment.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

Response:

P370+P378 In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Poisons Schedule (SUSMP): None allocated.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Aluminium powder (stabilised)	7429-90-5	80-100%	H261 H228

Product Name: ALUMINIUM POWDER COATED

Substance No: 000000014063

Issued: 03/06/2013



4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

If skin contact occurs, remove contaminated clothing and wash skin with soap and water. If irritation occurs, seek medical advice.

Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion:

Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical advice.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Dry agent (dry chemical powder).

Unsuitable Extinguishing Media:

Water. Halogenated agents.

Hazchem or Emergency Action Code: 1Z

Specific hazards arising from the substance or mixture:

Flammable solid. May form flammable dust clouds in air. For precautions necessary refer to Orica Safety Data Sheet "Dust explosion Hazards".

Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with dry absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. Avoid contact with water. Use non-sparking tools.

7. HANDLING AND STORAGE

Substance No: 000000014063

Product Name: ALUMINIUM POWDER COATED Issued: 03/06/2013



7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid skin and eye contact and breathing in dust. Avoid handling which leads to dust formation. May form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards". Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Protect from moisture. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Aluminium (metal dust): 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Avoid generating and breathing in dusts. Use with local exhaust ventilation or while wearing dust mask. Keep containers closed when not in use.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependant on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Orica Personal Protection Guide No. 1, 1998: E - OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.









Wear overalls, safety glasses and impervious gloves. Avoid generating and inhaling dusts. If excessive dust exists, wear dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Fine , Free-flowing Powder

Colour: Silvery Odourless

Solubility: Insoluble in water.

Specific Gravity: 0.9

Product Name: ALUMINIUM POWDER COATED

Substance No: 000000014063

Issued: 03/06/2013 Version: 4



9. PHYSICAL AND CHEMICAL PROPERTIES

Relative Vapour Density (air=1): Not available Vapour Pressure (20 °C): Not available Flash Point (°C): Not applicable

Flammability Limits (%): Minimum explosive concentration: 0.04 oz/ft3.

Autoignition Temperature (°C): 760
Melting Point/Range (°C): 660
Boiling Point/Range (°C): 2327

pH: Not available

10. STABILITY AND REACTIVITY

Reactivity: Reacts with some acids and caustic solutions to produce hydrogen.

Chemical stability: Stable under normal ambient and anticipated storage and handling conditions of

temperature and pressure.

Possibility of hazardous reactions: Hazardous polymerisation will not occur.

Conditions to avoid: Avoid exposure to moisture. Avoid exposure to heat, sources of ignition, and open

flame.

Incompatible materials: Incompatible with mercury, halocarbons, halogens, strong oxidising agents, water (

with bulk aluminium powder), some acids, bases, iron oxide.

Hazardous decomposition

products:

Metal fume.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: Swallowing can result in nausea, vomiting, diarrhoea, and abdominal pain.

Eye contact: May be an eye irritant. Exposure to the dust may cause discomfort due to particulate

nature. May cause physical irritation to the eyes.

Skin contact: Contact with skin may result in irritation.

Inhalation: Breathing in dust may result in respiratory irritation. May cause coughing and

shortness of breath.

Acute toxicity: No LD50 data available for the product.

Chronic effects: Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance. Pulmonary fibrosis from chronic inhalation has been reported. Chronic exposure has produced numbness in fingers.

12. ECOLOGICAL INFORMATION

Ecotoxicity Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Substance No: 000000014063

Product Name: ALUMINIUM POWDER COATED Issued: 03/06/2013



13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor.

14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.



UN No: 1309

Transport Hazard Class: 4.1 Flammable Solid

Packing Group:

Proper Shipping Name or ALUMINIUM POWDER, COATED

Technical Name:

Hazchem or Emergency Action 1Z

Code:

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No: 1309

Transport Hazard Class: 4.1 Flammable Solid

Packing Group:

Proper Shipping Name or

Technical Name:

ALUMINIUM POWDER, COATED

IMDG EMS Fire: F-G
IMDG EMS Spill: S-G

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No: 1309

Transport Hazard Class: 4.1 Flammable Solid

Packing Group:

Proper Shipping Name or ALUMINIUM POWDER, COATED

Technical Name:

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Flammable solids - Category 1

Hazard Statement(s):

H228 Flammable solid.

Product Name: ALUMINIUM POWDER COATED Issued: 03/06/2013

Substance No: 000000014063



Poisons Schedule (SUSMP): None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Supplier Safety Data Sheet; not dated.

Reason(s) for Issue:

Reissue of an obsolete SDS

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Orica Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Orica representative or Orica Limited at the contact details on page 1.

Orica Limited's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Product Name: ALUMINIUM POWDER COATED

Substance No: 000000014063

Issued: 03/06/2013 Version: 4