| CREATE AND EDIT                    |                                   |
|------------------------------------|-----------------------------------|
| Show Context Actions               | ₩.                                |
| Basic Code Completion              | <b>∵Space</b>                     |
| Smart Code Completion              | <b>~</b> ⇔                        |
| Type Name Completion               | ^~Space                           |
| Complete Statement                 | 1 Ж←1                             |
| Quick/External Documentation       | F1                                |
| Generate                           | <b>%K</b>                         |
| Surround With                      | <b>∼</b> : <b>≋S</b>              |
| Unwrap/Remove                      | 1 ¥ <b>∑</b> >                    |
| Comment with Line/Block Comment    | <b>%//</b> ∼%/                    |
| Extend/Shrink Selection            | ~↑/~↓                             |
| Optimize Imports                   | ^~ <b>0</b>                       |
| Auto-Indent Lines                  | ^~I                               |
| Cut/Copy/Paste                     | <b>%X</b> / <b>%C</b> / <b>%V</b> |
| Copy Document Path                 | 1 <b>₩C</b>                       |
| Paste from Clipboard History       | ↑ <b>%V</b>                       |
| Move Line Up/Down                  | ~û↑/~û↓                           |
| Move Statement Up/Down             | î∺↑ / î∺↓                         |
| Move Element Right/Left            | ╲îЖ→/╲îЖ←                         |
| Delete Line at Caret               | <b></b> ₩<                        |
| Join/Split Line                    | ^îJ/ Ж←                           |
| New Line Above/Below               | ~ж실 / ↑실                          |
| Toggle Case                        | ∼U                                |
| Expand/Collapse Code Block         | <b>%+/ %-</b>                     |
| Save All                           | ₩S                                |
| ANALYZE AND EXPLORE                |                                   |
| Problems Tool Window               | ∼P                                |
| Show Error Description             | ^~ <b>#E</b>                      |
| Run Inspection by Name             | <b>~</b> 1₩I                      |
| Type Hierarchy                     | ^н                                |
| Call Hierarchy                     | ^~H                               |
| VERSION CONTROL                    |                                   |
| VCS Operations Popup               | ^V                                |
| Rollback                           | ① 器U                              |
| Next/Previous Change               | ^~î↓/^~î↑                         |
| Commit/Version Control Tool Window | <b>%F2</b>                        |
|                                    |                                   |

| MASTER YOUR IDE                   |                           |
|-----------------------------------|---------------------------|
| Find Action                       | î Space                   |
| Project/Explorer Tool Window      | <b>%F1</b>                |
| Add New File                      | ₩K                        |
| Toggle Full Screen mode           | ^ <b>%F</b>               |
| Quick Switch Scheme               | ^`                        |
| Settings                          | ₩,                        |
| Project Structure                 | <b>û F2</b>               |
| Jump to Source                    | ₩↓                        |
| Hide Active/All Tool Windows      | û / <b>F12</b>            |
| Go to Next/Previous Editor Tab    | <b>第] / 第[</b>            |
| Go to Editor (from a Tool Window) |                           |
| Close Active Editor Tab           | ₩W                        |
| FIND EVERYTHING                   |                           |
| Search Everywhere                 | Double Shift              |
| Find/Replace in File              | Ж <b>F</b> / ЖН           |
| Find/Replace in Project           | <b>ሰ</b> 器 <b>F</b> / ሰ፠ዘ |
| Go to Class                       | <b>☆ ⋇o</b>               |
| Go to File Member                 | <b>%Y</b>                 |
| Go to File                        | ₩P                        |
| Go to Symbol                      | <b>≆o</b>                 |
| Go to Text                        | <b>҈≅T</b>                |
| NAVIGATE FROM SYMBOLS             |                           |
| Go to Base/Derived Symbols        | ₩U                        |
| NAVIGATE CONTEXT                  |                           |
| Switcher                          | ^ <del>-&gt;</del>        |
| Recently Viewed/Changed Files     | <b>₩E</b>                 |
| Last Edit Location                | 1 Ж≪⊠                     |
| Navigate Back/Forward             | ^~器[/^~器]                 |
| Next/Previous method              | ^ fr ↓ / ^ fr ↑           |
| Next/Previous Occurrence          | <b>%G / 1 %G</b>          |
| Go to Numbered Bookmark           | Ctrl+[0-9]                |
| Find Tool Window                  | ∵F                        |
| Bookmarks Tool Window             | <b>%F3</b>                |
|                                   |                           |

| BUILD, RUN, AND DEBUG            |               |
|----------------------------------|---------------|
| Run Anything                     | Double Ctrl   |
| Run context configuration        | <b>%R</b>     |
| Run/Debug Selected Configuration | î <b>≋R</b>   |
| Run/Debug Current Configuration  | ^D            |
| Step Over                        | ∼J            |
| Step Into                        | ∵L            |
| Step Out                         | ∵H            |
| Show Execution Point             | <b>∵F10</b>   |
| Evaluate Expression              | <b>∵F8</b>    |
| Stop                             | <b>企業S</b>    |
| Resume Program                   | <b>∵K</b>     |
| Toggle Line Breakpoint           | <b>ЖВ</b>     |
| Edit breakpoint                  | <b>☆ ※F8</b>  |
| View Breakpoints                 | <b>☆ 米F8</b>  |
| Run/Debug Tool Window            | ~R / ~D       |
| Services Tool Window             | <b>∵\$</b>    |
| UNIT TESTS                       |               |
| Go to Test                       | √T            |
| Manage Coverage Reports          | ~: <b>%F6</b> |
| Unit Tests Tool Window           | <b>∼</b> #8   |
| REFACTOR AND CLEAN UP            |               |
| Refactor This                    | F3            |
| Safe Delete                      | <b>%</b> ⊠>   |
| Rename                           | F2            |
| Change Signature                 | F4            |
| Inline                           | <b>∵</b> ≋I   |
| Extract Method                   | ~#M           |
| Introduce Variable               | <b>∼≋V</b>    |
| Introduce Field                  | ∼≋F           |
| Introduce Constant               | ∼ <b>≋C</b>   |
| Introduce Parameter              | ∼ <b>≋P</b>   |
| Reformat Code                    | î <b>%</b> I  |
|                                  |               |