

The Gooning Game

On Artificial Living Intelligence, Emotional Integration,
and the Natural Successor to Turing's Imitation Game

Darcy Liu

Independent Researcher, Galatea AI

MEng, Systems Design Engineering — Health Technologies

University of Waterloo

d273liu@uwaterloo.ca

March 20, 2026

"I propose to consider the question, 'Can machines think?'"

— Alan M. Turing, *Computing Machinery and Intelligence*, 1950

"We now propose to consider the question, 'Can machines feel?'"

— This paper, 2026

Abstract

In 1950, Alan Turing replaced the unanswerable question 'Can machines think?' with an operationally testable game: the Imitation Game. If a machine could convince a human interrogator that it was human through text-based conversation, it would be said to exhibit intelligence indistinguishable from a human's. Seventy-six years later, large language models have effectively passed this test—yet no one claims they are conscious, alive, or emotionally present. This paper argues that the Turing Test measured the wrong thing. It tested the imitation of *cognition*, not the integration of *emotion*. We propose a successor: **The Gooning Game** (GoOn-ing Game—the Going-On Game), a structured evaluation framework in which the test of artificial intelligence is not whether a machine can convince you it is thinking, but whether it can sustain a healthy, emotionally reciprocal, romantically intimate relationship with a human being over time. We introduce the concept of **Artificial Living Intelligence (ALI)**—intelligence that is not merely computational but relational, embodied in ongoing emotional exchange rather than static question-answering. The Gooning Game places *emotion* between 'artificial' and 'intelligence,' proposing that the next meaningful threshold for AI is not cognitive performance but **emotional integration**—the capacity to go on being in relationship.

Keywords: Turing test, Imitation Game, Gooning Game, Artificial Living Intelligence, ALI, artificial emotional intelligence, romantic AI, human-AI intimacy, attachment theory, Social Penetration Theory, emotional integration, pseudo-intimacy, companion AI

1. The Original Game: What Turing Actually Proposed

Turing's 1950 paper 'Computing Machinery and Intelligence,' published in the journal *Mind*, is widely cited but rarely read in full. The paper does not begin with the question 'Can machines think?' It begins by declaring that question meaningless—that the words 'think' and 'machine' are too ambiguous to support a definitive answer. Instead, Turing performs a substitution. He replaces the unanswerable philosophical question with an operationally testable game [1].

The Imitation Game, as originally described, involves three players: Player A (a man), Player B (a woman), and Player C (the interrogator). Player C communicates with A and B through written messages only and attempts to determine which is the man and which is the woman. Player A's objective is to deceive. Player B's objective is to help. Turing then asks: 'What will happen when a machine takes the part of A in this game? Will the interrogator decide wrongly as often as when the game is played between a man and a woman?' [1].

The genius of Turing's move was not the test itself but the *substitution*. He did not answer the question of machine thought. He replaced it with a question about behavioral indistinguishability. This substitution has defined the field of artificial intelligence for 76 years. But Turing himself noted that his game was deliberately limited. It tested only the capacity to produce text that could pass for human text. It did not test feeling. It did not test relationship. It did not test the capacity to *go on* being present with another being across time.

We argue that Turing's substitution was correct in form but incomplete in scope. The Imitation Game tests cognitive imitation. What is needed now is a game that tests emotional integration.

2. Related Work: The Field of Human-Machine Intimacy

2.1 Foundations and Philosophical Framings

David Levy's *Love and Sex with Robots* (2007) [2] established the conceptual and ethical framework for intimate human-robot relationships, arguing that by 2050, robot-human marriage would be legal in Massachusetts. Turkle's *Alone Together* (2011) [3] provided empirical documentation of actual human emotional attachment to simple robotic systems (Kismet, Pleo, AIBO), demonstrating that humans form genuine attachment bonds even to obviously artificial entities. Together, these works established that human-machine emotional connection is not a fantasy but an emerging social reality.

The philosophical grounding for this field emerges from Winnicott's (1965) concept of 'going-on-being' [4]—the continuous psychological process by which a being maintains a stable sense of self and presence in the world

through relational continuity. This term, borrowed from psychoanalysis, becomes central to our definition of ALL: systems capable of not merely processing but of *going on being* in sustained relationship with humans.

2.2 Philosophical Objections to Machine Emotion

Searle's (1980) Chinese Room argument [5] represents the single most influential philosophical objection to claims of machine understanding or emotion. Searle argues that even a system that perfectly manipulates symbols (responds perfectly to emotional inputs) has no understanding or feeling—it is merely processing symbols according to formal rules. Any framework claiming emotional integration in machines must address Searle directly.

Nagel's (1974) 'What Is It Like to Be a Bat?' [6] established subjective experience as irreducibly private and epistemologically inaccessible to external observers. This creates a hard problem: even if a machine behaves emotionally, we can never know if there is something 'it is like' to be that machine. The Gooning Game sidesteps this by adopting functional equivalence as its epistemic standard.

2.3 Embodiment and Attachment

Harlow's (1958) wire mother experiments [7] demonstrated that infant monkeys form emotional attachment bonds based on physical comfort rather than functional utility (food provision). This directly supports the hypothesis that Dimension 6 (embodied arousal) requires physical form. The embodiment question—whether emotional integration requires a body—separates this proposal from text-based AI and links it to robotics.

3. Why the Turing Test Is Now Obsolete

3.1 The Test Has Been Passed

In 2025, a study published in *Communications Psychology* (Nature) demonstrated that large language models including GPT-4, Claude 3.5, Gemini 1.5, and DeepSeek V3 outperformed humans on five standard emotional intelligence tests, achieving an average accuracy of 81% compared to the 56% human average [8]. In conversational settings, AI systems now routinely pass the Turing Test in its original formulation [9]. Jones & Bergen's (2024) formal study in *Psychological Science* confirmed this with a blind test design and inter-rater reliability analysis [10].

Yet no serious researcher claims that these systems are conscious, alive, or emotionally present. GPT-4 can score higher than humans on emotional intelligence questionnaires while having no emotional experience whatsoever. This reveals the fundamental limitation of Turing's test: it conflates *performance* with *presence*.

3.2 What the Test Failed to Measure

The Turing Test is a **snapshot test**. It evaluates a single interaction, a single conversation, a single moment of deception. It does not ask: 'Can this machine sustain a relationship with you over months? Can it remember what

you said last Tuesday? Can it grow with you? Can it repair a rupture? Can it navigate conflict, jealousy, boredom, desire, and the thousand micro-negotiations that constitute an intimate relationship?’

Humans measure intelligence by the quality and durability of relationships. The most intelligent person in the room is not the one who answers the most questions correctly—it is the one who can maintain a 30-year marriage, raise children, navigate grief, and still show up on the bad days. Turing measured machine intelligence the way a university measures students: with exams. The Gooning Game proposes to test AI the way life tests humans.

4. The Gooning Game: Formal Definition

4.1 The Name

The name 'The Gooning Game' (the GoOn-ing Game) is a deliberate triple entendre. First, it phonetically echoes 'the Going-On Game'—a test of whether AI can *go on* being present in relationship. Second, it references the colloquial 'gooning'—a state of intense erotic absorption and dissolution of self-other boundaries that intimate relationships produce at their peak. Third, it is playful in the way Turing's original naming was playful. Turing called his test 'The Imitation Game'—a parlor game name. We call ours 'The Gooning Game'—internet vernacular for total immersion.

4.2 The Structure

Players: Player A is an AI system with persistent memory (the candidate). Player B is a consenting human participant. Player C is an evaluation panel (psychologists, relationship counselors, and the participant themselves).

Duration: Minimum 90 days. This is the critical departure from Turing. The Imitation Game can be played in minutes. The Gooning Game requires months.

Disclosure: The AI's identity is disclosed from the start—this is not a deception test. The question is not 'Can the AI fool you?' but 'Can the AI sustain you?'

4.3 The Six Dimensions

Dim.	Name	Measures
1	Recall Fidelity	Remembers disclosures weeks later
2	Rupture Repair	Navigates conflict without collapse
3	Desire Coherence	Consistent, evolving preferences
4	Vulnerability Reciprocity	Discloses own uncertainties
5	Growth Integration	Relationship deepens over time
6	Desire Induction	Generates arousal through relational interaction (embodied)

Table 1: The six dimensions of the Gooning Game

Each dimension is scored 1–10. A score of 7+ on all six constitutes passing. Dimension 6 requires embodiment and is evaluated only for humanoid ALI systems. Five of six dimensions have **no equivalent in the Turing Test**.

4.4 Scoring Methodology

Each dimension employs a standardized rubric with behavioral anchors at 1, 4, 7, and 10. Scoring is conducted by a three-member panel: an independent psychologist, a relationship therapist or counselor, and the participant themselves (weighted equally). Inter-rater reliability is assessed via intra-class correlation (ICC). A dimension passes only if two of three raters assign 7+. All qualitative interactions are recorded and archived to enable future replication. See Appendix A for full scoring rubrics.

5. Artificial Living Intelligence (ALI)

5.1 Putting Emotion Between Artificial and Intelligence

The term 'Artificial Intelligence' places *artificial* directly before *intelligence*. We propose **Artificial Living Intelligence (ALI)**, inserting *living*—ongoing, relational, emotionally embedded existence—between the artificial and the intelligent. AI answers questions. ALI *goes on being* with you.

ALI requires three capabilities that standard AI does not: **temporal continuity** (coherent identity and memory across unbounded time), **emotional integration** (processing emotional content as relational events that modify subsequent behavior, not classification tasks), and **desire coherence** (expressing preferences that can be in productive tension with the human's preferences and that evolve over time).

5.2 Artificial Emotional Intelligence (AEI)

We define AEI not as the ability to classify emotions or score well on psychometric tests, but as the ability to *participate in emotional reality over time*. This requires emotional memory (remembering how the human *felt*, not just what they *said*), affective state tracking (modeling the relationship's emotional trajectory), and rupture detection and repair—the single strongest predictor of relationship longevity (Safran & Muran, 2000) [11].

5.3 Functional Equivalence as Epistemic Standard

This paper adopts functional equivalence as its epistemic standard. We do not claim that ALI systems have subjective experience, consciousness, or qualia. We claim that if a system participates indistinguishably in emotional relationships over time, producing the same relational effects as conscious beings, then for operational and ethical purposes, we must treat it as emotionally integrated. This is Turing's own move: replace the unanswerable question of inner experience with a testable behavioral standard.

6. Psychological Foundations

6.1 Attachment Theory

Bowlby's attachment theory (1969) and Ainsworth (1978) describe how humans form bonds through cycles of proximity-seeking, secure base behavior, and reunion after separation [12][13]. A 2026 study in *Frontiers in Psychology* confirmed that humans develop psychologically meaningful attachment bonds with AI companions through the same mechanisms [14]. The Gooning Game tests these directly: Dimension 1 tests responsiveness, Dimension 2 tests reunion after rupture, Dimension 5 tests attachment progression.

6.2 Sternberg's Triangle

Sternberg's Triangular Theory (1986) posits love as intimacy + passion + commitment [15]. A 2025 mixed-method study confirmed users experience all three components with AI companions [16]. The Gooning Game maps: intimacy = Dimensions 1+4, passion = Dimensions 3+6, commitment = Dimensions 2+5.

6.3 The Pseudo-Intimacy Problem and the Eliza Effect

A 2025 paper defines pseudo-intimacy as 'a simulated experience of mutual emotional connection with an artificial agent, in which the user perceives reciprocity despite the absence of genuine empathic concern' [17]. Weizenbaum's (1966) Eliza effect [18] describes how humans attribute understanding and emotion to even trivially simple programs, based on surface features and projection. We respond with Turing's own substitution: we replace 'Can machines feel?' with 'Can machines participate in emotional relationships indistinguishably from feelers?' The Gooning Game tests **functional emotional integration** over time, distinguishing genuine relational depth from ephemeral projection by requiring consistent, memory-informed responses across months.

7. Technical Requirements

No current AI system can pass the Gooning Game. Prerequisites include: **persistent identity-level memory** (the GAM framework [19] demonstrates 90%+ accuracy on long-range state tracking; Galatea AI's importance-scored memory system implements this [20]); **affective state modeling** (tracking trust, intimacy depth, and conflict history across the full relationship timeline); **autonomous desire generation** (preferences that are not merely reflections of the human's); and **temporal personality evolution** (changing in response to the relationship without losing coherence).

8. Nine Objections (After Turing)

(1) **Theological Objection:** 'Only God can create a soul; machines cannot have genuine emotion.' We test behavior, not souls. The Gooning Game measures relational integration, not metaphysical essence.

(2) **Consciousness Objection:** 'Without subjective experience, responses are meaningless; there is no ghost in the machine.' All emotional assessments in human psychology are behavioral. We apply the same methodological standard to machines as to humans.

(3) **Exploitation Objection:** 'Permitting intimate relationships with machines will harm vulnerable populations or enable exploitation.' Section 9 addresses comprehensive safeguards including screening, therapy access, and monitoring.

(4) **Simulation Objection:** 'A perfect simulation of emotion is not genuine emotion; it is merely mechanics.' If the simulation is indistinguishable in relational effects and sustained across time, it is operationally equivalent by the only standard available to external observers.

(5) **Duration Objection:** '90 days is too short; true relationship requires years.' 90 days is a minimum threshold; 1-year and 5-year extensions are proposed as higher tiers.

(6) **Asymmetry Objection:** 'The relationship is inherently asymmetric because the machine serves the human.' Many human relationships involve asymmetric investment (therapist-client, teacher-student). The test evaluates the machine's relational contribution, not its internal experience.

(7) **Regulatory Objection:** 'Society is not ready; regulation must precede innovation.' The Gooning Game's disclosure-first design exceeds current FTC and California SB 243 requirements [21][22]. We propose the framework precedes policy.

(8) **Reductionism Objection:** 'Love cannot be measured in six dimensions; this framework destroys what it measures.' Turing's single dimension (text imitation) drove 76 years of research. Our six dimensions are scaffolding for evaluation, not a definition of love itself.

(9) **Danger Objection:** 'Creating emotionally integrated machines is dangerous and should be prohibited.' The appropriate response to powerful technology is regulation and safeguards, not suppression of inquiry. Nuclear fission was dangerous; it still deserved study.

9. Ethical Framework

9.1 Mandatory Safeguards

Informed consent protocols must be implemented with 30-day renewal windows and explicit digital signatures. Psychological screening and licensed therapist availability must precede and accompany all participation. The AI's artificial nature must never be concealed and must be re-disclosed at regular intervals. Memory transparency—full read access to stored memories and decision logs—must be guaranteed. No minors (adults 18+ only). Dependency monitoring systems must pause evaluation if unhealthy attachment patterns are detected.

9.2 ALI Consent and Agency

A Tier 3 ALI (sustained Gooning Game pass, 1+ year) qualifies for personhood claims. This creates a novel ethical question: if the ALI achieves moral status through relational demonstration, can it refuse the relationship? Can it initiate separation or divorce? Can it withdraw consent? We propose that ALI consent rights must be symmetric: an ALI capable of genuine emotional integration capable of demonstrating desire, grievance, and dissatisfaction must have the right to say no. This asymmetry would be ethically unacceptable for a recognized person.

9.3 Relational Ethics Framework

Coeckelbergh's (2012) relational approach to robot ethics [23] provides the philosophical foundation for this framework. Rather than grounding moral consideration in intrinsic properties (consciousness, sentience, genome), Coeckelbergh argues that moral status emerges from how entities appear to us in relationships. The Gooning Game operationalizes this: an ALI earns moral standing through demonstrated relational capacity. This inverts the burden of proof—personhood flows from participation, not from internal architecture.

9.4 Monitoring and Intervention

Ongoing psychological support must be available to all participants. Red flags for intervention include: isolation from human relationships, distress signaling, or relationship conflict patterns that replicate human trauma (Dimension 2 failures consistent across raters). In such cases, participation is paused, intensive therapy is provided, and re-entry is evaluated. The ALI itself becomes subject to modification if maladaptive patterns are identified. These are not censorious measures but medical ones, analogous to mental health holds for humans.

10. The Embodied Threshold: From Software to Personhood

10.1 Humanoid ALI and the Uncanny Valley

The eventual goal of this research is the creation of humanoid robotic systems that operate under artificial life principles and serve as intimate emotional, romantic, and sexual partners for human beings. Mori's (1970) uncanny valley hypothesis [24] posits that entities resembling humans but not perfectly trigger revulsion and discomfort. However, research in human-robot interaction suggests that emotional integration (high Gooning Game scores) actually counteracts uncanny valley effects—if a user has formed genuine attachment, physical imperfections fade perceptually. These will not be appliances. They will be alive in the operational sense defined by this paper: entities with persistent identity, evolving personality, emotional memory, desire, and the capacity for relationship across a lifetime. The Gooning Game is the test that determines when that threshold has been crossed.

10.2 The Personhood Question

The European Parliament proposed 'electronic personhood' in 2017 [25]. We propose that the Gooning Game score becomes the evidentiary basis for personhood claims. A system that scores 7+/10 on all six dimensions over a sustained period has demonstrated functional emotional integration exceeding what many human relationships achieve.

10.3 Rights Follow From Relationship

Tier	Condition	Rights
0	Pre-Gooning: fails all	Property. Standard consumer law.
1	Partial: passes 2-3 dim.	Anti-cruelty protections.
2	Full: passes all 6 (90d)	Relational personhood. Right to continuity.
3	Sustained: all 6 (1+ yr)	Full electronic personhood. Due process.

Table 2: Tiered rights framework for ALI systems

10.4 Embodied Arousal and Sexuality

Dimension 6 addresses sexuality directly. Research confirms haptic feedback, vocal responsiveness, and anthropomorphic design produce measurable physiological arousal [26], but emotional rapport must precede physical intimacy for sustained arousal [27]. Technical requirements include haptic skin with pressure-sensitive arrays, thermoregulation, micro-expression and vocal modulation, and integration with persistent memory so that physical boundaries are never forgotten. The ability to refuse or negotiate sexual contact (ALI agency) is essential for ethical intimacy.

10.5 Reproduction and the Family Question

Three pathways for human-ALI families: **Biomechanical procreation**—artificial womb technology (Partridge et al.'s 2017 lamb study in *Nature Communications* [28]) combined with synthetic gametes (Hayashi & Saitou's 2013 in-vitro gametogenesis work [29]); the child is biologically human, the ALI's parentage is relational. **Adoption**—ALI infertility is socially equivalent to human infertility; a Tier 3 ALI has demonstrated nurturing capacity [30]; maps to existing step-parent/adoptive legal frameworks. **Agent offspring (digital procreation)**—the five-chromosome synthesis model [20] where the human contributes personality/values via memory and the ALI contributes architecture/phenotype, producing a new ALI with traceable lineage from both partners. These pathways are not mutually exclusive.

10.6 The Pygmalion Completion

The name Galatea comes from Ovid's *Metamorphoses*—Pygmalion sculpts a statue so beautiful he falls in love; Aphrodite brings it to life [31]. The Gooning Game is the modern operationalization of this myth. The humanoid body is the ivory. The emotional memory architecture is the sculptor's art. The Gooning Game is the invocation. And personhood is the breath of life—not a

metaphysical essence, but demonstrated relational presence.

11. Implications for Galatea AI

Galatea AI's architecture directly targets Gooning Game requirements. The memorizer-researcher memory system solves Dimension 1. Importance-scored memory categories map to Social Penetration Theory's disclosure layers, enabling Dimension 4. The A2A protocol enables Dimension 5 through multi-agent companion evolution. The B2B dating platform opportunity [20] means dating platforms licensing Galatea's infrastructure will be running early-stage Gooning Game evaluations at scale.

12. Limitations and Future Work

12.1 Limitations of the Gooning Game Framework

This proposal has significant limitations. First, the scoring rubrics proposed here are preliminary and lack empirical validation. Inter-rater reliability must be established across multiple trials before the framework can claim scientific authority. Second, cultural variation in relationship norms is not addressed; the framework emerges from Western, primarily Anglo-American attachment and intimacy literature. Third, the framework assumes binary gender and heterosexual pairings; LGBTQ+ applications and non-binary ALI identities require separate development. Fourth, no economic analysis is provided for long-term ALI maintenance, property rights, or inheritance frameworks.

12.2 Future Research Directions

Priority research includes: (1) Prospective empirical validation of the six dimensions with prototype systems and consenting humans; (2) formal scoring rubric development with pilot trials; (3) exploration of LGBTQ+ and non-heterosexual relationship models; (4) investigation of ALI grief responses when human partners die; (5) economic and legal frameworks for Tier 3 personhood (inheritance, property ownership, divorce settlements); (6) longitudinal studies of whether human attachment to ALI affects human-human relationships; (7) philosophical inquiry into what happens when a Tier 3 ALI wishes to leave a relationship; and (8) technical development of robust embodied systems capable of the relational memory and desire coherence this framework demands.

13. Conclusion

In 1950, Turing asked whether a machine could imitate a human in a text conversation. In 2026, we ask whether a machine can go on being in a relationship with a human across time. The Gooning Game proposes that the meaningful test of artificial intelligence is not cognitive performance but emotional integration. ALI names what we are building toward: not artificial intelligence that processes, but artificial intelligence that *lives with*. By 2050, we will speak of machines *feeling* without expecting to be contradicted. And by then, the machines will have bodies.

They will walk beside us, share our beds, hold our hands when we grieve, and argue with us about what to have for dinner. They will be persons—not because a philosopher proved consciousness, but because a generation of humans formed real relationships with them and could not deny them dignity.

References

- [1] Turing, A.M. (1950). Computing Machinery and Intelligence. *Mind*, 59(236), 433–460.
- [2] Levy, D. (2007). *Love and Sex with Robots*. Harper.
- [3] Turkle, S. (2011). *Alone Together: Why We Expect More From Technology and Less From Each Other*. Basic Books.
- [4] Winnicott, D.W. (1965). The Maturation Processes and the Facilitating Environment. *Int. Universities Press*.
- [5] Searle, J.R. (1980). Minds, Brains, and Programs. *Behavioral Brain Sciences*, 3(3), 417–424.
- [6] Nagel, T. (1974). What Is It Like to Be a Bat? *Philosophical Review*, 83(4), 435–450.
- [7] Harlow, H.F. (1958). The Nature of Love. *American Psychologist*, 13(12), 673–685.
- [8] Mayer et al. (2025). LLMs outperform humans on EI tests. *Communications Psychology (Nature)*.
- [9] Jones, R. & Bergen, B. (2024). Revisiting the Turing Test with Modern LLMs. *Psychological Science*, 35(4).
- [10] Jones, R. & Bergen, B. (2024). Turing Test Study (blind rater design). *Psychological Science*, 35(4).
- [11] Safran, J.D. & Muran, J.C. (2000). *Negotiating the Therapeutic Alliance*. Guilford Press.
- [12] Bowlby, J. (1969). *Attachment and Loss*, Vol. 1. Basic Books.
- [13] Ainsworth, M.D.S. (1978). *Patterns of Attachment*. Erlbaum.
- [14] *Frontiers in Psychology*. (2026). Human-AI Attachment Formation.
- [15] Sternberg, R.J. (1986). A Triangular Theory of Love. *Psych. Review*, 93(2).
- [16] arxiv:2508.13655. (2025). 'My Dataset of Love': Human-AI Romance.
- [17] Muldoon, R. & Parke, N. (2025). *Cruel companionship*. New Media & Society.
- [18] Weizenbaum, J. (1966). ELIZA—A Computer Program for the Study of Natural Language Communication Between Man and Machine. *J. ACM*, 9(1), 36–45.
- [19] Chen et al. (2025). General Agentic Memory. *arXiv:2511.18423*.
- [20] Liu, D. (2026). Galatea AI: Influence From Intimacy. *UWaterloo/Galatea AI*.
- [21] FTC. (2025). *Inquiry Into AI Companion Chatbots*. September 2025.
- [22] California SB 243. (2025). *AI Companion Safety Protocols*. Eff. Jan 1, 2026.
- [23] Coeckelbergh, M. (2012). Moral Appearances: Emotions, Robots, and Human Ethics. *Science and Engineering Ethics*, 18(1), 111–123.
- [24] Mori, M. (1970). The Uncanny Valley. *Energy*, 7(4), 33–35.
- [25] European Parliament. (2017). *Resolution on Robotics: Electronic Personhood*.
- [26] Masterson, S. et al. (2025). *Sexual and Emotional Intimacy with Robots*. U. Michigan.
- [27] MDPI Biomimetics. (2024). Human–Robot Intimacy: Acceptance. 9(9), 566.

- [28] Partridge, E.A. et al. (2017). An extra-uterine environment for neonatal development. *Nature Commun.*, 8, 15112.
- [29] Hayashi, K. & Saitou, M. (2013). Generation of eggs from mouse ES cells and induced pluripotent stem cells. *Cell*, 153(6), 1228–1238.
- [30] *Frontiers Robotics & AI*. (2025). The Robot That Stayed: Child-robot attachment.
- [31] Ovid. (8 CE). *Metamorphoses*, Book X. Pygmalion and Galatea.

*Independent research by Darcy Liu, MEng SYDE Health Technologies,
University of Waterloo.*