

Tarea individual 5 - Conversor de unidades



Los botones actúan por separado. He introducido hints y he controlado que los EditTexts no estén vacíos, y que contengan números.





Código:

```
public class MainActivity extends AppCompatActivity {
private Button btnCG, btnCK; 2 usages
private EditText etGrados, etMetros; 2 usages
@Override
protected void onCreate(Bundle savedInstanceState) {
              super.onCreate(savedInstanceState);
             EdgeToEdge.enable( $this$enableEdgeToEdge: this);
             setContentView(R.layout.activity_main);
             \label{linear_poly} ViewCompat.set \textit{OnApplyWindowInsetsListener} (find ViewById(R.id.\textit{main}), (v, insets) -> \{ (insets) = (inset
                           Insets systemBars = insets.getInsets(WindowInsetsCompat.Type.systemBars());
                           v.setPadding(systemBars.left, systemBars.top, systemBars.right, systemBars.bottom);
                           return insets;
             etGrados = findViewById(R.id.etGrados);
              etMetros = findViewById(R.id.etMetros);
              tvFar = findViewById(R.id.tvFar);
               tvKil = findViewById(R.id.tvKil);
             btnCG = findViewById(R.id.btnCG);
             btnCG.setOnClickListener(new View.OnClickListener(){
                           @Override
                           public void onClick(View v){
```