

Program the Mind!

[Home](#) [Tutorials](#) [Examples](#) [Contact Us](#)

Search...

**STOP MALICIOUS BOTS!****ZENEDGE**[Tutorials](#)[Java](#)[Java DataBase Connectivity \(JDBC\)](#)

## JDBC ORACLE CONNECTION TUTORIAL

20 December 2012 By Praveen Macherla 62,111 views 13 Comments

**15**  
FLARES

Java Database Connectivity (JDBC) is a Java-based data access technology that defines how a client may access a database. It provides methods for querying and updating data in a database. The JDBC classes are contained in the Java package `java.sql` and `javax.sql`.

In this JDBC Oracle connectivity example we will see how to setup a JDBC development environment and create a simple Java database application to connect to Oracle Database Express Edition using JDBC API. We will also see the following important things which are required for connecting

to any database using JDBC.

1. [Oracle JDBC Connector jar](#)
2. [JDBC Oracle Driver class](#)
3. [JDBC Oracle Connection String URL](#)

### Contents [\[hide\]](#)

- 1 [Install Java](#)
- 2 [Download and install Eclipse IDE](#)
- 3 [Download and Install Oracle Database Express Edition](#)
  - [3.1 Oracle XE Installation Steps](#)
- 4 [Setup a Database](#)
  - [4.1 Create Database User](#)
  - [4.2 Create Table](#)
- 5 [Java Oracle Connector](#)
- 6 [Create a Java project in Eclipse IDE](#)
- 7 [JDBC Oracle Connectivity](#)
  - [7.1 Load Oracle Java driver](#)
  - [7.2 JDBC Oracle Connection URL](#)
- 8 [Java Application code](#)
- 9 [Configure JDBC driver in Eclipse IDE](#)
- 10 [Output](#)
- 11 [JDBC Oracle Application folder structure](#)

### Table of Contents

- 1 [Install Java](#)
- 2 [Download and install Eclipse IDE](#)
- 3 [Download and Install Oracle Database Express Edition](#)
  - 3.1 [Oracle XE Installation Steps](#)
- 4 [Setup a Database](#)
  - 4.1 [Create Database User](#)
  - 4.2 [Create Table](#)
- 5 [Java Oracle Connector](#)
- 6 [Create a Java project in Eclipse IDE](#)
- 7 [JDBC Oracle Connectivity](#)
  - 7.1 [Load Oracle Java driver](#)
  - 7.2 [JDBC Oracle Connection URL](#)
- 8 [Java Application code](#)
- 9 [Configure JDBC driver in Eclipse IDE](#)
- 10 [Output](#)
- 11 [JDBC Oracle Application folder structure](#)

[BACK TO TOP](#)

## 1. Install Java

Make sure you have Java SE installed in you computer. Refer the links to install Java in [Windows](#), [Ubuntu](#).

## 2. Download and install Eclipse IDE

You can code and run a Java program using a simple text editor (such as Notepad) and use command prompt to run the program. Alternatively, you can use any Integrated Development Environment (IDE) (such as Eclipse, NetBeans, etc). We use Eclipse IDE.

[Refer this link](#) to install Eclipse IDE.

## 3. Download and Install Oracle Database Express Edition

This Oracle JDBC example requires Oracle Database XE (Express edition) which can be downloaded from the following link.

<http://www.oracle.com/technetwork/products/express-edition/downloads/index.html>.

Accept the license agreement and download the version for your platform. This tutorial assumes the platform as Windows.

### 3.1. Oracle XE Installation Steps

The Oracle XE installation is very simple. Just unzip the file and run the setup.exe file. Follow the step-by-step installation guide from [this link](#).

## 4. Setup a Database

### 4.1. Create Database User

To create database objects, we must create at least one database user. A user is associated with a database schema, you connect to the database as a database user, and the database user is the owner of any database objects (tables, views etc) that you create in the schema associated with the user.

For example, to create a database user named 'testuser'. Follow these steps, using the command line:

1. Open the SQL command prompt window. For example, on Windows, click Start, then Programs (or All Programs), then Oracle Database Express Edition, and then "Run SQL Command Line".

2. Connect as the SYSTEM user:

```
Type:
connect
Enter user-name: system
Enter password:
```

The password is the one you entered during installation.


3. Create the user. For example, enter a statement in the following form:

```
SQL> create user testuser identified by <password-for-testuser>;
```

4. Grant the user the necessary privileges. For example:

```
SQL> grant connect, resource to testuser;
```

5. exit



Be the first of your friends to like this



The Open Tutorials



### Popular Posts

[Pagination in Servlet and JSP](#)

[How to create a Servlet with Eclipse and Tomcat](#)

[How to create a simple EJB3 project in Eclipse \(JBoss 7.1\)](#)

[Android: Custom ListView with Image and Text using ArrayAdapter](#)

[Android: Expandable List View Example](#)

[How to create and consume a simple Web Service using JAX WS](#)

[Generate Java class from XML Schema using JAXB 'xjc' command](#)

[How to configure Apache Tomcat in Eclipse IDE?](#)

[How to create a simple Restful Web Service using Jersey JAX RS API](#)

[How to create EJB3 JPA Project in Eclipse \(JBoss AS 7.1\)](#)

### Recent Comments

[Esempio implementazione EJB | SW LIBERO](#) on [How to create a simple EJB3 project in Eclipse \(JBoss 6.1\)](#)

[Eswarchandra Vidyasagar Korada](#) on [Pagination in Servlet and JSP](#)

[Sohail Shaikh](#) on [Android: Custom ListView with Image and Text using ArrayAdapter](#)

[Sohail Shaikh](#) on [Android: Custom ListView with Image and Text using ArrayAdapter](#)

[Sohail Shaikh](#) on [Android: Custom ListView with Image and Text using BaseAdapter](#)

[Binh Thanh Nguyen](#) on [Eclipse DTP: Configure H2 Datasource using Data Source Explorer](#)

[Andres Fernando Chalarca Lopez](#) on [How to create a EJB 3.x project using Maven in Eclipse - Part 2](#)


[Alabama Mothman](#) on [How to retrieve a row from MySQL using JDBC](#)

[Building a Hybrid Mobile app using Cordova | Intellij](#) on [Installing Android SDK and Eclipse ADT plugin](#)

[JVM内部细节之三：字符串及字符串常量池 - JavaMiner的精神家园](#) on [String literal pool](#)

BACK TO TOP





```
SQL*Plus: Release 11.2.0.2.0 Production on Thu Dec 20 15:12:47 2012
Copyright (c) 1982, 2010, Oracle. All rights reserved.
SQL> connect
Enter user-name: system
Enter password:
Connected.
SQL> create user testuser identified by testpass;
User created.
SQL> grant connect, resource to testuser;
Grant succeeded.
SQL> exit_
```

## 4.2. Create Table


Now let us login to the database with the newly created user 'testuser' and create a simple 'Person' table.

1. Open SQL Command Line.
2. Type "connect"
3. Enter username as "testuser"
4. Enter password as "testpass" (or the password you entered in the previous step while creating the user)
5. Create a person table.

```
SQL> create table person(pid integer primary key, name varchar2(50));
```

6. Enter a few data into the table.

```
SQL> insert into person values(1, 'Ram');
SQL> insert into person values(2, 'Sam');
SQL> insert into person values(3, 'John');
SQL> select * from person;
SQL> commit;
SQL> exit;
```



```
SQL> connect
Enter user-name: testuser
Enter password:
Connected.
SQL> create table person(pid integer primary key, name varchar2(50));
Table created.
SQL> insert into person values(1, 'Ram');
1 row created.
SQL> insert into person values(2, 'Sam');
1 row created.
SQL> insert into person values(3, 'John');
1 row created.
SQL> select * from person;
PID NAME
-----
1 Ram
2 Sam
3 John
SQL>
```

BACK TO TOP




Now the database and table setup is done. Let us connect to this database table and retrieve the data using JDBC API.

## 5. Java Oracle Connector

JDBC API mostly consists of interfaces which work independently of any database. A database specific driver is required for each database which implements the JDBC API.

The JDBC database Connector provides access to the database. To reach the database using JDBC we need a JDBC driver from the database provider in our case – Oracle. This connector is typically delivered with the product in a jar or zip file or available in the provider's website. These files must be in our classpath (which is explained later under [Configure JDBC Driver in Eclipse](#)) otherwise we will get some class-not-found-exceptions indicating that the driver was not found on the classpath.



Oracle provides the JDBC connector jar with the product and is available in the following location in Windows,

```
C:\oracle\app\oracle\product\11.2.0\server\jdbc\lib
```

(if you followed the default installation procedure)

There will be multiple jars like,

```
ojdbc5.jar – Classes for use with JDK 1.5.  
ojdbc6.jar – Classes for use with JDK 1.6.
```

We will be using “**ojdbc6.jar**”

## 6. Create a Java project in Eclipse IDE

- Open Eclipse IDE.
- Create a new Java Project and name it as **JDBCOracle**. If you are a newbie, [refer this link](#) on getting started with Java and Eclipse.

## 7. JDBC Oracle Connectivity

In order to establish a connection to the database using JDBC we need to perform the following steps,

1. Import the required interfaces/classes from java.sql package.

BACK TO TOP



2. Load the JDBC Oracle Driver class
3. Establish the connection by providing the jdbc oracle connection string url

### 7.1. Load Oracle Java driver

We need to know and specify which of the classes in the connector jar implements the JDBC driver so as to load the class in memory. For Oracle the class `oracle.jdbc.driver.OracleDriver` is the jdbc driver class. The statement

```
Class.forName ("oracle.jdbc.driver.OracleDriver")
```

loads the driver class in memory.

### 7.2. JDBC Oracle Connection URL

We connect to Oracle database from Java using `DriverManager` class by calling `DriverManager.getConnection()` method. This method requires JDBC Oracle connection URL string, Oracle database username and password.

The Java database connection string URL is of the following format:

```
jdbc:oracle:[username/password]@[//]host_name[:port][//XE]
```

In this URL:

`//` is optional.

`:port` is optional. Specify this only if the default Oracle Net listener port (1521) is not used.

`/XE`, or the service name, is not required.

The connection adapter for the Oracle Database XE Client connects to the default service on the host.

Default service is a new feature of Oracle Database XE. If you use any other Oracle Database client to connect to Oracle Database XE, then you must specify the service name.

For example, if you connect to a local database using default port number, then the Oracle database connection URL is:

```
jdbc:oracle:thin:testuser/testpass@localhost
```

## 8. Java Application code

An application involving Java with database to process any SQL statement must follow these steps:

1. Establish a connection. (This is done by `DriverManager` class)
2. Create a Statement object. (Line 17)
3. Execute the query. (Line 18)
4. Process the `ResultSet` object. This is required only for SELECT SQL query. (Line 19-22)
5. Close the connection. (Line 29-31)

To do the above steps create a package `"com.theopentutorials.jdb.oracle"`. Then create a class `"TestOracleJDBC"` with main method and copy the following code.

```
01 package com.theopentutorials.jdb.oracle;
02
03 import java.sql.Connection;
04 import java.sql.DriverManager;
05 import java.sql.ResultSet;
06 import java.sql.SQLException;
07 import java.sql.Statement;
08
09 public class TestOracleJDBC {
10     public static void main(String[] args) {
11         Connection con = null;
12         Statement stmt = null;
13         ResultSet rs = null;
```

BACK TO TOP



```

14     try {
15         Class.forName("oracle.jdbc.driver.OracleDriver");
16         con = DriverManager.getConnection("jdbc:oracle:thin:testuser/tes
17         stmt = con.createStatement();
18         rs = stmt.executeQuery("SELECT * FROM person");
19         while(rs.next()) {
20             System.out.print(rs.getInt(1) + "\t");
21             System.out.println(rs.getString(2));
22         }
23     } catch (ClassNotFoundException e) {
24         e.printStackTrace();
25     } catch (SQLException e) {
26         e.printStackTrace();
27     } finally {
28         try {
29             rs.close();
30             stmt.close();
31             con.close();
32         } catch (SQLException e) {
33             e.printStackTrace();
34         }
35     }
36 }
37 }


```

## 9. Configure JDBC driver in Eclipse IDE

If you run the above class you will get a runtime exception mentioning Driver class not found as shown below

```
java.lang.ClassNotFoundException: oracle.jdbc.driver.OracleDriver
```

Because we need to add the Java Oracle Connector JAR in project's classpath. To do this, right click on your Java Project -> Properties -> Buildpath -> Libraries -> Add External JAR and select the odbc6.jar file.



## 10. Output

Run the above program to get the following output.

```


<terminated> TestOracleJDBC [Java Application] C:\Program File
1      Ram
2      Sam
3      John
|

```

BACK TO TOP



## 11. JDBC Oracle Application folder structure



### 11.1. Related Posts:

1. [JDBC MySQL Connection Tutorial](#)
2. [Eclipse DTP: Configure MySQL Datasource using Data Source Explorer](#)
3. [Eclipse DTP: Configure H2 Datasource using Data Source Explorer](#)
4. [Anonymous Array Creation](#)

Tags: [configure jdbc driver in eclipse ide](#), [java database application example](#), [jdbc examples](#), [jdbc oracle connection example](#), [jdbc oracle connection url](#), [jdbc oracle connector jar](#), [jdbc oracle driver class](#), [jdbc select query](#), [oracle.jdbc.driver.OracleDriver](#)

14 Comments

The Open Tutorials

 Login Recommend Share

Sort by Best



Join the discussion...

LOG IN WITH

OR SIGN UP WITH DISQUS **Purushoth Man** • 3 years ago


thanks you,to gave perfect instruction for me.

14 ^ | v • Reply • Share ›

**Ketan** • 2 years ago

Thanks

^ | v • Reply • Share ›

**Nishant chaudhary** • 3 years ago

see this video

^ | v • Reply • Share ›

BACK TO TOP





i am using jdk 1.8 & i am having problem in connecting.  
does oracle 11g xe support jdk 1.8 ?

^ | v • Reply • Share x



I am not getting output in console.

```
while(rs.next())
{
    System.out.print("fff");
    System.out.print(rs.getInt(1) + "\t");
    System.out.println(rs.getString(2));
}
```

This line is not wotking ??  
help me plz .

^ | v • Reply • Share »



Worked Perfectly with a proper understanding of the whole JDBC

^ | v • Reply • Share x



but how to include that libray in Editplus or Notepad.. Iam getting runtime error..

^ | v • Reply • Share x



gr88888888888888888888 tutorial :) ;)exactly what i wanted

^ | v • Reply • Share x



output shows "table or view does not exist".What to do?

^ | v • Reply • Share x



first create table in database

^ | v • Reply • Share ›



A good tutorial indeed! but i have a problem, i am not getting any output on console, i am using oracle10g express edition with jdk1.7 and ojdbc14.jar, i have followed the same steps in oracle and in java its not showing any error,

^ | v • Reply • Share x



This is the technology site I am imagining to be exist in web. Good work done by you people. Quickly I can learn new things here. But there is less technologies only taught. Plz try to add Struts, Spring and other technologies.

^ | v • Reply • Share x



great tutorial.... very clean and easy to follow.... thanks

^ | v • Reply • Share x



SIR,IF any database has many schemas /workspace then how we can connect to that particular schema/workspace,as my DB - 11g has 7 workspace and each consists different tables,then how can i connect or acces the table from a schema/workspace for example Workspace HR,plz help

^ | v • Reply • Share x

 [Add Disqus to your site](#)**Add Disqus****Add**

 **Privacy**





Views

- Android: Custom ListView with Image and Text using ArrayAdapter - 210,346 views
- Android: Expandable List View Example - 203,185 views
- Pagination in Servlet and JSP - 200,527 views
- How to create and consume a simple Web Service using JAX WS - 194,738 views
- How to create a simple EJB3 project in Eclipse (JBoss 7.1) - 175,125 views

Recent Posts

- Android Image Gallery using ViewPager
- Android Open Tutorials
- JDBC MySQL: Create Database Example
- Android: Contextual Action Bar for ListView Item Deletion using ActionBarSherlock
- Android BadTokenException: Unable to add window, is your activity running

October 2016

M	T	W	T	F	S	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						
« Jun						

