


	Date NO / 1 / No.
	BASICS OF HTML
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	the extensions of file in HTML: <finame> html</finame>
1 1	For hompage of your websiti use index. arme
	· And a subject of
	DOCTYPE hrml -> fitus like of code.
	Gstarling tag. time (1em what kind of document it is)
•	container tags
	The first state of the state of
	i) graving tag: < html> 7 1024
,	i) starting tag: <html>] paired tags.</html>
	iii) huad tag: < huad > huad
	iv) Body tag: < 600y> < 160dy>
	v) paragraph tag:
	vi) tiru tag: <title></title> -> tiru of our wibsite
井	BASIC TAGS
भ	San A Rose of San
1	Mura tag: contains information about websiti.
	i) < meta charet = "UTF-8">
the go	ogle marches 4 dyne character ser for the file
	mila tag ii) < mura name = "obscription" consint = "This is
for	collecting my fixest website">)
	formation. type of Information what the discription
238 19	will be.
	All the contint of website is in the body.
	Page No.



	Date//
٤٠	hading tag: (h1) TANIA'S WEBSITE
	<h2> <1h27 = is a bit smaller than h1</h2>
	and it obornass -, h3, h4, (h6)
	Smallish
	madik
3.	Paragraph tag: This is my paragraph
	This is my 2nd paragraph
4.	Bold tag (in side the paragraph tag):
•	mill interpretation
	If we want to bolden the word paragraph then use
	Suis is paragraph .
	K. C. S. C.
5.	Italies tags. (inside the paragraph tag):
Sal. As	A THE RESERVE AND A SECOND STREET OF THE SECOND STREET
	Tm <i7 <="" cars="" i=""> aon culí</i7>
	The second of the
6.	Bruak tags: This is used to ornall an emply line in
	the filme document.
	or and a supple with the
	 singu tag
	The second secon
4.	Horizontal sull tag: gives us a straight line siget
*	across the websili that erips us exparate
	som of our contint.
	and the state of t
Q.	changing sizes of words: <big></big> = the text
	biconus biggir.
	Page No.



	Date/_/
=	inside the header tag, for navigation use
	< many
_	
	(/nav)
_	· inside Mu main tag, for blog post/articles use
_	<article> </article>
	Now to differential expersal tags in articles, we mid
	different sections.
_	< suction >
_	G first exchion of blog
	· Basic hierarchy of mader usage:
	his manifest and district the
	h2 gow on forward.
	1 1 1 1 1 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2
	42
	side tag: For advertizement of websile
	(asidi) (lasidi)
	e man and the most entered
#	LINKS:
_	link tags link your websies on the internet with
_	other experites / pages.
- 1 1 1 1 1 1	
_	 LINK
-	we can add any text here
_	do a fundir.
_	
_	If we use this thin the link opens in the same tate.
	Page No.



		It we want to open link in a different tab, then,
		La luig.= "link to which we mud to open" targer = "_blank".
	#	Linking two HTMLS?
		· If & himes are in the Same directory, use a relative path
		this way
		 PAGE NEW < 1a>
	_	° Ef 2 hrmls ou in the different directory, then we a
	_	sulative path this way.
		(a hty = "forder/fill"> PAGE 3
		and the first the second of the second
		· We can accus a picture in the same way (put it in a
		file and link in similar way.
		Cast in a little property of the control of
	#	using Images on websili:
		and and minn
	,	Courage / img sec = "link of the image" all = "FRROR"/>
		on can the browser is not able to load the
		if the image in case the browser is not able to load the in on interest webpage
		is on internet
	15.	if it is on ar compular
		if it is on we compuler (sing sec = "location of fin" alt = "cuticat"/>
		New Market and the Contract of
	-	Now if we want to susize the image. (ing width = "" huight = "" sic = "" au = ""
_		
_		/>
		Page No.



	Date / /
	Now for correct aspect scalio. view the width and higher suscention of the image and type accordingly
	2 If you give only the height/weight width, the HTML arrady self up the aspect readio
	Now if you want to introduce links (chickable image)
	 Zing & "Link of image" au = "mussage" />
#	VIDEOS AND YOUTUBE'S PERAMES:
	For a vidu prusent inside your compulé,
4	< vide see = "filmame">
	(viduo src = "filiname" controls >
	if you want to change the size of video, (video src = "file name" controls width = "")
	<pre></pre>
	if you want a different thumbnail thin,
	(viduo suc = "file name" postir = "thumwnail file"
	controls >
	if you want the video to open automatically after websili opens, use autoplays instiad of position "
	wibsili opins, use autoplay instiad of positie = ""
	Page No.