




# TypeScript



**tutorialspoint**

SIMPLY EASY LEARNING

[www.tutorialspoint.com](http://www.tutorialspoint.com)



<https://www.facebook.com/tutorialspointindia>



<https://twitter.com/tutorialspoint>

## About the Tutorial

---

TypeScript lets you write JavaScript the way you really want to. TypeScript is a typed superset of JavaScript that compiles to plain JavaScript.

TypeScript is pure object oriented with classes, interfaces and statically typed like C# or Java. The popular JavaScript framework **Angular 2.0** is written in TypeScript. Mastering TypeScript can help programmers to write object-oriented programs and have them compiled to JavaScript, both on server side and client side.

## Audience

---

Programmers coming from Object Oriented world will find it easy to use TypeScript. With the knowledge of TypeScript, they can build web applications much faster, as TypeScript has good tooling support.

## Prerequisites

---

As a reader of this tutorial, you should have a good understanding of OOP concepts and basic JavaScript, to make the most of this tutorial.

## Copyright & Disclaimer

---

© Copyright 2016 by Tutorials Point (I) Pvt. Ltd.

All the content and graphics published in this e-book are the property of Tutorials Point (I) Pvt. Ltd. The user of this e-book is prohibited to reuse, retain, copy, distribute or republish any contents or a part of contents of this e-book in any manner without written consent of the publisher.

We strive to update the contents of our website and tutorials as timely and as precisely as possible, however, the contents may contain inaccuracies or errors. Tutorials Point (I) Pvt. Ltd. provides no guarantee regarding the accuracy, timeliness or completeness of our website or its contents including this tutorial. If you discover any errors on our website or in this tutorial, please notify us at [contact@tutorialspoint.com](mailto:contact@tutorialspoint.com)

## Table of Contents

---

About the Tutorial.....	i
Audience .....	i
Prerequisites .....	i
Copyright & Disclaimer.....	i
Table of Contents .....	ii
 1. TYPESCRIPT – OVERVIEW.....	 1
What is TypeScript?.....	1
Features of TypeScript.....	1
Why Use TypeScript? .....	2
Components of TypeScript .....	3
 2. TYPESCRIPT – ENVIRONMENT SETUP .....	 4
TypeScript – Try it Option Online .....	4
Local Environment Setup.....	5
Installing Node.js.....	5
IDE Support .....	8
Visual Studio Code .....	8
Brackets .....	11
 3. TYPESCRIPT – BASIC SYNTAX.....	 14
Your First TypeScript Code .....	14
Compile and Execute a TypeScript Program .....	14
Compiler Flags.....	15
Identifiers in TypeScript .....	16
TypeScript – Keywords .....	16
Comments in TypeScript .....	17

TypeScript and Object Orientation .....	18
4. TYPESCRIPT – TYPES .....	20
The Any type .....	20
Built-in types .....	20
5. TYPESCRIPT – VARIABLES.....	22
Variable Declaration in TypeScript .....	22
Type Assertion in TypeScript .....	24
Inferred Typing in TypeScript .....	25
TypeScript Variable Scope .....	25
6. TYPESCRIPT – OPERATORS.....	28
What is an Operator? .....	28
Arithmetic Operators .....	28
Relational Operators .....	30
Logical Operators .....	32
Short-circuit Operators (&& and   ).....	33
Bitwise Operators .....	34
Assignment Operators.....	36
Miscellaneous Operators .....	38
Type Operators .....	39
7. TYPESCRIPT – DECISION MAKING .....	41
The if Statement.....	42
The if...else Statement.....	43
The else...if Ladder .....	45
The switch...case Statement .....	46

8.	TYPESCRIPT – LOOPS .....	51
	The while Loop .....	52
	The for Loop .....	54
	The for...in loop .....	56
	The do...while loop .....	57
	The break Statement .....	60
	The continue Statement .....	61
	The Infinite Loop .....	63
9.	TYPESCRIPT – FUNCTIONS .....	65
	Defining a Function .....	65
	Calling a Function .....	65
	Returning Functions .....	66
	Parameterized Function .....	68
	Optional Parameters .....	69
	Rest Parameters .....	70
	Default Parameters .....	72
	Anonymous Function .....	73
	The Function Constructor .....	74
	Recursion and TypeScript Functions .....	75
	Lambda Functions .....	76
	Syntactic Variations .....	77
	Function Overloads .....	80
10.	TYPESCRIPT – NUMBERS .....	82
	Number Methods .....	85
	toExponential() .....	85
	toFixed() .....	86

toLocaleString() .....	87
toPrecision() .....	87
toString() .....	88
valueOf() .....	89
11. TYPESCRIPT – STRINGS .....	90
String Methods .....	92
charAt .....	93
charCodeAt() .....	94
concat() .....	95
indexOf() .....	95
lastIndexOf() .....	96
localeCompare() .....	97
replace() .....	98
search() .....	99
slice() .....	100
split() .....	101
substr() .....	101
substring() .....	102
toLocaleLowerCase() .....	103
toLocaleUpperCase() .....	104
toLowerCase() .....	104
toString() .....	105
toUpperCase() .....	105
valueOf() .....	106

12. TYPESCRIPT – ARRAYS.....	107
Features of an Array.....	107
Declaring and Initializing Arrays .....	107
Accessing Array Elements.....	108
Array Object .....	109
Array Methods .....	111
concat().....	112
every().....	112
filter().....	113
forEach() .....	114
indexOf() .....	116
join() .....	116
lastIndexOf() .....	117
map() .....	118
pop() .....	119
push().....	119
reduce().....	120
reduceRight() .....	121
reverse().....	121
shift() .....	122
slice() .....	122
some().....	123
sort() .....	124
splice() .....	124
toString().....	126
unshift() .....	126

Array Destructuring.....	127
Array Traversal using for...in loop.....	127
Arrays in TypeScript .....	128
Multidimensional Arrays .....	128
13. TYPESCRIPT – TUPLES .....	133
Accessing values in Tuples.....	133
Tuple Operations.....	134
Updating Tuples .....	135
Destructuring a Tuple .....	135
14. TYPESCRIPT – UNION.....	137
Union Type and Arrays .....	139
15. TYPESCRIPT – INTERFACES.....	141
Declaring Interfaces .....	141
Union Type and Interface .....	143
Interfaces and Arrays .....	145
Interfaces and Inheritance .....	145
16. TYPESCRIPT – CLASSES.....	148
Creating classes .....	148
Creating Instance objects .....	150
Accessing Attributes and Functions .....	150
Class Inheritance .....	152
TypeScript – Class inheritance and Method Overriding .....	155
The static Keyword.....	157
The instanceof operator .....	158
Data Hiding .....	158



Classes and Interfaces .....	159
17. TYPESCRIPT – OBJECTS .....	161
TypeScript Type Template .....	162
Duck-typing .....	164
18. TYPESCRIPT – NAMESPACES .....	166
Defining a Namespace .....	166
Nested Namespaces .....	169
19. TYPESCRIPT – MODULES.....	171
Internal Module .....	171
External Module.....	172
20. TYPESCRIPT – AMBIENTS .....	177
Defining Ambients.....	177

# 1. TypeScript – Overview


JavaScript was introduced as a language for the client side. The development of Node.js has marked JavaScript as an emerging server-side technology too. However, as JavaScript code grows, it tends to get messier, making it difficult to maintain and reuse the code. Moreover, its failure to embrace the features of Object Orientation, strong type checking and compile-time error checks prevents JavaScript from succeeding at the enterprise level as a full-fledged server-side technology. **TypeScript** was presented to bridge this gap.

## What is TypeScript?

---

By definition, “TypeScript is JavaScript for application-scale development.”

TypeScript is a strongly typed, object oriented, compiled language. It was designed by **Anders Hejlsberg** (designer of C#) at Microsoft. TypeScript is both a language and a set of tools. TypeScript is a typed superset of JavaScript compiled to JavaScript. In other words, TypeScript is JavaScript plus some additional features.



## Features of TypeScript

---

**TypeScript is just JavaScript.** TypeScript starts with JavaScript and ends with JavaScript. Typescript adopts the basic building blocks of your program from JavaScript. Hence, you only need to know JavaScript to use TypeScript. All TypeScript code is converted into its JavaScript equivalent for the purpose of execution.

**TypeScript supports other JS libraries.** Compiled TypeScript can be consumed from any JavaScript code. TypeScript-generated JavaScript can reuse all of the existing JavaScript frameworks, tools, and libraries.

**JavaScript is TypeScript.** This means that any valid **.js** file can be renamed to **.ts** and compiled with other TypeScript files.

**TypeScript is portable.** TypeScript is portable across browsers, devices, and operating systems. It can run on any environment that JavaScript runs on. Unlike its counterparts, TypeScript doesn't need a dedicated VM or a specific runtime environment to execute.

## TypeScript and ECMAScript

The ECMAScript specification is a standardized specification of a scripting language. There are six editions of ECMA-262 published. Version 6 of the standard is codenamed "Harmony". TypeScript is aligned with the ECMAScript6 specification.



TypeScript adopts its basic language features from the ECMAScript5 specification, i.e., the official specification for JavaScript. TypeScript language features like Modules and class-based orientation are in line with the EcmaScript 6 specification. Additionally, TypeScript also embraces features like generics and type annotations that aren't a part of the EcmaScript6 specification.

## Why Use TypeScript?

TypeScript is superior to its other counterparts like CoffeeScript and Dart programming languages in a way that TypeScript is extended JavaScript. In contrast, languages like Dart, CoffeeScript are new languages in themselves and require language-specific execution environment.

The benefits of TypeScript include:


- **Compilation:** JavaScript is an interpreted language. Hence, it needs to be run to test that it is valid. It means you write all the codes just to find no output, in case there is an error. Hence, you have to spend hours trying to find bugs in the code. The TypeScript transpiler provides the error-checking feature. TypeScript will compile the code and generate compilation errors, if it finds some sort of syntax errors. This helps to highlight errors before the script is run.
- **Strong Static Typing:** JavaScript is not strongly typed. TypeScript comes with an optional static typing and type inference system through the TLS (TypeScript Language Service). The type of a variable, declared with no type, may be inferred by the TLS based on its value.
- TypeScript **supports type definitions** for existing JavaScript libraries. TypeScript Definition file (with **.d.ts** extension) provides definition for external JavaScript libraries. Hence, TypeScript code can contain these libraries.
- TypeScript **supports Object Oriented Programming** concepts like classes, interfaces, inheritance, etc.

## Components of TypeScript

---

At its heart, TypeScript has the following three components:

- **Language:** It comprises of the syntax, keywords, and type annotations.
- **The TypeScript Compiler:** The TypeScript compiler (tsc) converts the instructions written in TypeScript to its JavaScript equivalent.
- **The TypeScript Language Service:** The "Language Service" exposes an additional layer around the core compiler pipeline that are editor-like applications. The language service supports the common set of a typical editor operations like statement completions, signature help, code formatting and outlining, colorization, etc.



## Declaration Files

When a TypeScript script gets compiled, there is an option to generate a **declaration file** (with the extension **.d.ts**) that functions as an interface to the components in the compiled JavaScript. The concept of declaration files is analogous to the concept of header files found in C/C++. The declaration files (files with **.d.ts** extension) provide intellisense for types, function calls, and variable support for JavaScript libraries like jQuery, MooTools, etc.

## 2. TypeScript – Environment Setup

In this chapter, we will discuss how to install TypeScript on Windows platform. We will also explain how to install the Brackets IDE.

### TypeScript – Try it Option Online

You may test your scripts online by using The TypeScript editor at <http://www.typescriptlang.org/Playground>. The online editor shows the corresponding JavaScript emitted by the compiler.



You may try the following example using **Playground**.

```
var num:number=12
console.log(num)
```

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var num = 12;
console.log(num);
```

The output of the above program is given below:

```
12
```

## Local Environment Setup

---

Typescript is an Open Source technology. It can run on any browser, any host, and any OS. You will need the following tools to write and test a Typescript program:

### A Text Editor

The text editor helps you to write your source code. Examples of a few editors include Windows Notepad, Notepad++, Emacs, vim or vi, etc. Editors used may vary with Operating Systems.

The source files are typically named with the extension **.ts**

### The TypeScript Compiler

The TypeScript compiler is itself a **.ts** file compiled down to JavaScript (.js) file. The TSC (TypeScript Compiler) is a source-to-source compiler (transcompiler / transpiler).



The TSC generates a JavaScript version of the **.ts** file passed to it. In other words, the TSC produces an equivalent JavaScript source code from the Typescript file given as an input to it. This process is termed as transpilation.

However, the compiler rejects any raw JavaScript file passed to it. The compiler deals with only **.ts** or **.d.ts** files.

## Installing Node.js


---

Node.js is an open source, cross-platform runtime environment for server-side JavaScript. Node.js is required to run JavaScript without a browser support. It uses Google V8 JavaScript engine to execute code. You may download Node.js source code or a pre-built installer for your platform. Node is available here: <https://nodejs.org/en/download>

### Installation on Windows

Follow the steps given below to install Node.js in Windows environment.

**Step 1:** Download and run the .msi installer for Node.




**Step 2:** To verify if the installation was successful, enter the command ***node -v*** in the terminal window.

```
C:\Users>node -v
v4.2.3
C:\Users>_
```

**Step 3:** Type the following command in the terminal window to install TypeScript.

```
npm install -g typescript
```




## Installation on Mac OS X

To install node.js on Mac OS X, you can download a pre-compiled binary package which makes a nice and easy installation. Head over to <http://nodejs.org/> and click the install button to download the latest package.



Install the package from the **.dmg** by following the install wizard which will install both node and **npm**. npm is Node Package Manager which facilitates installation of additional packages for node.js.





## Installation on Linux

You need to install a number of dependencies before you can install Node.js and NPM.

- **Ruby** and **GCC**. You'll need Ruby 1.8.6 or newer and GCC 4.2 or newer.
- **Homebrew**. Homebrew is a package manager originally designed for Mac, but it's been ported to Linux as Linuxbrew. You can learn more about Homebrew at <http://brew.sh> and Linuxbrew at <http://brew.sh/linuxbrew>.

Once these dependencies are installed, you may install Node.js by using the following command on the terminal:

```
brew install node.
```

## IDE Support

---

Typescript can be built on a plethora of development environments like Visual Studio, Sublime Text 2, WebStorm/PHPStorm, Eclipse, Brackets, etc. Visual Studio Code and Brackets IDEs are discussed here. The development environment used here is Visual Studio Code (Windows platform).


## Visual Studio Code


---


This is an open source IDE from Visual Studio. It is available for Mac OS X, Linux and Windows platforms. VScode is available at: <https://code.visualstudio.com>

## Installation on Windows


**Step 1:** Download Visual Studio Code for Windows.




**Step 2:** Double-click on VSCodeSetup.exe  to launch the setup process. This will only take a minute.



**Step 3:** A screenshot of the IDE is given below:



**Step 4:** You may directly traverse to the file's path by right clicking on the file → open in command prompt. Similarly, the Reveal in Explorer option shows the file in the File Explorer.



## Installation on Mac OS X


Visual Studio Code's Mac OS X specific installation guide can be found at <https://code.visualstudio.com/Docs/editor/setup>

## Installation on Linux

Linux specific installation guide for Visual Studio Code can be found at <https://code.visualstudio.com/Docs/editor/setup>


## Brackets


Brackets is a free open-source editor for web development, created by Adobe Systems. It is available for Linux, Windows and Mac OS X. Brackets is available at <http://brackets.io>




## TypeScript Extensions for Brackets


Brackets supports extensions for adding extra functionality via the Extension Manager. The following steps explain installing TypeScript extensions using the same.

- Post installation, click on the extension manager icon  on the right-hand side of the editor. Enter typescript in the search box.
- Install the Brackets TSLint and Brackets TypeScript plugins.



You can run DOS prompt / shell within Brackets itself by adding one more extension Brackets Shell.



Upon installation, you will find an icon of shell on the right-hand side of the editor . Once you click on the icon, you will see the shell window as shown below:

```

Shell
D:\ts-projects>dir

Volume in drive D is New Volume
Volume Serial Number is B86C-C26C

Directory of D:\ts-projects

    10:23 PM    <DIR>          .
    10:23 PM    <DIR>          ..
           0 File(s)                0 bytes
           2 Dir(s)  93,937,332,224 bytes free

D:\ts-projects>

```

**Note:** Typescript is also available as a plugin for Visual Studio 2012 and 2013 environments (<http://www.typescriptlang.org/#Download>). VS 2015 and above includes Typescript plugin by default.

Now, you are all set!!!

# 3. TypeScript – Basic Syntax

Syntax defines a set of rules for writing programs. Every language specification defines its own syntax. A TypeScript program is composed of:

- Modules
- Functions
- Variables
- Statements and Expressions
- Comments

## Your First TypeScript Code

---

Let us start with the traditional "Hello World" example:

```
var message:string="Hello World"
console.log(message)
```

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var message = "Hello World";
console.log(message);
```

- Line 1 declares a variable by the name message. Variables are a mechanism to store values in a program.
- Line 2 prints the variable's value to the prompt. Here, console refers to the terminal window. The function *log ()* is used to display text on the screen.


## Compile and Execute a TypeScript Program

---

Let us see how to compile and execute a TypeScript program using Visual Studio Code. Follow the steps given below:

**Step 1:** Save the file with .ts extension. We shall save the file as Test.ts. The code editor marks errors in the code, if any, while you save it.

**Step 2:** Right-click the TypeScript file under the Working Files option in VS Code's Explore Pane. Select Open in Command Prompt option.



**Step 3:** To compile the file use the following command on the terminal window:

```
tsc Test.ts
```

**Step 4:** The file is compiled to Test.js. To run the program written, type the following in the terminal:

```
node Test.js
```

## Compiler Flags

Compiler flags enable you to change the behavior of the compiler during compilation. Each compiler flag exposes a setting that allows you to change how the compiler behaves.

The following table lists some common flags associated with the TSC compiler. A typical command-line usage uses some or all switches.

Compiler flag	Description
--help	Displays the help manual
--module	Load external modules
--target	Set the target ECMA version
--declaration	Generates an additional .d.ts file
--removeComments	Removes all comments from the output file
--out	Compile multiple files into a single output file
--sourcemap	Generate a sourcemap (.map) files
--module noImplicitAny	Disallows the compiler from inferring the any type
--watch	Watch for file changes and recompile them on the fly

**Note:** Multiple files can be compiled at once.



```
tsc file1.ts, file2.ts, file3.ts
```

## Identifiers in TypeScript

Identifiers are names given to elements in a program like variables, functions etc. The rules for identifiers are:

- Identifiers can include both, characters and digits. However, the identifier cannot begin with a digit.
- Identifiers cannot include special symbols except for underscore (\_) or a dollar sign (\$).
- Identifiers cannot be keywords.
- They must be unique.
- Identifiers are case-sensitive.
- Identifiers cannot contain spaces.

The following tables lists a few examples of valid and invalid identifiers:

Valid identifiers	Invalid identifiers
firstName	var
first_name	first name
num1	first-name
\$result	1number

## TypeScript – Keywords

Keywords have a special meaning in the context of a language. The following table lists some keywords in TypeScript.

break	as	any	switch
case	if	throw	else
var	number	string	get
module	type	instanceof	typeof
public	private	enum	export
finally	for	while	void
null	super	this	new
in	return	true	false
any	extends	static	let

package	implements	interface	function
new	try	yield	const
continue	do	catch	finally

## Whitespace and Line Breaks

TypeScript ignores spaces, tabs, and newlines that appear in programs. You can use spaces, tabs, and newlines freely in your program and you are free to format and indent your programs in a neat and consistent way that makes the code easy to read and understand.

## TypeScript is Case-sensitive

TypeScript is case-sensitive. This means that TypeScript differentiates between uppercase and lowercase characters.

## Semicolons are optional

Each line of instruction is called a **statement**. Semicolons are optional in TypeScript.

### Example

```
console.log("hello world")
console.log("We are learning TypeScript")
```

A single line can contain multiple statements. However, these statements must be separated by a semicolon.

## Comments in TypeScript

Comments are a way to improve the readability of a program. Comments can be used to include additional information about a program like author of the code, hints about a function/ construct etc. Comments are ignored by the compiler.

TypeScript supports the following types of comments:

- **Single-line comments ( // )**: Any text between a // and the end of a line is treated as a comment
- **Multi-line comments (/\* \*/)**: These comments may span multiple lines.

### Example

```
//this is single line comment

/* This is a
Multi-line comment
```

```
*/
```

## TypeScript and Object Orientation

TypeScript is Object-Oriented JavaScript. Object Orientation is a software development paradigm that follows real-world modelling. Object Orientation considers a program as a collection of objects that communicate with each other via mechanism called methods. TypeScript supports these object oriented components too.

- **Object:** An object is a real time representation of any entity. According to Grady Brooch, every object must have three features:
  - **State:** described by the attributes of an object
  - **Behavior:** describes how the object will act
  - **Identity:** a unique value that distinguishes an object from a set of similar such objects.
- **Class:** A class in terms of OOP is a blueprint for creating objects. A class encapsulates data for the object.
- **Method:** Methods facilitate communication between objects.

### Example: TypeScript and Object Orientation

```
class Greeting
{
    greet():void
    {
        console.log("Hello World!!!")
    }
}
var obj= new Greeting();
obj.greet();
```

The above example defines a class *Greeting*. The class has a method *greet ()*. The method prints the string "Hello World" on the terminal. The **new** keyword creates an object of the class (obj). The object invokes the method *greet ()*.

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
```

```
var Greeting = (function () {  
    function Greeting() {  
    }  
    Greeting.prototype.greet = function () {  
        console.log("Hello World!!!");  
    };  
    return Greeting;  
})();  
var obj = new Greeting();  
obj.greet()
```


The output of the above program is given below:

```
Hello World!!!
```

## 4. TypeScript – Types

The Type System represents the different types of values supported by the language. The Type System checks the validity of the supplied values, before they are stored or manipulated by the program. This ensures that the code behaves as expected. The Type System further allows for richer code hinting and automated documentation too.

TypeScript provides data types as a part of its optional Type System. The data type classification is as given below:



### The Any type

The **any** data type is the super type of all types in TypeScript. It denotes a dynamic type. Using the **any** type is equivalent to opting out of type checking for a variable.

### Built-in types

The following table illustrates all the built-in types in TypeScript:

Data type	Keyword	Description
Number	number	Double precision 64-bit floating point values. It can be used to represent both, integers and fractions.
String	string	Represents a sequence of Unicode characters
Boolean	Boolean	Represents logical values, true and false

Void	void	Used on function return types to represent non-returning functions
Null	null	Represents an intentional absence of an object value.
Undefined	undefined	Denotes value given to all uninitialized variables

**Note:** There is no integer type in TypeScript and JavaScript.

### Null and undefined – Are they the same?

The **null** and the **undefined** datatypes are often a source of confusion. The null and undefined cannot be used to reference the data type of a variable. They can only be assigned as values to a variable.

However, *null and undefined are not the same*. A variable initialized with undefined means that the variable has no value or object assigned to it while null means that the variable has been set to an object whose value is undefined.

### User-defined Types

User-defined types include Enumerations (enums), classes, interfaces, arrays, and tuple. These are discussed in detail in the later chapters.

## 5. TypeScript – Variables

A variable, by definition, is “a named space in the memory” that stores values. In other words, it acts as a container for values in a program. TypeScript variables must follow the JavaScript naming rules:

- Variable names can contain alphabets and numeric digits.
- They cannot contain spaces and special characters, except the underscore (\_) and the dollar (\$) sign.
- Variable names cannot begin with a digit.

A variable must be declared before it is used. Use the **var** keyword to declare variables.

### Variable Declaration in TypeScript

---

The type syntax for declaring a variable in TypeScript is to include a colon (:) after the variable name, followed by its type. Just as in JavaScript, we use the **var** keyword to declare a variable.

When you declare a variable, you have four options:

1. Declare its type and value in one statement.

```
var [identifier] : [type-annotation] = value ;
```

2. Declare its type but no value. In this case, the variable will be set to undefined.

```
var [identifier] : [type-annotation] ;
```

3. Declare its value but no type. The variable type will be set to any.

```
var [identifier] = value ;
```

4. Declare neither value nor type. In this case, the data type of the variable will be any and will be initialized to undefined.

```
var [identifier] ;
```

The following table illustrates the valid syntax for variable declaration as discussed above:

Variable Declaration Syntax	Description
<code>var name:string="mary"</code>	The variable stores a value of type string
<code>var name:string;</code>	The variable is a string variable. The variable's value is set to undefined by default
<code>var name="mary"</code>	The variable's type is inferred from the data type of the value. Here, the variable is of the type string
<code>var name;</code>	The variable's data type is any. Its value is set to undefined by default.

### Example: Variables in TypeScript

```
var name:string="John";
var score1:number=50;
var score2:number=42.50
var sum=score1+score2
console.log("name"+name)
console.log("first score: "+score1)
console.log("second score : "+score2)
console.log("sum of the scores: "+sum)
```

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var name = "John";
var score1 = 50;
var score2 = 42.50;
var sum = score1 + score2;
console.log("name" + name);
console.log("first score: " + score1);
console.log("second score : " + score2);
console.log("sum of the scores: " + sum);
```



The output of the above program is given below:

```
name:John
first score:50
second score:42.50
sum of the scores:92.50
```

The TypeScript compiler will generate errors, if we attempt to assign a value to a variable that is not of the same type. Hence, TypeScript follows Strong Typing. The Strong typing syntax ensures that the types specified on either side of the assignment operator (=) are the same. This is why the following code will result in a compilation error:

```
var num:number = "hello"           // will result in a compilation error
```

## Type Assertion in TypeScript

TypeScript allows changing a variable from one type to another. TypeScript refers to this process as *Type Assertion*. The syntax is to put the target type between < > symbols and place it in front of the variable or expression. The following example explains this concept:

### Example

```
var str='1'
var str2:number=<number> <any> str //str is now of type number
console.log(str2)
```

If you hover the mouse pointer over the type assertion statement in Visual Studio Code, it displays the change in the variable's data type. Basically it allows the assertion from type S to T succeed if either S is a subtype of T or T is a subtype of S.

The reason why it's not called "type casting" is that casting generally implies some sort of runtime support while, "type assertions" are purely a compile time construct and a way for you to provide hints to the compiler on how you want your code to be analyzed.

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var str = '1';
var str2 = str; //str is now of type number
console.log(str2);
```

It will produce the following output:

```
1
```

## Inferred Typing in TypeScript

---

Given the fact that, Typescript is strongly typed, this feature is optional. TypeScript also encourages dynamic typing of variables. This means that, TypeScript encourages declaring a variable without a type. In such cases, the compiler will determine the type of the variable on the basis of the value assigned to it. TypeScript will find the first usage of the variable within the code, determine the type to which it has been initially set and then assume the same type for this variable in the rest of your code block.

The same is explained in the following code snippet:

### Example: Inferred Typing

```
var num=2;           // data type inferred as  number
console.log("value of num "+num);
num="12";
console.log(num);
```

In the above code snippet:

- The code declares a variable and sets its value to 2. Note that the variable declaration doesn't specify the data type. Hence, the program uses inferred typing to determine the data type of the variable, i.e., it assigns the type of the first value that the variable is set to. In this case, **num** is set to the type number
- When the code tries to set the variable's value to string. The compiler throws an error as the variable's type is already set to number.

It will produce the following output:

```
error TS2011: Cannot convert 'string' to 'number'.
```

## TypeScript Variable Scope

---

The scope of a variable specifies where the variable is defined. The availability of a variable within a program is determined by its scope. TypeScript variables can be of the following scopes:

- **Global Scope** — Global variables are declared outside the programming constructs. These variables can be accessed from anywhere within your code.
- **Class Scope** — These variables are also called **fields**. Fields or class variables are declared within the class but outside the methods. These variables can be accessed using the object of the class. Fields can also be static. Static fields can be accessed using the class name.
- **Local Scope** — Local variables, as the name suggests, are declared within the constructs like methods, loops etc. Local variables are accessible only within the construct where they are declared.

The following example illustrates variable scopes in TypeScript.

### Example: Variable Scope

```
var global_num=12      //global variable
class Numbers
{
    num_val=13;        //class variable
    static sval=10;    //static field
    storeNum():void
    {
        var local_num=14;    //local variable
    }
}
console.log("Global num: "+global_num)
console.log(Numbers.sval)    //static variable
var obj= new Numbers();
console.log("Global num: "+obj.num_val)
```

On transpiling, the following JavaScript code is generated:

```
var global_num = 12;
var Numbers = (function () {
    function Numbers() {
        this.num_val = 13;
    }
    Numbers.prototype.storeNum = function () {
        var local_num = 14;
    };
    Numbers.sval = 10;
    return Numbers;
})();
console.log("Global num: " + global_num);
console.log(Numbers.sval);
var obj = new Numbers();
console.log("Global num: " + obj.num_val);
```

It will produce the following output:

```
Global num: 12  
10  
Global num: 13
```

If you try accessing the local variable outside the method, it results in a compilation error.

```
error TS2095: Could not find symbol 'local_num'.
```

# 6. TypeScript – Operators

## What is an Operator?

An operator defines some function that will be performed on the data. The data on which operators work are called operands. Consider the following expression:

**7 + 5 = 12**

Here, the values 7, 5, and 12 are **operands**, while + and = are **operators**.

The major operators in TypeScript can be classified as:

- Arithmetic operators
- Logical operators
- Relational operators
- Bitwise operators
- Assignment operators
- Ternary/conditional operator
- String operator
- Type Operator

## Arithmetic Operators

Assume the values in variables a and b are 10 and 5 respectively.

Operator	Function	Example
+	<b>Addition:</b> returns the sum of the operands	a + b is 15
-	<b>Subtraction:</b> returns the difference of the values	a - b is 5
*	<b>Multiplication:</b> returns the product of the values	a * b is 50
/	<b>Division:</b> performs a division operation and returns the quotient	a / b is 2
%	<b>Modulus:</b> performs a division and returns the remainder	a % b is 2
++	<b>Increments</b> the value of the variable by one	a++ is 11
--	<b>Decrements</b> the value of the variable by one	a-- is 9

## Example: Arithmetic Operators

```
var num1:number=10
var num2:number=2
var res:number=0
res= num1+num2
console.log("Sum:      "+ res);
res=num1-num2;
console.log("Difference: "+res)
res=num1*num2
console.log("Product:   "+res)
res=num1/num2
console.log("Quotient:  "+res)
res=num1%num2
console.log("Remainder: "+res)
num1++
console.log("Value of num1 after increment "+num1)
num2--
console.log("Value of num2 after decrement "+num2)
```

On compiling, it will generate the following JavaScript code

```
//Generated by typescript 1.8.10
var num1 = 10;
var num2 = 2;
var res = 0;
res = num1 + num2;
console.log("Sum:      " + res);
res = num1 - num2;
console.log("Difference: " + res);
res = num1 * num2;
console.log("Product:   " + res);
res = num1 / num2;
console.log("Quotient:  " + res);
res = num1 % num2;
console.log("Remainder:  " + res);
num1++;
```

```

console.log("Value of num1 after increment " + num1);
num2--;
console.log("Value of num2 after decrement " + num2);

```

The output of the above program is given below:

```

Sum: 12
Difference: 8
Product: 20
Quotient : 5
Remainder: 0
Value of num1 after increment: 11
Value of num2 after decrement: 1

```

## Relational Operators

Relational Operators test or define the kind of relationship between two entities. Relational operators return a Boolean value, i.e., true/ false.

Assume the value of A is 10 and B is 20.

Operators	Description	Example
>	Greater than	(A > B) is False
<	Lesser than	(A < B) is True
>=	Greater than or equal to	(A >= B) is False
<=	Lesser than or equal to	(A <= B) is True
==	Equality	(A == B) is True
!=	Not equal	(A != B) is True

## Example

```

var num1:number=5;
var num2:number=9;
console.log("Value of num1: "+num1);
console.log("Value of num2 :"+num2);

var res=num1>num2
console.log("num1 greater than num2: "+res)

```

```
res=num1<num2
console.log("num1 lesser than num2: "+res)

res=num1>=num2
console.log("num1 greater than or equal to num2: "+res)

res=num1<=num2
console.log("num1 lesser than or equal to num2: "+res)

res=num1==num2
console.log("num1 is equal to num2: "+res)

res=num1!=num2
console.log("num1 is not equal to num2: "+res)
```

The transpiled JS version of the above code:

```
var num1 = 5;
var num2 = 9;
console.log("Value of num1: " + num1);
console.log("Value of num2 : " + num2);
var res = num1 > num2;
console.log("num1 greater than num2: " + res);
res = num1 < num2;
console.log("num1 lesser than num2: " + res);
res = num1 >= num2;
console.log("num1 greater than or equal to num2: " + res);
res = num1 <= num2;
console.log("num1 lesser than or equal to num2: " + res);
res = num1 == num2;
console.log("num1 is equal to num2: " + res);
res = num1 != num2;
console.log("num1 not equal to num2: " + res);
```



It will produce the following output:

```
Value of num1: 5
Value of num2 :9
num1 greater than num2: false
num1 lesser than num2: true
num1 greater than or equal to num2: false
num1 lesser than or equal to num2: true
14 num1 is equal to num2: false
16 num1 not equal to num2: true
```

## Logical Operators

Logical Operators are used to combine two or more conditions. Logical operators too return a Boolean value. Assume the value of variable A is 10 and B is 20

Operator	Description	Example
<b>&amp;&amp;</b>	<b>And</b> : The operator returns true only if all the expressions specified return true	(A > 10 && B > 10) is False
<b>  </b>	<b>OR</b> : The operator returns true if at least one of the expressions specified return true	(A > 10    B >10) is True
<b>!</b>	<b>NOT</b> : The operator returns the inverse of the expression's result. For E.g.: !(7>5) returns false	!(A >10 ) is True

## Example

```
var avg:number=20;
var percentage:number=90;
console.log("Value of avg: "+avg+" ,value of percentage: "+percentage);

var res:boolean=((avg>50)&&(percentage>80));
console.log("(avg>50)&&(percentage>80): ",res);

var res:boolean=((avg>50)|| (percentage>80));
console.log("(avg>50)|| (percentage>80): ",res);
```

```
var res:boolean=!((avg>50)&&(percentage>80));
console.log("!((avg>50)&&(percentage>80)): ",res);
```

On compiling, it will generate following JavaScript code

```
var avg = 20;
var percentage = 90;
console.log("Value of avg: " + avg + " ,value of percentage: " + percentage);
var res = ((avg > 50) && (percentage > 80));
console.log("(avg>50)&&(percentage>80): ", res);
var res = ((avg > 50) || (percentage > 80));
console.log("(avg>50)||(percentage>80): ", res);
var res = !((avg > 50) && (percentage > 80));
console.log("!((avg>50)&&(percentage>80)): ", res);
```

The above code snippet will produce the following output:

```
Value of avg: 20 ,value of percentage: 90
(avg>50)&&(percentage>80):  false
(avg>50)||(percentage>80):  true
!((avg>50)&&(percentage>80)):  true
```

## Short-circuit Operators (&& and ||)

The && and || operators are used to combine expressions. The && operator returns true only when both the conditions return true. Let us consider an expression:

```
var a=10
var result=( a<10 && a>5)
```

In the above example,  $a < 10$  and  $a > 5$  are two expressions combined by an && operator. Here, the first expression returns false. However, the && operator requires both the expressions return true. So, the operator skips the second expression.

The || operator returns true, if one of the expressions returns true. For example:

```
var a=10
var result=( a>5 || a<10)
```

In the above snippet, two expressions  $a > 5$  and  $a < 10$  are combined by a || operator. Here, the first expression returns true. Since, the first expression returns true, the || operator skips the subsequent expression and returns true.

Due to this behavior of the `&&` and `||` operator, they are called as **short-circuit operators**.

## Bitwise Operators

Assume variable A=2 and B =3

Operator	Description	Example
<code>&amp;</code> (Bitwise AND)	It performs a Boolean AND operation on each bit of its integer arguments.	(A & B) is 2
<code> </code> (Bitwise OR)	It performs a Boolean OR operation on each bit of its integer arguments.	(A   B) is 3
<code>^</code> (Bitwise XOR)	It performs a Boolean exclusive OR operation on each bit of its integer arguments. Exclusive OR means that either operand one is true or operand two is true, but not both.	(A ^ B) is 1
<code>~</code> (Bitwise Not)	It is a unary operator and operates by reversing all the bits in the operand.	(~B) is -4
<code>&lt;&lt;</code> (Left Shift)	It moves all the bits in its first operand to the left by the number of places specified in the second operand. New bits are filled with zeros. Shifting a value left by one position is equivalent to multiplying it by 2, shifting two positions is equivalent to multiplying by 4, and so on.	(A << 1) is 4
<code>&gt;&gt;</code> (Right Shift)	Binary Right Shift Operator. The left operand's value is moved right by the number of bits specified by the right operand.	(A >> 1) is 1
<code>&gt;&gt;&gt;</code> (Right shift with Zero)	This operator is just like the <code>&gt;&gt;</code> operator, except that the bits shifted in on the left are always zero.	(A >>> 1) is 1

### Example

```
var a:number = 2;           // Bit presentation 10
var b:number = 3; // Bit presentation 11
var result;
result = (a & b);
console.log("(a & b) => ",result)
result = (a | b);
console.log("(a | b) => ",result)
result = (a ^ b);
```

```

console.log("(a ^ b) => ",result);
result = (~b);
console.log("(~b) => ",result);
result = (a << b);
console.log("(a << b) => ",result);
result = (a >> b);
console.log("(a >> b) => ",result);

```

On compiling, it will generate the following JavaScript code:

```

//Generated by typescript 1.8.10
var a = 2; // Bit presentation 10
var b = 3; // Bit presentation 11
var result;
result = (a & b);
console.log("(a & b) => ", result);
result = (a | b);
console.log("(a | b) => ", result);
result = (a ^ b);
console.log("(a ^ b) => ", result);
result = (~b);
console.log("(~b) => ", result);
result = (a << b);
console.log("(a << b) => ", result);
result = (a >> b);
console.log("(a >> b) => ", result);

```

The output of the above program is given below:

```

(a & b) =>  2
(a | b) =>  3
(a ^ b) =>  1
(~b) =>   -4
(a << b) => 16
(a >> b) =>  0

```

## Assignment Operators

Operator	Operator and Description
= (Simple Assignment)	Assigns values from the right side operand to the left side operand <b>Ex:</b> $C = A + B$ will assign the value of $A + B$ into $C$
+= (Add and Assignment)	It adds the right operand to the left operand and assigns the result to the left operand. <b>Ex:</b> $C += A$ is equivalent to $C = C + A$
-= (Subtract and Assignment)	It subtracts the right operand from the left operand and assigns the result to the left operand. <b>Ex:</b> $C -= A$ is equivalent to $C = C - A$
*= (Multiply and Assignment)	It multiplies the right operand with the left operand and assigns the result to the left operand. <b>Ex:</b> $C *= A$ is equivalent to $C = C * A$
/= (Divide and Assignment)	It divides the left operand with the right operand and assigns the result to the left operand.

**Note:** Same logic applies to Bitwise operators, so they will become  $<<=$ ,  $>>=$ ,  $>>=$ ,  $\&=$ ,  $|=$  and  $\^=$ .

### Example

```
var a: number=12
var b:number=10

a=b
console.log("a=b: "+a)

a+=b
console.log("a+=b: "+a)

a-=b
console.log("a-=b: "+a)
```

```
a*=b
console.log("a*=b: "+a)

a/=b
console.log("a/=b: "+a)

a%=b
console.log("a%=b: "+a)
```

On compiling, it will generate the following JavaScript code:

```
var a = 12;
var b = 10;
a = b;
console.log("a=b: " + a);
a += b;
console.log("a+=b: " + a);
a -= b;
console.log("a-=b: " + a);
a *= b;
console.log("a*=b: " + a);
a /= b;
console.log("a/=b: " + a);
a %= b;
console.log("a%=b: " + a);
```

It will produce the following output:

```
a=b: 10
a+=b: 20
a-=b: 10
a*=b: 100
a/=b: 10
a%=b: 0
```

## Miscellaneous Operators

---

### The negation operator (-)

Changes the sign of a value. Let's take an example.

```
var x:number=4
var y=-x;
console.log("value of x: ",x);           //outputs 4
console.log("value of y: ",y);           //outputs -4
```

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var x = 4;
var y = -x;
console.log("value of x: ", x);           //outputs 4
console.log("value of y: ", y);           //outputs -4
```

It will produce the following output:

```
value of x: 4
value of y: -4
```

### String Operators: Concatenation operator (+)

The + operator when applied to strings appends the second string to the first. The following example helps us to understand this concept.

```
var msg:string="hello"+"world"
console.log(msg)
```

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var msg = "hello" + "world";
console.log(msg);
```

It will produce the following output:

```
helloworld
```

The concatenation operation doesn't add a space between strings. Multiple strings can be concatenated in a single statement.

## Conditional Operator (?)

This operator is used to represent a conditional expression. The conditional operator is also sometimes referred to as the ternary operator. The syntax is as given below:

```
Test ? expr1 : expr2
```

- **Test**: refers to the conditional expression
- **expr1**: value returned if the condition is true
- **expr2**: value returned if the condition is false

Let's take a look at the following code:

```
var num:number=-2
var result= num > 0 ?"positive":"non-positive"
console.log(result)
```

Line 2 checks whether the value in the variable **num** is greater than zero. If **num** is set to a value greater than zero, it returns the string "positive" else the string "non-positive" is returned.

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var num = -2;
var result = num > 0 ? "positive" : "non-positive";
console.log(result);
```

The above code snippet will produce the following output:

```
non-positive
```

## Type Operators

### typeof operator

It is a unary operator. This operator returns the data type of the operand. Take a look at the following example:

```
var num=12
console.log(typeof num); //output: number
```

On compiling, it will generate following JavaScript code



```
//Generated by typescript 1.8.10  
var num = 12;  
console.log(typeof num); //output: number
```

It will produce the following output:

```
number
```


## instanceof

This operator can be used to test if an object is of a specified type or not. The use of **instanceof** operator is discussed in the chapter **classes**.

## 7. TypeScript – Decision Making

Decision-making structures require that the programmer specifies one or more conditions to be evaluated or tested by the program, along with a statement or statements to be executed if the condition is determined to be true, and optionally, other statements to be executed if the condition is determined to be false.

Shown below is the general form of a typical decision-making structure found in most of the programming languages –



A decision-making construct evaluates a condition before the instructions are executed. Decision-making constructs in TypeScript are classified as follows:

Statement	Description
if statement	An 'if' statement consists of a Boolean expression followed by one or more statements.
if...else statement	An 'if' statement can be followed by an optional 'else' statement, which executes when the Boolean expression is false.
else...if and nested if statements	You can use one 'if' or 'else if' statement inside another 'if' or 'else if' statement(s).

switch statement	A 'switch' statement allows a variable to be tested for equality against a list of values
------------------	---

## The if Statement


The 'if...else' construct evaluates a condition before a block of code is executed.

### Syntax

```
if(boolean_expression)
{
  // statement(s) will execute if the boolean expression is true
}
```

If the Boolean expression evaluates to true, then the block of code inside the if statement will be executed. If the Boolean expression evaluates to false, then the first set of code after the end of the if statement (after the closing curly brace) will be executed.

### Flowchart



## Example

```
var num:number=5
if (num > 0)
{
  console.log("number is positive")
}
```

On compiling, it will generate the following JavaScript code

```
// Generated by typescript 1.8.10
var num = 5;
if (num > 0) {
    console.log("number is positive");
}
```

The above example will print “number is positive” as the condition specified by the **if** block is true.

```
number is positive
```


## The if...else Statement

An **if** can be followed by an optional **else** block. The **else** block will execute if the Boolean expression tested by the **if** statement evaluates to false.

### Syntax

```
if(boolean_expression)
{
    // statement(s) will execute if the Boolean expression is true
}
else
{
    // statement(s) will execute if the Boolean expression is false
}
```

## Flowchart



The **if** block guards the conditional expression. The block associated with the **if** statement is executed if the Boolean expression evaluates to true.

The **if** block may be followed by an optional **else** statement. The instruction block associated with the else block is executed if the expression evaluates to false.

### Example: Simple if...else

```
var num:number = 12;
if (num % 2==0)
{
    console.log("Even");
}
else
{
    console.log("Odd");
}
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var num = 12;
if (num % 2 == 0) {
    console.log("Even");
}
```

```
else {
    console.log("Odd");
}
```

The above example prints whether the value in a variable is even or odd. The **if** block checks the divisibility of the value by 2 to determine the same. Here is the output of the above code:

```
Even
```

## The else...if Ladder

The **else...if** ladder is useful to test multiple conditions. Its syntax is given below:

```
if (boolean_expression1)
{
    //statements if the expression1 evaluates to true
}
else if (boolean_expression2)
{
    //statements if the expression2 evaluates to true
}
else
{
    //statements if both expression1 and expression2 result to false
}
```

When using **if...else...if** and **else** statements, there are a few points to keep in mind.

- An **if** can have zero or one **else's** and it must come after any **else..if's**.
- An **if** can have zero to many **else..if's** and they must come before the **else**.
- Once an **else..if** succeeds, none of the remaining **else..if's** or **else's** will be tested.

### Example: else...if ladder

```
var num:number=2
if(num > 0)
{
    console.log(num+" is positive")
}
```

```
else if(num < 0)
{
    console.log(num+" is negative")
}
else
{
    console.log(num+" is neither positive nor negative")
}
```

The snippet displays whether the value is positive, negative or zero.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var num = 2;
if (num > 0) {
    console.log(num + " is positive");
}
else if (num < 0) {
    console.log(num + " is negative");
}
else {
    console.log(num + " is neither positive nor negative");
}
```

Here is the output of the above code:

```
2 is positive
```

## The switch...case Statement

The **switch** statement evaluates an expression, matches the expression's value to a case clause, and executes statements associated with that case.

### Syntax

```
switch(variable_expression)
{
    case constant_expr1:
        {
```

```
        //statements;
        break;
    }
    case constant_expr2:
    {
        //statements;
        break;
    }
    default:
    {
        //statements;
        break;
    }
}
```


The value of the variable\_expression is tested against all cases in the switch. If the variable matches one of the cases, the corresponding code block is executed. If no case expression matches the matches the value of the variable\_expression, the code within the default block is associated.

The following rules apply to a switch statement:

- There can be any number of case statements within a switch.
- The case statements can include only constants. It cannot be a variable or an expression.
- The data type of the variable\_expression and the constant expression must match.
- Unless you put a break after each block of code, execution flows into the next block.
- The case expression must be unique.
- The default block is optional.

## Flowchart





### Example: switch...case

```
var grade:string="A";
switch(grade)
{
    case "A":
    {
        console.log("Excellent");
        break;
    }
    case "B":
    {
        console.log("Good");
        break;
    }
}
```

```
        case "C":
        {
            console.log("Fair");
            break;
        }
        case "D":
        {
            console.log("Poor");
            break;
        }
        default:
        {
            console.log("Invalid choice");
            break;
        }
    }
}
```

The example verifies the value of the variable grade against the set of constants (A, B, C, D, and E) and executes the corresponding blocks. If the value in the variable doesn't match any of the constants mentioned above, the default block will be executed.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var grade = "A";
switch (grade) {
    case "A":
    {
        console.log("Excellent");
        break;
    }
    case "B":
    {
        console.log("Good");
        break;
    }
    case "C":
    {
```

```
        console.log("Fair");  
        break;  
    }  
    case "D":  
    {  
        console.log("Poor");  
        break;  
    }  
    default:  
    {  
        console.log("Invalid choice");  
        break;  
    }  
}
```

The above code will produce the following output:


Excellent

## 8. TypeScript – Loops


You may encounter situations, when a block of code needs to be executed several number of times. In general, statements are executed sequentially: The first statement in a function is executed first, followed by the second, and so on.

Programming languages provide various control structures that allow for more complicated execution paths.

A loop statement allows us to execute a statement or group of statements multiple times. Given below is the general form of a loop statement in most of the programming languages.



TypeScript provides different types of loops to handle looping requirements. The following figure illustrates the classification of loops:



## Definite Loop

A loop whose number of iterations are definite/fixed is termed as a **definite loop**. The *for loop* is an implementation of a definite loop.

## Indefinite Loop

An indefinite loop is used when the number of iterations in a loop is indeterminate or unknown.

Indefinite loops can be implemented using:

- *while* loop
- *do... while* loop


## The while Loop

The **while** loop executes the instructions each time the condition specified evaluates to true. In other words, the loop evaluates the condition before the block of code is executed.

### Syntax

```
while(condition)
{
    // statements if the condition is true
}
```

## Flow Diagram



## Example: While loop

```

var num:number=5;
var factorial:number=1;
while(num >=1)
{
    factorial=factorial * num;
    num--;
}
console.log("The factorial is "+factorial);
  
```

The above code snippet uses a **while** loop to calculate the factorial of the value in the variable num.

On compiling, it will generate the following JavaScript code:

```

//Generated by typescript 1.8.10
var num = 5;
var factorial = 1;
while (num >= 1) {
    factorial = factorial * num;
    num--;
}
  
```

```
}  
console.log("The factorial is " + factorial);
```

It produces the following output:

```
The factorial is 120
```

## The for Loop


---

The **for** loop executes the code block for a specified number of times. It can be used to iterate over a fixed set of values, such as an array. The syntax of the **for** loop is as below:

```
for (initial_count_value; termination-condition; step)  
{  
    //statements  
}
```

The loop uses a count variable to keep track of the iterations. The loop initializes the iteration by setting the value of *count* to its initial value. It executes the code block, each time the value of *count* satisfies the *termination\_condtion*. The *step* changes the value of *count* after every iteration.

## Flowchart



## Example: for loop

```

var num:number= 5;
var i:number;
var factorial=1;
for(i=num;i>=1;i--)
{
    factorial*=i;
}
console.log(factorial)
  
```

The program calculates the factorial of the number 5 and displays the same. The for loop generates the sequence of numbers from 5 to 1, calculating the product of the numbers in every iteration.



On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var num = 5;
var factorial = 1;
while (num >= 1) {
    factorial = factorial * num;
    num--;
}
console.log("The factorial is " + factorial);
```

The code produces the following output:

```
120
```

## The for...in loop

Another variation of the *for* loop is the *for... in* loop. The *for... in* loop can be used to iterate over a set of values as in the case of an array or a tuple. The syntax for the same is given below:

The *for...in* loop is used to iterate through a list or collection of values. The data type of *val* here should be string or any. The syntax of the **for..in** loop is as given below:

```
for (var val in list)
{
    //statements
}
```

Let's take a look at the following example:

```
var j:any;
var n:any="a b c"
for(j in n)
{
    console.log(n[j])
}
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var j;
var n = "a b c";
for (j in n) {
    console.log(n[j]);
}
```

It will produce the following output:

```
a
b
c
```

## The do...while loop


---

The do...while loop is similar to the while loop except that the do...while loop doesn't evaluate the condition for the first time the loop executes. However, the condition is evaluated for the subsequent iterations. In other words, the code block will be executed at least once in a do...while loop.

### Syntax

```
do
{
    //statements
}while(condition)
```

### Flowchart



### Example: do...while

```

var n:number=10;
do
{
    console.log(n);
    n--;
}while(n>=0);
  
```

On compiling, it will generate the following JavaScript code:

```

//Generated by typescript 1.8.10
var n = 10;
do {
    console.log(n);
    n--;
} while (n >= 0);
  
```

The example prints numbers from 0 to 10 in the reverse order.

```
10  
9  
8  
7  
6  
5  
4  
3  
2  
1  
0
```

### Example: while versus do..while

```
var n:number=5  
    while(n > 5)  
    {  
        console.log("Entered while")  
    }  
do  
{  
    console.log("Entered do...while")  
}  
while(n>5)
```

The example initially declares a while loop. The loop is entered only if the expression passed to while evaluates to true. In this example, the value of n is not greater than zero, hence the expression returns false and the loop is skipped.

On the other hand, the do...while loop executes statement once. This is because the initial iteration does not consider the Boolean expression. However, for the subsequent iteration, the while checks the condition and takes the control out of the loop.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10  
var n = 5;  
while (n > 5) {  
    console.log("Entered while");  
}
```

```
do {  
    console.log("Entered do...while");  
} while (n > 5);
```

The above code will produce the following output:

```
Entered do...while
```


## The break Statement

The **break** statement is used to take the control out of a construct. Using **break** in a loop causes the program to exit the loop. Its syntax is as follows:

### Syntax

```
break
```

### Flow diagram



### Example

Now, take a look at the following example code:

```
var i:number=1
while(i<=10)
{
    if (i % 5 == 0)
    {
        console.log ("The first multiple of 5  between 1 and 10 is : "+i)
        break    //exit the loop if the first multiple is found
    }
    i++
}                                     //outputs 5 and exits the loop
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var i = 1;
while (i <= 10) {
    if (i % 5 == 0) {
        console.log("The first multiple of 5  between 1 and 10 is : " + i);
        break; //exit the loop if the first multiple is found
    }
    i++;
}
```

It will produce the following output:

```
The first multiple of 5  between 1 and 10 is : 5
```


## The continue Statement

The **continue** statement skips the subsequent statements in the current iteration and takes the control back to the beginning of the loop. Unlike the break statement, the continue doesn't exit the loop. It terminates the current iteration and starts the subsequent iteration.

### Syntax

```
continue
```

### Flowchart



## Example

An example of the continue statement is given below:

```

var num:number=0
var count:number=0;
for(num=0;num<=20;num++)
{
  if (num % 2==0)
  {
    continue
  }
  count++
}
console.log (" The count of odd values between 0 and 20 is: "+count)
//outputs 10
  
```

The above example displays the number of even values between 0 and 20. The loop exits the current iteration if the number is even. This is achieved using the **continue** statement.

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
var num = 0;
var count = 0;
for (num = 0; num <= 20; num++) {
    if (num % 2 == 0) {
        continue;
    }
    count++;
}
console.log(" The count of odd values between 0 and 20 is: " + count);
//outputs 10
```

Here is its output:

```
The count of odd values between 0 and 20 is: 10
```

## The Infinite Loop

An infinite loop is a loop that runs endlessly. The **for** loop and the **while** loop can be used to make an endless loop.

### Syntax: Infinite Loop using for loop

```
for(;;)
{
    //statements
}
```

### Example: Infinite loop using for loop

```
for(;;)
{
    console.log("This is an endless loop")
}
```

### Syntax: Infinite loop using while loop



```
while(true)
{
    //statements
}
```

### Example: Infinite loop using while loop

```
while(true)
{
    console.log("This is an endless loop")
}
```

## 9. TypeScript – Functions

Functions are the building blocks of readable, maintainable, and reusable code. A function is a set of statements to perform a specific task. Functions organize the program into logical blocks of code. Once defined, functions may be called to access code. This makes the code reusable. Moreover, functions make it easy to read and maintain the program's code.

A function declaration tells the compiler about a function's name, return type, and parameters. A function definition provides the actual body of the function.

### Defining a Function

---

A function definition specifies what and how a specific task would be done. Before using a function, it must be defined. Functions are defined using the **function** keyword. The syntax for defining a standard function is given below:

#### Syntax

```
function function_name()
{
    // function body
}
```

#### Example: simple function definition

```
function ()    //function definition
{
    console.log("function called")
}
```

### Calling a Function

---

A function must be called so as to execute it. This process is termed as **function invocation**.

#### Syntax

```
Function_name()
```

The following example illustrates how a function can be invoked:

### Example

```
function test()    // function definition
{
    console.log("function called")
}
test()             // function invocation
```

On compiling, it will generate JavaScript code that looks identical to the above TypeScript code.

It will produce the following output:

```
function called
```

## Returning Functions

Functions may also return value along with control, back to the caller. Such functions are called as returning functions.

### Syntax

```
function function_name():return_type
{
    //statements
    return value;
}
```

- The return\_type can be any valid data type.
- A returning function must end with a return statement.
- A function can return at the most one value. In other words, there can be only one return statement per function.
- The data type of the value returned must match the return type of the function.

### Example

```
//function defined
function greet():string //the function returns a string
{
```

```
        return "Hello World"
    }
    function caller()
    {
        var msg=greet() //function greet() invoked
        console.log(msg)
    }
    //invoke function
    caller()
```

- The example declares a function *greet()*. The function's return type is string.
- Line function returns a string value to the caller. This is achieved by the return statement.
- The function *greet()* returns a string , which is stored in the variable msg. This is later displayed as output.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
//function defined
function greet() {
    return "Hello World";
}
function caller() {
    var msg = greet(); //function greet() invoked
    console.log(msg);
}
//invoke function
caller();
```

The output of the above code is as follows:

```
Hello World
```

## Parameterized Function

Parameters are a mechanism to pass values to functions. Parameters form a part of the function's signature. The parameter values are passed to the function during its invocation. Unless explicitly specified, the number of values passed to a function must match the number of parameters defined.

While calling a function, there are two ways that arguments can be passed to a function:

Call Type	Description
Call by value	This method copies the actual value of an argument into the formal parameter of the function. In this case, changes made to the parameter inside the function have no effect on the argument.
Call by pointer	This method copies the address of an argument into the formal parameter. Inside the function, the address is used to access the actual argument used in the call. This means that changes made to the parameter

Following are the ways in which parameters can be used by functions:

### Positional Parameters

```
function func_name( param1 [:datatype], ( param2 [:datatype])
{
}
```

### Example: Positional parameters

```
function test_param(n1:number,s1:string)
{
    console.log(n1)
    console.log(s1)
}
test_param(123,"this is a string")
```

- The snippet declares a function `test_param` with three parameters namely, `n1`, `s1` and `p1`.
- It is not mandatory to specify the data type of the parameter. In the absence of a data type, the parameter is considered to be of the type *any*. In the above example, the third parameter will be of the type *any*.

- The data type of the value passed must match the type of the parameter during its declaration. In case the data types don't match, the compiler throws an error.

On compiling, it will generate following JavaScript code

```
//Generated by typescript 1.8.10
function test_param(n1, s1) {
    console.log(n1);
    console.log(s1);
}
test_param(123, "this is a string");
```

The output of the above code is as follows:

```
123
this is a string
```

## Optional Parameters

Optional parameters can be used when arguments need not be compulsorily passed for a function's execution. A parameter can be marked optional by appending a question mark to its name. The optional parameter should be set as the last argument in a function. The syntax to declare a function with optional parameter is as given below:

```
function function_name (param1[:type], param2[:type], param3[:type])
```

### Example: Optional Parameters

```
function disp_details(id:number,name:string,mail_id?:string)
{
    console.log("ID:", id);
    console.log("Name",name);
    if(mail_id!==undefined)
        console.log("Email Id",mail_id);
}
disp_details(123,"John");
disp_details(111,"mary","mary@xyz.com");
```

- The above example declares a parameterized function. Here, the third parameter, i.e., mail\_id is an optional parameter.
- If an optional parameter is not passed a value during the function call, the parameter's value is set to undefined.
- The function prints the value of mail\_id only if the argument is passed a value.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
function disp_details(id, name, mail_id) {
    console.log("ID:", id);
    console.log("Name", name);
    if (mail_id != undefined)
        console.log("Email Id", mail_id);
}
disp_details(123, "John");
disp_details(111, "mary", "mary@xyz.com");
```

The above code will produce the following output:

```
ID:123
Name John
ID: 111
Name  mary
Email Id mary@xyz.com
```

## Rest Parameters

Rest parameters are similar to variable arguments in Java. Rest parameters don't restrict the number of values that you can pass to a function. However, the values passed must all be of the same type. In other words, rest parameters act as placeholders for multiple arguments of the same type.

To declare a rest parameter, the parameter name is prefixed with three periods. Any non-rest parameter should come before the rest parameter.

## Example: Rest Parameters

```
function addNumbers(...nums:number[])
{
    var i;
    var sum:number=0;
    for(i=0;i<nums.length;i++)
    {
        sum=sum+nums[i];
    }
    console.log("sum of the numbers",sum)
}
addNumbers(1,2,3)
addNumbers(10,10,10,10,10)
```

- The function `addNumbers()` declaration, accepts a rest parameter *nums*. The rest parameter's data type must be set to an array. Moreover, a function can have at the most one rest parameter.
- The function is invoked twice, by passing three and six values, respectively.
- The for loop iterates through the argument list, passed to the function and calculates their sum.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
function addNumbers() {
    var nums = [];
    for (var _i = 0; _i < arguments.length; _i++) {
        nums[_i - 0] = arguments[_i];
    }
    var i;
    var sum = 0;
    for (i = 0; i < nums.length; i++) {
        sum = sum + nums[i];
    }
    console.log("sum of the numbers", sum);
}
addNumbers(1, 2, 3);
```



```
addNumbers(10, 10, 10, 10, 10);
```

The output of the above code is as follows:

```
sum of numbers 6
sum of numbers 50
```

## Default Parameters

Function parameters can also be assigned values by default. However, such parameters can also be explicitly passed values.

### Syntax

```
function function_name(param1[:type],param2[:type]=default_value)
{
}
```

**Note:** A parameter cannot be declared optional and default at the same time.

### Example: Default parameters

```
function calculate_discount(price:number,rate:number=0.50)
{
    var discount= price * rate;
    console.log("Discount Amount: ",discount);
}
calculate_discount(1000)
calculate_discount(1000,0.30)
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
function calculate_discount(price, rate) {
    if (rate === void 0) { rate = 0.50; }
    var discount = price * rate;
    console.log("Discount Amount: ", discount);
}
calculate_discount(1000);
calculate_discount(1000, 0.30);
```

Its output is as follows:

```
Discount amount : 500
Discount amount : 300
```

- The example declares the function, *calculate\_discount*. The function has two parameters- price and rate.
- The value of the parameter *rate* is set to *0.50* by default.
- The program invokes the function, passing to it only the value of the parameter price. Here, the value of *rate* is *0.50* (default)
- The same function is invoked, but with two arguments. The default value of *rate* is overwritten and is set to the value explicitly passed.

## Anonymous Function

Functions that are not bound to an identifier (function name) are called as **anonymous functions**. These functions are dynamically declared at runtime. Anonymous functions can accept inputs and return outputs, just as standard functions do. An anonymous function is usually not accessible after its initial creation.

Variables can be assigned an anonymous function. Such an expression is called a function expression.

### Syntax

```
var res=function( [arguments] ) { ... }
```

### Example — A Simple Anonymous function

```
var msg= function()
{
    return "hello world";
}
console.log(msg())
```

On compiling, it will generate the same code in JavaScript.

It will produce the following output:

```
hello world
```

### Example — Anonymous function with parameters

```
var res=function(a:number,b:number)
{
    return a*b;
};
console.log(res(12,2))
```

The anonymous function returns the product of the values passed to it. T

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var res = function (a, b) {
    return a * b;
};
console.log(res(12, 2));
```

The output of the above code is as follows:

```
24
```

## Function Expression and Function Declaration – Are they synonymous?

Function expression and function declaration are not synonymous. Unlike a function expression, a function declaration is bound by the function name.

The fundamental difference between the two is that, function declarations are parsed before their execution. On the other hand, function expressions are parsed only when the script engine encounters it during execution.

When the JavaScript parser sees a function in the main code flow, it assumes Function Declaration. When a function comes as a part of a statement, it is a Function Expression

## The Function Constructor

TypeScript also supports defining a function with the built-in JavaScript constructor called Function (). TypeScript also supports defining a function with the built-in JavaScript constructor called Function ().

### Syntax

```
var res=new Function( [arguments] ) { ... }.
```

### Example

```
var myFunction = new Function("a", "b", "return a * b");  
var x = myFunction(4, 3);  
console.log(x);
```

The new Function() is a call to the constructor which in turn creates and returns a function reference.

On compiling, it will generate the same code in JavaScript.

The output of the above example code is as follows:

```
12
```

## Recursion and TypeScript Functions

Recursion is a technique for iterating over an operation by having a function call to itself repeatedly until it arrives at a result. Recursion is best applied when you need to call the same function repeatedly with different parameters from within a loop.

### Example – Recursion

```
function factorial(number) {  
  if (number <= 0)                // termination case  
  {  
    return 1;  
  } else  
  {  
    return (number * factorial(number - 1)); // function invokes itself  
  }  
};  
console.log(factorial(6));          // outputs 720
```

On compiling, it will generate the same code in JavaScript.

Here is its output:

```
720
```

### Example: Anonymous Recursive Function

```
(function () {  
  var x = "Hello!!";  
  console.log(x)
```

```
})(); // the function invokes itself using a pair of parentheses ()
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Hello
```

## Lambda Functions

Lambda refers to anonymous functions in programming. Lambda functions are a concise mechanism to represent anonymous functions. These functions are also called as **Arrow functions**.

### Lambda Function - Anatomy

There are 3 parts to a Lambda function:

- Parameters: A function may optionally have parameters
- The fat arrow notation/lambda notation ( $\Rightarrow$ ): It is also called as the goes to operator
- Statements: represent the function's instruction set

**Tip:** By convention, the use of single letter parameter is encouraged for a compact and precise function declaration.

### Lambda Expression

It is an anonymous function expression that points to a single line of code. Its syntax is as follows:

```
( [param1, parma2,...param n] )=>statement;
```

### Example: Lambda Expression

```
var foo=(x:number)=>10+x
console.log(foo(100)) //outputs 110
```

The program declares a lambda expression function. The function returns the sum of 10 and the argument passed.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var foo = function (x) { return 10 + x; };
console.log(foo(100)); //outputs 110
```

Here is the output of the above code:

```
110
```

## Lambda Statement

Lambda statement is an anonymous function declaration that points to a block of code. This syntax is used when the function body spans multiple lines. Its syntax is as follows:

```
( [param1, param2,...param n] )=>
{
    //code block
}
```

### Example: Lambda statement

```
var foo=(x:number)=>
{
    x=10+x
    console.log(x)
}
foo(100)
```

The function's reference is returned and stored in the variable **foo**.

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var foo = function (x) {
    x = 10 + x;
    console.log(x);
};
foo(100);
```

The output of the above program is as follows:

```
110
```

## Syntactic Variations

### Parameter type Inference

It is not mandatory to specify the data type of a parameter. In such a case the data type of the parameter is any. Let us take a look at the following code snippet:

```
var func=(x)=>
{
    if(typeof x=="number")
    {
        console.log(x+" is numeric")
    }
    else if(typeof x=="string")
    {
        console.log(x+" is a string")
    }
}

func(12)
func("Tom")
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var func = function (x) {
    if (typeof x == "number") {
        console.log(x + " is numeric");
    }
    else if (typeof x == "string") {
        console.log(x + " is a string");
    }
};

func(12);
func("Tom");
```

Its output is as follows:

```
12 is numeric
```

```
Tom is a string
```

## Optional parentheses for a single parameter

```
var display=x=>
{
    console.log("The function got "+x)
}
display(12)
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var display = function (x) {
    console.log("The function got " + x);
};
display(12);
```

Its output is as follows:

```
The function got 12
```

## Optional braces for a single statement, Empty parentheses for no parameter

The following example shows these two Syntactic variations.

```
var disp=()=>>
{
    console.log("Function invoked");
}
disp();
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var disp = function () {
    console.log("Function invoked");
};
disp();
```



Its output is as follows:

```
Function invoked
```

## Function Overloads

Functions have the capability to operate differently on the basis of the input provided to them. In other words, a program can have multiple methods with the same name with different implementation. This mechanism is termed as Function Overloading. TypeScript provides support for function overloading.

To overload a function in TypeScript, you need to follow the steps given below:

**Step 1:** Declare multiple functions with the same name but different function signature. Function signature includes the following:

### a. The data type of the parameter

```
function disp(string):void;
function disp(number):void;
```

### b. The number of parameters

```
function disp(n1:number):void;
function disp(x:number,y:number):void;
```

### c. The sequence of parameters

```
function disp(n1:number,s1:string):void;
function disp(s:string,n:number):void;
```

**Note:** The function signature doesn't include the function's return type.

**Step 2:** The declaration must be followed by the function definition. The parameter types should be set to **any** if the parameter types differ during overload. Additionally, for **case b** explained above, you may consider marking one or more parameters as optional during the function definition.

**Step 3:** Finally, you must invoke the function to make it functional.

## Example

Let us now take a look at the following example code:

```
function disp(s1:string):void;
function disp(n1:number,s1:string):void;
function disp(x:any,y?:any):void
{
    console.log(x);
    console.log(y);
}
disp("abc")
disp(1,"xyz");
```

- The first two lines depict the function overload declaration. The function has two overloads:
  - Function that accepts a single string parameter
  - Function that accepts two values of type number and string respectively.
- The third line defines the function. The data type of the parameters is set to **any**. Moreover, the second parameter is optional here.
- The overloaded function is invoked by the last two statements

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
function disp(x, y) {
    console.log(x);
    console.log(y);
}
disp("abc");
disp(1, "xyz");
```

The above code will produce the following output:

```
abc
1
xyz
```

# 10. TypeScript – Numbers

TypeScript like JavaScript supports numeric values as Number objects. A number object converts numeric literal to an instance of the number class. The Number class acts as a wrapper and enables manipulation of numeric literals as they were objects.

## Syntax

```
var var_name=new Number(value)
```

In case a non-numeric argument is passed as an argument to the Number's constructor, it returns NaN (Not-a-Number)

The following table lists a set of properties of the Number object:

Property	Description
MAX_VALUE	The largest possible value a number in JavaScript can have 1.7976931348623157E+308
MIN_VALUE	The smallest possible value a number in JavaScript can have 5E-324
NaN	Equal to a value that is not a number.
NEGATIVE_INFINITY	A value that is less than MIN_VALUE.
POSITIVE_INFINITY	A value that is greater than MAX_VALUE
prototype	A static property of the Number object. Use the prototype property to assign new properties and methods to the Number object in the current document
constructor	Returns the function that created this object's instance. By default, this is the Number object.

## Example

```
console.log("TypeScript Number Properties: ");
console.log("Maximum value that a number variable can hold: " +
Number.MAX_VALUE);
console.log("The least value that a number variable can hold: " +
Number.MIN_VALUE);
console.log("Value of Negative Infinity: " + Number.NEGATIVE_INFINITY);
console.log("Value of Negative Infinity:" + Number.POSITIVE_INFINITY);
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
TypeScript Number Properties:
Maximum value that a number variable can hold: 1.7976931348623157e+308
The least value that a number variable can hold: 5e-324
Value of Negative Infinity: -Infinity
Value of Negative Infinity:Infinity
```

## Example: NaN

```
var month=0
if( month<=0 || month >12)
{
    month=Number.NaN
    console.log("Month is "+ month)
}
else
{
    console.log("Value Accepted..")
}
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Month is NaN
```

### Example: prototype

```
function employee(id:number,name:string)
{
    this.id=id
    this.name=name
}
var emp=new employee(123,"Smith")
employee.prototype.email="smith@abc.com"
console.log("Employee 's Id: "+emp.id)
console.log("Employee's name: "+emp.name)
console.log("Employee's Email ID: "+emp.email)
```

On compiling, it will generate the following JavaScript code:

```
// Generated by typescript 1.8.10
function employee(id, name) {
    this.id = id;
    this.name = name;
}
var emp = new employee(123, "Smith");
employee.prototype.email = "smith@abc.com";
console.log("Employee 's Id: " + emp.id);
console.log("Employee's name: " + emp.name);
console.log("Employee's Email ID: " + emp.email);
```

Its output is as follows:

```
Employee's Id: 123
Employee's name: Smith
Employee's Email ID: smith@abc.com
```

## Number Methods

The Number object contains only the default methods that are a part of every object's definition. Some of the commonly used methods are listed below:

Methods	Description
toExponential()	Forces a number to display in exponential notation, even if the number is in the range in which JavaScript normally uses standard notation.
toFixed()	Formats a number with a specific number of digits to the right of the decimal.
toLocaleString()	Returns a string value version of the current number in a format that may vary according to a browser's local settings.
toPrecision()	Defines how many total digits (including digits to the left and right of the decimal) to display of a number. A negative precision will throw an error
toString()	Returns the string representation of the number's value. The function is passed the radix, an integer between 2 and 36 specifying the base to use for representing numeric values.
valueOf()	Returns the number's primitive value.

### toExponential()

This method returns a string representing the number object in exponential notation.

#### Syntax

```
number.toExponential( [fractionDigits] )
```

#### Parameter Details

- fractionDigits** – An integer specifying the number of digits after the decimal point. Defaults to as many digits as necessary to specify the number.

## Return Value

A string representing a Number object in exponential notation with one digit before the decimal point, rounded to fractionDigits digits after the decimal point. If the fractionDigits argument is omitted, the number of digits after the decimal point defaults to the number of digits necessary to represent the value uniquely.

## Example

```
//toExponential()  
var num1=1225.30  
var val= num1.toExponential();  
console.log(val)
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
1.2253e+3
```

## toFixed()

This method formats a number with a specific number of digits to the right of the decimal.

## Syntax

```
number.toFixed( [digits] )
```

## Parameter Details

- **digits** – The number of digits to appear after the decimal point.

## Return Value

A string representation of number that does not use exponential notation and has the exact number of digits after the decimal place.

## Example

```
var num3=177.234  
console.log("num3.toFixed() is "+num3.toFixed())  
console.log("num3.toFixed(2) is "+num3.toFixed(2))  
console.log("num3.toFixed(6) is "+num3.toFixed(6))
```

On compiling, it will generate the same code in JavaScript.

The code will produce the following output:

```
num3.toFixed() is 177
num3.toFixed(2) is 177.23
num3.toFixed(6) is 177.234000
```

## toLocaleString()

This method converts a number object into a human readable string representing the number using the locale of the environment.

### Syntax

```
number.toLocaleString()
```

### Return Value

Returns a human readable string representing the number using the locale of the environment.

### Example

```
var num = new Number(177.1234);
console.log( num.toLocaleString());
```

On compiling, it will generate the same code in JavaScript.

The code will produce the following output:

```
177.1234
```

## toPrecision()

This method returns a string representing the number object to the specified precision.

### Syntax

```
number.toPrecision( [ precision ] )
```

### Parameter Details

- **precision** – An integer specifying the number of significant digits.



## Return Value

Returns a string representing a Number object in fixed-point or exponential notation rounded to precision significant digits.

## Example

```
var num = new Number(7.123456);  
console.log(num.toPrecision());  
console.log(num.toPrecision(1));  
console.log(num.toPrecision(2));
```

On compiling, it will generate the same code in JavaScript.

The code will produce the following output:

```
7.123456  
7  
7.1
```

## toString()

This method returns a string representing the specified object. The toString() method parses its first argument, and attempts to return a string representation in the specified radix (base).

## Syntax

```
number.toString( [radix] )
```

## Parameter Details

- **radix** – An integer between 2 and 36 specifying the base to use for representing numeric values.

## Return Value

Returns a string representing the specified Number object.

## Example

```
var num = new Number(10);  
console.log(num.toString());  
console.log(num.toString(2));  
console.log(num.toString(8));
```

On compiling, it will generate the same code in JavaScript.

The code will produce the following output:

```
10  
1010  
12
```

## valueOf()

---

This method returns the primitive value of the specified number object.

### Syntax

```
number.valueOf()
```

### Return Value

Returns the primitive value of the specified number object.

### Example

```
var num = new Number(10);  
console.log(num.valueOf());
```

On compiling, it will generate the same code in JavaScript.

The code will produce the following output:

```
10
```

# 11. TypeScript – Strings

The String object lets you work with a series of characters. It wraps the string primitive data type with a number of helper methods.

## Syntax

```
var var_name = new String(string);
```

A list of the methods available in String object along with their description is given below:

Property	Description
Constructor	Returns a reference to the String function that created the object.
Length	Returns the length of the string.
Prototype	The prototype property allows you to add properties and methods to an object.

## Example: String constructor property

```
var str = new String( "This is string" );  
console.log("str.constructor is:" + str.constructor)
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
str.constructor is:function String() { [native code] }
```

## Example: String length property

```
var uname= new String("Hello World")  
console.log(uname)  
console.log("Length "+uname.length)    // returns the total number of characters  
                                         // including whitespace
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Hello World  
Length 11
```

### Example:Object prototype

```
function employee(id:number,name:string)  
{  
    this.id=id  
    this.name=name  
}  
var emp=new employee(123,"Smith")  
employee.prototype.email="smith@abc.com"  
console.log("Employee 's Id: "+emp.id)  
console.log("Employee's name: "+emp.name)  
console.log("Employee's Email ID: "+emp.email)
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10  
function employee(id, name) {  
    this.id = id;  
    this.name = name;  
}  
var emp = new employee(123, "Smith");  
employee.prototype.email = "smith@abc.com";  
console.log("Employee 's Id: " + emp.id);  
console.log("Employee's name: " + emp.name);  
console.log("Employee's Email ID: " + emp.email);
```

Its output is as follows:

```
Employee's Id: 123  
Emaployee's name: Smith  
Employee's Email ID: smith@abc.com
```

## String Methods

A list of the methods available in String object along with their description is given below:

Method	Description
charAt()	Returns the character at the specified index.
charCodeAt()	Returns a number indicating the Unicode value of the character at the given index.
concat()	Combines the text of two strings and returns a new string.
indexOf()	Returns the index within the calling String object of the first occurrence of the specified value, or -1 if not found.
lastIndexOf()	Returns the index within the calling String object of the last occurrence of the specified value, or -1 if not found.
localeCompare()	Returns a number indicating whether a reference string comes before or after or is the same as the given string in sort order.
match()	Used to match a regular expression against a string.
replace()	Used to find a match between a regular expression and a string, and to replace the matched substring with a new substring.
search()	Executes the search for a match between a regular expression and a specified string.
slice()	Extracts a section of a string and returns a new string.
split()	Splits a String object into an array of strings by separating the string into substrings.
substr()	Returns the characters in a string beginning at the specified location through the specified number of characters.
substring()	Returns the characters in a string between two indexes into the string.
toLocaleLowerCase()	The characters within a string are converted to lower case while respecting the current locale.
toLocaleUpperCase()	The characters within a string are converted to upper case while respecting the current locale.
toLowerCase()	Returns the calling string value converted to lower case.

toString()	Returns a string representing the specified object.
toUpperCase()	Returns the calling string value converted to uppercase.
valueOf()	Returns the primitive value of the specified object.

## charAt

charAt() is a method that returns the character from the specified index. Characters in a string are indexed from left to right. The index of the first character is 0, and the index of the last character in a string, called **stringName**, is **stringName.length - 1**.

### Syntax

```
string.charAt(index);
```

### Argument Details

- **index** – An integer between 0 and 1 less than the length of the string.

### Return Value

Returns the character from the specified index.

### Example

```
var str = new String("This is string");
console.log("str.charAt(0) is:" + str.charAt(0));
console.log("str.charAt(1) is:" + str.charAt(1));
console.log("str.charAt(2) is:" + str.charAt(2));
console.log("str.charAt(3) is:" + str.charAt(3));
console.log("str.charAt(4) is:" + str.charAt(4));
console.log("str.charAt(5) is:" + str.charAt(5));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
str.charAt(0) is:T
str.charAt(1) is:h
str.charAt(2) is:i
str.charAt(3) is:s
str.charAt(4) is:
```

```
str.charAt(5) is:i
```

## charCodeAt()

This method returns a number indicating the Unicode value of the character at the given index. Unicode code points range from 0 to 1,114,111. The first 128 Unicode code points are a direct match of the ASCII character encoding. charCodeAt() always returns a value that is less than 65,536.

### Syntax

```
string.charCodeAt(index);
```

### Argument Details

- **index** – An integer between 0 and 1 less than the length of the string; if unspecified, defaults to 0.

### Return Value

Returns a number indicating the Unicode value of the character at the given index. It returns **NaN** if the given index is not between 0 and 1 less than the length of the string.

### Example

```
var str = new String("This is string");  
console.log("str.charAt(0) is:" + str.charCodeAt(0));  
console.log("str.charAt(1) is:" + str.charCodeAt(1));  
console.log("str.charAt(2) is:" + str.charCodeAt(2));  
console.log("str.charAt(3) is:" + str.charCodeAt(3));  
console.log("str.charAt(4) is:" + str.charCodeAt(4));  
console.log("str.charAt(5) is:" + str.charCodeAt(5));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
str.charAt(0) is:84  
str.charAt(1) is:104  
str.charAt(2) is:105  
str.charAt(3) is:115  
str.charAt(4) is:32  
str.charAt(5) is:105
```

## concat()

This method adds two or more strings and returns a new single string.

### Syntax

```
string.concat(string2, string3[, ..., stringN]);
```

### Argument Details

- **string2...stringN** – These are the strings to be concatenated.

### Return Value

Returns a single concatenated string.

### Example

```
var str1 = new String( "This is string one" );  
var str2 = new String( "This is string two" );  
var str3 = str1.concat( str2 );  
console.log("str1 + str2 : "+str3)
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
str1 + str2 : This is string oneThis is string two
```

## indexOf()

This method returns the index within the calling String object of the first occurrence of the specified value, starting the search at **fromIndex** or **-1** if the value is not found.

### Syntax

```
string.indexOf(searchValue[, fromIndex])
```

### Argument Details

- **searchValue** – A string representing the value to search for.
- **fromIndex** – The location within the calling string to start the search from. It can be any integer between 0 and the length of the string. The default value is 0.

### Return Value



Returns the index of the found occurrence, otherwise -1 if not found.

## Example

```
var str1 = new String( "This is string one" );

var index = str1.indexOf( "string" );
console.log("indexOf found String :" + index );

var index = str1.indexOf( "one" );
console.log("indexOf found String :" + index );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
indexOf found String :8

indexOf found String :15
```

## lastIndexOf()

This method returns the index within the calling String object of the last occurrence of the specified value, starting the search at **fromIndex** or **-1** if the value is not found.

### Syntax

```
string.lastIndexOf(searchValue[, fromIndex])
```

### Argument Details

- **searchValue** – A string representing the value to search for.
- **fromIndex** – The location within the calling string to start the search from. It can be any integer between 0 and the length of the string. The default value is 0.

### Return Value

Returns the index of the last found occurrence, otherwise -1 if not found.

## Example

```
var str1 = new String( "This is string one and again string" );
var index = str1.lastIndexOf( "string" );
```

```
console.log("lastIndexOf found String :" + index );  
  
index = str1.lastIndexOf( "one" );  
console.log("lastIndexOf found String :" + index );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
lastIndexOf found String :29  
  
lastIndexOf found String :15
```

## localeCompare()

This method returns a number indicating whether a reference string comes before or after or is the same as the given string in sorted order.

### Syntax

```
string.localeCompare( param )
```

### Argument Details

- **param** – A string to be compared with string object.

### Return Value

- **0** – If the string matches 100%.
- **1** – no match, and the parameter value comes before the string object's value in the locale sort order
- **A negative value** – no match, and the parameter value comes after the string object's value in the local sort order

### Example

```
var str1 = new String( "This is beautiful string" );  
  
var index = str1.localeCompare( "This is beautiful string");  
  
console.log("localeCompare first :" + index );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
localeCompare first :0
```

## replace()

This method finds a match between a regular expression and a string, and replaces the matched substring with a new substring.

The replacement string can include the following special replacement patterns –

Pattern	Inserts
\$\$	Inserts a "\$".
\$&	Inserts the matched substring.
\$`	Inserts the portion of the string that precedes the matched substring.
\$'	Inserts the portion of the string that follows the matched substring.
\$n or \$nn	Where <b>n</b> or <b>nn</b> are decimal digits, inserts the nth parenthesized submatch string, provided the first argument was a RegExp object.

## Syntax

```
string.replace(regex/substr, newSubStr/function[, flags]);
```

## Argument Details

- **regex** – A RegExp object. The match is replaced by the return value of parameter #2.
- **substr** – A String that is to be replaced by newSubStr.
- **newSubStr** – The String that replaces the substring received from parameter #1.
- **function** – A function to be invoked to create the new substring.
- **flags** – A String containing any combination of the RegExp flags: g

## Return Value

It simply returns a new changed string.

## Example

```
var re = /apples/gi;
var str = "Apples are round, and apples are juicy.";
```

```
var newstr = str.replace(re, "oranges");  
console.log(newstr)
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
oranges are round, and oranges are juicy.
```

## Example

```
var re = /(\w+)\s(\w+)/;  
var str = "zara ali";  
var newstr = str.replace(re, "$2, $1");  
console.log(newstr);
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
ali, zara
```

## search()

This method executes the search for a match between a regular expression and this String object.

### Syntax

```
string.search(regex);
```

### Argument Details

- **regex** – A regular expression object. If a non-RegExp object obj is passed, it is implicitly converted to a RegExp by using new RegExp(obj).

### Return Value

If successful, the search returns the index of the regular expression inside the string. Otherwise, it returns -1.

## Example

```
var re = /apples/gi;  
var str = "Apples are round, and apples are juicy.";
```

```
if (str.search(re) == -1 )
{
    console.log("Does not contain Apples" );
}

else
{
    console.log("Contains Apples" );
}
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Contains Apples
```

## slice()

This method extracts a section of a string and returns a new string.

### Syntax

```
string.slice( beginslice [, endSlice] );
```

### Argument Details

- **beginSlice** – The zero-based index at which to begin extraction.
- **endSlice** – The zero-based index at which to end extraction. If omitted, slice extracts to the end of the string

### Return Value

If successful, slice returns the index of the regular expression inside the string. Otherwise, it returns -1.

### Example

```
var str = "Apples are round, and apples are juicy.";
var sliced = str.slice(3, -2);
console.log(sliced);
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
les are round, and apples are juic
```

## split()

This method splits a String object into an array of strings by separating the string into substrings.

### Syntax

```
string.split([separator][, limit]);
```

### Argument Details

- **separator** – Specifies the character to use for separating the string. If **separator** is omitted, the array returned contains one element consisting of the entire string.
- **limit** – Integer specifying a limit on the number of splits to be found.

### Return Value

The split method returns the new array. Also, when the string is empty, split returns an array containing one empty string, rather than an empty array.

### Example

```
var str = "Apples are round, and apples are juicy.";
var splitted = str.split(" ", 3);
console.log(splitted)
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
[ 'Apples', 'are', 'round,' ]
```

## substr()

This method returns the characters in a string beginning at the specified location through the specified number of characters.

### Syntax

```
string.substr(start[, length]);
```

## Argument Details

- **start** – Location at which to start extracting characters (an integer between 0 and one less than the length of the string).
- **length** – The number of characters to extract.

**Note** – If start is negative, substr uses it as a character index from the end of the string.

## Return Value

The substr() method returns the new sub-string based on given parameters.

## Example

```
var str = "Apples are round, and apples are juicy.";
console.log("(1,2): " + str.substr(1,2));
console.log("(-2,2): " + str.substr(-2,2));
console.log("(1): " + str.substr(1));
console.log("(-20, 2): " + str.substr(-20,2));
console.log("(20, 2): " + str.substr(20,2));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
(1,2): pp
(-2,2): y.
(1): pples are round, and apples are juicy.
(-20, 2): nd
(20, 2): d
```

## substring()

This method returns a subset of a String object.

## Syntax

```
string.substring(indexA, [indexB])
```

## Argument Details

- **indexA** – An integer between 0 and one less than the length of the string.
- **indexB** – (optional) An integer between 0 and the length of the string.

## Return Value

The substring method returns the new sub-string based on given parameters.

## Example

```
var str = "Apples are round, and apples are juicy.";
console.log("(1,2): " + str.substring(1,2));
console.log("(0,10): " + str.substring(0, 10));
console.log("(5): " + str.substring(5));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
(1,2): p
(0,10): Apples are
(5): s are round, and apples are juicy.
```

## toLocaleLowerCase()

This method is used to convert the characters within a string to lowercase while respecting the current locale. For most languages, it returns the same output as toLowerCase.

## Syntax

```
string.toLocaleLowerCase( )
```

## Return Value

Returns a string in lowercase with the current locale.

## Example

```
var str = "Apples are round, and Apples are Juicy.";
console.log(str.toLocaleLowerCase( ));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:



```
apples are round, and apples are juicy.
```

## toLocaleUpperCase()

This method is used to convert the characters within a string to uppercase while respecting the current locale. For most languages, it returns the same output as toUpperCase.

### Syntax

```
string.toLocaleUpperCase( )
```

### Return Value

Returns a string in uppercase with the current locale.

### Example

```
var str = "Apples are round, and Apples are Juicy.";
console.log(str.toLocaleUpperCase( ));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
APPLES ARE ROUND, AND APPLES ARE JUICY.
```

## toLowerCase()

This method returns the calling string value converted to lowercase.

### Syntax

```
string.toLowerCase( )
```

### Return Value

Returns the calling string value converted to lowercase.

### Example

```
var str = "Apples are round, and Apples are Juicy.";
console.log(str.toLowerCase( ))
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
apples are round, and apples are juicy.
```

## toString()

This method returns a string representing the specified object.

### Syntax

```
string.toString( )
```

### Return Value

Returns a string representing the specified object.

### Example

```
var str = "Apples are round, and Apples are Juicy.";
console.log(str.toString( ));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Apples are round, and Apples are Juicy.
```

## toUpperCase()

This method returns the calling string value converted to uppercase.

### Syntax

```
string.toUpperCase( )
```

### Return Value

Returns a string representing the specified object.

### Example

```
var str = "Apples are round, and Apples are Juicy.";
console.log(str.toUpperCase( ));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
APPLES ARE ROUND, AND APPLES ARE JUICY.
```

## valueOf()

---

This method returns the primitive value of a String object.

### Syntax

```
string.valueOf( )
```

### Return Value

Returns the primitive value of a String object.

### Example

```
var str = new String("Hello world");  
console.log(str.valueOf( ));
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Hello world
```

# 12. TypeScript – Arrays

The use of variables to store values poses the following limitations:

- Variables are scalar in nature. In other words, a variable declaration can only contain a single at a time. This means that to store n values in a program n variable declarations will be needed. Hence, the use of variables is not feasible when one needs to store a larger collection of values.
- Variables in a program are allocated memory in random order, thereby making it difficult to retrieve/read the values in the order of their declaration.

TypeScript introduces the concept of arrays to tackle the same. An array is a homogenous collection of values. To simplify, an array is a collection of values of the same data type. It is a user defined type.

## Features of an Array

---

Here is a list of the features of an array:

- An array declaration allocates sequential memory blocks.
- Arrays are static. This means that an array once initialized cannot be resized.
- Each memory block represents an array element.
- Array elements are identified by a unique integer called as the subscript / index of the element.
- Like variables, arrays too, should be declared before they are used. Use the var keyword to declare an array.
- Array initialization refers to populating the array elements.
- Array element values can be updated or modified but cannot be deleted.

## Declaring and Initializing Arrays

---


To declare an initialize an array in Typescript use the following syntax:

### Syntax

```
var array_name[:datatype]; //declaration  
array_name=[val1,val2,valn..] //initialization
```

An array declaration without the data type is deemed to be of the type any. The type of such an array is inferred from the data type of the array's first element during initialization.

For example, a declaration like: **var numlist:number[]=[2,4,6,8]** will create an array as given below:



The array pointer refers to the first element by default.

**Arrays may be declared and initialized in a single statement.** The syntax for the same is:

```
var array_name[:data type]=[val1,val2...valn]
```

**Note:** The pair of [] is called the dimension of the array.

## Accessing Array Elements

The array name followed by the subscript is used refer to an array element. Its syntax is as follows:

```
array_name[subscript]=value
```

### Example: Simple Array

```
var alphas:string[];
alphas=["1","2","3","4"]
console.log(alphas[0]);
console.log(alphas[1]);
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var alphas;
alphas = ["1", "2", "3", "4"];
console.log(alphas[0]);
console.log(alphas[1]);
```

The output of the above code is as follows:

```
1
2
```

### Example: Single statement declaration and initialization

```
var nums:number[]=[1,2,3,3]
console.log(nums[0]);
console.log(nums[1]);
console.log(nums[2]);
console.log(nums[3]);
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var nums = [1, 2, 3, 3];
console.log(nums[0]);
console.log(nums[1]);
console.log(nums[2]);
console.log(nums[3]);
```

Its output is as follows:

```
1
2
3
3
```

## Array Object

An array can also be created using the Array object. The Array constructor can be passed

- A numeric value that represents the size of the array or
- A list of comma separated values.

The following example shows how to create an array using this method.

### Example

```
var arr_names:number[]=new Array(4)
for(var i=0;i<arr_names.length;i++)
{
    arr_names[i]=i * 2
    console.log(arr_names[i])
}
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var arr_names = new Array(4);
for (var i = 0; i < arr_names.length; i++) {
    arr_names[i] = i * 2;
    console.log(arr_names[i]);
}
```

Its output is as follows:

```
0
2
4
6
```

### Example: Array Constructor accepts comma separated values

```
var names:string[]=new Array("Mary","Tom","Jack","Jill")
for(var i=0;i<names.length;i++)
{

    console.log(names[i])
}
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var names = new Array("Mary", "Tom", "Jack", "Jill");
for (var i = 0; i < names.length; i++) {
    console.log(names[i]);
}
```

Its output is as follows:

```
Mary
Tom
Jack
Jill
```

## Array Methods

A list of the methods of the Array object along with their description is given below.

Method	Description
concat()	Returns a new array comprised of this array joined with other array(s) and/or value(s).
every()	Returns true if every element in this array satisfies the provided testing function.
filter()	Creates a new array with all of the elements of this array for which the provided filtering function returns true.
forEach()	Calls a function for each element in the array.
indexOf()	Returns the first (least) index of an element within the array equal to the specified value, or -1 if none is found.
join()	Joins all elements of an array into a string.
lastIndexOf()	Returns the last (greatest) index of an element within the array equal to the specified value, or -1 if none is found.
map()	Creates a new array with the results of calling a provided function on every element in this array.
pop()	Removes the last element from an array and returns that element.
push()	Adds one or more elements to the end of an array and returns the new length of the array.
reduce()	Apply a function simultaneously against two values of the array (from left-to-right) as to reduce it to a single value.
reduceRight()	Apply a function simultaneously against two values of the array (from right-to-left) as to reduce it to a single value.
reverse()	Reverses the order of the elements of an array -- the first becomes the last, and the last becomes the first.
shift()	Removes the first element from an array and returns that element.
slice()	Extracts a section of an array and returns a new array.



<code>some()</code>	Returns true if at least one element in this array satisfies the provided testing function.
<code>sort()</code>	Sorts the elements of an array.
<code>splice()</code>	Adds and/or removes elements from an array.
<code>toString()</code>	Returns a string representing the array and its elements.
<code>unshift()</code>	Adds one or more elements to the front of an array and returns the new length of the array.

## concat()

`concat()` method returns a new array comprised of this array joined with two or more arrays.

### Syntax

```
array.concat(value1, value2, ..., valueN);
```

**valueN** – Arrays and/or values to concatenate to the resulting array.

### Return Value

Returns a new array.

### Example

```
var alpha = ["a", "b", "c"];
var numeric = [1, 2, 3];

var alphaNumeric = alpha.concat(numeric);
console.log("alphaNumeric : " + alphaNumeric );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
alphaNumeric : a,b,c,1,2,3
```

## every()

**every()** method tests whether all the elements in an array passes the test implemented by the provided function.

## Syntax

```
array.every(callback[, thisObject]);
```

## Parameter Details

- **callback** – Function to test for each element.
- **thisObject** – Object to use as this when executing callback.

## Return Value

Returns true if every element in this array satisfies the provided testing function.

## Example

```
function isBigEnough(element, index, array) {  
    return (element >= 10);  
}  
  
var passed = [12, 5, 8, 130, 44].every(isBigEnough);  
console.log("Test Value : " + passed );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Test Value : false
```

## filter()

filter() method creates a new array with all elements that pass the test implemented by the provided function.

## Syntax

```
array.filter (callback[, thisObject]);
```

## Parameter Details

- **callback** – Function to test for each element.
- **thisObject** – Object to use as this when executing callback.

## Return Value

Returns created array.

## Example

```
function isBigEnough(element, index, array) {  
    return (element >= 10);  
}  
  
var passed = [12, 5, 8, 130, 44].filter(isBigEnough);  
console.log("Test Value : " + passed );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Test Value :12,130,44
```

## forEach()

forEach() method calls a function for each element in the array

## Syntax

```
array.forEach(callback[, thisObject]);
```

## Parameter Details

- **callback** – Function to test for each element.
- **thisObject** – Object to use as this when executing callback.

## Return Value

Returns created array.

## Example

```
var nums:number[]=new Array(12,13,14,15)  
  
console.log("Printing original array.....")  
  
for(var i=0;i<nums.length;i++)  
{
```

```
        console.log(nums[i])
    }
    nums.reverse()           //reverses the array element
    console.log("Printing Reversed array....")

    for(var i=0;i<nums.length;i++)
    {
        console.log(nums[i])
    }
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10
var nums = new Array(12, 13, 14, 15);
console.log("Printing original array.....");
for (var i = 0; i < nums.length; i++) {
    console.log(nums[i]);
}
nums.reverse(); //reverses the array element
console.log("Printing Reversed array....");
for (var i = 0; i < nums.length; i++) {
    console.log(nums[i]);
}
```

Its output is as follows:

```
Printing Original Array....
12
13
14
15
Printing Reversed array...
15
14
13
12
```

## indexOf()

indexOf() method returns the first index at which a given element can be found in the array, or -1 if it is not present.

### Syntax

```
array.indexOf(searchElement[, fromIndex]);
```

### Parameter Details

- **searchElement** – Element to locate in the array.
- **fromIndex** – The index at which to begin the search. Defaults to 0, i.e. the whole array will be searched. If the index is greater than or equal to the length of the array, -1 is returned.

### Return Value

Returns the index of the found element.

### Example

```
var index = [12, 5, 8, 130, 44].indexOf(8);  
console.log("index is : " + index );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
index is : 2
```

## join()

join() method joins all the elements of an array into a string.

### Syntax

```
array.join(separator);
```

### Parameter Details

- **separator** – Specifies a string to separate each element of the array. If omitted, the array elements are separated with a comma.

## Return Value

Returns a string after joining all the array elements.

## Example

```
var arr = new Array("First","Second","Third");

var str = arr.join();
console.log("str : " + str );

var str = arr.join(", ");
console.log("str : " + str );

var str = arr.join(" + ");
console.log("str : " + str );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
str : First,Second,Third
str : First, Second, Third
str : First + Second + Third
```

## lastIndexOf()

lastIndexOf() method returns the last index at which a given element can be found in the array, or -1 if it is not present. The array is searched backwards, starting at fromIndex.

## Syntax

```
array.lastIndexOf(searchElement[, fromIndex]);
```

## Parameter Details

- **searchElement** – Element to locate in the array.
- **fromIndex** – The index at which to start searching backwards. Defaults to the array's length, i.e., the whole array will be searched. If the index is greater than or equal to the length of the array, the whole array will be searched. If negative, it is taken as the offset from the end of the array.

## Return Value

Returns the index of the found element from the last.

## Example

```
var index = [12, 5, 8, 130, 44].lastIndexOf(8);  
console.log("index is : " + index );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
index is : 3
```

## map()

map() method creates a new array with the results of calling a provided function on every element in this array.

## Syntax

```
array.map(callback[, thisObject]);
```

## Parameter Details

- **callback** – Function that produces an element of the new Array from an element of the current one.
- **thisObject** – Object to use as this when executing callback.

## Return Value

Returns the created array.

## Example

```
var numbers = [1, 4, 9];  
var roots = numbers.map(Math.sqrt);  
console.log("roots is : " + roots );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
roots is : 1,2,3
```

## pop()

pop() method removes the last element from an array and returns that element.

### Syntax

```
array.pop();
```

### Return Value

Returns the removed element from the array.

### Example

```
var numbers = [1, 4, 9];

var element = numbers.pop();
console.log("element is : " + element );

var element = numbers.pop();
console.log("element is : " + element );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
element is : 9
element is : 4
```

## push()

push() method appends the given element(s) in the last of the array and returns the length of the new array.

### Syntax

```
array.push(element1, ..., elementN);
```

### Parameter Details

- element1, ..., elementN: The elements to add to the end of the array.

### Return Value

Returns the length of the new array.



## Example

```
var numbers = new Array(1, 4, 9);  
var length = numbers.push(10);  
console.log("new numbers is : " + numbers );  
length = numbers.push(20);  
console.log("new numbers is : " + numbers );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
new numbers is : 1,4,9,10  
new numbers is : 1,4,9,10,20
```

## reduce()

reduce() method applies a function simultaneously against two values of the array (from left-to-right) as to reduce it to a single value.

## Syntax

```
array.reduce(callback[, initialValue]);
```

## Parameter Details

- **callback** – Function to execute on each value in the array.
- **initialValue** – Object to use as the first argument to the first call of the callback.

## Return Value

Returns the reduced single value of the array.

## Example

```
var total = [0, 1, 2, 3].reduce(function(a, b){ return a + b; });  
console.log("total is : " + total );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
total is : 6
```

## reduceRight()

reduceRight() method applies a function simultaneously against two values of the array (from right-to-left) as to reduce it to a single value

### Syntax

```
array.reduceRight(callback[, initialValue]);
```

### Parameter Details

- **callback** – Function to execute on each value in the array.
- **initialValue** – Object to use as the first argument to the first call of the callback.

### Return Value

Returns the reduced right single value of the array.

### Example

```
var total = [0, 1, 2, 3].reduceRight(function(a, b){ return a + b; });  
console.log("total is : " + total );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
total is : 6
```

## reverse()

reverse() method reverses the element of an array. The first array element becomes the last and the last becomes the first.

### Syntax

```
array.reverse();
```

### Return Value

Returns the reversed single value of the array.

### Example

```
var arr = [0, 1, 2, 3].reverse();  
console.log("Reversed array is : " + arr );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Reversed array is : 3,2,1,0
```

## shift()

shift() method removes the first element from an array and returns that element.

### Syntax

```
array.shift();
```

### Return Value

Returns the removed single value of the array

### Example

```
var arr = [10, 1, 2, 3].shift();  
console.log("Shifted value is : " + arr );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Shifted value is : 10
```

## slice()

slice() method extracts a section of an array and returns a new array.

### Syntax

```
array.slice( begin [,end] );
```

### Parameter Details

- **begin** – Zero-based index at which to begin extraction. As a negative index, start indicates an offset from the end of the sequence.
- **end** – Zero-based index at which to end extraction.

## Return Value

Returns the extracted array based on the passed parameters.

## Example

```
var arr = ["orange", "mango", "banana", "sugar", "tea"];
console.log("arr.slice( 1, 2) : " + arr.slice( 1, 2) );
console.log("arr.slice( 1, 3) : " + arr.slice( 1, 3) );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
arr.slice( 1, 2) : mango
arr.slice( 1, 3) : mango,banana
```

## some()

`some()` method tests whether some element in the array passes the test implemented by the provided function.

## Syntax

```
array.some(callback[, thisObject]);
```

## Parameter Details

- **callback** – Function to test for each element.
- **thisObject** – Object to use as `this` when executing callback.

## Return Value

If some element passes the test, then it returns `true`, otherwise `false`.

## Example

```
function isBigEnough(element, index, array)
{
    return (element >= 10);
}

var retval = [2, 5, 8, 1, 4].some(isBigEnough);
```

```
console.log("Returned value is : " + retval );  
  
var retval = [12, 5, 8, 1, 4].some(isBigEnough);  
console.log("Returned value is : " + retval );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Returned value is : false  
Returned value is : true
```

## sort()

sort() method sorts the elements of an array.

### Syntax

```
array.sort( compareFunction );
```

### Parameter Details

- **compareFunction** – Specifies a function that defines the sort order. If omitted, the array is sorted lexicographically.

### Return Value

Returns a sorted array.

### Example

```
var arr = new Array("orange", "mango", "banana", "sugar");  
var sorted = arr.sort();  
console.log("Returned string is : " + sorted );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Returned string is : banana,mango,orange,sugar
```

## splice()

splice() method changes the content of an array, adding new elements while removing old elements.

## Syntax

```
array.splice(index, howMany, [element1][, ..., elementN]);
```

## Parameter Details

- **index** – Index at which to start changing the array.
- **howMany** – An integer indicating the number of old array elements to remove. If howMany is 0, no elements are removed.
- **element1, ..., elementN** – The elements to add to the array. If you don't specify any elements, splice simply removes the elements from the array.

## Return Value

Returns the extracted array based on the passed parameters.

## Example

```
var arr = ["orange", "mango", "banana", "sugar", "tea"];

var removed = arr.splice(2, 0, "water");

console.log("After adding 1: " + arr );

console.log("removed is: " + removed);

removed = arr.splice(3, 1);

console.log("After adding 1: " + arr );

console.log("removed is: " + removed);
```

On compiling, it will generate the same code in JavaScript

Its output is as follows:

```
After adding 1: orange,mango,water,banana,sugar,tea
removed is:
After adding 1: orange,mango,water,sugar,tea
removed is: banana
```

## toString()

---

toString() method returns a string representing the source code of the specified array and its elements.

### Syntax

```
array.toString();
```

### Return Value

Returns a string representing the array.

### Example

```
var arr = new Array("orange", "mango", "banana", "sugar");  
var str = arr.toString();  
console.log("Returned string is : " + str );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Returned string is : orange,mango,banana,sugar
```

## unshift()

---

unshift() method adds one or more elements to the beginning of an array and returns the new length of the array.

### Syntax

```
array.unshift( element1, ..., elementN );
```

### Parameter Details

- element1, ..., elementN – The elements to add to the front of the array.

### Return Value

Returns the length of the new array. It returns undefined in IE browser.

### Example

```
var arr = new Array("orange", "mango", "banana", "sugar");  
var length = arr.unshift("water");  
console.log("Returned array is : " + arr );
```

```
console.log("Length of the array is : " + length );
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
Returned array is : water,orange,mango,banana,sugar
Length of the array is : 5
```

## Array Destructuring

Refers to breaking up the structure of an entity. TypeScript supports destructuring when used in the context of an array.

### Example

```
var arr:number[]=[12,13]
var [x,y]=arr
console.log(x)
console.log(y)
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var arr = [12, 13];
var x = arr[0], y = arr[1];
console.log(x);
console.log(y);
```

Its output is as follows:

```
12
13
```

## Array Traversal using for...in loop

One can use the **for...in** loop to traverse through an array.

```
var j:any;
var nums:number[]=[1001,1002,1003,1004]
for(j in nums)
{
```



```

    console.log(nums[j])
}

```

The loop performs an index based array traversal.

On compiling, it will generate the following JavaScript code.

```

//Generated by typescript 1.8.10
var j;
var nums = [1001, 1002, 1003, 1004];
for (j in nums) {
    console.log(nums[j]);
}

```

The output of the above code is given below:

```

1001
1002
1003
1004

```

## Arrays in TypeScript

TypeScript supports the following concepts in arrays:

Concept	Description
Multi-dimensional arrays	TypeScript supports multidimensional arrays. The simplest form of the multidimensional array is the two-dimensional array.
Passing arrays to functions	You can pass to the function a pointer to an array by specifying the array's name without an index.
Return array from functions	Allows a function to return an array

## Multidimensional Arrays

An array element can reference another array for its value. Such arrays are called as multi-dimensional arrays. TypeScript supports the concept of multi-dimensional arrays. The simplest form of a multi-dimensional array is a two-dimensional array.

## Declaring a Two-Dimensional array

```
var arr_name:datatype[][]=[ [val1,val2,val3],[v1,v2,v3] ]
```

## Accessing a Two-Dimensional array element


```
var  
arr_name:datatype[initial_array_index][referenced_array_index]=[ [val1,val2,val  
3],[v1,v2,v3] ]
```

The following example better explains this concept.

## Example

```
var multi:number[][]=[[1,2,3],[23,24,25]]  
console.log(multi[0][0])  
console.log(multi[0][1])  
console.log(multi[0][2])  
console.log(multi[1][0])  
console.log(multi[1][1])  
console.log(multi[1][2])
```

The above example initially declares an array with 2 elements. Each of these elements refer to another array having 3 elements. The pictorial representation of the above array is given below.



While referring to an array element here, the subscript of the initial array element must be followed by the subscript of the referenced array element. This is illustrated in the code.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10  
var multi = [[1, 2, 3], [23, 24, 25]];
```

```
console.log(multi[0][0]);  
console.log(multi[0][1]);  
console.log(multi[0][2]);  
console.log(multi[1][0]);  
console.log(multi[1][1]);  
console.log(multi[1][2]);
```

The output of the above code is as follows:

```
1  
2  
3  
23  
24  
25
```

### Example: passing Arrays to Functions

```
var names:string[]=new Array("Mary","Tom","Jack","Jill")  
  
function disp(arr_names:string[])  
{  
    for(var i=0;i<arr_names.length;i++)  
    {  
        console.log(names[i])  
    }  
}  
  
disp(names)
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10  
var names = new Array("Mary", "Tom", "Jack", "Jill");
```

```
function disp(arr_names) {  
    for (var i = 0; i < arr_names.length; i++) {  
        console.log(names[i]);  
    }  
}  
disp(names);
```

Its output is as follows:

```
Mary  
Tom  
Jack  
Jill
```

### Example: Function returning an array

```
function disp():string[]  
{  
    return new Array("Mary","Tom","Jack","Jill")  
}  
  
var nums:string[]=disp()  
for(var i in nums)  
{  
    console.log(nums[i])  
}
```

On compiling, it will generate the following JavaScript code:

```
//Generated by typescript 1.8.10  
var names = new Array("Mary", "Tom", "Jack", "Jill");  
function disp(arr_names) {  
    for (var i = 0; i < arr_names.length; i++) {  
        console.log(names[i]);  
    }  
}  
disp(names);
```

Its output is as follows:

Mary

Tom

Jack

Jill

# 13. TypeScript – Tuples

At times, there might be a need to store a collection of values of varied types. Arrays will not serve this purpose. TypeScript gives us a data type called tuple that helps to achieve such a purpose.

It represents a heterogeneous collection of values. In other words, tuples enable storing multiple fields of different types. Tuples can also be passed as parameters to functions.

## Syntax

```
var tuple_name=[value1,value2,value3,...value n]
```

For Example:

```
var mytuple=[10,"Hello"];
```

You can also declare an empty tuple in Typescript and choose to initialize it later.

```
var mytuple=[];  
mytuple[0]=120  
mytuple[1]=234
```

## Accessing values in Tuples

Tuple values are individually called items. Tuples are index based. This means that items in a tuple can be accessed using their corresponding numeric index. Tuple item's index starts from zero and extends up to n-1(where n is the tuple's size).

## Syntax

```
tuple_name[index]
```

## Example: Simple Tuple

```
var mytuple=[10,"Hello"]; //create a tuple  
console.log(mytuple[0])  
console.log(mytuple[1])
```

In the above example, a tuple, **mytuple**, is declared. The tuple contains values of numeric and string types respectively.

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
10
Hello
```

### Example: Empty Tuple

```
var tup=[]
tup[0]=12
tup[1]=23
console.log(tup[0])
console.log(tup[1])
```

On compiling, it will generate the same code in JavaScript.

Its output is as follows:

```
12
23
```

## Tuple Operations

Tuples in TypeScript supports various operations like pushing a new item, removing an item from the tuple, etc.

### Example

```
var mytuple=[10,"Hello","World","typeScript"];
console.log("Items before push "+mytuple.length)    // returns the tuple size
mytuple.push(12)                                     // append value to the tuple
console.log("Items after push "+mytuple.length)
console.log("Items before pop "+mytuple.length)
console.log(mytuple.pop()+" popped from the tuple") // removes and returns the
                                                    // last item

console.log("Items after pop "+mytuple.length)
```

- The push() appends an item to the tuple
- The pop() removes and returns the last value in the tuple

On compiling, it will generate the same code in JavaScript.

The output of the above code is as follows:

```
Items before push 4
Items after push 5
Items before pop 5
12 popped from the tuple
Items after pop 4
```

## Updating Tuples

Tuples are mutable which means you can update or change the values of tuple elements.

### Example

```
var mytuple=[10,"Hello","World","typeScript"]; //create a tuple
console.log("Tuple value at index 0 "+mytuple[0])
//update a tuple element
mytuple[0]=121
console.log("Tuple value at index 0 changed to "+mytuple[0])
```

On compiling, it will generate the same code in JavaScript.

The output of the above code is as follows:

```
Tuple value at index 0 10
Tuple value at index 0 changed to 121
```

## Destructuring a Tuple

Destructuring refers to breaking up the structure of an entity. TypeScript supports destructuring when used in the context of a tuple.

### Example

```
var a =[10,"hello"]
var [b,c]=a
console.log( b )
console.log( c )
```

On compiling, it will generate the following JavaScript code.



```
//Generated by typescript 1.8.10  
var a = [10, "hello"];  
var b = a[0], c = a[1];  
console.log(b);  
console.log(c);
```

Its output is as follows:

```
10  
hello
```

# 14. TypeScript – Union

TypeScript 1.4 gives programs the ability to combine one or two types. Union types are a powerful way to express a value that can be one of the several types. Two or more data types are combined using the pipe symbol (|) to denote a Union Type. In other words, a union type is written as a sequence of types separated by vertical bars.

## Syntax: Union literal

```
Type1|Type2|Type3
```

## Example: Union Type Variable

```
var val:string|number
val=12
console.log("numeric value of val "+val)
val="This is a string"
console.log("string value of val "+val)
```

In the above example, the variable's type is union. It means that the variable can contain either a number or a string as its value.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var val;
val = 12;
console.log("numeric value of val " + val);
val = "This is a string";
console.log("string value of val " + val);
```

Its output is as follows:

```
numeric value of val 12
string value of val this is a string
```

## Example: Union Type and function parameter

```
function disp(name:string|string[])
{
    if(typeof name=="string")
```

```

        {
            console.log(name)
        }
        else
        {
            var i;
            for(i=0;i<name.length;i++)
            {
                console.log(name[i])
            }
        }
    }
}
disp("mark")
console.log("Printing names array....")
disp(["Mark","Tom","Mary","John"])

```

The function disp() can accept argument either of the type string or a string array.

On compiling, it will generate the following JavaScript code.

```

//Generated by typescript 1.8.10
function disp(name) {
    if (typeof name == "string") {
        console.log(name);
    }
    else {
        var i;
        for (i = 0; i < name.length; i++) {
            console.log(name[i]);
        }
    }
}
disp("mark");
console.log("Printing names array....");
disp(["Mark", "Tom", "Mary", "John"]);

```

The output is as follows

```
Mark
Printing names array...
Mark
Tom
Mary
John
```

## Union Type and Arrays

Union types can also be applied to arrays, properties and interfaces. The following illustrates the use of union type with an array.

### Example: Union Type and Array

```
var arr:number[]|string[];
var i:number;
arr=[1,2,4]
console.log("**numeric array**")

for(i=0;i<arr.length;i++)
{
    console.log(arr[i])
}

arr=["Mumbai","Pune","Delhi"]
console.log("**string array**")

for(i=0;i<arr.length;i++)
{
    console.log(arr[i])
}
```

The program declares an array. The array can represent either a numeric collection or a string collection.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var arr;
var i;
arr = [1, 2, 4];
console.log("**numeric array**");
for (i = 0; i < arr.length; i++) {
    console.log(arr[i]);
}
arr = ["Mumbai", "Pune", "Delhi"];
console.log("**string array**");
for (i = 0; i < arr.length; i++) {
    console.log(arr[i]);
}
```

Its output is as follows:

```
**numeric array**
1
2
4
**string array**
Mumbai
Pune
Delhi
```

# 15. TypeScript – Interfaces

An interface is a syntactical contract that an entity should conform to. In other words, an interface defines the syntax that any entity must adhere to.

Interfaces define properties, methods, and events, which are the members of the interface. Interfaces contain only the declaration of the members. It is the responsibility of the deriving class to define the members. It often helps in providing a standard structure that the deriving classes would follow.

Let's consider an object :

```
var person={  
  FirstName:"Tom",  
  LastName:"Hanks",  
  sayHi: ()=>{ return "Hi"}  
};
```

If we consider the signature of the object, it could be:

```
{  
  FirstName:string,  
  LastName:string,  
  sayHi()=>string  
}
```

To reuse the signature across objects we can define it as an interface.

## Declaring Interfaces

The interface keyword is used to declare an interface. Here is the syntax to declare an interface:

### Syntax

```
interface interface_name  
{  
}
```

## Example: Interface and Objects

```
interface IPerson
{
    firstName:string,
    lastName:string,
    sayHi: ()=>string
}

var customer:IPerson={ firstName:"Tom",lastName:"Hanks",
    sayHi: ():string =>{return "Hi there"}}

console.log("Customer Object ")
console.log(customer.firstName)
console.log(customer.lastName)
console.log(customer.sayHi())

var employee:IPerson={ firstName:"Jim",lastName:"Blakes",
    sayHi: ():string =>{return "Hello!!!"}}

console.log("Employee Object ")
console.log(employee.firstName)
console.log(employee.lastName)
```

The example defines an interface. The customer object is of the type IPerson. Hence, it will now be binding on the object to define all properties as specified by the interface.

Another object with following signature, is still considered as IPerson because that object is treated by its size or signature.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var customer = { firstName: "Tom", lastName: "Hanks",
    sayHi: function () { return "Hi there"; }
};
console.log("Customer Object ");
console.log(customer.firstName);
console.log(customer.lastName);
console.log(customer.sayHi());
```

```
var employee = { firstName: "Jim", lastName: "Blakes",
    sayHi: function () { return "Hello!!!"; } };
console.log("Employee Object ");
console.log(employee.firstName);
console.log(employee.lastName);
```

The output of the above example code is as follows:

```
Customer object
Tom
Hanks
Hi there
Employee object
Jim
Blakes
Hello!!!
```

Interfaces are not to be converted to JavaScript. It's just part of TypeScript. If you see the screen shot of TS Playground tool there is no JavaScript emitted when you declare an interface unlike a class. So interfaces have zero runtime JavaScript impact.



## Union Type and Interface

The following example shows the use of Union Type and Interface:

```
interface RunOptions
{
    program: string;
    cmdline: string[] | string | (() => string);
}
```



```

}
//commandline as string
var options:RunOptions={program:"test1",commandline:"Hello"};
console.log(options.commandline)

//commandline as a string array
options={program:"test1",commandline:["Hello","World"]};
console.log(options.commandline[0]);
console.log(options.commandline[1]);

//commandline as a function expression
options={program:"test1",commandline:()=>{return "**Hello World**"}};

var fn:any=options.commandline;
console.log(fn());

```

On compiling, it will generate the following JavaScript code.

```

//Generated by typescript 1.8.10
//commandline as string
var options = { program: "test1", commandline: "Hello" };
console.log(options.commandline);
//commandline as a string array
options = { program: "test1", commandline: ["Hello", "World"] };
console.log(options.commandline[0]);
console.log(options.commandline[1]);
//commandline as a function expression
options = { program: "test1", commandline: function () { return "**Hello
World**"; } };
var fn = options.commandline;
console.log(fn());

```

Its output is as follows:

```
Hello
Hello
World
**Hello World**
```

## Interfaces and Arrays

Interface can define both the kind of key an array uses and the type of entry it contains. Index can be of type string or type number.

### Example

```
interface namelist
{
    [index:number]:string
}
var list2:namelist=["John",1,"Bran"] //Error. 1 is not type string

interface ages
{
    [index:string]:number
}
var agelist:ages;
agelist["John"]=15           // Ok
agelist[2]="nine"            // Error
```

## Interfaces and Inheritance

An interface can be extended by other interfaces. In other words, an interface can inherit from other interface. Typescript allows an interface to inherit from multiple interfaces.

Use the extends keyword to implement inheritance among interfaces.

### Syntax: Single Interface Inheritance

```
Child_interface_name extends super_interface_name
```

### Syntax: Multiple Interface Inheritance

```
Child_interface_name extends super_interface1_name,  
super_interface2_name,...,super_interfaceN_name
```

## Example: Simple Interface Inheritance

```
interface Person  
{  
  age:number  
}  
interface Musician extends Person  
{  
  instrument:string  
}  
var drummer=<Musician>{};  
drummer.age=27  
drummer.instrument="Drums"  
console.log("Age:  "+drummer.age)  
console.log("Instrument:  "+drummer.instrument)
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10  
var drummer = {};  
drummer.age = 27;  
drummer.instrument = "Drums";  
console.log("Age:  " + drummer.age);  
console.log("Instrument:  " + drummer.instrument);
```

Its output is as follows:

```
Age: 27  
Instrument: Drums
```

## Example: Multiple Interface Inheritance

```
interface IParent1
{    v1:number    }
interface IParent2
{    v2:number    }
interface Child extends IParent1, IParent2
{ }
var Iobj:Child={ v1:12, v2:23}
console.log("value 1: "+this.v1+" value 2: "+this.v2)
```

The object Iobj is of the type interface leaf. The interface leaf by the virtue of inheritance now has two attributes- v1 and v2 respectively. Hence, the object Iobj must now contain these attributes.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var Iobj = { v1: 12, v2: 23 };
console.log("value 1: " + this.v1 + " value 2: " + this.v2);
```

The output of the above code is as follows:

```
value 1: 12    value 2: 23
```

# 16. TypeScript – Classes

TypeScript is object oriented JavaScript. TypeScript supports object-oriented programming features like classes, interfaces, etc. A class in terms of OOP is a blueprint for creating objects. A class encapsulates data for the object. Typescript gives built in support for this concept called class. JavaScript ES5 or earlier didn't support classes. Typescript gets this feature from ES6.

## Creating classes

---

Use the class keyword to declare a class in TypeScript. The syntax for the same is given below:

### Syntax

```
class class_name
{
    //class scope
}
```

The class keyword is followed by the class name. The rules for identifiers must be considered while naming a class.

A class definition can include the following:

- **Fields:** A field is any variable declared in a class. Fields represent data pertaining to objects
- **Constructors:** responsible for allocating memory for the objects of the class
- **Functions:** Functions represent actions an object can take. They are also at times referred to as methods

These components put together are termed as the data members of the class.

Consider a class Person in typescript.

```
class Person
{
}
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var Person = (function () {
    function Person() {
    }
    return Person;
})();
```

### Example: Declaring a class

```
class Car
{
    //field
    engine:string;
    //constructor
    constructor(engine:string)
    {
        this.engine=engine
    }

    //function
    disp():void
    {
        console.log("Engine is : "+this.engine)
    }
}
```

The example declares a class Car. The class has a field named engine. The **var** keyword is not used while declaring a field. The example above declares a constructor for the class.

A constructor is a special function of the class that is responsible for initializing the variables of the class. TypeScript defines a constructor using the constructor keyword. A constructor is a function and hence can be parameterized.

The **this** keyword refers to the current instance of the class. Here, the parameter name and the name of the class's field are the same. Hence to avoid ambiguity, the class's field is prefixed with the **this** keyword.

*disp()* is a simple function definition. Note that the function keyword is not used here.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var Car = (function () {
    //constructor
    function Car(engine) {
        this.engine = engine;
    }
    //function
    Car.prototype.disp = function () {
        console.log("Engine is : " + this.engine);
    };
    return Car;
})();
```

## Creating Instance objects

To create an instance of the class, use the **new** keyword followed by the class name. The syntax for the same is given below:

### Syntax

```
var object_name= new class_name([ arguments ])
```

- The **new** keyword is responsible for instantiation.
- The right-hand side of the expression invokes the constructor. The constructor should be passed values if it is parameterized.

### Example: Instantiating a class

```
var obj= new Car("Engine 1")
```

## Accessing Attributes and Functions

A class's attributes and functions can be accessed through the object. Use the `.` dot notation (called as the period) to access the data members of a class.

```
//accessing an attribute
obj.field_name
//accessing a function
obj.function_name()
```

## Example: Putting them together

```
class Car
{    //field
    engine:string;
    //constructor
    constructor(engine:string)
    {
        this.engine=engine
    }

    //function
    disp():void
    {
        console.log("Function displays Engine is :  "+this.engine)
    }
}

//create an object
var obj= new Car("XXSY1")

//access the field
console.log("Reading attribute value Engine as :  "+obj.engine)

//access the function
obj.disp()
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var Car = (function () {
    //constructor
    function Car(engine) {
        this.engine = engine;
    }
    //function
    Car.prototype.disp = function () {
        console.log("Function displays Engine is :  " + this.engine);
    }
})();
```



```
};  
    return Car;  
})();  
//create an object  
var obj = new Car("XXSY1");  
//access the field  
console.log("Reading attribute value Engine as : " + obj.engine);  
//access the function  
obj.disp();
```

The output of the above code is as follows:

```
Reading attribute value Engine as : XXSY1  
Function displays Engine is : XXSY1
```

## Class Inheritance

TypeScript supports the concept of Inheritance. Inheritance is the ability of a program to create new classes from an existing class. The class that is extended to create newer classes is called the parent class/super class. The newly created classes are called the child/sub classes.

A class inherits from another class using the 'extends' keyword. Child classes inherit all properties and methods except constructors from the parent class.

### Syntax

```
class child_class_name extends parent_class_name
```

However, TypeScript doesn't support multiple inheritance.

### Example: Class Inheritance

```
class Shape  
{  
    Area:number  
    constructor(a:number)  
    {  
        this.Area=a  
    }  
}  
class Circle extends Shape
```

```

{
    disp():void
    { console.log("Area of the circle: "+this.Area) }
}

var obj=new Circle(223);
obj.disp()

```

On compiling, it will generate the following JavaScript code.

```

//Generated by typescript 1.8.10
var __extends = (this && this.__extends) || function (d, b) {
    for (var p in b) if (b.hasOwnProperty(p)) d[p] = b[p];
    function __() { this.constructor = d; }
    d.prototype = b === null ? Object.create(b) : (__.prototype = b.prototype,
new __());
};
var Shape = (function () {
    function Shape(a) {
        this.Area = a;
    }
    return Shape;
})();
var Circle = (function (_super) {
    __extends(Circle, _super);
    function Circle() {
        _super.apply(this, arguments);
    }
    Circle.prototype.disp = function () { console.log("Area of the circle: " +
this.Area); };
    return Circle;
})(Shape);
var obj = new Circle(223);
obj.disp();

```

The output of the above code is as follows:

```
Area of Circle: 223
```

The above example declares a class Shape. The class is extended by the Circle class. Since there is an inheritance relationship between the classes, the child class i.e. the class Car gets an implicit access to its parent class attribute i.e. area.

Inheritance can be classified as:

- **Single:** Every class can at the most extend from one parent class
- **Multiple:** A class can inherit from multiple classes. TypeScript doesn't support multiple inheritance.
- **Multi-level:** The following example shows how multi-level inheritance works:

```
class Root
{
  str:string;
}
class Child extends Root
{}
class Leaf extends Child      //indirectly inherits from Root by virtue of
inheritance
{}
var obj= new Leaf();
obj.str="hello"
console.log(obj.str)
```

The class Leaf derives the attributes from Root and Child classes by virtue of multi-level inheritance.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var __extends = (this && this.__extends) || function (d, b) {
    for (var p in b) if (b.hasOwnProperty(p)) d[p] = b[p];
    function __() { this.constructor = d; }
    d.prototype = b === null ? Object.create(b) : (__.prototype = b.prototype,
    new __());
};
var Root = (function () {
    function Root() {
    }
    return Root;
})();
```

```

var Child = (function (_super) {
    __extends(Child, _super);
    function Child() {
        _super.apply(this, arguments);
    }
    return Child;
})(Root));
var Leaf = (function (_super) {
    __extends(Leaf, _super);
    function Leaf() {
        _super.apply(this, arguments);
    }
    return Leaf;
})(Child));
var obj = new Leaf();
obj.str = "hello";
console.log(obj.str);

```

Its output is as follows:

```
hello
```

## TypeScript — Class inheritance and Method Overriding

Method Overriding is a mechanism by which the child class redefines the superclass's method. The following example illustrates the same:

```

class PrinterClass
{
    doPrint():void
    {console.log("doPrint() from Parent called...") }
}
class StringPrinter extends PrinterClass
{
    doPrint():void
    {
        super.doPrint()
        console.log("doPrint() is printing a string...") }
}

```

```

}
var obj= new StringPrinter()
obj.doPrint()

```

The super keyword is used to refer to the immediate parent of a class. The keyword can be used to refer to the super class version of a variable, property or method. Line 13 invokes the super class version of the doWork() function.

On compiling, it will generate the following JavaScript code.

```

//Generated by typescript 1.8.10
var __extends = (this && this.__extends) || function (d, b) {
    for (var p in b) if (b.hasOwnProperty(p)) d[p] = b[p];
    function __() { this.constructor = d; }
    d.prototype = b === null ? Object.create(b) : (__.prototype = b.prototype,
new __());
};
var PrinterClass = (function () {
    function PrinterClass() {
    }
    PrinterClass.prototype.doPrint = function () { console.log("doPrint() from
Parent called..."); };
    return PrinterClass;
})();
var StringPrinter = (function (_super) {
    __extends(StringPrinter, _super);
    function StringPrinter() {
        _super.apply(this, arguments);
    }
    StringPrinter.prototype.doPrint = function () {
        _super.prototype.doPrint.call(this);
        console.log("doPrint() is printing a string...");
    };
    return StringPrinter;
})(PrinterClass);
var obj = new StringPrinter();
obj.doPrint();

```

The output of the above code is as follows:

```
doPrint() from Parent called...
doPrint() is printing a string...
```

## The static Keyword

The static keyword can be applied to the data members of a class. A static variable retains its values till the program finishes execution. Static members are referenced by the class name.

### Example

```
class StaticMem
{

    static num:number;
    static disp():void
    {
        console.log("The value of num is"+ StaticMem.num)
    }
}

StaticMem.num=12           // initialize the static variable
StaticMem.disp()           // invoke the static method
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var StaticMem = (function () {
    function StaticMem() {
    }
    StaticMem.disp = function () {
        console.log("The value of num is" + StaticMem.num);
    };
    return StaticMem;
})();
StaticMem.num = 12; // initialize the static variable
StaticMem.disp(); // invoke the static method
```

The output of the above code is as follows:

```
The value of num is 12
```

## The instanceof operator

The **instanceof** operator returns true if the object belongs to the specified type.

### Example

```
class Person{ }
var obj=new Person()
var isPerson=obj instanceof Person;
console.log(" obj is an instance of Person " + isPerson);
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var Person = (function () {
    function Person() {
    }
    return Person;
})();
var obj = new Person();
var isPerson = obj instanceof Person;
console.log(" obj is an instance of Person " + isPerson);
```

The output of the above code is as follows:

```
obj is an instance of Person True
```

## Data Hiding

A class can control the visibility of its data members to members of other classes. This capability is termed as Data Hiding or Encapsulation.

Object Orientation uses the concept of access modifiers or access specifiers to implement the concept of Encapsulation. The access specifiers/modifiers define the visibility of a class's data members outside its defining class.

The access modifiers supported by TypeScript are:

Access Specifier	Description
------------------	-------------

public	A public data member has universal accessibility. Data members in a class are public by default.
private	Private data members are accessible only within the class that defines these members. If an external class member tries to access a private member, the compiler throws an error
protected	A protected data member is accessible by the members within the same class as that of the former and also by the members of the child classes.

## Example

Let us now take an example to see how data hiding works:

```
class Encapsulate
{
    str:string="hello"
    private str2:string="world"
}
var obj=new Encapsulate()
console.log(obj.str)    //accessible
console.log(obj.str2)   //compilation Error as str2 is private
```

The class has two string attributes, str1 and str2, which are public and private members respectively. The class is instantiated. The example returns a compile time error, as the private attribute str2 is accessed outside the class that declares it.

## Classes and Interfaces

Classes can also implement interfaces.

```
interface ILoan
{
    interest:number
}

class AgriLoan implements ILoan
{
```



```

    interest:number
    rebate:number
    constructor(interest:number,rebate:number)
    {
        this.interest=interest
        this.rebate=rebate
    }
}
var obj= new AgriLoan(10,1)
console.log("Interest is : "+obj.interest+" Rebate is : "+obj.rebate )

```

The class AgriLoan implements the interface Loan. Hence, it is now binding on the class to include the property **interest** as its member.

On compiling, it will generate the following JavaScript code.

```

//Generated by typescript 1.8.10
var AgriLoan = (function () {
    function AgriLoan(interest, rebate) {
        this.interest = interest;
        this.rebate = rebate;
    }
    return AgriLoan;
})();
var obj = new AgriLoan(10, 1);
console.log("Interest is : " + obj.interest + " Rebate is : " + obj.rebate);

```

The output of the above code is as follows:

```

Intrest is 10 Rebate is 1

```

# 17. TypeScript – Objects

An **object** is an instance which contains set of key value pairs. The values can be scalar values or functions or even array of other objects. The syntax is given below:

## Syntax

```
var object_name={  
  key1: "value1",    //scalar value  
  key2: "value",  
  key3: function()  
  {  
    //functions  
  },  
  key4:["content1", "content2"] //collection  
};
```

As shown above, an object can contain scalar values, functions and structures like arrays and tuples.

## Example: Object Literal Notation

```
var person={  
  firstname:"Tom",  
  lastname:"Hanks"  
};  
//access the object values  
console.log(person.firstname)  
console.log(person.lastname)
```

On compiling, it will generate the same code in JavaScript.

The output of the above code is as follows:

```
Tom  
Hanks
```

## TypeScript Type Template

---

Let's say you created an object literal in JavaScript as:

```
var person = {  
  firstname:"Tom",  
  lastname:"Hanks"  
};
```

In case you want to add some value to an object, JavaScript allows you to make the necessary modification. Suppose we need to add a function to the person object later this is the way you can do this.

```
person.sayHello = function(){ return "hello";}
```

If you use the same code in Typescript the compiler gives an error. This is because in Typescript, concrete objects should have a type template. Objects in Typescript must be an instance of a particular type.

You can solve this by using a method template in declaration.

### Example: Typescript Type template

```
var person =  
{  
  firstName:"Tom",  
  lastName:"Hanks",  
  sayHello:function() { }      //Type template  
}  
person.sayHello=function() { console.log("hello "+person.firstName)}  
  
person.sayHello()
```

On compiling, it will generate the same code in JavaScript.

The output of the above code is as follows:

```
hello Tom
```

Objects can also be passed as parameters to function.

## Example: Objects as function parameters

```
var person={
  firstname:"Tom",
  lastname:"Hanks"
};
var invokeperson=function(obj:{ firstname:string, lastname :string})
{
  console.log("first name :"+obj.firstname)
  console.log("last name :"+obj.lastname)
}
invokeperson(person)
```

The example declares an object literal. The function expression is invoked passing person object.

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var person = {
    firstname: "Tom",
    lastname: "Hanks"
};
var invokeperson = function (obj) {
    console.log("first name :" + obj.firstname);
    console.log("last name :" + obj.lastname);
};
invokeperson(person);
```

Its output is as follows:

```
first name :Tom
last name :Hanks
```

You can create and pass an anonymous object on the fly.

## Example: Anonymous Object

```
var invokeperson=function(obj:{ firstname:string, lastname :string})
{
  console.log("first name :"+obj.firstname)
  console.log("last name :"+obj.lastname)
}
invokeperson({firstname:"Sachin",lastname:"Tendulkar"});
```

On compiling, it will generate the following JavaScript code.

```
//Generated by typescript 1.8.10
var invokeperson = function (obj) {
    console.log("first name :" + obj.firstname);
    console.log("last name :" + obj.lastname);
};
invokeperson({ firstname: "Sachin", lastname: "Tendulkar" });
```

Its output is as follows:

```
first name :Sachin
last name :Tendulkar
```

## Duck-typing

In duck-typing, two objects are considered to be of the same type if both share the same set of properties. Duck-typing verifies the presence of certain properties in the objects, rather than their actual type, to check their suitability. The concept is generally explained by the following phrase:

“When I see a bird that walks like a duck and swims like a duck and quacks like a duck, I call that bird a duck.”

The TypeScript compiler implements the duck-typing system that allows object creation on the fly while keeping type safety. The following example shows how we can pass objects that don't explicitly implement an interface but contain all of the required members to a function.

## Example

```
interface IPoint
{
    x:number
    y:number
}

function addPoints(p1:IPoint,p2:IPoint):IPoint
{
    var x=p1.x+p2.x
    var y=p1.y+p2.y
    return {x:x,y:y}
}

//Valid
var newPoint=addPoints({x:3,y:4},{x:5,y:1})

//Error
var newPoint2=addPoints({x:1},{x:4,y:3})
```

# 18. TypeScript – Namespaces

A namespace is a way to logically group related code. This is inbuilt into TypeScript unlike in JavaScript where variables declarations go into a global scope and if multiple JavaScript files are used within same project there will be possibility of overwriting or misconstruing the same variables, which will lead to the “global namespace pollution problem” in JavaScript.

## Defining a Namespace

A namespace definition begins with the keyword **namespace** followed by the namespace name as follows:

```
namespace SomeNameSpaceName
{
    export interface ISomeInterfaceName {    }
    export class SomeClassName {    }
}
```

The classes or interfaces which should be accessed outside the namespace should be marked with keyword **export**.

To access the class or interface in another namespace, the syntax will be namespaceName.className

```
SomeNameSpaceName.SomeClassName;
```

If the first namespace is in separate TypeScript file, then it should be referenced using triple slash reference syntax.

```
/// <reference path="SomeFileName.ts" />
```

The following program demonstrates use of namespaces:

```
FileName :IShape.ts
-----
namespace Drawing{
export interface IShape{
    draw();
}
}
```

```
FileName :Circle.ts
-----
/// <reference path="IShape.ts" />
namespace Drawing{

    export class Circle implements IShape{

        public draw(){

            console.log("Circle is drawn");
        }

    }

}

FileName :Triangle.ts
-----
/// <reference path="IShape.ts" />
namespace Drawing{

    export class Triangle implements IShape{

        public draw(){

            console.log("Triangle is drawn");
        }

    }

}

FileName : TestShape.ts
/// <reference path="IShape.ts" />
/// <reference path="Circle.ts" />
/// <reference path="Triangle.ts" />

function drawAllShapes(shape:Drawing.IShape){
    shape.draw();
}

drawAllShapes(new Drawing.Circle());
drawAllShapes(new Drawing.Triangle());
```



The above code can be compiled and executed using the following command

```
tsc --out app.js TestShape.ts

node app.js
```

On compiling, it will generate the following JavaScript code (app.js)

```
//Generated by typescript 1.8.10
/// <reference path="IShape.ts" />
var Drawing;
(function (Drawing) {
    var Circle = (function () {
        function Circle() {
        }
        Circle.prototype.draw = function () {
            console.log("Cirlce is drawn");
        };
        return Circle;
    })();
    Drawing.Circle = Circle;
})(Drawing || (Drawing = {}));
/// <reference path="IShape.ts" />
var Drawing;
(function (Drawing) {
    var Triangle = (function () {
        function Triangle() {
        }
        Triangle.prototype.draw = function () {
            console.log("Triangle is drawn");
        };
        return Triangle;
    })();
    Drawing.Triangle = Triangle;
})(Drawing || (Drawing = {}));
/// <reference path="IShape.ts" />
/// <reference path="Circle.ts" />
```

```

/// <reference path="Triangle.ts" />
function drawAllShapes(shape) {
    shape.draw();
}
drawAllShapes(new Drawing.Circle());
drawAllShapes(new Drawing.Triangle());

```

When the above code is compiled and executed, it produces the following result:

```

Circle is drawn
Triangle is drawn

```

## Nested Namespaces

You can define one namespace inside another namespace as follows:

```

namespace namespace_name1
{
    export namespace namespace_name2
    {
        export class class_name {    }
    }
}

```

You can access members of nested namespace by using the dot (.) operator as follows:

```

FileName : Invoice.ts

namespace tutorialPoint {
    export namespace invoiceApp {
        export class Invoice {
            public calculateDiscount(price: number) {
                return price * .40;
            }
        }
    }
}

FileName: InvoiceTest.ts
/// <reference path="Invoice.ts" />

```

```
var invoice = new tutorialPoint.invoiceApp.Invoice();
console.log(invoice.calculateDiscount(500));
```

The above code can be compiled and executed using the following command

```
tsc --out app.js InvoiceTest.ts
node app.js
```

On compiling, it will generate the following JavaScript code(app.js)

```
//Generated by typescript 1.8.10
var tutorialPoint;
(function (tutorialPoint) {
    var invoiceApp;
    (function (invoiceApp) {
        var Invoice = (function () {
            function Invoice() {
            }
            Invoice.prototype.calculateDiscount = function (price) {
                return price * .40;
            };
            return Invoice;
        })();
        invoiceApp.Invoice = Invoice;
    })(invoiceApp = tutorialPoint.invoiceApp || (tutorialPoint.invoiceApp = {}));
})(tutorialPoint || (tutorialPoint = {}));

/// <reference path="Invoice.ts" />
var invoice = new tutorialPoint.invoiceApp.Invoice();
console.log(invoice.calculateDiscount(500));
```

When the above code is compiled and executed, it produces the following result:

```
200
```

# 19. TypeScript – Modules

A module is designed with the idea to organize code written in TypeScript. Modules are broadly divided into

- Internal Modules
- External Modules

## Internal Module

Internal modules came in earlier version of Typescript. This was used to logically group classes, interfaces, functions into one unit and can be exported in another module. This logical grouping is named namespace in latest version of TypeScript. So internal modules are obsolete instead we can use namespace. Internal modules are still supported, but its recommended to use namespace over internal modules.

### Internal Module Syntax (Old)

```
module TutorialPoint {  
    export function add(x, y) {  
        console.log(x+y);  
    }  
}
```

### Namespace Syntax (New)

```
namespace TutorialPoint {  
    export function add(x, y) { console.log(x+y);}  
}
```

### JavaScript generated in both cases are same

```
var TutorialPoint;  
(function (TutorialPoint) {  
    function add(x, y) {  
        console.log(x + y);  
    }  
    TutorialPoint.add = add;  
})(TutorialPoint || (TutorialPoint = {}));
```

## External Module

---

External modules in TypeScript exists to specify and load dependencies between multiple external **js** files. If there is only one **js** file used, then external modules are not relevant. Traditionally dependency management between JavaScript files was done using browser script tags (<script></script>). But that's not extendable, as its very linear while loading modules. That means instead of loading files one after other there is no asynchronous option to load modules. When you are programming js for the server for example NodeJs you don't even have script tags.

There are two scenarios for loading dependents **js** files from a single main JavaScript file.

- Client Side - RequireJs
- Server Side - NodeJs

## Selecting a Module Loader

To support loading external JavaScript files, we need a module loader. This will be another **js** library. For browser the most common library used is RequeieJS. This is an implementation of AMD (Asynchronous Module Definition) specification. Instead of loading files one after the other, AMD can load them all separately, even when they are dependent on each other.

## Defining External Module

When defining external module in TypeScript targeting CommonJS or AMD, each file is considered as a module. So it's optional to use internal module with in external module.

If you are migrating TypeScript from AMD to CommonJs module systems, then there is no additional work needed. The only thing you need to change is just the compiler flag Unlike in JavaScript there is an overhead in migrating from CommonJs to AMD or vice versa.

The syntax for declaring an external module is using keyword 'export' and 'import'

```
//FileName : SomeInterface.ts
export interface SomeInterface{
    //code declarations
}
```

To use the declared module in another file, an import keyword is used as given below. The file name is only specified no extension used.

```
import someInterfaceRef= require("./SomeInterface");
```

## Example

Let's understand this using an example.

```
// IShape.ts
export interface IShape {
  draw();
}

// Circle.ts
import shape = require("./IShape");
export class Circle implements shape.IShape{
  public draw(){
    console.log("Circle is drawn (external module)");
  }
}

// Triangle.ts
import shape = require("./IShape");
export class Triangle implements shape.IShape{
  public draw(){
    console.log("Triangle is drawn (external module)");
  }
}

// TestShape.ts
import shape = require("./IShape");
import circle = require("./Circle");
import triangle = require("./Triangle");

function drawAllShapes(shapeToDraw: shape.IShape) {
  shapeToDraw.draw();
}

drawAllShapes(new circle.Circle());
drawAllShapes(new triangle.Triangle());
```

The command to compile the main TypeScript file for AMD systems is:

```
tsc --module amd TestShape.ts
```

On compiling, it will generate the following JavaScript code for AMD.

### File: IShape.js

```
//Generated by typescript 1.8.10
define(["require", "exports"], function (require, exports) {
  });
```

### File: Circle.js

```
//Generated by typescript 1.8.10
define(["require", "exports"], function (require, exports) {
  var Circle = (function () {
    function Circle() {
    }
    Circle.prototype.draw = function () {
      console.log("Circlce is drawn (external module)");
    };
    return Circle;
  })();
  exports.Circle = Circle;
});
```

### File: Triangle.js

```
//Generated by typescript 1.8.10
define(["require", "exports"], function (require, exports) {
  var Triangle = (function () {
    function Triangle() {
    }
    Triangle.prototype.draw = function () {
      console.log("Triangle is drawn (external module)");
    };
    return Triangle;
  })();
  exports.Triangle = Triangle;
});
```

```
});
```

### File:TestShape.js

```
//Generated by typescript 1.8.10
define(["require", "exports", "./Circle", "./Triangle"], function (require,
exports, circle, triangle) {
    function drawAllShapes(shapeToDraw) {
        shapeToDraw.draw();
    }
    drawAllShapes(new circle.Circle());
    drawAllShapes(new triangle.Triangle());
});
```

The command to compile the main TypeScript file for **Commonjs** systems is

```
tsc --module commonjs TestShape.ts
```

On compiling, it will generate the following JavaScript code for **Commonjs**.

### File:Circle.js

```
//Generated by typescript 1.8.10
var Circle = (function () {
    function Circle() {
    }
    Circle.prototype.draw = function () {
        console.log("Circlce is drawn");
    };
    return Circle;
})();
exports.Circle = Circle;
```

### File:Triangle.js

```
//Generated by typescript 1.8.10
var Triangle = (function () {
    function Triangle() {
    }
    Triangle.prototype.draw = function () {
```



```
        console.log("Triangle is drawn (external module)");
    };
    return Triangle;
})();
exports.Triangle = Triangle;
```

### File:TestShape.js

```
//Generated by typescript 1.8.10
var circle = require("./Circle");
var triangle = require("./Triangle");
function drawAllShapes(shapeToDraw) {
    shapeToDraw.draw();
}
drawAllShapes(new circle.Circle());
drawAllShapes(new triangle.Triangle());
```

### Output

```
Cirlce is drawn (external module)
Triangle is drawn (external module)
```

## 20. TypeScript – Ambients

Ambient declarations are a way of telling the TypeScript compiler that the actual source code exists elsewhere. When you are consuming a bunch of third party **js** libraries like jquery/angularjs/nodejs you can't rewrite it in TypeScript. Ensuring typesafety and intellisense while using these libraries will be challenging for a TypeScript programmer. Ambient declarations help to seamlessly integrate other **js** libraries into TypeScript.

### Defining Ambients

Ambient declarations are by convention kept in a type declaration file with following extension (d.ts)

```
Sample.d.ts
```

The above file will not be transcompiled to JavaScript. It will be used for type safety and intellisense.

The syntax for declaring ambient variables or modules will be as following

```
declare module Module_Name
{
}

```

The ambient files should be referenced in the client TypeScript file as shown

```
/// <reference path=" Sample.d.ts" />
```

### Example

Let's understand this with help of an example. Assume you been given a third party JavaScript library which contains code similar to this.

```
FileName: CalcThirdPartyJsLib.js
var TutorialPoint;

(function (TutorialPoint) {

    var Calc = (function () {
        function Calc() {
        }
        Calc.prototype.doSum = function (limit) {

```

```

        var sum = 0;
        for (var i = 0; i <= limit; i++) {
Calc.prototype.doSum = function (limit) {

        var sum = 0;
        for (var i = 0; i <= limit; i++)
{
sum = sum + i;
return sum;
return Calc;
TutorialPoint.Calc = Calc;
})(TutorialPoint || (TutorialPoint = {}));
var test = new TutorialPoint.Calc();

```

As a typescript programmer you will not have time to rewrite this library to typescript. But still you need to use the doSum() method with type safety. What you could do is ambient declaration file. Let us create an ambient declaration file Calc.d.ts

```

FileName: Calc.d.ts
declare module TutorialPoint {
    export class Calc {
        doSum(limit:number) : number;
    }
}

```

Ambient files will not contain the implementations; they are just type declarations. Declarations now need to be included in the typescript file as follows.

```

FileName : CalcTest.ts

/// <reference path="Calc.d.ts" />
var obj=new TutorialPoint.Calc();
obj.doSum("Hello"); // compiler error
console.log(obj.doSum(10));

```

The following line of code will show a compiler error. This is because in the declaration file we specified the input parameter will be number.

```
obj.doSum("Hello");
```

Comment the above line and compile the program using the following syntax:

```
tsc CalcTest.ts
```

On compiling, it will generate the following JavaScript code(CalcTest.js)

```
//Generated by typescript 1.8.10
/// <reference path="Calc.d.ts" />
var obj = new TutorialPoint.Calc();
// obj.doSum("Hello");
console.log(obj.doSum(10));
```

In order to execute the code, let us add an html page with script tags as given below. Add the compiled CalcTest.js file and the third party library file CalcThirdPartyJsLib.js.

```
<html>
<body style="font-size:30px;">
    <h1>Ambient Test</h1>
    <h2>Calc Test</h2>
</body>
<script src="CalcThirdPartyJsLib.js"></script>
<script src="CalcTest.js"></script>
</html>
```

It will display the following page:



On the console, you can see the following output:

55

Similarly, you can integrate `jquery.d.ts` or `angular.d.ts` into a project, based on your requirement.