

Patient Name : Soumita Ghosh
Lab Ref : 254682003
Age/Sex/DOB : 35 / F / 1986-09-10
ID Num. : V6401794
Contact Nos : (C) 0618316191
Email : not available

Lab Name : Central
Dr. Ref No. : 39 PAPIERBAS WEG
Spec No. : 0505:DN00593U
Collection Date : 02/09/22 0915
Receive Date : 02/09/22 0950
Report Date : 02/09/22 1745

Report for Doctor

Patient Referral

Other Doctors

Submit Dr : Patient Referral
 Copy : Travelling Patient Covid Sms

Guarantor Information

Name : Ms S Ghosh
 Contact Nos :
 Email :
 MedAid : REFERRAL

Tests: SMS NOTIFICATION, SARS-COV-2 RT-PCR

Clinical Data

Patients age not stated on the request form.

Molecular Infectious Diseases

SARS-CoV-2

Not detected

SARS-CoV-2 nucleic acid was not detected by means of a real-time reverse transcriptase polymerase chain reaction (RT-PCR) test.

A "Not Detected" (Negative) test result for this test means that SARS-CoV-2 RNA was not present in the specimen. However, it does not exclude the possibility of COVID-19 and should not be used as the sole basis for patient management decisions.

A false-negative result can be due to several factors including inadequate specimen collection, sampling too early or late in the course of infection, and clinical severity of disease.

Repeat testing is recommended only if clinically indicated.

Lancet Laboratories is an ISO 15189 accredited laboratory recognised by the South African government for COVID testing. This laboratory result constitutes a certificate for travel purposes.

For consultation by referring doctors only, please call:

Dr Justyna Wojno (021) 673-1700 Dr Hendre Swanepoel 021 673-1700
 Dr Corneli Dittrich (021) 673 1700 Dr Judith Whittaker (021) 673 1700

