

**Patient Name** : Soumita Ghosh  
**Lab Ref** : 254682003  
**Age/Sex/DOB** : 35 / F / 1986-09-10  
**ID Num.** : V6401795  
**Contact Nos** : (C) 0618316191  
**Email** : not available

**Lab Name** : Central  
**Dr. Ref No.** : 39 PAPIERBAS WEG  
**Spec No.** : 0505:DN00593U  
**Collection Date** : 02/09/22 0915  
**Receive Date** : 02/09/22 0950  
**Report Date** : 02/09/22 1745

### Report for Doctor

Patient Referral

**Other Doctors**  
 Submit Dr : Patient Referral  
 Copy : Travelling Patient Covid Sms

**Guarantor Information**  
 Name : Ms S Ghosh  
 Contact Nos :  
 Email :  
 MedAid : REFERRAL

**Tests:** SMS NOTIFICATION, SARS-COV-2 RT-PCR

### Clinical Data

Patients age not stated on the request form.

## Molecular Infectious Diseases

### SARS-CoV-2

### Not detected

SARS-CoV-2 nucleic acid was not detected by means of a real-time reverse transcriptase polymerase chain reaction (RT-PCR) test.

A "Not Detected" (Negative) test result for this test means that SARS-CoV-2 RNA was not present in the specimen. However, it does not exclude the possibility of COVID-19 and should not be used as the sole basis for patient management decisions.

A false-negative result can be due to several factors including inadequate specimen collection, sampling too early or late in the course of infection, and clinical severity of disease.

Repeat testing is recommended only if clinically indicated.

Lancet Laboratories is an ISO 15189 accredited laboratory recognised by the South African government for COVID testing. This laboratory result constitutes a certificate for travel purposes.

For consultation by referring doctors only, please call:

Dr Justyna Wojno (021) 673-1700      Dr Hendre Swanepoel 021 673-1700  
 Dr Corneli Dittrich (021) 673 1700      Dr Judith Whittaker (021) 673 1700

