N

NexABI

ADAPTIVE BUSINESS INTELLIGENCE

Your data already knows what's wrong.

An AI intelligence layer for real-estate businesses. It reads everything in one place, tells you in plain English what needs fixing today, and gives you the button that fixes it.

Lagos, Nigeria · Real estate

HTML · CSS · vanilla JS

No framework, no build step, no backend

THE PROBLEM

Agencies do not lack data. They lack the story in it.

A typical Lagos agency runs on six disconnected systems. Sales in a spreadsheet, leads in a CRM, payments in another spreadsheet, feedback in WhatsApp. Nobody can see across them, so nobody sees the pattern.

- **Leads go cold silently.** Nobody notices until the quarter closes.
- **Campaigns burn cash** for months before anyone compares them.
- **Stock gets mispriced** because demand is never measured per unit.
- **Receivables drift** until a top client is 90 days late.
- **Complaints repeat** and are only ever read one at a time.

And when a dashboard does exist...

It tells you revenue fell. It does not tell you **why**, **what to do about it**, or **whether what you did worked**. The decision — the only part that changes the business — is left entirely to the reader.

- Reporting is a solved problem. **Deciding is not.**

THE CORE IDEA

Business data → AI analysis → insight → recommendation → action.

01 / DATA

Bring it together

Sales, leads, properties, campaigns, payments and reviews stop living in six spreadsheets.

02 / ANALYSIS

Find what's off

Seven kinds of detector watch every area continuously — money leaking, leads stalling, prices drifting.

03 / INSIGHT

Say it plainly

Worst first, in sentences you could read out in a meeting, with every figure one click from its rows.

04 / ACTION

Actually do it

Every recommendation is a button. Press it and the data changes.

- Most BI tools stop at step 3. **Step 4 is the product** — and because it writes back to the data, step 2 re-runs and the finding retires itself.

WHY IT IS DIFFERENT

The loop is a circuit, not a script.

Accept **“Schedule follow-up for 263 stale leads”** and this happens, in order:

1. 263 lead records are mutated — contact clocks reset
2. The store version bumps, invalidating the metrics that depend on them
3. Detectors re-run — the stagnation signal drops from **263 to 0**
4. The KPI ticks down; the insight card **retires itself**
5. The action log records a **before / after diff**

If the action doesn't change anything, the finding stays on the screen.

Nothing is scripted. That is the difference between a demo that plays a sequence and a product that responds. It is also why the action for chasing payments models realistic recovery — some instalments clear, most don't, and the figure moves by what actually cleared.

Two audiences, two products, one set of records.

FOR THE BUSINESS

Agency console

The full intelligence layer across every business area, with findings ranked for whichever role is signed in — CEO, sales manager, finance lead or agent.

- Dashboard
- Insights
- Ask NexABI
- Sales
- Leads
- Properties
- Marketing
- Customers
- Finance
- Feedback
- Analytics
- Reports

FOR THE BUYER

Client portal

A buyer does not need a BI tool. They need four answers: **what did I buy, what do I owe, when is it due, and who do I call.** So the portal has no KPI grid, no insight feed and no charts nobody asked for.

- My property
- Payments
- Documents
- Support


- Both read the **same rows** — so the buyer's schedule and the agency's receivables can never disagree.

AGENCY CONSOLE · 01

The dashboard is a reading order, not a wall of charts.

1. **Where the business stands** — two sentences, not eight figures
2. **The one decision worth making today**, with its button attached
3. **The money** — four tiles, each with a plain-English definition
4. **Where the problems are** — every area, one glance
5. **The evidence** — charts, last, because they are the proof not the point

- A BI product that leads with charts is asking the user to do the analysis themselves.



The dashboard — briefing, decision bar, KPIs with definitions

AGENCY CONSOLE · 02


Twelve modules, legible in one glance.



Each tile shows the **worst open finding** in that area and a severity dot. Without this, twelve modules is a navigation problem; with it, it is a picture. Every tile is a link straight into the finding.

AGENCY CONSOLE · 03

Findings that explain themselves — and come with a button.



Ranked findings with narrative, evidence chips and executable recommendations

Each card carries four things:

- ✓ **A claim** — from a detector, not a template
- ✓ **A narrative** with the real figures written into it
- ✓ **Evidence chips** — one click to the exact rows
- ✓ **Recommendations** with estimated impact and effort

- Ranked by **severity × confidence × role weight × log(impact)**. A dramatic finding drawn from twelve records never outranks a certain one drawn from four hundred.

THE RULE THE PRODUCT IS BUILT AROUND

An insight you cannot click into is an insight nobody believes.

Every figure in every finding carries a drill target to the rows that produced it. This is enforced by the test suite, not by discipline: the engine test fails if any signal ships without evidence, or without at least one drill-through.

100%
Of findings carry evidence

100%
Of findings drill to rows

0
Hardcoded insights

AGENCY CONSOLE · 04


Ask it in your own words.

“Why are we closing fewer deals?” “Which sources send the best leads?” “How much are we owed?”

Answers come back as a **card** — headline figure, delta, chart, contributing signals, drill-through — not a wall of text.

- Real-estate BI is a **bounded domain**. A router that classifies intent, extracts entities and dispatches to the metrics layer answers a genuinely large share of real questions.

- When it cannot answer, **it says so** and offers what it can. A confidently wrong number is the one failure that would discredit the whole product.




Natural language over live metrics — with the parsed intent shown, so you can see when it misreads you

AGENCY CONSOLE · 05

The AI is not a chatbot in a corner. It runs across everything.

AREA	WHAT NEXABI DOES THERE	DETECTOR IT USES
Sales	Revenue trends, funnel erosion, agent cohorts closing at half the rate of others	`trend · funnel · cohort`
Leads	Qualified leads going cold, source quality, high-score leads left unworked	`stagnation · cohort`
Properties	Demand per available unit, underpriced segments, capital stuck in dead stock	`concentration · threshold`
Marketing	Campaigns spending heavily and converting far below the channel baseline	`cohort`
Customers	Detractors carrying real revenue, lifetime value concentration	`threshold`
Finance	Overdue receivables, ageing, accounts needing a call rather than a chase	`threshold`
Feedback	Complaint themes clustering — one is noise, thirty is a defect	`anomaly`

Red rows are the ones quietly costing you money.




Leads — conversion by source, funnel, and the full table with stale rows flagged

- ✓ Every drill target from a lead insight lands here **with filters pre-applied**
- ✓ Rows flagged red have had **no contact for 14+ days**
- ✓ The funnel counts the **deepest stage ever reached**, so lost leads still count
- ✓ One button sweeps the entire stale backlog

- Dropping lost leads from a funnel flatters every conversion figure in the product. We don't.

Honest about what an action can actually achieve.




Receivables ageing, collection ratio and the accounts at risk

Sending a payment reminder does not conjure payment. So the action models **realistic recovery by age** — fresher debt clears more often, 90-day debt rarely does.


Some instalments clear, most don't, and the overdue figure moves by the amount that actually cleared.

- A tool that always reports success is a tool you stop believing on the second use.

The buyer gets their own front door — with no charts in it.



My property — status, the unit, progress and the purchase journey



Payments — one hero figure, the schedule, downloadable receipts

Derived, not decorated.

Documents wait on real things

The deed of assignment genuinely waits on full settlement in a Nigerian instalment purchase. So the portal shows **what each pending document is waiting on** rather than pretending everything is ready.

Status follows the clock


A stored status goes stale the moment time moves. Payment state is **derived from the current date** everywhere, so an instalment can never be past due and still say “scheduled”.

It says what happens next


Late? It explains there is no penalty, but handover cannot be scheduled until it clears — and offers to **restructure the plan**, framed as the routine request it is.

- The portal and the console are two renderings of **one set of rows**. They cannot disagree, because there is nothing to disagree with.

Marketing persuades. Product informs. Two registers, one brand.



Landing — editorial: serif display, ruled figures, real product imagery



Sign in — the role split decides which product you land in

Gold on screen means the intelligence layer is speaking.

Gold is the brand, and it is **reserved** — insight cards, recommendation buttons, the Ask surface, active navigation. It is never a severity colour and never a chart series.

- Amber is also the universal “warning” colour. If brand and warning share a hue, severity stops meaning anything — so severity gets its own ramp.

Brand gold — AI moments and emphasis only

Critical

High

Medium

Low

Charts: validated, not eyeballed

Six categorical slots, assigned in **fixed order, never cycled**. Run through a colourblind-safety validator in **both** themes:

blue

orange

aqua

violet

magenta

green

Deliberately excludes yellow and red. Yellow would collide with the brand gold; red with the critical token. A series must never be mistakable for a status.

DESIGN SYSTEM · TYPE & LAYOUT

A landing page that looks like a dashboard sells nothing.

	LANDING & AUTH	CONSOLE & PORTAL
Display type	Fraunces serif, up to 72px	None — the serif is opt-in and can never leak in
UI type	IBM Plex Sans	IBM Plex Sans at 13px, tabular numerals throughout
Density	Generous, ruled figures, whitespace	Dense and scannable — that is what a BI tool is for
Imagery	Real product screenshots	Charts and tables
Job	Persuade	Inform

No decorative borders

Severity is carried by a badge with a dot **and** a word. A coloured spine as well was decoration doing a job already done.

Every page explains itself

All 18 screens open with one plain sentence saying what the page is for and what on it is worth acting on.

Fonts self-hosted

SIL OFL, no CDN. The naira sign lives in the latin-ext subset — without it every price falls back to a different face.

ARCHITECTURE

The tagline, made executable.

L0	**Seed** generated fixtures — the simulated business	
L1	**Repository** every read goes through here	SWAPS TO REST
L2	**Metrics** pure functions → KPIs, series, cohorts	ANALYSIS
L3	**Detectors** rules over metrics → signals	ANALYSIS
L4	**Insights** score, dedupe, rank, cap	INSIGHT
L5	**Playbooks** insight → executable action descriptors	RECOMMENDATION
L6	**Action bus** execute → mutate → log → bump version	ACTION
L7	**Views** subscribe, render, dispatch	

- Layers 2–6 are **pure functions over data**. They lift server-side verbatim the day there is a backend — nothing in them knows where the data came from.

THE HONEST PART

The intelligence is real. Only the wording is generated.

STEP	REAL?
Aggregation, trends, cohorts, funnels	Yes
Detection — rules and statistics	Yes
Scoring, ranking, dedupe	Yes
Recommendation → executable action	Yes
Turning a finding into a paragraph	Templated

"47 leads have had no contact in 14+ days, carrying ₦8.2B of pipeline" is **a filter and a sum**. It does not need a model — it needs a detector.

What genuinely needs a model is **phrasing**. So phrasing is the only thing behind the seam.

- Swapping to a hosted model changes **one file**. Layers 2–7 only ever receive a string; they never learn where it came from.

Generated, not authored — and identical every single run.

A seeded simulation of ~20 months of a Lagos agency. Byte-identical on every machine, so the demo never surprises you and a bug is always reproducible.

1,420
Leads

224
Properties

~620
Deals

10,500
Recorded events

Planted narratives

The generator is biased so the data genuinely **contains** the conditions the detectors will find. The detectors are **not told** about any of them.

Delete the failing campaign and its insight disappears on its own. Import a spreadsheet and new ones appear. That is the difference between a computed product and a decorated one.

DATA · THE SEVEN PLANTED CONDITIONS

Written into the data. Rediscovered independently.

PLANTED INTO THE DATASET	FOUND BY	WHAT APPEARS ON SCREEN
47 stale high-budget leads	`stagnation`	“263 open leads have gone untouched for 14+ days”
A heavy-spend, low-conversion campaign	`cohort`	“Meta — Lagos Mainland Push is converting 4.3× worse”
3-bed Lekki flats: 4× demand, 4 units	`concentration`	“…drawing 4.3× normal demand on 4 units of stock”
Overdue instalments incl. a top-10 account	`threshold`	“24 accounts are carrying overdue instalments”
“Response time” complaints clustering	`anomaly`	“…now your most-cited complaint — 30 mentions in 60 days”
Two agent cohorts, divergent close rates	`cohort`	“7 agents are closing at less than half the rate…”
Viewing → negotiating conversion decaying	`funnel`	“…has fallen 50 points over 12 weeks”

- Every one of these is **listed in-app under Settings**, so the whole arrangement is auditable by anyone who wants to check it.

THE ENGINE

Seven archetypes cover essentially all of business intelligence.

THRESHOLD

A value crosses a line you set.

TREND

Least-squares slope over a window — is it drifting?

ANOMALY

Z-score against the trailing mean — is this unusual?

COHORT

Segment A versus segment B, effect size gated.

STAGNATION

Time since last event exceeds a threshold.

FUNNEL

Stage conversion below its own baseline.

CONCENTRATION

Too much depending on too few.

RETURNING ZERO

A first-class outcome. If the business is healthy, NexABI says nothing.

The failure modes we designed against.

THE TRAP	WHAT WE DO INSTEAD
Thin denominators	14 leads and 0 closes reports “50× worse” — precise-looking and meaningless. **Laplace smoothing** pulls small samples toward the prior.
Immature cohorts	Leads captured last week haven't had time to convert. Including them **manufactures a decline in every dataset**, so recent weeks are excluded from funnel trends.
Weekly noise	A rate built on 5–12 leads swings 0–100% on chance alone. Trends are fitted to a **smoothed series**, and the raw one is what gets charted.
Survivor bias	A funnel that drops lost leads flatters every conversion figure. We rank on the **deepest stage ever reached**.
Everything is critical	Nine of eleven findings marked critical means the label means nothing. Bands are **deliberately hard to reach** at the top.
Confident wrongness	Confidence is **gated on sample size** and always shown. Unanswerable questions are refused, not guessed.

PROVE IT YOURSELF

Four controls that let anyone test the claim in seconds.

⏱ TIME MACHINE

Move the clock, the business moves

Advancing time doesn't just change the date — it **simulates the period**. Leads arrive, deals close, instalments fall due, leads go cold. New findings appear that nobody prompted. This is the literal demonstration of **“Adaptive”**.

📥 CSV IMPORT

Bring your own data

Drop a spreadsheet of leads into Settings and watch the pipeline figure move and new findings appear. Parsed entirely in the browser — nothing is uploaded. **Takes about ten seconds to disprove “it's hardcoded”.**

👤 ROLE SWITCHER

Same data, different lens

CEO, sales manager, finance lead, agent. Switching **re-ranks** the feed — it never hides anything, because a finance risk does not stop existing when a sales manager logs in.

🏆 TOURNAMENT MODE

A guided run, not a slideshow

Ten steps that drive the **real application** — navigating real routes, executing a real action, advancing the real clock. Skippable, and it exits into free exploration.

ENGINEERING

91 automated checks, and they have caught real bugs.

Engine suite · 48 checks

Runs headless, no browser. Asserts each planted narrative is independently rediscovered, every insight is executable, accepting a recommendation **changes the data and retires the insight**, and unanswerable questions are refused.

Browser suite · 43 checks

Drives 7 static pages and 14 console routes over the DevTools Protocol. Fails on any console error, horizontal overflow, or missing webfont. Writes the screenshots this deck is built from.

Bugs the suite has caught — each one now has a permanent guard:

- ✓ **Jekyll silently dropped a file.** One underscore-prefixed module took the whole Business section down when deployed, while working perfectly offline.
- ✓ **A form that wasn't a form.** An invalid element name produced a fake select and textarea. Browsers don't throw on that.
- ✓ **Stale payment status.** An instalment showed “Scheduled” and “21 days ago” at once.
- ✓ **Empty weekly buckets.** A week key returning a day number silently emptied every funnel trend.

FULL DISCLOSURE

What is real, and what is standing in for something.

CAPABILITY	IN THIS BUILD	WITH A BACKEND
Analysis & detection	**Fully real**	Lifts server-side unchanged
Recommendations & actions	**Fully real**	Same code, real writes
Prose generation	**Templated**	Swap one file for a hosted model
Authentication	Role selection only	Auth service — the form is honest about this
Persistence	localStorage + mutation replay	Postgres
Live ingestion	CSV drop	Connectors and webhooks
Scheduled jobs	Time machine	Cron workers

- Only **two files** know where anything comes from: the repository layer and the AI provider. Everything else is portable by construction.

WHAT HAPPENS NEXT

The engine is backend-ready. Only the data source is local.

PHASE 1

Real data in

Replace the repository layer with REST calls. Connectors for the CRMs and spreadsheets agencies already use. **Layers 2–7 untouched.**

PHASE 2

Live language

Swap the AI provider for a server route calling a hosted model. It receives **already-computed facts**, never raw rows — so it is fast, cheap, and cannot invent a figure.

PHASE 3

Always on

Detectors move to scheduled workers. Findings arrive by email and WhatsApp instead of waiting for someone to open a tab.

- The API key cannot live in client JavaScript. The live provider proxies through a server route by design — that constraint is in the architecture already, not bolted on later.

BY THE NUMBERS

What was built.

18
Screens across two products

7
Detector archetypes

18
Executable action types

91
Automated checks, all passing

8
Chart types, hand-rolled in SVG

0
Runtime dependencies

0
Build steps

0
Hardcoded insights

- Runs from any static host. `npx serve .` and open the address — that is the whole setup.

IN ONE SENTENCE

NexABI turns scattered business data into decisions — and proves the decision worked.

Reporting tells you what happened. NexABI tells you what is wrong, what to do about it, and whether doing it worked — then takes the warning down by itself.

Agency console | Client portal | Landing & auth | Tournament mode

N

NexABI

ADAPTIVE BUSINESS INTELLIGENCE