

Tooling Evidence

Project Name: Roommate Dashboard

Document ID: ToolingEvidence

Control Label: D0-v1-r1

Date: 2/4/2026


Prepared By: Group 6

Summary

This document provides evidence that automated tools were used throughout Phase 1, consistent with the project's automation policy.

Automated Tools Used

Evidence of venv and Flask being installed



The screenshot displays a code editor with a file explorer on the left and a code editor on the right. The file explorer shows a project structure with files like .venv, static, templates, app.py, README.md, and requirements.txt. The code editor shows the contents of app.py, which includes imports for annotations, os, re, sqlite3, datetime, Dict, List, and Flask. It also shows the initialization of the app, the creation of the database, and the definition of the get_conn() and init_db() functions. The terminal window at the bottom shows the command to create a virtual environment and the command to run the application.

```
1 from __future__ import annotations
2
3 import os
4 import re
5 import sqlite3
6 from datetime import datetime
7 from typing import Dict, List
8
9 from flask import Flask, render_template, request, redirect, url_for, flash
10
11 APP_TITLE = "Roommate Dashboard - Requirements DB"
12 DB_FILENAME = os.environ.get("REQ_DB_PATH", "requirements.db")
13
14 REQ_ID_PATTERN = re.compile(r"^REQ-\d{3}$") # e.g., REQ-001
15 ALLOWED_TYPES = {"FR", "NFR"}
16 ALLOWED_PRIORITIES = {"High", "Medium", "Low"}
17
18 app = Flask(__name__)
19 app.secret_key = os.environ.get("FLASK_SECRET_KEY", "dev-secret-key-change-me")
20
21
22 def get_conn() -> sqlite3.Connection:
23     conn = sqlite3.connect(DB_FILENAME)
24     conn.row_factory = sqlite3.Row
25     conn.execute("PRAGMA foreign_keys = ON;")
26     return conn
27
28
29 def init_db() -> None:
30     with get_conn() as conn:
31         conn.execute(
32             """
33             CREATE TABLE IF NOT EXISTS requirements (
34                 id INTEGER PRIMARY KEY AUTOINCREMENT,
35                 req_id TEXT NOT NULL UNIQUE,
36                 req_type TEXT NOT NULL,
37                 priority TEXT NOT NULL,
38                 stakeholder TEXT NOT NULL,
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
tammamahad@Mac roommate_requirements_db_tool % python3 -m venv .venv
o tammamahad@Mac roommate_requirements_db_tool %
```

```
tammamahad@Mac roommate_requirements_db_tool % python3 -m venv .venv
tammamahad@Mac roommate_requirements_db_tool % source .venv/bin/activate
(.venv) tammamahad@Mac roommate_requirements_db_tool %
```

```
(.venv) tammamahad@Mac roommate_requirements_db_tool % pip install flask
Collecting flask
  Obtaining dependency information for flask from https://files.pythonhosted.org/packages/ec/f9/7f9263c5695f4bd0023734af91bedb2ff8209e8de6ead162f35d8c762fd/f
  lask-3.1.2-py3-none-any.whl.metadata
  Using cached flask-3.1.2-py3-none-any.whl.metadata (3.2 k
Collecting blinker>=1.9.0 (from flask)
  Obtaining dependency information for blinker>=1.9.0 from https://files.pythonhosted.org/packages/10/cb/f2ad4230dc2eb1a74edf38f1a38b9b52277f75bef262d8908e60d
  957e13c/blinker-1.9.0-py3-none-any.whl.metadata
  Using cached blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Collecting click>=8.1.3 (from flask)
  Obtaining dependency information for click>=8.1.3 from https://files.pythonhosted.org/packages/98/78/01c019cdb5d649812277c1a43056ebb3ebfeef2076d9d026bfe155
  83b2b/click-8.3.1-py3-none-any.whl.metadata
  Using cached click-8.3.1-py3-none-any.whl.metadata (2.6 kB)
Collecting itsdangerous>=2.2.0 (from flask)
  Obtaining dependency information for itsdangerous>=2.2.0 from https://files.pythonhosted.org/packages/04/96/92447566d16df59b2a776c0fb82dbc4d9e07cd95062562af
  01e408583fc4/itsdangerous-2.2.0-py3-none-any.whl.metadata
  Using cached itsdangerous-2.2.0-py3-none-any.whl.metadata (1.9 kB)
Collecting jinja2>=3.1.2 (from flask)
  Obtaining dependency information for jinja2>=3.1.2 from https://files.pythonhosted.org/packages/62/a1/3d680cbfd5f4b8f15abc1d571870c5fc3e594bb582bc3b64ea099d
  b13e56/jinja2-3.1.6-py3-none-any.whl.metadata
  Using cached jinja2-3.1.6-py3-none-any.whl.metadata (2.9 kB)
Collecting markupsafe>=2.1.1 (from flask)
  Obtaining dependency information for markupsafe>=2.1.1 from https://files.pythonhosted.org/packages/9a/81/7e4e08678a1f98521201c3079f77db69fb552acd56067661f8
  c2f534a718/markupsafe-3.0.3-cp312-cp312-macosx_11_0_arm64.whl.metadata
  Using cached markupsafe-3.0.3-cp312-cp312-macosx_11_0_arm64.whl.metadata (2.7 kB)
Collecting werkzeug>=3.1.0 (from flask)
  Obtaining dependency information for werkzeug>=3.1.0 from https://files.pythonhosted.org/packages/ad/e4/8d97cca767bcc1be76d16fb76951608305561c6e056811587f36
  cb1316a8/werkzeug-3.1.5-py3-none-any.whl.metadata
  Using cached werkzeug-3.1.5-py3-none-any.whl.metadata (4.0 kB)
Using cached flask-3.1.2-py3-none-any.whl (103 kB)
Using cached blinker-1.9.0-py3-none-any.whl (8.5 kB)
Using cached click-8.3.1-py3-none-any.whl (108 kB)
Using cached itsdangerous-2.2.0-py3-none-any.whl (16 kB)
Using cached jinja2-3.1.6-py3-none-any.whl (134 kB)
Using cached markupsafe-3.0.3-cp312-cp312-macosx_11_0_arm64.whl (12 kB)
Using cached werkzeug-3.1.5-py3-none-any.whl (225 kB)
Installing collected packages: markupsafe, itsdangerous, click, blinker, werkzeug, jinja2, flask
Successfully installed blinker-1.9.0 click-8.3.1 flask-3.1.2 itsdangerous-2.2.0 jinja2-3.1.6 markupsafe-3.0.3 werkzeug-3.1.5

[notice] A new release of pip is available: 23.2.1 -> 26.0.1
[notice] To update, run: pip install --upgrade pip
(.venv) tammamahad@Mac roommate_requirements_db_tool %
```

```
(.venv) tammamahad@Mac roommate_requirements_db_tool % pip show flask
Name: Flask
Version: 3.1.2
Summary: A simple framework for building complex web applications.
Home-page:
Author:
Author-email:
License:
Location: /Users/tammamahad/Downloads/roommate_requirements_db_tool/.venv/lib/python3.12/site-packages
Requires: blinker, click, itsdangerous, jinja2, markupsafe, werkzeug
Required-by:
(.venv) tammamahad@Mac roommate_requirements_db_tool %
```

SQLite storing data

```
≡ requirements.db
≡ requirements.txt
```

HTML Validation

Checker Input

Show

☐ source

☐ outline

☐ image report

☒ errors & warnings only

Options...

Check by

file upload

Choose File

No file chosen

Uploaded files with .html or .htm extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 4, column 3; to line 4, column 26

<head><meta charset="utf-8" /><me

2.

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 5, column 3; to line 5, column 71

f-8" /><meta name="viewport" content="width=device-width,initial-scale=1" /><ti

3.

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 7, column 3; to line 7, column 45

/title><link rel="stylesheet" href="styles.css" /></hea

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 2 milliseconds.

CSS Validation

Jump to:

W3C CSS Validator results for styles.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG !

To show your readers that you've taken the care to create an interoperable Web page, you may display this



```
<p>  
  <a href="https://jigsaw.w3.org/css-validator/check/referer">  
      
  </a>  
</p>
```