



CNS Vital Signs Report	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
CNSVS Duration: 36:54 (min:secs)	CNSVS Online Version 2.0.5

Patient Profile	Percentile Range				> 74	25 - 74	9 - 24	2 - 8	< 2
	Standard Score Range				> 109	90 - 109	80 - 89	70 - 79	< 70
Domain Scores	Patient Score	Standard Score	Percentile	VI**	Above	Average	Low Average	Low	Very Low
Neurocognition Index (NCI)	NA	87	19	Yes			X		
Composite Memory	81	67	1	Yes					X
Verbal Memory	39	56	1	Yes					X
Visual Memory	42	89	23	Yes			X		
Psychomotor Speed	201	122	93	Yes	X				
Reaction Time*	847	65	1	Yes					X
Complex Attention*	9	94	34	Yes		X			
Cognitive Flexibility	36	89	23	Yes			X		
Processing Speed	61	108	70	Yes		X			
Executive Function	37	89	23	Yes			X		
Reasoning	10	111	77	Yes	X				
Working Memory	12	109	73	Yes		X			
Sustained Attention	33	110	75	Yes	X				
Simple Attention	39	94	34	Yes		X			
Motor Speed	140	124	95	Yes	X				

Domain Dashboard: Above average domain scores indicate a standard score (SS) greater than 109 or a Percentile Rank (PR) greater than 74, indicating a high functioning test subject. Average is a SS 90-109 or PR 25-74, indicating normal function. Low Average is a SS 80-89 or PR 9-24 indicating a slight deficit or impairment. Below Average is a SS 70-79 or PR 2-8, indicating a moderate level of deficit or impairment. Very Low is a SS less than 70 or a PR less than 2, indicating a deficit and impairment. Reaction times are in milliseconds. An * denotes that "lower is better", otherwise higher scores are better. Subject Scores are raw scores calculations generated from data values of the individual subtests.

VI** - Validity Indicator: Denotes a guideline for representing the possibility of an invalid test or domain score. "No" means a clinician should evaluate whether or not the test subject understood the test, put forth their best effort, or has a clinical condition requiring further evaluation.

Verbal Memory Test (VBM)	Score	Standard	Percentile	
Correct Hits - Immediate	10	82	12	Verbal Memory test: Subjects have to remember 15 words and recognize them in a field of 15 distractors. The test is repeated at the end of the battery. The VBM test measures how well a subject can recognize, remember, and retrieve words e.g. exploit or attend literal representations or attribute. "Correct Hits" refers to the number of target words recognized. Low scores indicate verbal memory impairment.
Correct Passes - Immediate	9	24	1	
Correct Hits - Delay	8	80	9	
Correct Passes - Delay	12	68	2	
Visual Memory Test (VSM)	Score	Standard	Percentile	
Correct Hits - Immediate	12	101	53	Visual Memory test: Subjects have to remember 15 geometric figures, and recognize them in a field of 15 distractors. The test is repeated at the end of the battery. The VSM test measures how well a subject can recognize, remember, and retrieve geometric figures e.g. exploit or attend symbolic or spatial representations. "Correct Hits" refers to the number of target figures recognized. Low scores indicate visual memory impairment.
Correct Passes - Immediate	11	95	37	
Correct Hits - Delay	10	94	34	
Correct Passes - Delay	9	87	19	
Finger Tapping Test (FTT)	Score	Standard	Percentile	
Right Taps Average	73	124	95	The FTT is a test of motor speed and fine motor control ability. There are three rounds of tapping with each hand. The FTT test measures the speed and the number of finger-taps with each hand. Low scores indicate motor slowing. Speed of manual motor activity varies with handedness. Most people are faster with their preferred hand but not always.
Left Taps Average	67	120	91	



CNS Vital Signs Report	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
CNSVS Duration: 36:54 (min:secs)	CNSVS Online Version 2.0.5

Symbol Digit Coding (SDC)	Score	Standard	Percentile	
Correct Responses	61	107	68	The SDC test measures speed of processing and draw upon several cognitive processes simultaneously, such as visual scanning, visual perception, visual memory, and motor functions. Errors may be due to impulsive responding, misperception, or confusion.
Errors*	0	111	77	
Stroop Test (ST)	Score	Standard	Percentile	
Simple Reaction Time*	340	89	23	The ST measures simple and complex reaction time, inhibition / disinhibition, mental flexibility or directed attention. The ST helps assess how well a subject is able to adapt to rapidly changing and increasingly complex set of directions. Prolonged reaction times indicate cognitive slowing / impairment. Errors may be due to impulsive responding, misperception, or confusion.
Complex Reaction Time Correct*	820	60	1	
Stroop Reaction Time Correct*	874	74	4	
Stroop Commission Errors*	1	99	47	
Shifting Attention Test (SAT)	Score	Standard	Percentile	
Correct Responses	44	88	21	The SAT measures executive function or how well a subject recognizes set shifting (mental flexibility) and abstraction (rules, categories) and manages multiple tasks simultaneously. Subjects have to adjust their responses to randomly changing rules. The best scores are high correct responses, few errors and a short reaction time. Normal subjects may be slow but accurate, or fast but not so accurate. Attention deficit may be apparent.
Errors*	7	95	37	
Correct Reaction Time*	1081	102	55	
Continuous Performance Test (CPT)	Score	Standard	Percentile	
Correct Responses	40	104	61	The CPT measures sustained attention or vigilance and choice reaction time. Most normal subjects obtain near-perfect scores on this test. A long response time may suggest cognitive slowing and/or impairment. More than 2 errors (total) may be clinically significant. More than 4 errors (total) indicate attentional dysfunction.
Omission Errors*	0	104	61	
Commission Errors*	1	92	30	
Choice Reaction Time Correct*	485	76	5	
Reasoning Test (RT)	Score	Standard	Percentile	
Correct Responses	12	113	81	The NVRT measures how well a subject can perceive and understand the meaning of visual or abstract information and recognizing relationships between visual-abstract concepts. The NVRT is comprised of 15 matrices, or visual analogies. The matrices are progressively more difficult. Each is presented for 14.5 seconds. Non-verbal or visual-abstract reasoning is the process of perceiving issues and reaching conclusions through the use of symbols or generalizations rather than concrete factual information.
Average Correct Reaction Time*	5595	88	21	
Commission Errors*	2	111	77	
Omission Errors*	1	102	55	



CNS Vital Signs Report	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
CNSVS Duration: 36:54 (min:secs)	CNSVS Online Version 2.0.5

Four Part Continuous Performance Test	Score	Standard	Percentile	The FPCPT test is a four part test that measures a subject's working memory and sustained attention. The FPCPT is a four part test: PART ONE - is a simple reaction time test, the subject must press the space bar when any stimulus is presented; PART TWO - is a variant of the continuous performance test, the subject is asked to respond to one stimulus, but not to any others. Discrimination is required, so the reaction times that are generated are "choice reaction times". PART THREE - is a "one back" CPT. The subject has to respond to a figure only if the figure immediately preceding was the same. PART FOUR - is a "two-back" CPT. It is a difficult task and is used to measure working memory. Parts two, three, and four of the tests are used to calculate sustained attention domain.
Part 1				
Average Correct Reaction Time*	385	92	30	
Part 2				
Correct Responses	6	102	55	
Average Correct Reaction Time*	408	92	30	
Incorrect Responses*	0	104	61	
Average Incorrect Reaction Time*	0			
Omission Errors*	0	102	55	
Part 3				
Correct Responses	16	114	82	
Average Correct Reaction Time*	518	101	53	
Incorrect Responses*	1	96	40	
Average Incorrect Reaction Time*	565	77	6	
Omission Errors*	0	114	82	
Part 4				
Correct Responses	13	108	70	
Average Correct Reaction Time*	768	92	30	
Incorrect Responses*	1	104	61	
Average Incorrect Reaction Time*	728	96	40	
Omission Errors*	3	108	70	

Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 4:20 (min:secs)	CNSVS Online Version 2.0.5

The Symptom Checklist is an instrument consisting of the eighteen DSM-IV-TR criteria. Six of the eighteen questions were found to be the most predictive of symptoms consistent with ADHD. These six questions are the basis for the ASRS v1.1 Screener and are also Part A of the Symptom Checklist. Part B of the Symptom Checklist contains the remaining twelve questions.

If four or more marks appear in the darkly shaded boxes within Part A then the patient has symptoms highly consistent with ADHD in adults and further investigation is warranted. The frequency scores on Part B provide additional cues and can serve as further probes into the patient's symptoms. Pay particular attention to marks appearing in the dark shaded boxes. The frequency-based response is more sensitive with certain questions. No total score or diagnostic likelihood is utilized for the twelve questions. It has been found that the six questions in Part A are the most predictive of the disorder and are best for use as a screening instrument.

Part A (questions 1-6)		Never	Rarely	Some times	Often	Very Often
1	How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?					X
2	How often do you have difficulty getting things in order when you have to do a task that requires organization?				X	
3	How often do you have problems remembering appointments or obligations?			X		
4	When you have a task that requires a lot of thought, how often do you avoid or delay getting started?					X
5	How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?				X	
6	How often do you feel overly active and compelled to do things, like you were driven by a motor?		X			

Part B (questions 7-18)		Never	Rarely	Some times	Often	Very Often
7	How often do you make careless mistakes when you have to work on a boring or difficult project?		X			
8	How often do you have difficulty keeping your attention when you are doing boring? or repetitive work				X	
9	How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?				X	
10	How often do you misplace or have difficulty finding things at home or at work?			X		
11	How often are you distracted by activity or noise around you?				X	
12	How often do you leave your seat in meetings or other situations in which you are expected to remain seated?	X				
13	How often do you feel restless or fidgety?				X	
14	How often do you have difficulty unwinding and relaxing when you have time to yourself?				X	
15	How often do you find yourself talking too much when you are in social situations?			X		
16	When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?			X		
17	How often do you have difficulty waiting your turn in situations when taking turns is required?		X			
18	How often do you interrupt others when they are busy?		X			

The Adult ADHD Self-Report Scale (ASRS) Symptom Checklist and scoring system were developed in conjunction with the World Health Organization (WHO), and the Workgroup on Adult ADHD that included the following team of psychiatrists and researchers: Lenard Adler MD, Associate Professor of Psychiatry and Neurology New York University Medical School; Ronald C. Kessler PhD Professor, Department of Health Care Policy Harvard Medical School; Thomas Spencer MD, Associate Professor of Psychiatry Harvard Medical School.

[For more information go to http://www.hcp.med.harvard.edu/ncs/asrs.php](http://www.hcp.med.harvard.edu/ncs/asrs.php)



Epworth Sleepiness Scale (ESS) SF-8	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 2:13 (min:secs)	CNSVS Online Version 2.0.5

The patient is getting enough sleep if they score 6 or less. Scores of 7 or 8 are average. If the patient's score is 9 or more they should seek the advice of a sleep specialist without delay.

In contrast to feeling just tired, how likely are you to doze off or fall asleep in the following situation?		
1	Sitting and reading	2 - Moderate chance of dozing
2	Watching TV	1 - Slight chance of dozing
3	Sitting inactive in a public place (e.g., a theater or a meeting)	0 - No chance of dozing
4	As a passenger in a car for an hour without a break	1 - Slight chance of dozing
5	Lying down to rest in the afternoon when circumstances permit	3 - High chance of dozing
6	Sitting and talking to someone	1 - Slight chance of dozing
7	Sitting quietly after a lunch without alcohol	1 - Slight chance of dozing
8	In a car, while stopped for a few minutes in traffic	0 - No chance of dozing
Epworth Score		9



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Domain	Score	Severity	Description
Attention	155	Moderate	The Neuropsych Questionnaire asks patients (or an appropriate observer) a series of questions about their clinical state. The questions are about the symptoms of various neuropsychiatric disorders. The terminology is similar to that used in the diagnostic manuals, and in many familiar clinical questionnaires and rating scales; but it has been simplified, and all symptoms are scored on the same metric. Scores are reported on a scale of 0 (not a problem) to 300 (severe). As a rule, scores above 225 indicate a severe problem; scores from 150-224 indicate a moderate problem; and scores from 75-149, a mild problem. A high score on the Neuropsych Questionnaire means that the patient is reporting more symptoms of greater intensity. It doesn't necessarily mean that the patient has a particular condition; just that he or she (or their spouse, parent or caregiver) is saying that they have a lot of intense symptoms. Conversely, a low score simply means that the patient (or caregiver) is not reporting symptoms associated with a particular condition, at least during the period of time specified. It does not mean that the patient does not have the condition. Just as some people over-state their problems, others tend to under-state their problems. The Neuropsych Questionnaire is not a diagnostic instrument. The results it generates are only meant to be interpreted by an experienced clinician in the course of a clinical examination.
Impulsive	67	Not a problem	
Learning	92	Mild	
Memory	86	Mild	
Anxiety	130	Mild	
Panic	0	Not a problem	
Agoraphobia	17	Not a problem	
Obsessions & Compulsions	142	Mild	
Social Anxiety	88	Mild	
Depression	76	Mild	
Mood Stability	92	Mild	
Mania	25	Not a problem	
Aggression	0	Not a problem	
Psychotic	29	Not a problem	
Somatic	11	Not a problem	
Fatigue	50	Not a problem	
Sleep	100	Mild	
Suicide	17	Not a problem	
Pain	88	Mild	
Substance Abuse	67	Not a problem	
Average Symptom Score	67	Not a problem	
PTSD	50	Not a problem	
Bipolar	97	Mild	
Autism	83	Mild	
Asperger's	67	Not a problem	
ADHD	133	Mild	
MCI	133	Mild	
Concussion	139	Mild	
Anxiety/Depression	94	Mild	

Attention Questions		
1	Difficulty concentrating	3 - A severe problem
2	Difficulty paying attention	3 - A severe problem
3	Easily distracted	3 - A severe problem
4	Feeling scattered, disorganized	1 - A mild problem
5	Forgetful, I need constant reminding	1 - A mild problem
6	Leaving things behind and having to go back to get them.	0 - Not a problem
7	Losing things	0 - Not a problem
8	Making careless mistakes	0 - Not a problem
9	Not finishing chores, homework or projects	2 - A moderate problem
10	Short attention span	3 - A severe problem
11	When reading, losing track of what the story is about	1 - A mild problem
Impulsive Questions		
1	Feeling restless	1 - A mild problem
2	Fidgety, I can't sit still	1 - A mild problem
3	High energy	0 - Not a problem
4	Impatient	1 - A mild problem
5	Impulsive, act without thinking	1 - A mild problem
6	Overly active	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Learning Questions		
1	Bad handwriting	0 - Not a problem
2	Having to do things slowly to make sure it's right	3 - A severe problem
3	Learning a foreign language	0 - Not a problem
4	Learning math	0 - Not a problem
5	Learning new things	0 - Not a problem
6	I don't like to read	0 - Not a problem
7	I don't work up to my potential	3 - A severe problem
8	Organizing studies or projects	2 - A moderate problem
9	Paying attention to lectures	0 - Not a problem
10	Remembering what you studied or read	2 - A moderate problem
11	Taking notes	1 - A mild problem
12	Taking tests	0 - Not a problem
13	When reading, losing track of what the story is about	1 - A mild problem
Memory Questions		
1	Failing to recognize places you have been before.	0 - Not a problem
2	Finding a television story or a movie hard to follow.	1 - A mild problem
3	Forgetful, I need constant reminding	1 - A mild problem
4	Forgetting appointments or social engagements.	2 - A moderate problem
5	Forgetting if you have taken your medicine	2 - A moderate problem
6	Forgetting something cooking on the stove or in the toaster	0 - Not a problem
7	Forgetting to do something you said you would do	1 - A mild problem
8	Forgetting to give a message to someone	1 - A mild problem
9	Forgetting to tell somebody something that you meant to tell them	1 - A mild problem
10	Forgetting where things are kept; looking for them in the wrong place	0 - Not a problem
11	Forgetting where you parked the car	0 - Not a problem
12	Going to the store but forgetting to get what you need	2 - A moderate problem
13	I can't remember the names of close relatives or friends.	1 - A mild problem
14	Learning new things	0 - Not a problem
15	Leaving things behind and having to go back to get them.	0 - Not a problem
16	My mind goes blank	0 - Not a problem
17	Problems with memory	2 - A moderate problem
18	Putting something down and then forgetting where you put it.	1 - A mild problem
19	Reading something and then realizing you have read it before.	1 - A mild problem
20	Trouble thinking of the right word	1 - A mild problem
21	Unable to remember things as well as I used to	1 - A mild problem
22	When reading, losing track of what the story is about	1 - A mild problem
Anxiety Questions		
1	Feeling anxious	1 - A mild problem
2	Feeling keyed up or on edge	1 - A mild problem
3	Feeling nervous	1 - A mild problem
4	Feeling restless	1 - A mild problem
5	Feeling tense	2 - A moderate problem
6	Fidgety, I can't sit still	1 - A mild problem
7	Having nightmares or bad dreams	0 - Not a problem
8	High-strung or keyed up	2 - A moderate problem
9	I find it hard to relax	2 - A moderate problem
10	Worrying too much	2 - A moderate problem
Panic Questions		
1	Attacks of intense anxiety	0 - Not a problem
2	Feeling so nervous it's hard to breathe	0 - Not a problem
3	Getting so nervous I feel like passing out	0 - Not a problem
4	Getting really scared for no reason at all	0 - Not a problem
5	Panic attacks	0 - Not a problem
6	Trouble catching my breath	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Agoraphobia Questions		
1	Avoiding certain things or places	1 - A mild problem
2	Feeling scared in open spaces or out in public	0 - Not a problem
3	Feeling scared to use buses or trains	0 - Not a problem
4	Feeling uncomfortable in crowds	0 - Not a problem
5	Feelings of being trapped	0 - Not a problem
6	Worrying about fainting in public	0 - Not a problem
Obsessions & Compulsions Questions		
1	I hate being touched or held	0 - Not a problem
2	Checking things several times	3 - A severe problem
3	Collecting things that you don't really need	0 - Not a problem
4	Counting things; numbers going through your mind	2 - A moderate problem
5	Eating the same foods all the time	1 - A mild problem
6	Feeling guilty over minor infractions	1 - A mild problem
7	Having bad thoughts that you can't get rid of	1 - A mild problem
8	Having thoughts or words that go over and over in your mind	1 - A mild problem
9	It bothers me when someone eats off my plate	1 - A mild problem
10	I have a special number that I count up to or do things just that number of times	3 - A severe problem
11	I have to do things a certain number of times before I'm satisfied	3 - A severe problem
12	Moving or talking in special ways to avoid bad luck	0 - Not a problem
13	Putting things away, and they have to be just right	3 - A severe problem
14	Repetitive behaviors like touching or counting	2 - A moderate problem
15	Thoughts about sex that are troubling	0 - Not a problem
16	Trouble making up your mind	1 - A mild problem
17	Washing your hands over and over	3 - A severe problem
18	Worrying about being clean	2 - A moderate problem
19	Worrying about the germs that are on things	0 - Not a problem
Social Anxiety Questions		
1	I am a shy person	2 - A moderate problem
2	Difficulty developing friendships	1 - A mild problem
3	Feeling nervous around people I don't know	1 - A mild problem
4	Feeling nervous when I have to do something in front of people	2 - A moderate problem
5	Feeling uneasy about eating or drinking in public	0 - Not a problem
6	Hard to go out in public	0 - Not a problem
7	Hard to relate to other people	0 - Not a problem
8	Starting a conversation with people I don't know	1 - A mild problem
Depression Questions		
1	Crying spells	0 - Not a problem
2	Feeling depressed	1 - A mild problem
3	Feeling discouraged about the future	1 - A mild problem
4	Feeling empty inside	0 - Not a problem
5	Feeling hopeless	1 - A mild problem
6	Feeling irritable	1 - A mild problem
7	Feeling little or no interest in things	1 - A mild problem
8	Feeling lonely	1 - A mild problem
9	Feeling sad	1 - A mild problem
10	Feeling that doing anything is a real effort	1 - A mild problem
11	Feelings of guilt or remorse	1 - A mild problem
12	Having nightmares or bad dreams	0 - Not a problem
13	I feel like a failure	1 - A mild problem
14	I feel like I'm being punished	0 - Not a problem
15	Loss of interest in sex	1 - A mild problem
16	Not enjoying things as much as before	1 - A mild problem
17	Withdrawn, isolated	1 - A mild problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Mood Stability Questions		
1	Anger	2 - A moderate problem
2	Angry outbursts	1 - A mild problem
3	Crying spells	0 - Not a problem
4	Easily agitated	2 - A moderate problem
5	Easily annoyed	2 - A moderate problem
6	Easily frustrated	2 - A moderate problem
7	Elevated mood, euphoria	0 - Not a problem
8	Excitable	0 - Not a problem
9	Explosive	0 - Not a problem
10	Feeling irritable	1 - A mild problem
11	Feeling negative	1 - A mild problem
12	My moods change quickly	1 - A mild problem
13	Temper tantrums	0 - Not a problem
Mania Questions		
1	Much more interested in sex than usual	0 - Not a problem
2	Being much more social or outgoing than usual	0 - Not a problem
3	Decreased need for sleep	0 - Not a problem
4	Feeling much more confident than usual	0 - Not a problem
5	Having much more energy than usual	0 - Not a problem
6	Increased or inappropriate sexual interest	0 - Not a problem
7	Pressured speech, uninterruptible and continuous	0 - Not a problem
8	Thoughts racing	2 - A moderate problem
Aggression Questions		
1	Blaming other people for your own mistakes	0 - Not a problem
2	Defiant or argumentative	0 - Not a problem
3	Destructive to property or things	0 - Not a problem
4	Excessive yelling or screaming	0 - Not a problem
5	Getting into fights	0 - Not a problem
6	Having an urge to injure or to hurt someone	0 - Not a problem
7	Having the urge to destroy things	0 - Not a problem
8	Hostile	0 - Not a problem
9	In trouble with the law	0 - Not a problem
10	Physical aggression toward others	0 - Not a problem
Psychotic Questions		
1	I feel nervous when people watch me or talk about me	1 - A mild problem
2	Feeling paranoid	0 - Not a problem
3	I feel that other people are watching or talking about me	0 - Not a problem
4	I feel that someone else can control my mind	0 - Not a problem
5	I feel that I can't trust other people	1 - A mild problem
6	I feel I am being watched	0 - Not a problem
7	I hear voices that no one else can hear	0 - Not a problem
8	I can't think straight	2 - A moderate problem
9	My mind is full of terrifying thoughts or images	0 - Not a problem
10	Other people know my private thoughts	0 - Not a problem
11	Overly suspicious	0 - Not a problem
12	Peculiar or bizarre behavior	0 - Not a problem
13	Seeing things that other people don't see	0 - Not a problem
14	I can't feel close to another person	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Somatic Questions		
1	Blackout spells or seizures	0 - Not a problem
2	Difficulty breathing	0 - Not a problem
3	Difficulty swallowing	0 - Not a problem
4	Dizzy/unsteady/lightheaded	0 - Not a problem
5	Feeling faint	0 - Not a problem
6	Heart racing	0 - Not a problem
7	Nausea	0 - Not a problem
8	Numbness/Tingling	0 - Not a problem
9	Worrying that something bad is wrong with your body	1 - A mild problem
Fatigue Questions		
1	Fatigue	1 - A mild problem
2	Feeling slower than usual	0 - Not a problem
3	Feeling tired	1 - A mild problem
4	Feeling weak	0 - Not a problem
5	Low energy	1 - A mild problem
6	Unable to exercise without getting really tired	0 - Not a problem
Sleep Questions		
1	Difficulty staying asleep	0 - Not a problem
2	Hard to fall asleep	1 - A mild problem
3	I wake up too early in the morning and can't get back to sleep	2 - A moderate problem
4	Restless or disturbed sleep	1 - A mild problem
Suicide Questions		
1	I feel like giving up on life	1 - A mild problem
2	I feel like I would be better off dead	0 - Not a problem
3	I feel that I have nothing left to live for	0 - Not a problem
4	I feel that my family would be better off if I were gone	0 - Not a problem
5	Thinking about death or dying	0 - Not a problem
6	Thoughts about ending your life	0 - Not a problem
Pain Questions		
1	A lot of aches and pains	2 - A moderate problem
2	Abdominal pain or discomfort	0 - Not a problem
3	Back pain	3 - A severe problem
4	Chest pain or discomfort	0 - Not a problem
5	Headache	1 - A mild problem
6	Muscle soreness	0 - Not a problem
7	Unable to exercise without a lot of pain	1 - A mild problem
8	Unbearable pain	0 - Not a problem
Substance Abuse Questions		
1	Abusing drugs	1 - A mild problem
2	I drink too much	0 - Not a problem
3	I use too many drugs or medications	1 - A mild problem
PTSD Questions		
1	Avoiding certain things or places	1 - A mild problem
2	Difficulty concentrating	3 - A severe problem
3	Difficulty staying asleep	0 - Not a problem
4	Easily startled	0 - Not a problem
5	Emotionally numb	0 - Not a problem
6	Feeling depressed	1 - A mild problem
7	Feeling discouraged about the future	1 - A mild problem
8	I feel that I can't trust other people	1 - A mild problem
9	Flashbacks to a traumatic event	0 - Not a problem
10	Hard to fall asleep	1 - A mild problem
11	Hard to go out in public	0 - Not a problem
12	Hard to relate to other people	0 - Not a problem
13	Having nightmares or bad dreams	0 - Not a problem
14	Having unpleasant thoughts that you can't get out of your mind	0 - Not a problem
15	I feel like I'm being punished	0 - Not a problem
16	Reliving a traumatic event	0 - Not a problem
17	Restless or disturbed sleep	1 - A mild problem
18	I can't feel close to another person	0 - Not a problem

NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Bipolar Questions		
1	Anger	2 - A moderate problem
2	Angry outbursts	1 - A mild problem
3	Much more interested in sex than usual	0 - Not a problem
4	Being much more social or outgoing than usual	0 - Not a problem
5	Crying spells	0 - Not a problem
6	Decreased need for sleep	0 - Not a problem
7	Difficulty concentrating	3 - A severe problem
8	Difficulty paying attention	3 - A severe problem
9	Easily agitated	2 - A moderate problem
10	Easily annoyed	2 - A moderate problem
11	Easily distracted	3 - A severe problem
12	Easily frustrated	2 - A moderate problem
13	Elevated mood, euphoria	0 - Not a problem
14	Excitable	0 - Not a problem
15	Explosive	0 - Not a problem
16	Feeling irritable	1 - A mild problem
17	Feeling much more confident than usual	0 - Not a problem
18	Feeling restless	1 - A mild problem
19	Feeling scattered, disorganized	1 - A mild problem
20	Having much more energy than usual	0 - Not a problem
21	High energy	0 - Not a problem
22	Impulsive, act without thinking	1 - A mild problem
23	Increased or inappropriate sexual interest	0 - Not a problem
24	My moods change quickly	1 - A mild problem
25	Overly active	0 - Not a problem
26	Pressured speech, uninterruptible and continuous	0 - Not a problem
27	Short attention span	3 - A severe problem
28	Temper tantrums	0 - Not a problem
29	Thoughts racing	2 - A moderate problem
Autism Questions		
1	Avoiding eye contact	0 - Not a problem
2	I can't relate to other people, socially or emotionally	0 - Not a problem
3	I don't attend to social signals	0 - Not a problem
4	I don't respond to other people's expressions or body language	0 - Not a problem
5	Not able to begin or to sustain a conversation with other people	1 - A mild problem
6	Not responsive to other people's feelings	2 - A moderate problem
7	Odd preoccupations or interests	0 - Not a problem
8	Peculiar or bizarre behavior	0 - Not a problem
9	Preoccupied by a particular interest to the exclusion of other things	2 - A moderate problem
10	Repetitive behaviors like touching or counting	2 - A moderate problem
11	Rigid, inflexible, resistant to change	1 - A mild problem
12	Strongly attached to routines or sameness in the environment	2 - A moderate problem

NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Asperger's Questions		
1	Avoiding eye contact	0 - Not a problem
2	Difficulty developing friendships	1 - A mild problem
3	Difficulty understanding sarcasm, metaphors or jokes	0 - Not a problem
4	Hard to relate to other people	0 - Not a problem
5	I can't relate to other people, socially or emotionally	0 - Not a problem
6	I don't attend to social signals	0 - Not a problem
7	I don't respond to other people's expressions or body language	0 - Not a problem
8	Not able to begin or to sustain a conversation with other people	1 - A mild problem
9	Not responsive to other people's feelings	2 - A moderate problem
10	Odd preoccupations or interests	0 - Not a problem
11	Preoccupied by a particular interest to the exclusion of other things	2 - A moderate problem
12	Rigid, inflexible, resistant to change	1 - A mild problem
13	Strongly attached to routines or sameness in the environment	2 - A moderate problem
14	I can't feel close to another person	0 - Not a problem
15	Withdrawn, isolated	1 - A mild problem
ADHD Questions		
1	Difficulty concentrating	3 - A severe problem
2	Difficulty paying attention	3 - A severe problem
3	Easily distracted	3 - A severe problem
4	Feeling restless	1 - A mild problem
5	Feeling scattered, disorganized	1 - A mild problem
6	Fidgety, I can't sit still	1 - A mild problem
7	Forgetful, I need constant reminding	1 - A mild problem
8	Impatient	1 - A mild problem
9	Impulsive, act without thinking	1 - A mild problem
10	Leaving things behind and having to go back to get them.	0 - Not a problem
11	Losing things	0 - Not a problem
12	Making careless mistakes	0 - Not a problem
13	Not finishing chores, homework or projects	2 - A moderate problem
14	Overly active	0 - Not a problem
15	Short attention span	3 - A severe problem
MCI Questions		
1	Difficulty concentrating	3 - A severe problem
2	Difficulty paying attention	3 - A severe problem
3	Easily distracted	3 - A severe problem
4	Feeling scattered, disorganized	1 - A mild problem
5	Forgetful, I need constant reminding	1 - A mild problem
6	Forgetting appointments or social engagements.	2 - A moderate problem
7	Forgetting if you have taken your medicine	2 - A moderate problem
8	Forgetting to do something you said you would do	1 - A mild problem
9	Forgetting to give a message to someone	1 - A mild problem
10	Forgetting to tell somebody something that you meant to tell them	1 - A mild problem
11	Forgetting where things are kept; looking for them in the wrong place	0 - Not a problem
12	Going to the store but forgetting to get what you need	2 - A moderate problem
13	Having to do things slowly to make sure it's right	3 - A severe problem
14	I can't remember the names of close relatives or friends.	1 - A mild problem
15	Learning new things	0 - Not a problem
16	Leaving things behind and having to go back to get them.	0 - Not a problem
17	Losing things	0 - Not a problem
18	Making careless mistakes	0 - Not a problem
19	My mind goes blank	0 - Not a problem
20	Not finishing chores, homework or projects	2 - A moderate problem
21	Putting something down and then forgetting where you put it.	1 - A mild problem
22	Reading something and then realizing you have read it before.	1 - A mild problem
23	Short attention span	3 - A severe problem
24	When reading, losing track of what the story is about	1 - A mild problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 3819	Test Date: March 26, 2025 18:05:22
Age: 40	Administrator: Lucid Cognition
Total Test Time: 68:58 (min:secs)	Language: English (United Kingdom)
Duration: 24:35 (min:secs)	CNSVS Online Version 2.0.5

Concussion Questions		
1	Difficulty concentrating	3 - A severe problem
2	Difficulty paying attention	3 - A severe problem
3	Dizzy/unsteady/lightheaded	0 - Not a problem
4	Easily distracted	3 - A severe problem
5	Easily frustrated	2 - A moderate problem
6	Fatigue	1 - A mild problem
7	Feeling irritable	1 - A mild problem
8	Feeling scattered, disorganized	1 - A mild problem
9	Feeling slower than usual	0 - Not a problem
10	Hard to fall asleep	1 - A mild problem
11	Headache	1 - A mild problem
12	I can't think straight	2 - A moderate problem
13	Low energy	1 - A mild problem
14	My mind goes blank	0 - Not a problem
15	My moods change quickly	1 - A mild problem
16	Problems with memory	2 - A moderate problem
17	Short attention span	3 - A severe problem
18	Unable to exercise without getting really tired	0 - Not a problem
Anxiety/Depression Questions		
1	Crying spells	0 - Not a problem
2	Easily agitated	2 - A moderate problem
3	Fatigue	1 - A mild problem
4	Feeling anxious	1 - A mild problem
5	Feeling depressed	1 - A mild problem
6	Feeling discouraged about the future	1 - A mild problem
7	Feeling empty inside	0 - Not a problem
8	Feeling hopeless	1 - A mild problem
9	Feeling irritable	1 - A mild problem
10	Feeling keyed up or on edge	1 - A mild problem
11	Feeling little or no interest in things	1 - A mild problem
12	Feeling lonely	1 - A mild problem
13	Feeling nervous	1 - A mild problem
14	Feeling restless	1 - A mild problem
15	Feeling sad	1 - A mild problem
16	Feeling scattered, disorganized	1 - A mild problem
17	Feeling so nervous it's hard to breathe	0 - Not a problem
18	Feeling tense	2 - A moderate problem
19	Feeling that doing anything is a real effort	1 - A mild problem
20	Feeling tired	1 - A mild problem
21	Feelings of guilt or remorse	1 - A mild problem
22	Fidgety, I can't sit still	1 - A mild problem
23	Hard to fall asleep	1 - A mild problem
24	Having nightmares or bad dreams	0 - Not a problem
25	High-strung or keyed up	2 - A moderate problem
26	I feel like a failure	1 - A mild problem
27	I feel like I'm being punished	0 - Not a problem
28	I find it hard to relax	2 - A moderate problem
29	Low energy	1 - A mild problem
30	My mind goes blank	0 - Not a problem
31	Not enjoying things as much as before	1 - A mild problem
32	Restless or disturbed sleep	1 - A mild problem
33	Thinking about death or dying	0 - Not a problem
34	Withdrawn, isolated	1 - A mild problem
35	Worrying too much	2 - A moderate problem