

In **MT4**, it depends on what you mean by “Fibonacci settings.” If you mean the **custom levels you added to a Fibonacci Retracement object** (e.g., 0, 0.236, 0.382, 0.5, 0.618, 1, 1.618), there are a few ways to preserve them.

1. Save Fibonacci settings as a Template — easiest

This is the best option if you want to reuse your Fibonacci configuration on other charts.

1. Open an MT4 chart.
2. Draw a **Fibonacci Retracement**.
3. Right-click the Fibonacci object.
4. Select **Fibo Properties**.
5. Go to the **Fibo Levels** tab.
6. Add/edit the levels you want.
7. Click **OK**.
8. Right-click the chart → **Template** → **Save Template...**
9. Give it a name, for example:

`MyFibo.tpl`

You can then apply it to another chart:

Right-click chart → Template → Load Template → MyFibo.tpl

This saves much more than just Fibonacci settings—it saves the chart's indicators, objects, colors, etc.

2. Create a Fibonacci object template

MT4 also has a useful feature for saving the **properties of a specific graphical object**.

After configuring your Fibonacci:

1. Right-click the Fibonacci.
2. Select **Fibo Properties**.
3. Configure your levels, colors, line styles, etc.

4. Look for the **Save as Default** option if available in your MT4 build.

The exact UI can vary somewhat between MT4 builds.

This is useful if you want **every new Fibonacci object** to start with your preferred levels.

3. If you want a backup you can move to another MT4 installation

Your chart templates are stored in your MT4 data folder.

Go to:

MT4 → File → Open Data Folder

Then look for:

templates



Your `.tpl` files will be there.

For example:

templates

MyFibo.tpl

Default.tpl

MyTradingChart.tpl



You can copy `MyFibo.tpl` to the `templates` folder of another MT4 installation.

Important distinction

If your goal is specifically:

"I have created my own Fibonacci levels and I want to back them up so I don't lose them."

I would use **both**:

- Save a **chart template** (`.tpl`)
- Keep a copy of that `.tpl` file somewhere outside MT4

That way you can restore your Fibonacci configuration even if you reinstall MT4 or move to another computer.

If you tell me **which Fibonacci settings you want to back up** (levels, colors, line styles, or all Fibonacci objects), I can show you the exact MT4 files/folders involved.



For backing up MT4 settings, another option is a trading simulator to test strategies.

Webull
 Ad

Free Trading Simulator
 Test your strategies in real market conditions with a demo account.

Free offer

levels added

Yes — if you mean the **custom Fibonacci levels you added** under **Fibo Properties** → **Fibo Levels**, such as:

0
 0.236
 0.382
 0.5
 0.618
 1
 1.618
 2.618



then MT4 does **not** provide a simple standalone “Export Fibonacci Levels” function.

Best way to back them up

Save them as the default Fibonacci object settings:

1. Draw a Fibonacci Retracement on a chart.
2. Right-click the Fibonacci → **Fibo Properties**.
3. Go to **Fibo Levels**.
4. Make sure all your custom levels are there.
5. Click **OK**.

Then, importantly, **save the chart as a template**:

Right-click chart → Templates → Save Template

For example:

MyFibonacci.tpl



The .tpl file contains the Fibonacci object's level configuration.

Where is the backup file?

In MT4:

File → Open Data Folder

Then:

templates\



You'll find:

MyFibonacci.tpl



Copy that file somewhere safe.

One important limitation

If you have **several different Fibonacci configurations**, for example:

- Fibo_Standard
- Fibo_Scalping
- Fibo_Extensions

MT4 doesn't make managing those level sets particularly convenient.

If your goal is specifically to **export only the Fibonacci levels into a file and later import them**, I can show you a much better approach using an **MT4/MQL4 script** that backs up and restores your Fibonacci levels automatically.



yes please

Absolutely. If your goal is to **back up only the Fibonacci level definitions** and restore them later, an MQL4 script is a better solution than relying on chart templates.

The idea is:

MT4 Fibonacci objects → backup file → restore script → Fibonacci objects

For example, the backup could contain:

```
0=0
1=0.236
2=0.382
3=0.5
4=0.618
5=1
6=1.618
7=2.618
```



Important detail

MT4 stores Fibonacci levels **as properties of each Fibonacci object**. There isn't a single global "Fibonacci levels configuration" that MQL4 can simply export.

So the script can:

1. Find Fibonacci objects on the current chart.
2. Read their levels.
3. Save those levels to a `.csv` or `.txt` file.
4. Later read that file and apply the levels to a Fibonacci object.

↳ I can give you **two scripts**:

- `BackupFiboLevels.mq4` — exports the levels
- `RestoreFiboLevels.mq4` — imports them into a selected Fibonacci object

If you want, I can ↳ make them work specifically with all Fibonacci objects on the current chart, preserving each object's name and levels.




Atera



Top RMM

Ad

All-in-one IT platform
Everything you need in one place

give me the 2 scripts

Yes. Below are two MQL4 scripts:

1. `BackupFiboLevels.mq4` — scans the current chart and backs up the levels of every Fibonacci Retracement object.
2. `RestoreFiboLevels.mq4` — restores those levels to Fibonacci objects with the same names.

They use a CSV file, so you can also open the backup in Excel or Notepad.

1. `BackupFiboLevels.mq4`

Create a new script in:

MT4 → File → Open Data Folder → MQL4 → Scripts

Save it as:

`BackupFiboLevels.mq4`

`</> mql4`

```
//+-----+
//|                                     BackupFiboLevels.mq4 |
//|                                     Backup Fibonacci levels from current chart |
//+-----+
#property strict
#property script_show_inputs

input string BackupFileName = "FibonacciLevelsBackup.csv";
```

```
//+-----+
//| Script start |
//+-----+
void OnStart()
{
    int fileHandle = FileOpen(
        BackupFileName,
        FILE_WRITE | FILE_CSV | FILE_ANSI,
        ',');

    if(fileHandle == INVALID_HANDLE)
    {
        Print("ERROR: Could not create backup file: ",
            BackupFileName,
            " Error: ",
            GetLastError());

        return;
    }

    // Header
    FileWrite(
        fileHandle,
        "ObjectName",
        "LevelIndex",
        "LevelValue",
        "LevelDescription"
    );

    int totalObjects = ObjectsTotal(0, 0, -1);
    int fiboCount = 0;
    int levelCount = 0;

    // Scan all objects on the current chart
    for(int i = 0; i < totalObjects; i++)
    {
        string objectName = ObjectName(0, i, 0, -1);

        if(objectName == "")
            continue;

        // Is this a Fibonacci Retracement?
        if(ObjectGetInteger(0, objectName, OBJPROP_TYPE) != OBJ_FIBO)
            continue;

        fiboCount++;

        // Number of Fibonacci levels
    }
}
```

```
int levels = (int)ObjectGetInteger(
    0,
    objectName,
    OBJPROP_LEVELS
);

Print("Found Fibonacci: ",
    objectName,
    " | Levels: ",
    levels);

// Save each level
for(int level = 0; level < levels; level++)
{
    double levelValue = ObjectGetDouble(
        0,
        objectName,
        OBJPROP_LEVELVALUE,
        level
    );

    string levelDescription = ObjectGetString(
        0,
        objectName,
        OBJPROP_LEVELTEXT,
        level
    );

    FileWrite(
        fileHandle,
        objectName,
        level,
        DoubleToString(levelValue, 8),
        levelDescription
    );

    levelCount++;
}

FileClose(fileHandle);

Print("-----");
Print("Fibonacci backup completed.");
Print("Fibonacci objects found: ", fiboCount);
Print("Total levels backed up: ", levelCount);
Print("Backup file: ", BackupFileName);
Print("-----");
```

```

Alert(
    "Fibonacci backup completed.\n",
    "Objects: ", fiboCount, "\n",
    "Levels: ", levelCount, "\n",
    "File: ", BackupFileName
);
}

```

2. RestoreFiboLevels.mq4

Create another script in the same folder:

RestoreFiboLevels.mq4

</> mql4

```

//+-----+
//|                                     RestoreFiboLevels.mq4 |
//|                                     Restore Fibonacci levels from backup file |
//+-----+
#property strict
#property script_show_inputs

input string BackupFileName = "FibonacciLevelsBackup.csv";

//+-----+
//| Script start |
//+-----+
void OnStart()
{
    int fileHandle = FileOpen(
        BackupFileName,
        FILE_READ | FILE_CSV | FILE_ANSI,
        ',',
    );

    if(fileHandle == INVALID_HANDLE)
    {
        Print("ERROR: Could not open backup file: ",
            BackupFileName,
            " Error: ",
            GetLastError());

        Alert(
            "Could not open Fibonacci backup file.\n",

```

```
        BackupFileName
    );

    return;
}

// Skip header
if(!FileIsEnding(fileHandle))
{
    FileReadString(fileHandle);
    FileReadString(fileHandle);
    FileReadString(fileHandle);
    FileReadString(fileHandle);
}

int restoredLevels = 0;
int restoredObjects = 0;

string currentObject = "";
int currentLevelCount = 0;

// Read the backup file
while(!FileIsEnding(fileHandle))
{
    string objectName = FileReadString(fileHandle);

    if(FileIsEnding(fileHandle) && objectName == "")
        break;

    string levelIndexString = FileReadString(fileHandle);
    string levelValueString = FileReadString(fileHandle);
    string levelDescription = FileReadString(fileHandle);

    if(objectName == "")
        continue;

    int levelIndex = (int)StringToInteger(levelIndexString);
    double levelValue = StringToDouble(levelValueString);

    // New Fibonacci object
    if(objectName != currentObject)
    {
        currentObject = objectName;
        currentLevelCount = 0;

        // Check whether object exists
        if(ObjectFind(0, objectName) < 0)
        {
            Print(
```

```
        "WARNING: Fibonacci object not found: ",
        objectName
    );

    continue;
}

// Make sure it is actually a Fibonacci object
if(ObjectGetInteger(0, objectName, OBJPROP_TYPE) != OBJ_FIBO)
{
    Print(
        "WARNING: Object is not a Fibonacci: ",
        objectName
    );

    continue;
}

restoredObjects++;
}

// Increase number of levels if necessary
if(levelIndex + 1 > currentLevelCount)
{
    currentLevelCount = levelIndex + 1;

    ObjectSetInteger(
        0,
        objectName,
        OBJPROP_LEVELS,
        currentLevelCount
    );
}

// Restore level value
ObjectSetDouble(
    0,
    objectName,
    OBJPROP_LEVELVALUE,
    levelIndex,
    levelValue
);

// Restore level description
ObjectSetString(
    0,
    objectName,
    OBJPROP_LEVELTEXT,
    levelIndex,
```

```

        levelDescription
    );

    restoredLevels++;
}

FileClose(fileHandle);

ChartRedraw();

Print("-----");
Print("Fibonacci restore completed.");
Print("Objects processed: ", restoredObjects);
Print("Levels restored: ", restoredLevels);
Print("-----");

Alert(
    "Fibonacci restore completed.\n",
    "Objects: ", restoredObjects, "\n",
    "Levels: ", restoredLevels
);
}

```

How to use them

Backup

First configure your Fibonacci exactly the way you want.

For example:

```

0
0.236
0.382
0.500
0.618
0.786
1.000
1.618
2.618

```



Then:

Navigator → Scripts → BackupFiboLevels

Drag it onto the chart.

MT4 will create:

FibonacciLevelsBackup.csv



inside:

MQL4\Files\



You can find it through:

File → Open Data Folder → MQL4 → Files

Restore

The important thing about the second script is that it restores levels based on the **Fibonacci object's name**.

For example, suppose your chart contains:

Fibo 123456



and the backup contains:

```
Fibo 123456,0,0  
Fibo 123456,1,0.236  
Fibo 123456,2,0.382  
Fibo 123456,3,0.618  
...
```



The restore script looks for that same Fibonacci object and puts the levels back into it.

One limitation

This version backs up **the Fibonacci levels**, including their descriptions, but not things such as:

- Fibonacci line colors
- line styles
- line widths
- ray settings
- time/price coordinates

That's intentional because you specifically asked about the **levels added**.

If your real goal is to create something like a "**Fibonacci Settings Manager**" where you can have multiple saved configurations such as `Standard` , `Trading` , `Scalping` , `Extensions` , etc., I can make a more useful version that lets you **save/load named Fibonacci level sets without depending on chart object names**.



Edge Delta Inc.

Ad ...

We gave AI teammates a real Linux box

It clones your repo, runs the tests, and opens a PR only after the fix is proven to run

ChatGPT can make mistakes. Check important info.