

COURSE PROGRESS: 100% COMPLETE

WhiteHatJr classes are powered by Code.org which is completely free to access and use for its users.

Functions, Arrays – Assessment

What will be the output of the following JavaScript code? `var arr=[1,2,3]; var rev=arr.reverse(); document.writeln(rev);`

- ☐ 1,2,3
- ☐ 3,2,1
- ☐ 3
- ☐ 1

What will be the output of the following JavaScript code? `var values=["one","two","Three"]; var ans=values.shift(); document.writeln(ans);`

- ☐ one
- ☐ two
- ☐ Three
- ☐ error

What will happen if `reverse()` and `join()` methods are used simultaneously?

- ☐ Reverses and stores in the same array

- ☐ Reverses and concatenates the elements of the array
 - ☐ Reverses
 - ☐ Stores the elements of an array in normal order
-

What will be the possible output of the following JavaScript code?
`var a = [1,2,3,4,5];a.slice(0,3);`

- ☐ Returns [1,2,3]
 - ☐ Returns [4,5]
 - ☐ Returns [1,2,3,4,5]
 - ☐ Returns [1,2,3,4]
-

The “new Point(3,2)”, is a kind of _____ expression

- ☐ Object Creation Expression
- ☐ Constructor Calling Expression
- ☐ Primary Expression
- ☐ Invocation Expression

Finish Assessment

[Report an Error](#)