

Assignment-7

Problem Statement 1: Build a text classification RNN (Recurrent Neural Network) model using IMDB dataset. Import the *IMDB* dataset using `tensorflow_datasets` and perform the following tasks.

Tasks to be performed:

- Import the required libraries
- Shuffle the data for training and create batches of text and label pairs
- Encode the text data

Note: The simplest way to process text for training is using the TextVectorization layer.

- Build a sequential model using `tf.keras.Sequential` function
- Compile the model
- Train the model using train dataset
- Test the data using tset dataset and evaluate the model by passing a sentence

Note: If the prediction is ≥ 0.0 , it is positive else it is negative.

Example:

Output:

- Import the required libraries
- Shuffle the data for training and create batches of text and label pairs

```
texts: [b'I can\'t say this is the worst movie ever made, but personally I think of it that way because when it was originally released in theaters,']  
labels: [0]
```

- Encode the text data

Note: The simplest way to process text for training is using the TextVectorization layer.

Create the layer, and pass the dataset's text to the layer's `.adapt` method.

- Build a sequential model using `tf.keras.Sequential` function
- Compile the model
- Train the model using train dataset
- Test the data using tset dataset and evaluate the model by passing a sentence

Note: If the prediction is ≥ 0.0 , it is positive else it is negative.

```
391/391 [=====] - 155s 396ms/step - loss: 0.5873 - accuracy: 0.6065  
Test Loss: 0.5872986912727356  
Test Accuracy: 0.6065199971199036
```

Problem Statement 2:

Sumanth wants to build an flowers image classification CNN model which can take a flower image as input and prints the name of flower.

Dataset Description: The dataset consist of 3,700 photos of flowers. The dataset contains five sub-directories, one per class:

- daisy
- dandelion
- roses
- sunflowers
- tulips

Tasks to be performed:

- Import all the required libraries
- Download the flowers data from URL:
'https://storage.googleapis.com/download.tensorflow.org/example_images/flower_photos.tgz' using the Keras; and analyzing the images present in the dataset visualization
- Prepare the data by specifying the image resolution and batch size. Also, Splitting the dataset into training and validation datasets in 80:20 ratio
- Plot a sample image attributed to each class name present in the original dataset.
- Autotune the data using `cache().shuffle().prefetch()` function; Also, normalize the data by deviding it with a number
- Build a sequential CNN model
- Compile the model and print model summary
- Train and validate the model and plot the validation results using a line plot
- Feed the system with an image of a flower and print the prediction along with the accuracy

Example:

Output:

- Import all the required libraries
- Download the flowers data from URL:
'https://storage.googleapis.com/download.tensorflow.org/example_images/flower_photos.tgz' using the Keras; and analyzing the images present in the dataset visualization



- Prepare the data by specifying the image resolution and batch size. Also, Splitting the dataset into training and validation datasets in 80:20 ratio
- Build a sequential CNN model
- Compile the model and print model summary

Model: "sequential"		
Layer (type)	Output Shape	Param #
rescaling_1 (Rescaling)	(None, 180, 180, 3)	0
conv2d (Conv2D)	(None, 180, 180, 16)	448
max_pooling2d (MaxPooling2D)	(None, 90, 90, 16)	0
conv2d_1 (Conv2D)	(None, 90, 90, 32)	4640
max_pooling2d_1 (MaxPooling2D)	(None, 45, 45, 32)	0
conv2d_2 (Conv2D)	(None, 45, 45, 64)	18496
max_pooling2d_2 (MaxPooling2D)	(None, 22, 22, 64)	0
flatten (Flatten)	(None, 30976)	0
dense (Dense)	(None, 128)	3965056
dense_1 (Dense)	(None, 5)	645
Total params: 3,989,285		
Trainable params: 3,989,285		
Non-trainable params: 0		

- Feed the system with an image of a flower and print the prediction along with the accuracy

This image most likely belongs to tulips with a 99.99 percent confidence.