CodeRabbit Automations

Do / Say / See

A new GitHub issue triggers one focused fix PR; inspect the result and pause the workflow.

5 pillars | 20 core pages | limit 25

Use the dedicated demo-site-automations repository. The recorded trigger is issue #1; the output is PR #2. The demo automation is paused after the recording.

Read each grouped step top to bottom. Do contains the clicks and scrolls; read only Say aloud. See is a frame from the delivered video. Times refer to that video. The narration is preserved in full, including the recorded opening and closing.

Creation, Send and approval actions describe the recorded flow. Rehearse with the linked existing results; use a separate training run when repeating those actions. Live pages may have changed. Resource links require the corresponding account access.

OPEN THE DEMO

Automations repository

Demo automation

Triggering GitHub issue #1

Automation result: PR #2

Automations Activity

PILLARS AND PAGE LIMITS

Introduction - 1 page

Pick a Trigger - 3 steps / pages

Define the Task - 4 steps / pages

Run Always-On - 4 steps / pages

Review Output - 4 steps / pages

Tune & Track - 4 steps / pages

The core count includes the opening page when present. This cover, operator prompts and resource directory are outside the core. Every pillar uses at most four grouped steps.

INTRODUCTION / OPENING / 00:00-00:20

Introduce the flow

DO

Show the section's flow slide. Keep the full slide visible and highlight each pillar as it comes up in the introduction.


At the end of the introduction, switch to the first demo screen.

Slide deck

SAY

Here we'll use a reported discount bug to walk through an automation. I'll start with the GitHub issue trigger, define the task and its destination, then follow a run from the incoming issue to its result. We'll inspect the proposed fix and regression tests in the pull request. Finally, I'll return to the run history and show where to refine the instructions or pause the workflow.

SEE / VIDEO FRAME AT 00:09



PICK A TRIGGER / STEP 1 OF 3 / 00:23-00:35

Choose the issue template

DO

Open Automations Home and click Create PR from GitHub issue.

Keep the dedicated demo-site-automations repository in view while introducing the discount bug.


Automations Home

Automations repository

SAY

I open automations and choose create PR from GitHub issue. Our example is a discount boundary bug. An order reaches the minimum quantity but the discount doesn't apply until the customer adds another item.

SEE / VIDEO FRAME AT 00:26



PICK A TRIGGER / STEP 2 OF 3 / 00:36-00:43

Configure the trigger

DO

Name the automation Demo - Discount issue to PR.


Under When a GitHub event arrives, select GitHub, the demo repository and Issue opened.

Demo automation

SAY

I select the demo repository and the issue opened event. That defines which GitHub event starts the work.

SEE / VIDEO FRAME AT 00:42



PICK A TRIGGER / STEP 3 OF 3 / 00:44-00:59

Check the connection and move to instructions

DO


Read the GitHub connection, repository installation and event-sync indicators.

Scroll down to Tell CodeRabbit what to do.

SAY

The connection status confirms that the GitHub app is connected, the repository is installed and the event is synced. GitHub can now send a matching event to CodeRabbit. The trigger tells the automation when to start. Next, I'll define the task it should carry out.

SEE / VIDEO FRAME AT 00:51



DEFINE THE TASK / STEP 1 OF 4 / 00:59-01:17

Enter the scoped task

DO


Click Tell CodeRabbit what to do and enter Agent instructions from the appendix.

Scroll inside the field to the existing-fix check and below/at/above-minimum tests.

SAY

In the instructions, I describe the work in plain language, investigate the reported problem, make a focused fix and test the result. I ask the agent to check whether the bug is already fixed before editing anything. If a change is needed, the test should cover an order below the minimum, exactly at it and above it.

SEE / VIDEO FRAME AT 01:12



DEFINE THE TASK / STEP 2 OF 4 / 01:18-01:23

Check preserved behavior


DO

Keep the instruction field visible and read the discount amount, expiration and checkout preservation requirements.

SAY

I also specify the behavior to preserve, including the discount amount and expiration rule.

SEE / VIDEO FRAME AT 01:21



DEFINE THE TASK / STEP 3 OF 4 / 01:23-01:36

Set the GitHub destination

DO


Scroll to Post results back to GitHub and select demo-site-automations.

Enter the GitHub target instructions from the appendix, including one PR, test evidence, issue link and no merge.

SAY

For the destination, I select the GitHub repository and request one pull request with an explanation, test results and a link to the issue. The pull request should remain unmerged for review.

SEE / VIDEO FRAME AT 01:32



DEFINE THE TASK / STEP 4 OF 4 / 01:37-01:44

Review and save the configuration

DO

Read the completed task and destination instructions.


Click Save automation when reproducing the setup. For rehearsal, open the saved configuration.

Demo automation

SAY

Those instructions will be reused for matching events so it's worth being clear about the scope and the evidence we want back.

SEE / VIDEO FRAME AT 01:42



RUN ALWAYS-ON / STEP 1 OF 4 / 01:44-01:50

Check the active workflow

DO

Open the automation Overview and show the recorded Active state.


The saved demo is now paused; use the existing run for rehearsal.

Demo automation

SAY

With the trigger, instructions and destination saved, I check that the automation is active.

SEE / VIDEO FRAME AT 01:49



RUN ALWAYS-ON / STEP 2 OF 4 / 01:50-02:10

Inspect the triggering issue

DO

Open the dedicated repository, click Issues, then the recorded issue #1.

For a training run, click New issue and enter the title/body from the appendix, then Submit new issue once.

Read the reproduction steps, boundary expectations and preserved behavior.


Triggering GitHub issue #1

Automations repository

SAY

Here's the issue used for this run. Its title identifies the missing discount at the exact minimum quantity. The description explains how to reproduce it and gives the expected behavior below, at and above the boundary. The issue also asks the fix to preserve the existing discount and checkout behavior.

SEE / VIDEO FRAME AT 02:01



RUN ALWAYS-ON / STEP 3 OF 4 / 02:10-02:21

Follow the run in Activity

DO

Return to Automations and click Activity.


Open the issue #1 run and scroll its activity/result details.

Automations Activity

SAY

I return to automations and open activity. This run was started by that GitHub issue using the instructions we saved. I can follow the agent's investigation and read the results here.

SEE / VIDEO FRAME AT 02:16



RUN ALWAYS-ON / STEP 4 OF 4 / 02:22-02:31

Read the result and follow the PR

DO

Open the completed run's result and locate the threshold fix and regression-test summary.


Click its PR #2 link and switch to GitHub.

Automation result: PR #2

SAY

The completed run reports that it opened a pull request containing the threshold fix and regression tests. I follow the result link to inspect what it produced.

SEE / VIDEO FRAME AT 02:26



REVIEW OUTPUT / STEP 1 OF 4 / 02:32-02:43

Check the PR and comparison

DO

Read PR #2’s destination and issue link. Click Files changed.

Select src/services/promotions.ts and show > changing to >=.


Automation result: PR #2

PR #2: files changed

SAY

On GitHub, I check the pull request destination branch, changed files and link back to the issue. The code change includes the minimum quantity in the discount comparison.

SEE / VIDEO FRAME AT 02:42



REVIEW OUTPUT / STEP 2 OF 4 / 02:44-02:57

Inspect boundary and expiration tests

DO


Select the promotion test file in Files changed.

Scroll through quantities below, at and above both thresholds, then the expired-promotion case.

SAY

I open the test to see how the boundary is covered. There are cases below, at and above the threshold, using two different minimum quantities. The tests also check that an expired promotion doesn't give a discount.

SEE / VIDEO FRAME AT 02:51



REVIEW OUTPUT / STEP 3 OF 4 / 02:57-03:07

Read validation evidence

DO

Return to the recorded run result and read 70 passed tests and five expected failures.

Return to PR #2, open Checks and inspect the GitHub validation result.


Automations Activity

Automation result: PR #2

SAY

The recorded run reports 70 passed tests and 5 existing expected failures for unrelated problems. GitHub's automated checks also passed.

SEE / VIDEO FRAME AT 03:03



REVIEW OUTPUT / STEP 4 OF 4 / 03:08-03:28

Read the review limitation

DO

Click Conversation and scroll to CodeRabbit's Review skipped response.


Read the author/reviewer-account explanation. Leave the PR open and unmerged.

Automation result: PR #2

SAY

There is a separate review limitation here. CodeRabbit skipped its pull request review because the author is also the configured reviewer account. The passing tests don't stand in for that review. I leave the pull request open for the team to inspect. The automation has prepared a proposed fix and its evidence. The team still decides whether to accept it.

SEE / VIDEO FRAME AT 03:16



TUNE & TRACK / STEP 1 OF 4 / 03:29-03:47

Inspect history and one run

DO

Return to the automation Overview, then click Activity.

Locate the recorded issue-triggered run. Read its time, trigger and agent minutes, then open the result details.


Demo automation

Automations Activity

SAY

I return to the automation's overview and open activity. The history shows when it ran, what triggered the work and the agent minutes used. Opening a run lets me read its result in context. That's where I'd look if a task reported a blocker or delivered something different from what I expected.

SEE / VIDEO FRAME AT 03:45



TUNE & TRACK / STEP 2 OF 4 / 03:48-03:53

Preview the configuration

DO


Return to the automation and click Edit.

Scroll through instructions and GitHub destination. Cancel or go Back without changing the saved configuration.

SAY

I can return to the configuration to refine the instructions or destination for future runs.

SEE / VIDEO FRAME AT 03:52



TUNE & TRACK / STEP 3 OF 4 / 03:53-03:57

Show how to pause

DO


On Overview, show the Active/Pause control and the recorded Paused result.

For rehearsal, retain the existing paused state.

SAY

If I want to stop processing new events, I can pause the automation.

SEE / VIDEO FRAME AT 03:57



TUNE & TRACK / STEP 4 OF 4 / 03:58-04:08

Close on the workflow result

DO

Keep the run history visible while finishing the narration.

Return to the flow slide for the silent ending.


Demo automation

Automation result: PR #2

SAY

We've defined the task once and followed an incoming issue through to a proposed fix. The run history and configuration give us a way to improve that workflow as we see the results.

SEE / VIDEO FRAME AT 04:05



Operator text to type

Use these inputs for the Do instructions. They are separate from the spoken Say track.

Agent instructions

For each newly opened GitHub issue in this demo repository, investigate the reported discount-threshold problem using the issue and the code. Ignore events other than newly opened issues. Check whether the reported problem is already fixed before changing anything. If a fix is needed, keep it limited to the discount threshold and its tests. Preserve unrelated application behavior. Add or update tests for quantities below, exactly at, and above the configured minimum. Run the relevant tests and report their results and any blockers accurately. Do not require CodeRabbit CLI review before delivery. Prepare one focused pull request in the selected GitHub repository. Do not modify or close the original issue, and do not merge the pull request. If the issue is already resolved or a required step is blocked, explain that outcome rather than claiming a fix was delivered.

GitHub target instructions

Open one pull request for the focused discount fix. Include a concise explanation, the relevant test results, any validation limitations, and a labeled link to the original GitHub issue. Leave the pull request open and unmerged.

GitHub issue title

Discount does not apply when quantity equals the promotion minimum

GitHub issue body

A qualifying order does not receive its discount when its quantity is exactly the configured minimum. The discount only starts applying above that quantity.

To reproduce, use a valid promotion and otherwise eligible order. Compare quantities one below the configured minimum, exactly at the minimum, and one above it.

Expected behavior: below the minimum, no discount applies. At the minimum and above it, the configured discount applies.

Please fix the threshold comparison and add regression tests for all three cases. Preserve the discount amount, eligibility rules, and unrelated checkout behavior. Include the test results in the proposed fix PR.

Resource directory

Links open the recorded examples. Historical comments and pinned source revisions preserve the relevant context when the live PR has moved on.

Automations repository
https://github.com/coderabbit-demo/demo-site-automations

Demo automation
https://app.coderabbit.ai/automations/ui-bdb1428f-4e1e-4a2b-b222-3b8d3bac5520

Triggering GitHub issue #1
https://github.com/coderabbit-demo/demo-site-automations/issues/1

Automation result: PR #2
https://github.com/coderabbit-demo/demo-site-automations/pull/2

Automations Activity
https://app.coderabbit.ai/automations/activity

Slide deck
https://docs.google.com/presentation/d/1zk6UD0ZoAxtGRqDTQL-MVulAWu5MH4nYmd-9xJBpU5Y/edit

Automations Home
https://app.coderabbit.ai/automations

PR #2: files changed
https://github.com/coderabbit-demo/demo-site-automations/pull/2/files