CodeRabbit Agent for Slack

Do / Say / See

Investigate a Jira report in Slack, agree a plan, deliver a fix and recall a saved rule.

5 pillars | 19 core pages | limit 25

Use #demo-site in coderabbit demo, Jira CDB-4 and demo-site-slack main. The delivered fix is PR #1. The source-code links preserve the original buggy commit.

Read each grouped step top to bottom. Do contains the clicks and scrolls; read only Say aloud. See is a frame from the delivered video. Times refer to that video. The narration is preserved in full, including the recorded opening and closing.

Creation, Send and approval actions describe the recorded flow. Rehearse with the linked existing results; use a separate training run when repeating those actions. Live pages may have changed. Resource links require the corresponding account access.

OPEN THE DEMO

#demo-site in Slack

Jira CDB-4

Slack demo repository

Slack planning conversation

Slack-delivered PR #1

Fresh Slack recall conversation

PILLARS AND PAGE LIMITS

Introduction - 1 page

Ask in Channel - 3 steps / pages

Connect the Evidence - 4 steps / pages

Plan the Fix - 3 steps / pages

Deliver the Fix - 4 steps / pages

Remember the Decision - 4 steps / pages

The core count includes the opening page when present. This cover, operator prompts and resource directory are outside the core. Every pillar uses at most four grouped steps.

INTRODUCTION / OPENING / 00:00-00:23

Introduce the flow

DO

Show the section’s flow slide. Keep the full slide visible and highlight each pillar as it comes up in the introduction.


At the end of the introduction, switch to the first demo screen.

Slide deck

SAY

We'll start in Slack where the team is discussing a customer's missing discount. I'll give CodeRabbit the Jira report and repository, then follow the evidence from the ticket into the code. We'll agree on a focused plan and inspect the resulting fix, tests and pull request. Finally, I'll ask CodeRabbit to remember the business rule and check whether it can recall that decision in a new conversation.

SEE / VIDEO FRAME AT 00:09



ASK IN CHANNEL / STEP 1 OF 3 / 00:24-00:32

Open the team conversation

DO

Open #demo-site in Slack and the recorded investigation conversation.

Keep the missing-discount question visible.


#demo-site in Slack

Slack investigation thread

SAY

In Slack, I open the conversation about a customer's missing discount. The order has reached the minimum quantity but the promotion hasn't applied.

SEE / VIDEO FRAME AT 00:30



ASK IN CHANNEL / STEP 2 OF 3 / 00:33-00:48

Include the ticket and repository

DO

In the composer, mention @CodeRabbit and enter the Investigation request from the appendix, including CDB-4 and demo-site-slack main.

Click Send for a training run. For rehearsal, use the recorded message.


Jira CDB-4

Slack demo repository

SAY

I ask CodeRabbit to investigate linking the Jira report and naming the repository. The ticket contains the reported problem, expected behavior and acceptance criteria. For this first request, I want an explanation with links to the evidence. I'll review that before asking for a code change.

SEE / VIDEO FRAME AT 00:44



ASK IN CHANNEL / STEP 3 OF 3 / 00:48-00:53

Open the response thread

DO

Click the message's reply count to open its thread.


Scroll to the answer and its ticket/code references.

Slack source-access evidence

SAY

When the response arrives, I open the thread and follow its references to the ticket and implementation.

SEE / VIDEO FRAME AT 00:52



CONNECT THE EVIDENCE / STEP 1 OF 4 / 00:54-01:03

Read the expected boundary

DO

Scroll the response to the Jira evidence and the 9/10/11 item table.

The ticket link opens the original requirements.


Jira CDB-4

Slack source-access evidence

SAY

The ticket describes an unexpired promotion with a minimum of 10 items and 10% discount. 9 items should not qualify, 10 and 11 should.

SEE / VIDEO FRAME AT 01:02



CONNECT THE EVIDENCE / STEP 2 OF 4 / 01:05-01:16

Follow the source link

DO

Scroll to the promotions.ts comparison, then click its code citation.


Switch to GitHub and inspect the original > condition at lines 20-23.

Original discount code, lines 20-23

SAY

CodeRabbit points to a comparison that requires the quantity to be greater than the minimum. Greater than 10 excludes 10 itself which explains the missing discount. I follow the code link and check that condition.

SEE / VIDEO FRAME AT 01:16



CONNECT THE EVIDENCE / STEP 3 OF 4 / 01:17-01:32

Inspect the known failing test

DO

Return to the response and click the flagship.test.ts citation.


On GitHub, scroll to the exact-minimum it.fails case. Keep it visible while explaining that inspection is not a passing test run.

Original expected-failure test

SAY

The response also identifies a test for that exact minimum that's marked as an expected failure. The test records the known problem. At this stage, CodeRabbit has inspected the code and test. We haven't established a passing result for a fix.

SEE / VIDEO FRAME AT 01:25



CONNECT THE EVIDENCE / STEP 4 OF 4 / 01:33-01:38

Return to the conclusion

DO

Switch back to Slack and scroll to the evidence summary.


Keep the ticket and code citations available before planning.

Slack source-access evidence

SAY

The ticket and implementation now give us a specific boundary to correct.

SEE / VIDEO FRAME AT 01:37



PLAN THE FIX / STEP 1 OF 3 / 01:38-01:55

Request the inclusive-boundary plan

DO

In the conversation, mention @CodeRabbit and enter the Plan request from the appendix.


Click Send for a training run; for rehearsal, open the saved plan.

Slack planning conversation

SAY

Back in the thread, I ask for a plan. The minimum must be inclusive so an order of exactly 10 items qualifies. I want a small change with tests below, at and above the boundary. The existing expected failure test should become a normal passing test.

SEE / VIDEO FRAME AT 01:50



PLAN THE FIX / STEP 2 OF 3 / 01:56-02:04

Read preservation requirements

DO


Scroll through the proposed plan to the expected-failure conversion, discount percentage and expiration cases.

Hold the exact-expiration rule on screen.

SAY

I also ask the plan to preserve the discount percentage and expiration behavior. At the exact expiration time, the promotion should remain expired.

SEE / VIDEO FRAME AT 02:02



PLAN THE FIX / STEP 3 OF 3 / 02:05-02:17

Check the proposed scope

DO


Read the plan's validation and excluded work.

Keep the conversation visible before requesting implementation.

SAY

I read the proposed approach and check it against those requirements. The plan gives us a defined scope and a way to judge the result. With that agreed, we are ready to request implementation.

SEE / VIDEO FRAME AT 02:13



DELIVER THE FIX / STEP 1 OF 4 / 02:17-02:24

Request implementation

DO

Mention @CodeRabbit and enter the Implementation request from the appendix.


Click Send for a training run. For rehearsal, open the existing delivery conversation.

Slack planning conversation

SAY

I ask CodeRabbit to implement the plan in a demo repository, run the relevant checks and open a pull request on a new branch.

SEE / VIDEO FRAME AT 02:23



DELIVER THE FIX / STEP 2 OF 4 / 02:25-02:34

Follow the implementation channel and PR

DO

Click the linked #fix-cdb-4-promotion-boundary channel.


Scroll through the implementation summary and click its PR #1 link. Switch to GitHub.

Slack-delivered PR #1

SAY

The response links to a dedicated code channel for the implementation. I follow it to inspect the changed files and validation, then open the pull request.

SEE / VIDEO FRAME AT 02:33



DELIVER THE FIX / STEP 3 OF 4 / 02:34-02:52

Inspect the patch and validation

DO

Click Files changed and inspect the inclusive comparison and quantity/expiration tests.

Return to the recorded task summary for 65 passed tests and five expected failures.

On GitHub, inspect Checks and the CodeRabbit review result.


PR #1: files changed

Slack-delivered PR #1

SAY

The patch includes the inclusive comparison and regression tests for the quantity and expiration boundaries. In this recorded run, CodeRabbit reports 65 passed tests and 5 unchanged expected failures. GitHub's validation checks passed and CodeRabbit approved the pull request.

SEE / VIDEO FRAME AT 02:39



DELIVER THE FIX / STEP 4 OF 4 / 02:53-03:01

Follow the Jira handoff

DO

Return to Slack's delivery message and show its Jira link and validation summary.

Use the direct comment link to inspect the handoff. Return to PR #1 and show that it remains open.


Jira CDB-4: delivery comment

Slack-delivered PR #1

SAY

The delivery message links the result back to Jira with the validation summary. The ticket and pull request remain open, ready for the team to review and decide what to accept.

SEE / VIDEO FRAME AT 03:01



REMEMBER THE DECISION / STEP 1 OF 4 / 03:02-03:08

Ask to remember the rule

DO

Return to the original Slack conversation. Mention @CodeRabbit and enter the Remember request from the appendix.


Click Send for a training run; for rehearsal, read the recorded request.

Slack planning conversation

SAY

I return to Slack and ask CodeRabbit to remember the promotion rule and the regression cases future changes should cover.

SEE / VIDEO FRAME AT 03:07



REMEMBER THE DECISION / STEP 2 OF 4 / 03:09-03:24

Read the saved record and limitation

DO


Scroll to the saved knowledge-base acknowledgment.

Keep the inclusive minimum, boundary tests, preservation requirements and unavailable live remote check visible.

SAY

The response identifies a saved knowledge-base record containing the inclusive minimum, boundary tests and the requirement to preserve discount and expiration behavior. Its live remote check was unavailable in this run, so I also ask recall in a new conversation.

SEE / VIDEO FRAME AT 03:16



REMEMBER THE DECISION / STEP 3 OF 4 / 03:26-03:32

Ask in a new conversation

DO

Return to #demo-site's main composer outside the existing thread.

Mention @CodeRabbit and enter the Recall question without supplying the answer. Click Send for a training run.

For rehearsal, open the saved fresh recall thread.


#demo-site in Slack

Fresh Slack recall conversation

SAY

I ask which promotion rule we agreed on and which tests a future change should include without repeating the answer.

SEE / VIDEO FRAME AT 03:31



REMEMBER THE DECISION / STEP 4 OF 4 / 03:32-03:53

Read recall and finish

DO

Scroll to the new answer and its saved-record reference.


Show the inclusive rule and 9/10/11 cases, then finish on the flow slide.

Fresh Slack recall conversation

SAY

CodeRabbit returns the inclusive rule, the 9, 10 and 11 item cases and a reference to the saved record. We followed a customer report from Slack into the evidence, agreed on a fix and inspected its delivery. The team also brings that business rule into its next conversation.

SEE / VIDEO FRAME AT 03:51



Operator text to type

Use these inputs for the Do instructions. They are separate from the spoken Say track.

Investigation request

@CodeRabbit Investigate why an eligible order at the promotion minimum is not receiving its discount. Read https://coderabbit-demo.atlassian.net/browse/CDB-4 and compare its expected behavior and acceptance criteria with coderabbit-demo/demo-site-slack on main. Explain the cause with source links. Investigate only for now; do not change code or update the ticket.

Plan request

@CodeRabbit Plan the CDB-4 fix in coderabbit-demo/demo-site-slack on main. Make the minimum inclusive and test 9, 10 and 11 items. Convert the expected-failure test to a normal regression test. Preserve the discount percentage and expiration boundary. Use Jira and GitHub only. Show the plan; do not implement yet.

Implementation request

@CodeRabbit Implement the agreed CDB-4 plan in coderabbit-demo/demo-site-slack, using a new branch from main. Preserve the discount amount and expiration behavior. Run the relevant checks and open one PR targeting main. Add a comment to https://coderabbit-demo.atlassian.net/browse/CDB-4 with the PR link and validation summary. Leave the ticket open and the PR unmerged.

Remember request

@CodeRabbit Remember this rule for the demo application's promotions: the minimum quantity is inclusive. Regression tests must cover quantities below, exactly at, and above the configured minimum. Preserve the existing discount amount, expiration behavior, and other eligibility rules. The requirement and acceptance criteria are documented here: https://coderabbit-demo.atlassian.net/browse/CDB-4.

Recall question

@CodeRabbit What promotion-boundary rule did we agree on for the demo application, and which regression cases should a future change include?

Resource directory

Links open the recorded examples. Historical comments and pinned source revisions preserve the relevant context when the live PR has moved on.

#demo-site in Slack
https://coderabbitdemo.slack.com/archives/C0C1XHM10H2

Jira CDB-4
https://coderabbit-demo.atlassian.net/browse/CDB-4

Slack demo repository
https://github.com/coderabbit-demo/demo-site-slack

Slack planning conversation
https://coderabbitdemo.slack.com/archives/C0C1XHM10H2/p1790458861537939

Slack-delivered PR #1
https://github.com/coderabbit-demo/demo-site-slack/pull/1

Fresh Slack recall conversation
https://coderabbitdemo.slack.com/archives/C0C1XHM10H2/p1790461194095169

Slide deck
https://docs.google.com/presentation/d/1zk6UD0ZoAxtGRqDTQL-MVulAWu5MH4nYmd-9xJBpU5Y/edit

Slack investigation thread
https://coderabbitdemo.slack.com/archives/C0C1XHM10H2/p1790456735329639

Slack source-access evidence
https://coderabbitdemo.slack.com/archives/C0C1XHM10H2/p1790458495085939

Original discount code, lines 20-23
https://github.com/coderabbit-demo/demo-site-slack/blob/75b415d25e6238047dfdd051beac634b27be7a3b/src/services/promotions.ts#L20-L23

Original expected-failure test
https://github.com/coderabbit-demo/demo-site-slack/blob/75b415d25e6238047dfdd051beac634b27be7a3b/tests/flagship.test.ts#L164-L168

PR #1: files changed
https://github.com/coderabbit-demo/demo-site-slack/pull/1/files

Jira CDB-4: delivery comment
https://coderabbit-demo.atlassian.net/browse/CDB-4?focusedCommentId=10266