

RPP Sample Request

Step 1: Create Subscription

Create Subscription URL: <https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription>

Request:

```
curl --location --
request POST 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json' \
--data-raw '{
  "amount": 10,
  "amountQueryUrl": null,
  "firstPaymentAmount": null,
  "firstPaymentIncludedInCycle": true,
  "serviceId": 100001,
  "currency": "BDT",
  "startDate": "2021-10-18",
  "expiryDate": "2021-10-20",
  "frequency": "DAILY",
  "subscriptionType": "BASIC",
  "maxCapAmount": null,
  "maxCapRequired": false,
  "merchantShortCode": "YOUR_SHORT_CODE",
  "payer": null,
  "payerType": "CUSTOMER",
  "paymentType": "FIXED",
  "redirectUrl": "YOUR_CALLBACK_URL",
  "subscriptionRequestId": "Merchant02-SB11934746878", // Must be Unique.
  "subscriptionReference": "MSMSR2",
  "extraParams": null
}'
```

Response:

```
{
  "subscriptionRequestId": "Merchant02-SB11934746878",
  "redirectURL": "https://intent.sbrecurring.pay.bka.sh/intent/web/intent/5X2Z5BAR",
  "expirationTime": "2021-10-18T08:21:32.292214Z",
  "timeStamp": "2021-10-18T08:11:32.307233Z"
}
```

Step 2: Query Subscription & Payment after successful callback (Must be implemented)

Query By Subscription Request ID URL:

<https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/request-id/Merchant02-SB11934746878>

A merchant needs to call this API after redirecting to a success callback to check the status of the subscription.

Request:

```
curl --location --request GET 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/request-id/Merchant02-SB11934746878' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'
```

Response:

```
{
  "id": 1037, // Subscription ID
  "createdAt": "2021-10-18 08:11:32",
  "modifiedAt": "2021-10-18 08:12:45",
  "subscriptionRequestId": "Merchant02-SB11934746878",
  "requesterId": 4,
  "serviceId": 100001,
  "paymentType": "FIXED",
  "subscriptionType": "BASIC",
  "amountQueryUrl": null,
  "amount": 10.00,
  "firstPaymentAmount": null,
  "maxCapRequired": false,
  "maxCapAmount": null,
  "frequency": "DAILY",
  "startDate": "2021-10-18",
  "expiryDate": "2021-10-20",
  "merchantId": 4,
  "payerType": "CUSTOMER",
  "payer": "01770618575",
  "currency": "BDT",
  "nextPaymentDate": "2021-10-19",
  "status": "SUCCEEDED",
  "subscriptionReference": "MSMSR2",
  "extraParams": null,
  "cancelledBy": null,
  "cancelledTime": null,
  "enabled": true,
  "active": true,
  "expired": false,
  "rrule": "FREQ=DAILY;INTERVAL=1;UNTIL=20211020"
}
```

Get Payment List Subscription ID URL:

<https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/payment/bySubscriptionId/1037>

All payment information will be available as a list for a single subscription id. Merchant can call this to get the payment ID or any other reason. Also, it can be called for Query Payment to check the Payment status. Based on payment status merchant can update his system.

Request:

```
curl --location --
request GET 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/paymen
t/bySubscriptionId/1037' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'
```

Response:

```
[
  {
    "id": 1232,
    "subscriptionId": 1037,
    "dueDate": "2021-10-18",
    "status": "SUCCEEDED_PAYMENT",
    "trxId": "8JI4052ZDO",
    "trxTime": "2021-10-18T08:12:45.380281",
    "amount": 10.00,
    "reverseTrxAmount": null,
    "reverseTrxId": null,
    "reverseTrxTime": null
  }
]
```

Get Payment Info By Payment ID URL:

<https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/payment/1232>

Merchant can call this API to get the details of a specific Payment ID. Based on payment status merchant can update his system.

Request:

```
curl --location --
request GET 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/paymen
t/1232' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'
```

Response:

```
{
  "id": 1232,
  "subscriptionId": 1037,
  "dueDate": "2021-10-18",
  "status": "SUCCEEDED_PAYMENT",
  "trxId": "8JI4052ZDO",
  "trxTime": "2021-10-18T08:12:45.380281",
  "amount": 10.00,
  "reverseTrxAmount": null,
  "reverseTrxId": null,
  "reverseTrxTime": null
}
```

Step 3: Refund Payment

Refund URL: <https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/payment/refund>

Request:

```
curl --location --
request POST 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/payme
nt/refund' \

--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-18T08:29:56.436364Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json' \
--data-raw '{
  "paymentId": "1232",
  "amount": "10"
}'
```

Response:

For Refund API, Merchant will only receive HTTP Status as **OK**. And after that, merchant will get the Webhook for Refund (success/fail)

Step 4: Cancel Subscription

Cancel Subscription URL:

<https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/1037?reason=TestCancelSubscription>

Request:

```
curl --location --
request DELETE 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/1037?reason=TestCancelSubscription' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timestamp: 2021-09-25T11:20:50.348311Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'
```

Response:

```
{
  "subscriptionId": 1037,
  "subscriptionStatus": "CANCELLED",
  "message": null,
  "instant": "2021-10-18T09:08:29.809985Z"
}
```

Step 5: Other APIs

Query By Subscription ID URL: <https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/1037>

Request:

```
curl --location --
request GET 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/1037' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timestamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'
```

Response:

```
{
  "id": 1037,
  "createdAt": "2021-10-18 08:11:32",
  "modifiedAt": "2021-10-18 09:08:29",
  "subscriptionRequestId": "Merchant02-SB11934746878",
  "requesterId": 4,
  "serviceId": 100001,
  "paymentType": "FIXED",
  "subscriptionType": "BASIC",
}
```

```

    "amountQueryUrl": null,
    "amount": 10.00,
    "firstPaymentAmount": null,
    "maxCapRequired": false,
    "maxCapAmount": null,
    "frequency": "DAILY",
    "startDate": "2021-10-18",
    "expiryDate": "2021-10-20",
    "merchantId": 4,
    "payerType": "CUSTOMER",
    "payer": "01770618575",
    "currency": "BDT",
    "nextPaymentDate": "2021-10-19",
    "status": "CANCELLED",
    "subscriptionReference": "MSMSR2",
    "extraParams": {
        "cancellationReason": "TestCancelSubscription"
    },
    "cancelledBy": "REQUESTER",
    "cancelledTime": "2021-10-18 09:08:29",
    "enabled": false,
    "active": false,
    "expired": false,
    "rrule": "FREQ=DAILY;INTERVAL=1;UNTIL=20211020"
}

```

Subscription List URL: <https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/1/2>

Request:

```

curl --location --
request GET 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscriptions/1/2'
\
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'

```

Response:

```

{
    "size": 2,
    "totalElements": 162,
    "totalPages": 81,
    "content": [
        {
            "id": 1032,
            "subscriptionRequestId": "Merchant02-SB119347464868",

```

```

        "merchantId": 4,
        "merchantShortCode": null,
        "payer": null,
        "amount": 30.00,
        "startDate": "2021-10-13",
        "expiryDate": "2021-10-20",
        "frequency": "DAILY",
        "status": "INITIALIZED",
        "cancelledBy": null,
        "cancelledTime": null
    },
    {
        "id": 1031,
        "subscriptionRequestId": "Merchant02-SB11934746488",
        "merchantId": 4,
        "merchantShortCode": null,
        "payer": null,
        "amount": 30.00,
        "startDate": "2021-10-13",
        "expiryDate": "2021-10-20",
        "frequency": "DAILY",
        "status": "INITIALIZED",
        "cancelledBy": null,
        "cancelledTime": null
    }
],
"currentPage": 1
}

```

Get Payment Schedule URL:

https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/payment/schedule?frequency=CALENDAR_MONTH&startDate=2022-01-01&expiryDate=2022-12-01

Request:

```

curl --location --
request GET 'https://gateway.sbrecurring.pay.bka.sh/gateway/api/subscription/paymen
t/schedule?frequency=CALENDAR_MONTH&startDate=2022-01-01&expiryDate=2022-12-01' \
--header 'version: v1.0' \
--header 'channelId: Merchant WEB' \
--header 'timeStamp: 2021-08-24T12:04:31.353163Z' \
--header 'x-api-key: YOUR_APP_KEY' \
--header 'Content-Type: application/json'

```

Response:

```

{
    "count": 12,
    "dates": [
        "2022-01-01",
        "2022-02-01",

```

```
        "2022-03-01",
        "2022-04-01",
        "2022-05-01",
        "2022-06-01",
        "2022-07-01",
        "2022-08-01",
        "2022-09-01",
        "2022-10-01",
        "2022-11-01",
        "2022-12-01"
    ]
}
```

Frequency:

```
"DAILY",
"WEEKLY",
"FIFTEEN_DAYS",
"THIRTY_DAYS",
"NINETY_DAYS",
"ONE_EIGHTY_DAYS",
"CALENDAR_MONTH",
"CALENDAR_YEAR"
```

Webhook Payload

Subscription Webhook Request:

```
{
  "message": null,
  "timeStamp": "2021-10-18T08:12:45.376484Z",
  "subscriptionRequestId": "Merchant02-SB11934746878",
  "subscriptionId": 1037,
  "subscriptionStatus": "SUCCEEDED",
  "nextPaymentDate": "2021-10-18",
  "amount": null,
  "trxId": null,
  "trxDate": null
}
```

Subscription Payment Webhook Request:

```
{
  "message": null,
  "timeStamp": "2021-10-18T08:12:46.522116Z",
  "subscriptionRequestId": "Merchant02-SB11934746878",
  "paymentId": 1232,
  "paymentStatus": "SUCCEEDED_PAYMENT",
  "subscriptionId": 1037,
  "trxId": "8JI4052ZDO",
  "amount": 10,
  "dueDate": "2021-10-18",
  "nextPaymentDate": "2021-10-19",
  "trxDate": "2021-10-18T08:12:45",
  "firstPayment": false
}
```

Refund Webhook Request:

```
{
  "message": null,
  "timeStamp": "2021-10-18T09:00:25.871816Z",
  "subscriptionRequestId": "Merchant02-SB11934746878",
  "paymentId": 1232,
  "paymentStatus": "FAILED_REFUND",
  "subscriptionId": 1037,
  "reverseTrxId": "8JI7052ZPF",
  "refundedAmount": 10,
  "reversTrxDate": "2021-10-18T09:00:09",
  "firstPayment": false
}
```

Cancel Subscription Webhook Request:

```
{  
  "message": null,  
  "timeStamp": "2021-10-18T09:08:29.815136Z",  
  "subscriptionRequestId": "Merchant02-SB11934746878",  
  "subscriptionId": 1037,  
  "subscriptionStatus": "CANCELLED",  
  "cancelledBy": "Requester"  
}
```